

->Verify that githhub plugin,github api plugin and git plugin are installed and enabled
->Do NOT enable “GitHub Integration Plugin” — it conflicts with the main one

Note:

If any are missing, go to **“Available plugins”**, search, and install:

- `GitHub plugin`
- `GitHub API Plugin`
- `Git plugin`

->After installation, **restart Jenkins**

STEP 2 — Generate GitHub Personal Access Token (PAT)

1. **Go to: https://github.com/settings/tokens**


Profile
Repositories
Stars
Gists
Organizations
New task
Enterprises
Sponsors
Settings
Copilot settings
Feature preview
Appearance
Accessibility
Try Enterprise
Free


Pages
Saved replies
Security
Code security
Integrations
Applications
Scheduled reminders
Archives
Security log
Sponsorship log
Developer settings



2. **Click "Generate new token → classic"**
   (Fine-grained tokens can sometimes cause validation issues with jenkins)





3. **Set:**
   - **Note:** `jenkins-access-token`
   - **Expiration:** `No expiration` **(optional)**
4. **Under Scopes, select:**
   - ✅ `repo` **— Full control of repositories**

- ✅ `admin:repo_hook` — **Manage webhooks**
- ✅ `user:email` — **Read-only (optional but helpful)**

5. **Click Generate token → Copy it safely (you'll only see it once)**





STEP 3 — Add Token in Jenkins Credentials

1. **Go to Manage Jenkins → Credentials → System → Global credentials (unrestricted)**







2. **Click “Add Credentials”**

3. **Fill in:**

   - **Kind:** `Secret text`
   - **Secret:** ***(paste your GitHub token)***
   - **Scope:** `Global`
   - **ID:** `github-token` ***(unique name — if this already exists, use*** *`github-token-2`****)***
   - **Description:** `GitHub Personal Access Token`



4. **Click Create** ✅



After this step you can restart your jenkins



STEP 4 — Configure GitHub Server in Jenkins

1. **Go to Manage Jenkins → System**

2. **Scroll down to GitHub Servers**

3. **Click Add GitHub Server**

4. **Fill in the fields:**

   - **Name:** `github`

   - **API URL:** `https://api.github.com`

- **Credentials: Choose your credential (`github-token` or the one you added)**



Note: If the credentials you added is not visible in the credentials dropdown you can manually add it. Refer the below images for clarification.



Jenkins Credentials Provider: Jenkins

Secret text

Scope ?

Global (Jenkins, nodes, items, all child items, etc)

Secret

••

ID ?

Description ?

Cancel Add

E-mail Notification

SMTP server

Credentials created



5. **Click Test connection**



Expected result:

"Credentials verified for user: your_github_username"



If you see “Failed to validate the account”:

- **Double-check your token (Step 2)**
- **Ensure correct scopes (`repo`, `admin:repo_hook`)**
- **Make sure the API URL is exactly:**

  `https://api.github.com`

STEP 5 Link Jenkins Job to GitHub Repo

1. **Go to Dashboard → New Item → Freestyle Project**



2. **Enter a name (e.g. `github-demo`)**
3. **In the configuration:**
   - **Under Source Code Management → Git**



You can copy the repository url.

- **Repository URL: your GitHub repo (e.g. `https://github.com/username/repo.git`)**
- **Credentials: select your GitHub token**

- **Under Build Triggers:**
  - ✅ **Check “GitHub hook trigger for GITScm polling”**



4. **Add your build steps (e.g. run Selenium tests, Maven build, etc.)**



5. **Click Save**

Note:Additionally you can add post build steps also.

STEP 6 — Add Webhook in GitHub Rep


Shivajithu123 / seleniumnew
Code
Issues
Pull requests
General
Access
Collaborators
Moderation options
Code and automation
Branches
Tags
Rules
Actions
Models
Preview
Webhooks
Copilot
Environments
Codespaces
Pages

.Go to your GitHub repo → Settings → Webhooks → Add webook

If you want GitHub to trigger Jenkins automatically (build after commit), GitHub must be able to reach Jenkins externally.

Since your Jenkins is running on localhost, GitHub (which runs in the cloud) cannot directly reach it.

Use ngrok (Recommended for local setups)

Ngrok exposes your local Jenkins to the internet.

1. **Download and install ngrok:**
   👉 https://ngrok.com/download

Run this command:

```
ngrok http 8090
```



```
D:\ngrok-v3-stable-windows-
ngrok                                                                    (Ctrl+C to quit)

◆  One gateway for every AI model. Available in early access *now*: https://ngrok.com/r/ai

Session Status                online
Account                       jithushiva123 (Plan: Free)
Update                        update available (version 3.35.0, Ctrl-U to update)
Version                       3.31.0
Region                        India (in)
Web Interface                 http://127.0.0.1:4040
Forwarding                    https://alvin-premonarchal-superlaryngeally.ngrok-free.dev -> http://localhost:8090

Connections                   ttl     opn     rt1     rt5     p50     p90
                              0       0       0.00    0.00    0.00    0.00
```

2.

You'll see output like:

`Forwarding  https://abc123.ngrok.io -> http://localhost:8090`

```
D:\ngrok-v3-stable-windows-
ngrok                                                                    (Ctrl+C to quit)

◆  One gateway for every AI model. Available in early access *now*: https://ngrok.com/r/ai

Session Status                online
Account                       jithushiva123 (Plan: Free)
Update                        update available (version 3.35.0, Ctrl-U to update)
Version                       3.31.0
Region                        India (in)
Web Interface                 http://127.0.0.1:4040
Forwarding                    https://alvin-premonarchal-superlaryngeally.ngrok-free.dev -> http://localhost:8090

Connections                   ttl     opn     rt1     rt5     p50     p90
                              0       0       0.00    0.00    0.00    0.00
```

3.

Copy that HTTPS URL (`https://abc123.ngrok.io`)
Then, use this as your GitHub Webhook URL:
[`https://abc123.ngrok.io/github-webhook/`](https://abc123.ngrok.io/github-webhook/)





4.

✅ Now GitHub will successfully send webhook events to your Jenkins running locally.

Result Verifcation

->You can verify the results by creating a new push in your repository.


Shivajithu123 / seleniumnew
Type / to search
Code
Issues
Pull requests
Actions
Commit changes
Commit message
Change output message from 'Hello World!' to 'Push trigger!'
Extended description
Add an optional extended description...
Message and description suggested by Copilot.
Commit directly to the master branch
Create a new branch for this commit and start a pull request Learn more about pull requests
Cancel
Commit changes
Cancel changes
Commit changes...
Files
master
Go to file
.github
report
src
main/java/com/mycompany/tes...
TestNG.java
test/java
pom.xml
testng.xml
Edit
Spaces
4
No wrap
Use Control + Shift + m to toggle the tab key moving focus. Alternatively, use esc then tab to move to the next interactive element on the page.


Webhooks
Add webhook
Webhooks allow external services to be notified when certain events happen. When the specified events happen, we'll send a POST request to each of the URLs you provide. Learn more in our Webhooks Guide.
https://alvin-premonarchal-superlar... (push)
Last delivery was successful.
Edit
Delete


Jenkins / githublearn / GitHub Hook Log
Status
Changes
Workspace
Build Now
Configure
Delete Project
GitHub Hook Log
Rename
Credentials
Builds
Filter
Today
#1 11:04 AM
Last GitHub Push
Started on 22-Jan-2026, 11:03:58 am
Started by event from 140.82.115.127 ⇒ https://alvin-premonarchal-superlaryngeally.ngrok-free.dev:8090/github-webhook/ on Thu Jan 22 11:03:58 IST 2026
No existing build. Scheduling a new one.
Done. Took 3 ms
Changes found
http://localhost:8090/job/githublearn/1/
Jenkins 2.516.3

Jenkins / githublearn / #1 / Console Output

```
where the version ("v86") matches the version of the chromium-based browser you're using and the version
number of the artifact is the same as Selenium's.
LoginTestOne | Thread ID: 1
Jan 22, 2026 11:05:27 AM org.openqa.selenium.devtools.CdpVersionFinder findNearestMatch
WARNING: Unable to find CDP implementation matching 143
Jan 22, 2026 11:05:27 AM org.openqa.selenium.chromium.ChromiumDriver lambda$new$5
WARNING: Unable to find version of CDP to use for 143.0.7499.194. You may need to include a dependency on a
specific version of the CDP using something similar to `org.seleniumhq.selenium:selenium-devtools-v86:4.22.0`
where the version ("v86") matches the version of the chromium-based browser you're using and the version
number of the artifact is the same as Selenium's.
LoginTestTwo | Thread ID: 1
Test ONE started | Thread ID: 1
Test ONE ended
Test TWO started | Thread ID: 1
Test TWO ended
testAddition executed
testStringEquality executed
Jan 22, 2026 11:05:42 AM org.openqa.selenium.devtools.CdpVersionFinder findNearestMatch
WARNING: Unable to find CDP implementation matching 143
Jan 22, 2026 11:05:42 AM org.openqa.selenium.chromium.ChromiumDriver lambda$new$5
WARNING: Unable to find version of CDP to use for 143.0.7499.194. You may need to include a dependency on a
specific version of the CDP using something similar to `org.seleniumhq.selenium:selenium-devtools-v86:4.22.0`
where the version ("v86") matches the version of the chromium-based browser you're using and the version
number of the artifact is the same as Selenium's.
```

D:\ngrok-v3-stable-windows-

```
ngrok                                                                                    (Ctrl+C to quit)

⚠ Free Users: Agents ≤3.19.x stop connecting 2/17/26. Update or upgrade: https://ngrok.com/pricing

Session Status                online
Account                       jithushiva123 (Plan: Free)
Update                        update available (version 3.35.0, Ctrl-U to update)
Version                       3.31.0
Region                        India (in)
Latency                       42ms
Web Interface                 http://127.0.0.1:4040
Forwarding                    https://alvin-premonarchal-superlaryngeally.ngrok-free.dev -> http://localhost:8090

Connections                   ttl     opn     rt1     rt5     p50     p90
                              2       0       0.00    0.00    30.14   30.23

HTTP Requests
-------------

11:03:58.086 IST POST /github-webhook/          200 OK
11:01:04.842 IST POST /github-webhook/          200 OK
```

Note:

What is ngrok?

ngrok is a tunneling tool that makes your **local application (localhost)** accessible on the internet with a public URL.

In simple words:

- It exposes your laptop/server to the outside world **securely**

Problem without ngrok

Your Jenkins is running at:

`http://localhost:8090`

This works only on your computer.
GitHub, Postman, Stripe, Razorpay, etc. **cannot access localhost**.

So webhook fails.

✅ What ngrok does

When you run:

```
ngrok http 8090
```

ngrok creates a **secure tunnel**:

`Internet → https://xyz.ngrok.io → http://localhost:8090`

So now:

- GitHub can reach your Jenkins
- Webhooks work
- You can test real integrations locally

Is ngrok safe?

Yes:

- Uses HTTPS
- Temporary URL
- Only active while ngrok is running
- Closes automatically when you stop it

.


Shivajithu123 / seleniumnew
Code
Issues
Pull requests
General
Access
Collaborators
Moderation options
Code and automation
Branches
Tags
Rules
Actions
Models
Preview
Webhooks
Copilot
Environments
Codespaces
Pages