

# NearEvent

## Local Event Discovery Platform

Product Requirements Document (PRD)

### 1. Document Information

|              |                                           |
|--------------|-------------------------------------------|
| Title        | NearEvent -Local Event Discovery Platform |
| Prepared By  | Product Team                              |
| Prepared For | Design, Engineering & QA                  |
| Date         | 19/08/2026                                |
| Version      | 1.0                                       |

#### 1.1 Revision Log

| Version | Date       | Author       | Description     |
|---------|------------|--------------|-----------------|
| 1.0     | 19/08/2026 | Product Team | Initial version |

#### 1.2 Reference Documents

- Canonical Product Requirements Document (PRD) Template

#### 1.3 Approvals

| Name   | Role             | Status  | Date   |
|--------|------------------|---------|--------|
| [Name] | Product Owner    | Pending | [Date] |
| [Name] | Engineering Lead | Pending | [Date] |
| [Name] | Design Lead      | Pending | [Date] |
| [Name] | QA Lead          | Pending | [Date] |

### 2. Problem Statement

People who want to attend local events currently struggle to discover relevant ones. Information is scattered across social media, messaging groups, posters, and multiple websites. Searching is time-consuming, results are often incomplete or outdated, and location relevance is weak.

Local organizers face the opposite problem: they lack a simple, low-friction way to publish events and reach nearby attendees without using complex event-management tools or paid promotion.

**NearEvent** addresses both sides of this gap by providing a focused, location-aware platform that makes it easy for attendees to discover and participate in local events and for organizers to publish and manage those events.

### 3. Scope

#### 3.1 In Scope

- User registration, login, and logout
- User profile and event-interest preferences
- Location-based event discovery
- Keyword search and filtering (category, date, location, distance, availability)
- Event details view
- Save events and RSVP to free events
- My Events (saved + registered)
- Basic notifications and reminders
- Ratings and reviews
- Event creation and publishing by organizers
- Event management (edit, cancel, view registration counts)
- Basic event moderation handling by administrators
- Location and map integration
- Shared backend supporting both web and mobile clients

### 3.2 Out of Scope

- Paid ticketing and payment gateway integration
- In-app messaging / chat
- Social following or friends features
- AI/ML recommendation engine
- Advanced analytics and reporting
- Event advertising or paid promotion
- Complex organizer team / multi-user management
- Marketplace functionality
- Multi-level subscription plans
- Livestreaming and loyalty/reward systems

## 4. Product Overview

### 4.1 Product Description

**NearEvent** is a local event discovery platform that connects people with relevant events happening around their current or preferred location.

Attendees can discover events, search and filter by interests and location, view detailed event information, save events, and RSVP to free events.

Event organizers can create, publish, and manage their events while monitoring registrations.

NearEvent provides a web application and a mobile application that share the same backend services and data.

### 4.2 Feature Scope

| Feature                  | Description                                                                   |
|--------------------------|-------------------------------------------------------------------------------|
| Authentication           | User registration, login, and logout                                          |
| User Profile & Interests | Basic profile and event-interest preferences                                  |
| Event Discovery          | Browse upcoming local events                                                  |
| Search & Filtering       | Search by keyword; filter by category, date, location, distance, availability |
| Event Details            | View complete event information                                               |
| Save Events              | Save events for later                                                         |

|                      |                                                            |
|----------------------|------------------------------------------------------------|
| RSVP                 | Register for free events                                   |
| My Events            | View saved and registered events                           |
| Location & Maps      | Display event locations and map information                |
| Notifications        | Basic RSVP confirmations, reminders, and important updates |
| Reviews              | Rate and review eligible events                            |
| Event Creation       | Organizers create and publish events                       |
| Organizer Management | Edit events and view registration counts                   |
| Basic Moderation     | Admins review and manage submitted events                  |

## 4.5 Platform Scope

**Web Application** -Supports full attendee and organizer experiences plus basic administration and moderation.

**Mobile Application** -Focuses on the attendee experience: location-based discovery, search/filter, event details, save/RSVP, My Events, notifications, profile, and map interaction.

## 4.6 Core Actors

1. **Attendee** -Discovers, saves, registers for, and reviews events.
2. **Organizer** -Creates, publishes, and manages events; monitors registrations.
3. **Administrator** -Moderates events and manages platform content.

## 4.7 Product Success Definition

The succeeds when:

- **An attendee can:** Create an account → discover a nearby event → view details → save or RSVP → receive a reminder → attend → leave a review.
- **An organizer can:** Create an event → publish it → have users discover it → receive RSVPs → manage the event.

# 5. Goals & Objectives

**Primary Goal:** Provide a simple, location-focused platform that makes it easier for people to discover and participate in relevant local events while giving organizers a straightforward way to publish and manage their events.

## 5.1 Product Goals

### Goal 1 - Simplify Local Event Discovery

- Provide a centralized event discovery experience.
- Display relevant upcoming events based on location and category.
- Make event information easy to understand.

### Goal 2 - Make Discovery Location-Aware

- Support current or preferred user location.
- Display event locations on a map.
- Allow filtering by location and distance.
- Prioritize nearby events where appropriate.

### Goal 3 - Improve Event Relevance

- Allow users to select event interests.
- Categorize events consistently.
- Use interests, categories, location, and timing for rule-based relevance.

#### Goal 4 - Make Event Participation Simple

- Provide complete event details.
- Allow saving events and RSVP to free events.
- Offer a My Events area.
- Send basic reminders and important updates.

#### Goal 5 - Give Local Organizers a Simple Publishing Tool

- Support event creation and editing.
- Capture location, date, category, capacity, and description.
- Allow publish, cancel, and view registration counts.

#### Goal 6 - Maintain Event Quality

- Provide basic event moderation.
- Allow administrators to review and act on submitted events.

#### Goal 7 - Build a Manageable

- Focus strictly on the core attendee and organizer journeys.
- Avoid unnecessary integrations and complex features.
- Use a simple architecture that can scale later.

### 5.2 Success Objectives

**Attendee Workflow:** Register → Set Interests → Discover Events → Search/Filter → View Details → Save/RSVP → Receive Reminder → Attend → Review

**Organizer Workflow:** Register → Create Event → Submit/Publish → Manage Event → View Registrations → Update/Cancel Event

**Administrator Workflow:** Login → Review Events → Approve/Reject → Maintain Event Quality

### 5.3 Success Indicators

| Area               | Success Indicator                                           |
|--------------------|-------------------------------------------------------------|
| Event Discovery    | Users successfully find relevant local events               |
| Event Engagement   | Users save or RSVP to discovered events                     |
| Organizer Adoption | Organizers successfully create and publish events           |
| Registration       | Users can RSVP without errors                               |
| Reliability        | Core discovery and RSVP flows work consistently             |
| Usability          | Users complete core tasks without unnecessary steps         |
| Content Quality    | Invalid/problematic events can be identified and moderated  |
| Technical Quality  | Web and mobile clients remain synchronized with the backend |

## 6. Target Users / Personas

### 6.1 Attendee Persona

- Lives or works in a city/urban area

- Wants to find interesting things happening nearby without spending time searching multiple sources
- Values simplicity, relevance, and clear event information
- Willing to create an account to save events and RSVP

## 6.2 Organizer Persona

- Runs community groups, meetups, workshops, cultural events, or small local businesses
- Needs a simple way to publish events and reach people in the same area
- Does not want complex ticketing or advanced marketing tools
- Wants to see how many people have registered

## 6.3 Administrator Persona

- Ensures content quality and platform safety
- Reviews submitted events before or after publication

# 7. Feature List / Feature Requirements

## 7.1 Attendee Features

### FR-001 - User Registration & Login

Users shall be able to create a NearEvent account and securely log in and out. Core capabilities: registration, login, logout, authentication validation, basic password recovery.

### FR-002 - User Profile & Interests

Users shall be able to manage basic profile information and select event interests and preferred location. Interests improve basic (rule-based) event discovery.

### FR-003 - Event Discovery

Users shall be able to browse upcoming publicly available events, ordered by relevance factors (location, category, date, interests).

### FR-004 - Search, Filtering & Sorting

Users shall be able to search by keyword and filter/sort by category, location, date/date range, distance, and availability.

### FR-005 - Event Details

Users shall be able to view complete event information (title, description, category, date/time, venue, address, map, organizer, capacity/availability, save & RSVP options).

### FR-006 - Save Event

Users shall be able to save events, remove saved events, view saved events, and prevent duplicates.

### FR-007 - Event RSVP / Registration

Users shall be able to RSVP to eligible free events, cancel RSVP, view status, enforce capacity, and prevent duplicates. Paid tickets are out of scope.

### FR-008 - My Events

Users shall have a centralized view of saved and registered/upcoming events with status and access to details.

## **FR-009 - Notifications & Reminders**

Basic notifications: RSVP confirmation, event reminder, event cancellation, important event updates.

## **FR-010 - Ratings & Reviews**

Eligible users shall be able to submit ratings and written reviews; view ratings/reviews; prevent duplicate reviews; support basic moderation of inappropriate content.

## **7.2 Organizer Features**

### **FR-011 - Event Creation & Publishing**

Authorized organizers shall be able to create and publish events with required fields (title, description, category, date, start/end time, venue, address/location, capacity, optional image). System validates required information before publication.

### **FR-012 - Event Management**

Organizers shall be able to view, edit, update status, close registration, cancel their own events, and view registration counts. They cannot modify events owned by others.

## **7.3 Administrator Features**

### **FR-013 - Event Moderation**

Administrators shall be able to view pending events, review information, approve, reject, request changes, or suspend problematic events.

### **FR-01 - Basic Admin Management**

Administrators shall have a basic interface for users, organizers, and event categories. Advanced analytics are out of scope.

## **7.4 Location & Map Feature**

### **FR-016 - Location & Map Integration**

Users shall be able to view event location on a map, see venue/address, determine approximate distance (when location is available), and open the location in a supported map application. Supports discovery and distance-based filtering.

## **7.5 Core Dependency Flow**

**Attendee path:** Authentication → Profile & Interests → Event Discovery → Search/Filter → Event Details → Save/RSVP → My Events → Notifications → Reviews

**Organizer path:** Authentication → Create Event → Moderation → Publish → Manage Event → View Registrations

# **8. Functional Requirements**

## **Attendee Requirements**

### **8.1 FR-001 - User Registration & Login**

#### **Description**

The system shall allow users to create a NearEvent account and securely authenticate to access role-appropriate functionality. Authentication behavior depends on platform and role:

- **Mobile application** is for **Attendees only**.
- **Web application** is for **Organizers and Administrators only**.
- Organizer accounts are created through **web registration**.
- Administrator accounts are **pre-provisioned** in the system and cannot be created through public sign up.

### User Stories

- As an attendee, I want to create an account on mobile so that I can save events and RSVP.
- As an attendee, I want to securely log in on mobile so that I can access my saved events and registrations.
- As an organizer, I want to register and log in on web so that I can create and manage events.
- As an administrator, I want to log in on web with my provisioned account so that I can moderate content.
- As a user, I want to reset my password if I forget it so that I can regain access to my account.

### Main Flow - Attendee Registration(Mobile)

1. User selects Sign Up.
2. System displays the registration form.
3. User provides the required information.
4. System validates the submitted information.
5. System checks whether the account already exists.
6. If valid, the system creates the user account.
7. System securely stores the user's credentials.
8. System establishes an authenticated session.
9. User is redirected to the appropriate NearEvent experience.

### Main Flow – Organizer Registration (Web)

1. User selects Sign Up on web.
2. System displays the registration form.
3. User provides the required information.
4. System validates the submitted information.
5. System checks whether the account already exists.
6. If valid, the system creates an **Organizer** account.
7. System securely stores the user's credentials.
8. System establishes an authenticated session.
9. User is redirected to the Organizer Dashboard.

### Main Flow - Login

1. User selects Log In(mobile or web).
2. User enters credentials.
3. System validates the credentials.
4. System authenticates the user and resolves the user role
5. System establishes an authenticated session.
6. User is redirected based on role and platform:
  - Attendee (mobile) → Attendee home / discovery

- Organizer (web) → Organizer Dashboard
- Admin (web) → Admin Dashboard

### Main Flow – Admin Login (Web)

1. Administrator opens the web login screen.
2. Administrator enters provisioned email and password.
3. System validates credentials and confirms Admin role.
4. System establishes an authenticated session.
5. Administrator is redirected to the Admin Dashboard.

### Main Flow – Forgot Password

1. User selects Forgot Password.
2. System displays the password recovery form.
3. User enters the email associated with their account.
4. System validates the email format and checks whether the account exists.
5. If the account exists, the system generates a secure password-reset mechanism (e.g. time-limited link or token).
6. System sends the reset instructions to the user's email.
7. User follows the reset instructions and sets a new password.
8. System validates the new password and updates the credentials securely.
9. User can log in with the new password.

### Required Registration Information

| Field            | Type     | Required |
|------------------|----------|----------|
| Full Name        | Text     | Yes      |
| Email            | Email    | Yes      |
| Password         | Password | Yes      |
| Confirm Password | Password | Yes      |

### Acceptance Criteria

- The system shall allow a new user to register with valid information.
- Mobile registration creates an Attendee account only.
- Web registration creates an Organizer account only.
- Administrator accounts cannot be created through public sign up.
- The system validates all required registration fields and email format.
- The system enforces the defined password requirements.
- The system prevents registration using an email already associated with an account.
- The system securely stores passwords using an appropriate password-hashing algorithm.
- Registered users can log in with valid credentials and are rejected for invalid credentials.
- After login, users are routed to the correct experience based on role and platform.
- The system creates an authenticated session after successful login and allows logout.
- Protected actions and API endpoints reject unauthenticated requests.
- The system does not expose passwords in API responses, logs, or client-side storage.
- Users can initiate password recovery using their registered email.
- Users can set a new password through a secure, time-limited reset process.
- Admin login works only for pre-provisioned admin accounts.

## Negative / Exception Scenarios

| Scenario                                                  | Expected Behavior                                 |
|-----------------------------------------------------------|---------------------------------------------------|
| Email already registered                                  | Display an appropriate error                      |
| Invalid email / password requirements                     | Reject submission with validation feedback        |
| Password confirmation mismatch                            | Reject registration                               |
| Required field missing                                    | Prevent submission                                |
| Invalid login credentials                                 | Display authentication error                      |
| Forgot Password – expired or invalid reset link/token     | Reject reset and prompt user to request a new one |
| Forgot Password – new password does not meet requirements | Reject update and show validation feedback        |

## Core Outcome

A user can securely create and access a NearEvent account, log in and out, and recover access through a basic password-reset flow, establishing the identity required for personalized and protected platform functionality.

## 8.2 FR-002 – User Profile

### Description

The system shall allow authenticated users to view and update their basic profile information. Profile data helps personalize the user's experience and is required for account management.

### User Stories

- As a user, I want to view my profile information so that I can confirm my account details.
- As a user, I want to update my name and other basic profile details so that my account information stays accurate.

### Main Flow

1. User navigates to the Profile section.
2. System displays the user's current profile information.
3. User edits one or more editable fields.
4. User saves the changes.
5. System validates the submitted information.
6. System updates the profile.
7. System confirms the update to the user.

### Acceptance Criteria

- Authenticated users can view their own profile information.
- Authenticated users can update allowed profile fields (e.g. full name).
- Users can only view and modify their own profile.

- The system validates required fields and data formats before saving.
- Updated profile information is saved and immediately reflected in the interface.
- Unauthenticated users cannot access the profile management screen.

## Negative / Exception Scenarios

| Scenario            | Expected Behavior                        |
|---------------------|------------------------------------------|
| Field is empty      | Prevent save and show validation message |
| Invalid data format | Reject the update and show clear error   |

## Core Outcome

Users can view and maintain accurate basic profile information for their NearEvent account.

## 8.3 FR-003 - Event Discovery

### Description

The system shall allow users to browse upcoming publicly available events. Event discovery is the central feature of NearEvent. Events shall be ordered by relevance factors such as location, category, and date. Only published and publicly discoverable events shall appear.

### User Stories

- As a user, I want to browse upcoming local events so that I can quickly see what is happening around me.
- As a user, I want event cards to show the most important information so that I can decide which events are relevant without opening every detail page.

### Main Flow

1. User opens the Discovery / Home screen.
2. System retrieves upcoming published events.
3. System orders events using relevance factors (location, category, date, and other available signals).
4. System displays events as cards in a browsable list.
5. User scrolls or loads more events if available.
6. User can open any event card to view full details.

### Event Card Information

Each event card shall display: Title, Image, Category, Date& Time, Location/area, Distance and Registration availability.

### Acceptance Criteria

- The system displays upcoming published events only.
- Cancelled, rejected, or unpublished events do not appear.
- Pagination or incremental loading is supported.
- Discovery works without precise location data; nearby events may be prioritized when location is available.

## Negative / Exception Scenarios

| Scenario                                         | Expected Behavior                                       |
|--------------------------------------------------|---------------------------------------------------------|
| No published upcoming events available           | Show an empty state with a clear message                |
| Location services unavailable                    | Continue showing events without distance prioritization |
| Partial data missing on an event (e.g. no image) | Still display the event card with available information |
| User scrolls beyond available results            | Stop loading and indicate end of results if needed      |

## Core Outcome

A user can immediately browse relevant upcoming local events after opening NearEvent and can identify interesting events from the summary cards.

## 8.4 FR-004 - Search, Filtering & Sorting

### Description

The system shall allow users to search for events by keyword and narrow results using supported filters and sorting options. Users shall be able to combine filters and clear them easily. Only publicly discoverable events shall appear in the results.

### User Stories

- As a user, I want to search events by keyword so that I can quickly find specific events.
- As a user, I want to filter events by category, date, location, distance, and availability so that I can narrow results to what is relevant to me.

### Main Flow

1. User enters a keyword in the search field and/or opens the filters.
2. User applies one or more filters (category, date/date range, location, distance, availability).
3. System applies the search term and filter.
4. System returns matching publicly discoverable events.
5. User reviews the results and can open an event for more details.
6. User can clear individual filters or clear all filters.

### Supported Filters

| Filter            | Description                                       |
|-------------------|---------------------------------------------------|
| Category          | Filter by event category                          |
| Location          | Filter by city/area/location                      |
| Date / Date Range | Filter by specific date or between selected dates |
| Distance          | Show events within a selected distance            |
| Availability      | Show events that still accept registrations       |

### Acceptance Criteria

- Keyword search and all listed filters are supported and combinable.

- Users can clear individual or all filters.
- Results contain only publicly discoverable events and are consistent across web and mobile.
- Empty state is shown when no events match the current search and filters.

## Negative / Exception Scenarios

| Scenario                                                      | Expected Behavior                                                  |
|---------------------------------------------------------------|--------------------------------------------------------------------|
| No events match the search/filters                            | Show empty state with a clear message and option to clear filters  |
| Location / distance filter requested but location unavailable | Ignore distance prioritization still return other matching results |

## Core Outcome

Users can quickly find relevant events by searching with keywords and narrowing results using practical filters.

## 8.5 FR-005 - Event Details

### Description

The system shall allow users to open an event and view the complete information required to decide whether to attend. This includes event details, location information, organizer information, availability, and the actions to save or RSVP.

### User Stories

- As a user, I want to view full event details so that I can decide whether the event is relevant and worth attending.
- As a user, I want to see the event location and availability so that I can plan my attendance.
- As a user, I want to save or RSVP directly from the event details page so that I can act immediately.

### Main Flow

1. User selects an event from Discovery, Search results, or My Events.
2. System opens the Event Details screen.
3. System displays the complete event information.
4. User reviews the details (description, date/time, location, capacity, organizer, etc.).
5. If authenticated and eligible, the user may save the event or RSVP.
6. If unauthenticated, the user may view public details and is prompted to log in for save/RSVP actions.
7. User may return to the previous screen.

### Required Event Details

Title, description, category, date, start/end time, venue name, full address, map/location view, organizer name, capacity/remaining availability, RSVP option, save option, event image, and current registration status for the authenticated user.

### Acceptance Criteria

- Complete and accurate information is shown for published events.
- Unauthenticated users can view public details but must authenticate to save or RSVP.
- Map shows location when geographic data is available.
- Capacity / availability information is displayed clearly.
- The user's current save and registration status is reflected when authenticated.

## Negative / Exception Scenarios

| Scenario                           | Expected Behavior                                                  |
|------------------------------------|--------------------------------------------------------------------|
| Location / map data is unavailable | Show address text only and hide or disable map view                |
| Event data is partially missing    | Display available information and handle missing fields gracefully |
| Event is at full capacity          | prevent new RSVPs                                                  |

## Core Outcome

A user can view all information needed to decide whether to attend and can proceed directly to save or RSVP.

## 8.6 FR-006 - Save Event

### Description

The system shall allow authenticated users to save events they are interested in for later viewing.

### User Stories

- As a user, I want to save an event so that I can find it again later.
- As a user, I want to remove a saved event so that my saved list stays relevant.
- As a user, I want to see all my saved events in one place so that I can manage them easily.

### Main Flow

1. User opens an event (from Discovery, Search, or another entry point).
2. User selects the Save action.
3. System checks whether the user is authenticated.
4. If authenticated, the system saves the event to the user's account.
5. System confirms the event is saved (e.g. updated icon/state).
6. The saved event becomes available in My Events.
7. User may later unsave the event, which removes it from their saved list.

### Acceptance Criteria

- Authenticated users can save and unsave published events.
- Saved events appear in My Events.
- Unauthenticated users are prompted to log in.
- Only the user's own saved events are visible to them.
- Save and unsave actions update the interface immediately to reflect the current state.

## Negative / Exception Scenarios

| Scenario                                        | Expected Behavior                    |
|-------------------------------------------------|--------------------------------------|
| User is not authenticated                       | Do not save the event                |
| Event is cancelled, unpublished, or unavailable | Event is not going to appear anymore |

## Core Outcome

Users can bookmark events of interest and access them later from a centralized My Events area.

## 8.7 FR-007 - Event RSVP / Registration

### Description

The system shall allow authenticated users to RSVP to eligible free events and manage their registration status. Paid ticketing is out of scope.[

### User Stories

- As a user, I want to RSVP to a free event so that I can reserve my place.
- As a user, I want to cancel my RSVP if my plans change.

### Main Flow

1. User opens published event.
2. User selects **RSVP** / Register.
3. System checks that the user is authenticated.
4. System checks that the event is eligible (published, free, registration open, capacity available).
5. System creates the registration.
6. System updates the event's registration count.
7. System confirms the RSVP to the user and triggers a confirmation notification.
8. The registered event appears in My Events with the correct status.
9. User may later cancel the RSVP, which frees capacity and updates status.

### Acceptance Criteria

- Authenticated users can RSVP to eligible free events
- Authenticated users can cancel their RSVP.
- Capacity is enforced server-side
- Duplicate registrations are prevented.
- Successful RSVP triggers a confirmation notification.
- Registration status is visible on event details and in My Events.
- Organizers can see accurate registration counts.
- Unauthenticated users are prompted to log in before RSVP.
- Users cannot RSVP to cancelled, full, closed, or ineligible events.

### Negative / Exception Scenarios

| Scenario                                         | Expected Behavior                              |
|--------------------------------------------------|------------------------------------------------|
| Event is full                                    | Event is not going to appear anymore           |
| Event registration is closed                     | Event is not going to appear anymore           |
| Event is cancelled or unpublished                | Event is not going to appear anymore           |
| Concurrent RSVPs reach capacity at the same time | Enforce capacity server-side and reject excess |

## Core Outcome

Users can reliably register for free events, organizers see accurate counts, and the system prevents over-booking.

## 8.8 FR-008 - My Events

### Description

The system shall provide authenticated users with a centralized area to view and manage events they have saved or registered for. Users shall be able to see the current status of these events and access event details from this view.

### User Stories

- As a user, I want to see all events I have saved in one place so that I can easily find them later.
- As a user, I want to see all events I have registered for so that I can track what I am attending.
- As a user, I want to manage my saved and registered events so that I can unsave or cancel RSVPs when needed.

### Main Flow

1. User opens the My Events section.
2. System retrieves the user's saved events and registered events.
3. System displays the events in a clear organized view.
4. User reviews event status and basic information.
5. User may open an event to view full details.
6. User may unsave an event or cancel an RSVP from this view.
7. System updates the list immediately after any change.

### Acceptance Criteria

- Authenticated users see only their own saved and registered events with their current status.
- Saved and registered events are clearly distinguished.
- Users can open event details from My Events.
- Users can unsave or cancel RSVP from this view.
- An empty state is shown when the user has no saved or registered events.

### Negative / Exception Scenarios

| Scenario                               | Expected Behavior                                 |
|----------------------------------------|---------------------------------------------------|
| User has no saved or registered events | Show empty state with guidance to discover events |

## Core Outcome

Users have a clear, centralized view of the events they care about and can manage saves and registrations from one place.

## 8.9 FR-009 - Notifications & Reminders

### Description

The system shall provide basic notifications: RSVP confirmation, event reminder, event cancellation, and important event updates.

### User Stories

- As a user, I want to receive a confirmation after I RSVP so that I know my registration was successful.
- As a user, I want to receive a reminder before an event so that I do not forget to attend.
- As a user, I want to be notified if an event I registered for is cancelled or significantly updated.

### Main Flow

1. A relevant event action occurs (RSVP success, upcoming event reminder time reached, event cancelled, or important update published).
2. System identifies the users who should receive the notification.
3. System creates the notification content.
4. System delivers the notification through the supported channel(s).
5. User receives and can view the notification.

### Acceptance Criteria

- Users receive RSVP confirmation after a successful registration.
- Users receive event reminders for events they are registered to attend.
- Users receive cancellation notices for events they are registered for.
- Users receive important update notifications for relevant events.
- Notifications are sent only to the appropriate users.
- Notification delivery failure does not affect underlying event, RSVP, or user data.

### Negative / Exception Scenarios

| Scenario                                 | Expected Behavior                                                   |
|------------------------------------------|---------------------------------------------------------------------|
| Event is deleted or no longer accessible | Event is not going to appear anymore                                |
| Duplicate notification trigger           | Prevent spam by avoiding unnecessary duplicate sends where possible |

### Core Outcome

Users receive timely, relevant notifications that help them manage event participation.

## 8.10 FR-010 - Ratings & Reviews

### Description

The system shall allow eligible users to rate and review events and shall display aggregate ratings and individual reviews.

### User Stories

- As a user, I want to rate and review an event I attended so that I can share my experience.

- As a user, I want to see ratings and reviews from others so that I can decide whether an event is worth attending.
- As a user, I want inappropriate reviews to be moderated so that event feedback remains useful and respectful.

## Main Flow

1. User opens an event that accepts reviews.
2. User submits a rating and written review.
3. System checks that the user has not already reviewed the event.
4. System saves the rating and review.
5. System updates the event's aggregate rating.
6. Other users can view the aggregate rating and individual reviews on the event.

## Acceptance Criteria

- Users can submit a rating and written review.
- Duplicate reviews by the same user are prevented.
- Aggregate rating is calculated and displayed.
- Individual reviews are displayed with the event.
- Basic moderation of inappropriate reviews is supported.
- Unauthenticated users can view reviews but cannot submit them.

## Negative / Exception Scenarios

| Scenario                | Expected Behavior                              |
|-------------------------|------------------------------------------------|
| Empty rating submission | Prevent submission and show validation message |

## Core Outcome

Users can share feedback that helps other attendees and provides organizers with useful input.

## Organizer Requirements

### 8.11 FR-011 - Event Creation & Publishing

#### Description

The system shall allow authorized organizers to create and publish events.

#### User Stories

- As an organizer, I want to create an event with all the necessary details so that attendees can understand and discover it.
- As an organizer, I want to publish my event so that it becomes visible to local users.
- As an organizer, I want the system to validate required information so that incomplete events are not published.

## Main Flow

1. Organizer selects Create Event.
2. System displays the event creation form.

3. Organizer enters the required event information.
4. Organizer optionally uploads an event image.
5. Organizer submits the event (Publish or Save as Draft).
6. System validates required fields and logical constraints.
7. If valid, the system saves the event.
8. Once published, the event becomes publicly discoverable.

### Required Event Information

| Field              | Type   | Required |
|--------------------|--------|----------|
| Title              | Text   | Yes      |
| Description        | Text   | Yes      |
| Category           | Enum   | Yes      |
| Date               | Date   | Yes      |
| Start / End Time   | Time   | Yes      |
| Venue Name         | Text   | Yes      |
| Address / Location | Text   | Yes      |
| Capacity           | Number | Yes      |
| Event Image        | Image  | No       |

### Acceptance Criteria

- Authorized organizers can create events with all required fields.
- Required fields and logical constraints are validated.
- Optional event image can be uploaded.
- Events are not publicly discoverable until published.
- Organizers can save progress according to the supported draft/publish flow

### Negative / Exception Scenarios

| Scenario               | Expected Behavior                                       |
|------------------------|---------------------------------------------------------|
| Required field missing | Prevent submission and show validation messages         |
| Image upload fails     | Allow event creation without image or show retry option |

### Core Outcome

Organizers can publish complete, valid events that become discoverable by local attendees.

## 8.12 FR-012 - Event Management

### Description

The system shall allow organizers to manage events they own: view, edit, update status, close registration, cancel, and view registration counts.

### User Stories

- As an organizer, I want to edit my event details so that the information stays accurate.

- As an organizer, I want to view registration counts so that I know how many people are attending.
- As an organizer, I want to close registration when needed so that no new RSVPs are accepted.
- As an organizer, I want to cancel my event so that attendees are informed and the event is no longer active.

## Main Flow

1. Organizer opens their event management view (from Dashboard or event list).
2. System displays the organizer's event(s) and key information.
3. Organizer selects an event to view or manage.
4. Organizer performs one of the allowed actions:
  1. Edit event details
  2. Close registration
  3. Cancel event
  4. View registration count / registrants
5. System validates the action and that the organizer owns the event.
6. System applies the update.
7. System reflects the new status in organizer views and, where applicable, in attendee-facing views and notifications.

## Acceptance Criteria

- Organizers can view events they own.
- Organizers can edit events they own.
- Organizers can close registration for their events.
- Organizers can cancel their events.
- Organizers can view accurate registration counts for their events.
- Organizers cannot modify events owned by others.
- Cancelling an event updates its status and notifies registered users.
- Closing registration prevents new RSVPs while keeping existing registrations.
- Edited event information is validated before saving.
- Status changes are reflected consistently across the platform.

## Negative / Exception Scenarios

| Scenario                                               | Expected Behavior                         |
|--------------------------------------------------------|-------------------------------------------|
| Required fields missing during edit                    | Prevent save and show validation messages |
| Cancel event on an already cancelled event             | Handle safely and show current status     |
| Close registration when registration is already closed | Handle safely and show current status     |

## Core Outcome

Organizers can keep events accurate, control registration, and monitor attendance without complex tools.

## Adminstrator Requirements

### 8.13 FR-013 - Event Moderation

## Description

The system shall allow administrators to review and manage submitted events (approve, reject, request changes, suspend).

## User Stories

- As an administrator, I want to review pending events so that only appropriate events are published.
- As an administrator, I want to approve valid events so that they become visible to attendees.
- As an administrator, I want to reject or suspend problematic events so that platform quality is maintained.
- As an administrator, I want moderation actions to be recorded so that there is accountability.

## Main Flow

1. Administrator opens the Admin Dashboard / Moderation Queue .
2. System displays events that require review.
3. Administrator selects an event to review.
4. System shows the event details and relevant submission information.
5. Administrator chooses an action:
  1. Approve
  2. Reject
  3. Request changes
  4. Suspend
6. System validates that the actor is an administrator.
7. System applies the moderation decision.
8. System updates the event status.
9. System records the moderation action and actor.
10. If approved, the event becomes publicly discoverable.
11. If rejected or suspended, the event remains hidden from public discovery.

## Acceptance Criteria

- Only administrators can access moderation functions.
- Administrators can view pending events and event details needed for review.
- Administrators can approve events.
- Administrators can reject events.
- Administrators can request changes to events.
- Approved events become publicly discoverable.
- Rejected and suspended events do not appear in public discovery.
- Organizers see the resulting status of their events according to the supported workflow.

## Negative / Exception Scenarios

| Scenario                                  | Expected Behavior                                              |
|-------------------------------------------|----------------------------------------------------------------|
| Event is no longer in a moderatable state | Show current status and prevent invalid transition             |
| Required fields missing                   | Prevent action and show validation feedback                    |
| Approved event later found problematic    | Allow suspend/moderation action according to admin permissions |

## Core Outcome

Administrators can efficiently maintain event quality so attendees see reliable content.

## 8.14 FR-015 - Basic Admin Management

### Description

The system shall provide administrators with a basic management interface for users, organizers, events and event categories.

### User Stories

- As an administrator, I want a basic management interface so that I can keep the platform organized and operational.
- As an administrator, I want to manage event categories so that events remain consistently classified.
- As an administrator, I want to view and manage basic records for users, organizers and events so that I can support platform quality.

### Main Flow

1. Administrator logs into the web admin experience.
2. System displays the admin management interface.
3. Administrator navigates to one of the supported management areas:
  1. Users
  2. Organizers
  3. Events
  4. Event Categories
4. Administrator views the relevant records.
5. Administrator performs a supported basic action (for example, update status, activate/deactivate category, review record details).
6. System validates administrator permissions and the requested action.
7. System applies the update and records the change where applicable.

### Acceptance Criteria

- Only administrators can access the interface.
- Only administrators can access the admin management interface.
- Administrators can view basic records for users, organizers and categories.
- Administrators can perform supported basic status or management actions.
- Administrators can manage event categories at a basic level.
- Unauthorized users cannot access admin management features.

### Negative / Exception Scenarios

| Scenario                                      | Expected Behavior                         |
|-----------------------------------------------|-------------------------------------------|
| Unsupported admin action requested            | Reject the action and show clear feedback |
| Required data missing for a management update | Prevent save and show validation message  |
| Target record no longer exists                | Show safe fallback / not found state      |

### Core Outcome

Administrators have the minimum tools required to keep the platform operational.

## Shared / Platform Requirements

### 8.16 FR-016 - Location & Map Integration

#### Description

The system shall integrate a mapping service to support event location display, distance calculation, and location-based discovery and filtering.

#### User Stories

- As a user, I want to see an event's location on a map so that I can understand where it is.
- As a user, I want to see the approximate distance to an event so that I can decide whether it is convenient to attend.
- As a user, I want to open the event location in a map application so that I can navigate there.

#### Main Flow

1. User opens an event that has valid location data.
2. System displays the venue name and address.
3. System shows the event location on a map when geographic data is available.
4. If the user's location is available, the system calculates and displays approximate distance.
5. User may open the location in a supported external map application.
6. In discovery and search, the system may use location data to prioritize or filter nearby events.

#### Acceptance Criteria

- Events with valid location data display a map on the event details page.
- Approximate distance is shown when event & user location is available.
- Users can open the location in an external map application.
- Location and distance can support discovery prioritization and distance-based filtering
- The system continues to function without distance features if location services are unavailable.

#### Negative / Exception Scenarios

| Scenario                                  | Expected Behavior                                           |
|-------------------------------------------|-------------------------------------------------------------|
| Event has no valid geographic coordinates | Show address text only; hide or disable map view            |
| Map service unavailable                   | Show address text and keep the rest of event details usable |
| External map app not available on device  | Show fallback message or simply display the address         |

#### Core Outcome

Users can clearly understand where an event is located and how far it is, supporting practical attendance decisions.

## 9. Non-Functional Requirements

### 9.1 Performance

- Core screens (Discovery, Event Details, My Events) shall load within the defined application performance target under normal conditions.
- Search and filtering results shall return within acceptable response times.
- Pagination or incremental loading shall be used for large result sets.

## 9.2 Security

- Passwords shall be stored using a secure hashing algorithm.
- Authentication tokens/sessions shall be handled securely.
- Authorization shall be enforced server-side for all protected actions.
- Sensitive data shall not appear in logs, API responses, or client-side storage.
- Rate limiting shall be applied to authentication and other sensitive endpoints.

## 9.3 Reliability & Availability

- Failed operations shall not leave the system in an inconsistent state.
- Web and mobile clients shall remain synchronized with the shared backend.
- Capacity enforcement for RSVPs shall be performed server-side.

## 9.4 Usability

- Core actions shall be achievable with minimal steps.
- Validation and error messages shall clearly explain the required corrective action.
- Empty states and loading states shall be informative.

## 9.5 Maintainability

- Business rules shall be configurable where practical.
- Clear service boundaries shall be maintained.
- Key actions and failures shall be observable through logging and monitoring.

## 10. Web & Mobile Behavior / Cross-Platform Consistency

- Web and mobile applications shall use the same backend services and data.
- Changes made on one platform shall be reflected on the other.
- Authentication state and user preferences shall be consistent across clients.
- Feature parity for core attendee flows shall be maintained; organizer and admin functions may be primarily web-focused in the .
- Both platforms shall degrade gracefully when location or map services are unavailable.

## 11. Dependencies & Integrations

| Dependency             | Purpose                            | Direction |
|------------------------|------------------------------------|-----------|
| Authentication Service | User identity & sessions           | Internal  |
| User / Profile Service | Profile & interests                | Internal  |
| Event Service          | CRUD, discovery, search, capacity  | Internal  |
| Notification Service   | Confirmations, reminders, updates  | Internal  |
| Mapping / Geolocation  | Maps, distance, location filtering | External  |
| Storage (images)       | Event images                       | Ext/Int   |

## 12. Minimum Success Criteria

The product release is successful when:

**Attendee can:**

Create an account → set interests → discover nearby events → search/filter → view details → save or RSVP → receive a reminder → attend → leave a review.

**Organizer can:**

Create an event → publish it (after any required moderation) → have users discover it → receive RSVPs → view registration counts → edit or cancel the event.

**Administrator can:**

Review pending events → approve/reject → maintain basic content quality. This proves the core NearEvent value proposition while remaining intentionally lean.