

Cucumber Report

Apr 2, 2024, 3:20:32 PM

Start : Apr 02, 3:19:29.478 PM

End : Apr 02, 3:20:32.219 PM

Duration : 1 m 2.741 s

Features







PASSED - 4
FAILED - 9
SKIPPED - 0

Scenarios

PASSED - 90
FAILED - 48
SKIPPED - 0

Steps

PASSED - 419
FAILED - 48
SKIPPED - 38



| Feature | | Scenario | | | | | Step | | | |
|---|-----------------|-----------------|----------|----------|----------|----------|-------------|----------|----------|--|
| | | | | | | | | | | |
| Name | Duration | T | P | F | S | T | P | F | S | |
| <u>User Login Negative request</u> | 5.436 s | 2 | 2 | 0 | 0 | 6 | 6 | 0 | 0 | |
| <u>User Login Post request</u> | 0.455 s | 1 | 1 | 0 | 0 | 3 | 3 | 0 | 0 | |
| <u>program controller Positive</u> | 4.161 s | 6 | 1 | 5 | 0 | 24 | 18 | 5 | 1 | |
| <u>Program Batch module</u> | 5.294 s | 9 | 8 | 1 | 0 | 38 | 36 | 1 | 1 | |
| <u>User Module Positive request</u> | 12.559 s | 17 | 17 | 0 | 0 | 68 | 68 | 0 | 0 | |
| <u>User Controller Positive</u> | 0.959 s | 2 | 1 | 1 | 0 | 8 | 6 | 1 | 1 | |
| <u>To test the functionality of program controller Negative</u> | 9.098 s | 43 | 33 | 10 | 0 | 129 | 114 | 10 | 5 | |
| <u>Program Batch module</u> | 6.971 s | 15 | 13 | 2 | 0 | 60 | 56 | 2 | 2 | |
| <u>Negative scenario for User Module</u> | 13.678 s | 30 | 9 | 21 | 0 | 120 | 80 | 21 | 19 | |
| <u>Negative scenario for User Controller</u> | 1.688 s | 5 | 0 | 5 | 0 | 20 | 9 | 5 | 6 | |
| <u>Delete Request for all modules</u> | 1.786 s | 5 | 3 | 2 | 0 | 20 | 15 | 2 | 3 | |
| <u>User Logout</u> | 0.147 s | 1 | 1 | 0 | 0 | 3 | 3 | 0 | 0 | |
| <u>User Logout Negative</u> | 0.238 s | 2 | 1 | 1 | 0 | 6 | 5 | 1 | 0 | |

| # | Feature Name | Scenario Name |
|---|---|---|
| 1 | <u>program controller Positive</u> | <u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u> |
| 2 | | <u>Check if Admin able to retrieve all programs with valid Endpoint</u> |
| 3 | | <u>Check if Admin able to retrieve a program with valid program ID</u> |
| 4 | | <u>Check if Admin able to update a program with Valid program Name and request body</u> |
| 5 | | <u>Check if Admin able to update a program with valid programID endpoint and valid request body</u> |
| 6 | <u>Program Batch module</u> | <u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u> |
| 7 | <u>User Controller Positive</u> | <u>admin is able to retreive assigned program batches for valid AdminId</u> |
| 8 | <u>To test the functionality of program controller Negative</u> | <u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u> |
| 9 | | <u>Check if Admin able to retrieve all programs with valid Endpoint</u> |

| # | Feature Name | Scenario Name |
|----|---|--|
| 10 | <u>To test the functionality of program controller Negative</u> | <u>Check if Admin able to retrieve a program with valid program ID</u> |
| 11 | | <u>Check if Admin able to retrieve a program with invalid program ID</u> |
| 12 | | <u>Check if Admin able to retrieve a program with invalid baseURI</u> |
| 13 | | <u>Check if Admin able to update a program with valid programID endpoint and valid request body</u> |
| 14 | | <u>Check if Admin able to update a program with invalid baseURI</u> |
| 15 | | <u>Check if Admin able to update a program with Valid program Name and request body</u> |
| 16 | | <u>Check if Admin able to create a program with valid endpoint and request body with Authorization to be used for batch</u> |
| 17 | | <u>Check if Admin able to create a program with valid endpoint and request body with Authorization to be used for batch inactive programID</u> |
| 18 | <u>Program Batch module</u> | <u>Check if admin able to delete a Batch with invalid endpoint</u> |

| # | Feature Name | Scenario Name |
|----|--|--|
| 19 | <u>Program Batch module</u> | <u>Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)</u> |
| 20 | <u>Negative scenario for User Module</u> | <u>Check if admin is able to retrieve all the available roles without Authorization</u> |
| 21 | | <u>Check if admin is able to retrieve all the available roles with invalid End point</u> |
| 22 | | <u>Check if admin able to retrieve all Admin without Authorization</u> |
| 23 | | <u>Check if admin able to retrieve all Admin with invalid endpoint</u> |
| 24 | | <u>Check if admin able to retrieve a Admin with valid Admin ID with No authorization</u> |
| 25 | | <u>Check if admin able to retrieve all Admins with roles with No authorization</u> |
| 26 | | <u>Check if admin able to retrieve all Admins with roles with invalid endpoint</u> |
| 27 | | <u>Check if admin is able to create a Admin with valid endpoint and invalid values in request body</u> |

| # | Feature Name | Scenario Name |
|----|--|--|
| 28 | <u>Negative scenario for User Module</u> | <u>Check if Admin able to create a Admin missing mandatory fields in request body</u> |
| 29 | | <u>Check if admin able to create a new Admin with request body without authorization</u> |
| 30 | | <u>Check if admin is able to get count of active and inactive Admins by invalid role ID</u> |
| 31 | | <u>Check if admin is able to get count of active and inactive Admins with no authorization</u> |
| 32 | | <u>Check if admin is able to retrieve all Admins with filters with no authorization</u> |
| 33 | | <u>Check if admin is able to update Admin details with No authorization</u> |
| 34 | | <u>Check if admin is able to update the Admin login status by Admin ID with invalid request body</u> |
| 35 | | <u>Check if admin is able to update the Admin login status by Admin ID with invalid AdminId</u> |


| # | Feature Name | Scenario Name |
|----|--|--|
| 36 | <u>Negative scenario for User Module</u> | <u>Check if admin is able to update the Admin login status by Admin ID with NoAuth</u> |
| 37 | | <u>Check if admin is able to delete Admin with invalid Admin ID</u> |
| 38 | | <u>Check if admin is able to delete the Admin with NoAuth</u> |
| 39 | | <u>Check if admin is able to delete the Admin with invalid endpoint</u> |
| 40 | | <u>Check if admin is able to delete the Admin with invalid endpoint</u> |
| 41 | <u>Negative scenario for User Controller</u> | <u>Check if admin is able to retreive all Admins with assigned program batches with No Authorization</u> |
| 42 | | <u>Check if admin is able to retreive assigned program batches for invalid AdminId</u> |
| 43 | | <u>Check if admin is able to retreive assigned program batches for valid AdminId with No authorization</u> |
| 44 | | <u>Check if admin is able to delete the program batch for invalid Admin</u> |

| # | Feature Name | Scenario Name |
|----|--|--|
| 45 | <u>Negative scenario for User Controller</u> | <u>Check if admin is able to delete the program batch for valid Admin and No Authorization</u> |
| 46 | <u>Delete Request for all modules</u> | <u>Check if admin is able to delete the program batch for a Admin</u> |
| 47 | | <u>Check if Admin able to delete a Admin with valid Admin Id</u> |
| 48 | <u>User Logout Negative</u> | <u>Check if Admin able to logout with valid endpoint with NoAuth</u> |


| | TAG | Scenario | | | | Feature | | | | |
|--|-------------------------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|---|
| | | Name | T | P | F | S | T | P | F | |
| | @Test01 | | 2 | 2 | 0 | 0 | 2 | 1 | 1 | 0 |
| | @tag1 | | 2 | 2 | 0 | 0 | 1 | 1 | 0 | 0 |
| | @tag02 | | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| | @Test02 | | 2 | 1 | 1 | 0 | 2 | 1 | 1 | 0 |
| | @Test03 | | 4 | 2 | 2 | 0 | 2 | 0 | 2 | 0 |
| | @tag03 | | 6 | 1 | 5 | 0 | 1 | 0 | 1 | 0 |
| | @programBatchWithAuthPositive | | 9 | 8 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @Test04 | | 2 | 1 | 1 | 0 | 2 | 0 | 2 | 0 |
| | @tag04 | | 9 | 8 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @Test05 | | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| | @tag05 | | 17 | 17 | 0 | 0 | 1 | 1 | 0 | 0 |
| | @Test06 | | 2 | 1 | 1 | 0 | 2 | 0 | 2 | 0 |
| | @tag06 | | 2 | 1 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @tag07 | | 43 | 33 | 10 | 0 | 1 | 0 | 1 | 0 |
| | @Test07 | | 2 | 1 | 1 | 0 | 2 | 0 | 2 | 0 |
| | @programBatchWithAuthNegative | | 15 | 13 | 2 | 0 | 1 | 0 | 1 | 0 |
| | @tag08 | | 15 | 13 | 2 | 0 | 1 | 0 | 1 | 0 |

| TAG | Name | Scenario | | | | Feature | | | |
|--|-------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| | | T | P | F | S | T | P | F | S |
| @Test08 | | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @tag09 | | 30 | 9 | 21 | 0 | 1 | 0 | 1 | 0 |
| @User_GetallRoles_Noauth | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Test09 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @User_GetallRoles_Invalidendpoint | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @User_GetallUser_NoAuth | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @User_GetallUser_Invalid_endpoint | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @User.GetUser_ValidId_Invalidendpoint | | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @User.GetUser_ValidId_Noauth | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @User.GetUser_InvalidId | | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @User_GetallUserswithRoles_Noauth | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @User_GetallUserswithRoles_Invalidendpoint | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @User_CreateUser_Invaliddata | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @User_CreateUser_Missingfields | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @User_CreateUser_Noauth | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Get_Admin_with_filters_401 | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Get_Admin_with_filters_404 | | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |


| TAG | Name | Scenario | | | | Feature | | | |
|------------|------------------------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| | | T | P | F | S | T | P | F | S |
| | @PUT_Admin_info_401 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @Put_byAdmin_LoginStatus_400 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @Put_byAdmin_LoginStatus_404 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @Put_byAdmin_LoginStatus_401 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @Del_User_404 | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |
| | @Del_User_401 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @Del_User_405 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @tag10 | 5 | 0 | 5 | 0 | 1 | 0 | 1 | 0 |
| | @Test10 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @tag2 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @tag11 | 5 | 3 | 2 | 0 | 1 | 0 | 1 | 0 |
| | @Test11 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @tag12 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| | @Test12 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| | @tag13 | 2 | 1 | 1 | 0 | 1 | 0 | 1 | 0 |
| | @Test13 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |



| # | Feature Name | T | P | F | S | Duration |
|----|---|----|----|----|---|----------|
| 1 | <u>User Login Negative request</u> | 2 | 2 | 0 | 0 | 5.436 s |
| 2 | <u>User Login Post request</u> | 1 | 1 | 0 | 0 | 0.455 s |
| 3 | <u>program controller Positive</u> | 6 | 1 | 5 | 0 | 4.161 s |
| 4 | <u>Program Batch module</u> | 9 | 8 | 1 | 0 | 5.294 s |
| 5 | <u>User Module Positive request</u> | 17 | 17 | 0 | 0 | 12.559 s |
| 6 | <u>User Controller Positive</u> | 2 | 1 | 1 | 0 | 0.959 s |
| 7 | <u>To test the functionality of program controller Negative</u> | 43 | 33 | 10 | 0 | 9.098 s |
| 8 | <u>Program Batch module</u> | 15 | 13 | 2 | 0 | 6.971 s |
| 9 | <u>Negative scenario for User Module</u> | 30 | 9 | 21 | 0 | 13.678 s |
| 10 | <u>Negative scenario for User Controller</u> | 5 | 0 | 5 | 0 | 1.688 s |




| # | Feature Name | T | P | F | S | Duration |
|----|---------------------------------------|---|---|---|---|----------|
| 11 | <u>Delete Request for all modules</u> | 5 | 3 | 2 | 0 | 1.786 s |
| 12 | <u>User Logout</u> | 1 | 1 | 0 | 0 | 0.147 s |
| 13 | <u>User Logout Negative</u> | 2 | 1 | 1 | 0 | 0.238 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------------------------|--|---|---|---|---|----------|
| 1 | <u>User Login Negative request</u> | <u>Check if Admin able to generate token with invalid endpoint</u> | 3 | 3 | 0 | 0 | 4.144 s |
| 2 | | <u>Check if Admin able to generate token with invalid credentials</u> | 3 | 3 | 0 | 0 | 1.138 s |
| 3 | <u>User Login Post request</u> | <u>Check if Admin able to generate token with valid credential</u> | 3 | 3 | 0 | 0 | 0.455 s |
| 4 | <u>program controller Positive</u> | <u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u> | 4 | 3 | 1 | 0 | 0.779 s |
| 5 | | <u>Check if Admin able to retrieve all programs with valid Endpoint</u> | 4 | 2 | 1 | 1 | 0.402 s |
| 6 | | <u>Check if Admin able to retrieve a program with valid program ID</u> | 4 | 3 | 1 | 0 | 0.583 s |
| 7 | | <u>Check if Admin able to retrieve all programs with users and with valid Endpoint</u> | 4 | 4 | 0 | 0 | 0.624 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---------------------|---|----------|----------|----------|----------|-----------------|
| 8 | | <u>Check if Admin able to update a program with Valid program Name and request body</u> | 4 | 3 | 1 | 0 | 0.974 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|------------------------------------|---|---|---|---|---|----------|
| 9 | <u>program controller Positive</u> | <u>Check if Admin able to update a program with valid programID endpoint and valid request body</u> | 4 | 3 | 1 | 0 | 0.680 s |
| 10 | <u>Program Batch module</u> | <u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u> | 6 | 4 | 1 | 1 | 0.705 s |
| 11 | | <u>Check if admin able to retrieve all batches with valid LMS API</u> | 4 | 4 | 0 | 0 | 0.709 s |
| 12 | | <u>Check if admin able to retrieve all batches with search string</u> | 4 | 4 | 0 | 0 | 0.634 s |
| 13 | | <u>Check if admin able to retrieve a batch with valid BATCH ID</u> | 4 | 4 | 0 | 0 | 0.476 s |
| 14 | | <u>Check if admin able to retrieve a batch after deleting the batch</u> | 4 | 4 | 0 | 0 | 0.624 s |
| 15 | | <u>Check if admin able to retrieve a batch with valid BATCH NAME</u> | 4 | 4 | 0 | 0 | 0.446 s |
| 16 | | <u>Check if admin able to retrieve a batch after deleting the batch using batch name</u> | 4 | 4 | 0 | 0 | 0.607 s |


| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------|--|---|---|---|---|----------|
| 17 | | <u>Check if admin able to retrieve a batch with valid Program ID</u> | 4 | 4 | 0 | 0 | 0.429 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-------------------------------------|---|---|---|---|---|----------|
| 18 | <u>Program Batch module</u> | <u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u> | 4 | 4 | 0 | 0 | 0.546 s |
| 19 | <u>User Module Positive request</u> | <u>Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields</u> | 4 | 4 | 0 | 0 | 2.148 s |
| 20 | | <u>Check if admin able to create a new Admin with valid endpoint and request body with mandatory and additional *</u> | 4 | 4 | 0 | 0 | 1.559 s |
| 21 | | <u>Check if admin is able to retrieve all the available roles(all roles)</u> | 4 | 4 | 0 | 0 | 0.929 s |
| 22 | | <u>Check if admin able to retrieve all Admin with valid endpoint(all users)</u> | 4 | 4 | 0 | 0 | 0.836 s |
| 23 | | <u>Check if admin able to retrieve a Admin with valid Admin ID</u> | 4 | 4 | 0 | 0 | 0.451 s |
| 24 | | <u>Check if admin able to retrieve all Admins with roles</u> | 4 | 4 | 0 | 0 | 0.418 s |


* The feature name and/or scenario name has been cropped to fit in the available space.

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---------------------|--|----------|----------|----------|----------|-----------------|
| 25 | | <i>Check if admin is able to get count of active and inactive Admins</i> | 4 | 4 | 0 | 0 | 0.487 s |
| 26 | | <i>Check if admin able to retrieve all active Admins</i> | 4 | 4 | 0 | 0 | 0.653 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-------------------------------------|--|---|---|---|---|----------|
| 27 | <u>User Module Positive request</u> | <u>Check if admin is able to assign Admin to with program/batch by Admin Id</u> | 4 | 4 | 0 | 0 | 0.491 s |
| 28 | | <u>Check if admin is able to get the Admins by program batches for valid batch ID</u> | 4 | 4 | 0 | 0 | 0.434 s |
| 29 | | <u>Check if admin is able to get the Admins for valid program Id</u> | 4 | 4 | 0 | 0 | 0.458 s |
| 30 | | <u>Check if admin is able to retreive Admins by valid role ID</u> | 4 | 4 | 0 | 0 | 0.544 s |
| 31 | | <u>Check if admin is able to retrieve all Admins with filters</u> | 4 | 4 | 0 | 0 | 0.865 s |
| 32 | | <u>Check if admin is able to update Admin details with Admin id and mandatory fields</u> | 4 | 4 | 0 | 0 | 0.520 s |
| 33 | | <u>Check if admin is able to update role status of a Admin with valid Admin id</u> | 4 | 4 | 0 | 0 | 0.697 s |
| 34 | | <u>Check if admin is able to update User by roleId with valid Admin id</u> | 4 | 4 | 0 | 0 | 0.436 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---------------------|--|----------|----------|----------|----------|-----------------|
| 35 | | <i>Check if admin is able to update the Admin login status by Admin ID</i> | 4 | 4 | 0 | 0 | 0.415 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|---|---|---|---|---|----------|
| 36 | <u>User Controller Positive</u> | <u>admin is able to retrieve assigned program batches for valid AdminId</u> | 4 | 2 | 1 | 1 | 0.428 s |
| 37 | | <u>admin is able to retrieve all Admins with assigned program batches</u> | 4 | 4 | 0 | 0 | 0.517 s |
| 38 | <u>To test the functionality of program controller Negative</u> | <u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u> | 3 | 2 | 1 | 0 | 0.241 s |
| 39 | | <u>Check if Admin able to create a program with valid endpoint and request body without Authorization</u> | 3 | 3 | 0 | 0 | 0.199 s |
| 40 | | <u>Check if Admin able to create a program with invalid endpoint</u> | 3 | 3 | 0 | 0 | 0.283 s |
| 41 | | <u>Check if Admin able to create a program with already existing program name</u> | 3 | 3 | 0 | 0 | 0.184 s |
| 42 | | <u>Check if Admin able to create a program with invalid method</u> | 3 | 3 | 0 | 0 | 0.204 s |


| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------|--|---|---|---|---|----------|
| 43 | | <u>Check if Admin able to create a program with invalid request body</u> | 3 | 3 | 0 | 0 | 0.202 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|--|---|---|---|---|----------|
| 44 | <u>To test the functionality of program controller Negative</u> | <u>Check if Admin able to create a program with missing values in the request body</u> | 3 | 3 | 0 | 0 | 0.193 s |
| 45 | | <u>Check if Admin able to create a program with missing additional field</u> | 3 | 3 | 0 | 0 | 0.206 s |
| 46 | | <u>Check if Admin able to retrieve all programs with valid Endpoint</u> | 3 | 1 | 1 | 1 | 0.006 s |
| 47 | | <u>Check if Admin able to retrieve all programs with invalid Endpoint</u> | 3 | 3 | 0 | 0 | 0.156 s |
| 48 | | <u>Check if Admin able to retrieve all programs with invalid Method</u> | 3 | 3 | 0 | 0 | 0.380 s |
| 49 | | <u>Check if Admin able to retrieve all programs without Authorization</u> | 3 | 3 | 0 | 0 | 0.151 s |
| 50 | | <u>Check if Admin able to retrieve a program with valid program ID</u> | 3 | 2 | 1 | 0 | 0.168 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|--|---|---|---|---|----------|
| 51 | <u>To test the functionality of program controller Negative</u> | <u>Check if Admin able to retrieve a program with invalid program ID</u> | 3 | 2 | 1 | 0 | 0.159 s |
| 52 | | <u>Check if Admin able to retrieve a program with invalid baseURI</u> | 3 | 0 | 1 | 2 | 0.004 s |
| 53 | | <u>Check if Admin able to retrieve a program without Authorization</u> | 3 | 3 | 0 | 0 | 0.143 s |
| 54 | | <u>Check if Admin able to retrieve a program with invalid Endpoint</u> | 3 | 3 | 0 | 0 | 0.129 s |
| 55 | | <u>Check if Admin able to retrieve all programs with users and with valid Endpoint</u> | 3 | 3 | 0 | 0 | 0.293 s |
| 56 | | <u>Check if Admin able to retrieve all programs with invalid Endpoint</u> | 3 | 3 | 0 | 0 | 0.139 s |
| 57 | | <u>Check if Admin able to retrieve all programs with invalid Method</u> | 3 | 3 | 0 | 0 | 0.155 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|---|---|---|---|---|----------|
| 58 | <u>To test the functionality of program controller Negative</u> | <u>Check if Admin able to retrieve all programs without Authorization</u> | 3 | 3 | 0 | 0 | 0.149 s |
| 59 | | <u>Check if Admin able to update a program with valid programID endpoint and valid request body</u> | 3 | 2 | 1 | 0 | 0.210 s |
| 60 | | <u>Check if Admin able to update a program with invalid programID endpoint and valid request body</u> | 3 | 3 | 0 | 0 | 0.207 s |
| 61 | | <u>Check if Admin able to update a program with invalid request body</u> | 3 | 3 | 0 | 0 | 0.192 s |
| 62 | | <u>Check if Admin able to update a program without request body</u> | 3 | 3 | 0 | 0 | 0.245 s |
| 63 | | <u>Check if Admin able to update a program with invalid baseURI</u> | 3 | 0 | 1 | 2 | 0.004 s |
| 64 | | <u>Check if Admin able to update a program with invalid method</u> | 3 | 3 | 0 | 0 | 0.511 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------|--|---|---|---|---|----------|
| 65 | | <u>Check if Admin able to update a program without Authorization</u> | 3 | 3 | 0 | 0 | 0.738 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|--|---|---|---|---|----------|
| 66 | <u>To test the functionality of program controller Negative</u> | <u>Check if Admin able to update a program with Valid program Name and request body</u> | 3 | 2 | 1 | 0 | 0.200 s |
| 67 | | <u>Check if Admin able to update a program status</u> | 3 | 3 | 0 | 0 | 0.204 s |
| 68 | | <u>Check if Admin able to update a program with invalid program Name and request body</u> | 3 | 3 | 0 | 0 | 0.196 s |
| 69 | | <u>Check if Admin able to update a program using valid program name - missing mandatory fields in request body</u> | 3 | 3 | 0 | 0 | 0.247 s |
| 70 | | <u>Check if Admin able to update a program with invalid values in request body</u> | 3 | 3 | 0 | 0 | 0.228 s |
| 71 | | <u>Check if Admin able to update a program with invalid program Description</u> | 3 | 3 | 0 | 0 | 0.228 s |
| 72 | | <u>Check if Admin able to update a program without Authorization</u> | 3 | 3 | 0 | 0 | 0.205 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------|--|---|---|---|---|----------|
| 73 | | <i>Check if Admin able to delete a program with valid <u>programName</u></i> | 3 | 3 | 0 | 0 | 0.145 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|---|---|---|---|---|----------|
| 74 | <u>To test the functionality of program controller Negative</u> | <u>Check if Admin able to delete a program with valid LMS API, invalid programName</u> | 3 | 3 | 0 | 0 | 0.137 s |
| 75 | | <u>Check if Admin able to delete a program without Authorization</u> | 3 | 3 | 0 | 0 | 0.150 s |
| 76 | | <u>Check if Admin able to delete a program with valid program ID</u> | 3 | 3 | 0 | 0 | 0.144 s |
| 77 | | <u>Check if Admin able to delete a program with valid LMS API, invalid program ID</u> | 3 | 3 | 0 | 0 | 0.135 s |
| 78 | | <u>Check if Admin able to delete a program without Authorization</u> | 3 | 3 | 0 | 0 | 0.172 s |
| 79 | | <u>Check if Admin able to create a program with valid endpoint and request body with Authorization to be used for batch</u> | 3 | 2 | 1 | 0 | 0.201 s |
| 80 | | <u>Check if Admin able to create a program with valid endpoint and request body with Authorization to be used for batch *</u> | 3 | 2 | 1 | 0 | 0.203 s |


* The feature name and/or scenario name has been cropped to fit in the available space.




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-----------------------------|--|---|---|---|---|----------|
| 81 | <u>Program Batch module</u> | <u>Check if admin able to retrieve all batches with invalid Endpoint</u> | 4 | 4 | 0 | 0 | 0.506 s |
| 82 | | <u>Check if admin able to retrieve a batch with invalid endpoint</u> | 4 | 4 | 0 | 0 | 0.440 s |
| 83 | | <u>Check if admin able to retrieve a batch with invalid endpoint</u> | 4 | 4 | 0 | 0 | 0.445 s |
| 84 | | <u>Check if admin able to retrieve a batch with invalid endpoint</u> | 4 | 4 | 0 | 0 | 0.420 s |
| 85 | | <u>Check if admin able to update a Batch with invalid endpoint</u> | 4 | 4 | 0 | 0 | 0.487 s |
| 86 | | <u>Check if admin able to delete a Batch with invalid endpoint</u> | 4 | 1 | 1 | 2 | 0.300 s |
| 87 | | <u>Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)</u> | 4 | 3 | 1 | 0 | 0.500 s |
| 88 | | <u>Check if admin able to create a Batch missing mandatory fields in request body</u> | 4 | 4 | 0 | 0 | 0.455 s |
| 89 | | <u>Check if admin able to create a batch with invalid data in request body</u> | 4 | 4 | 0 | 0 | 0.496 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|---|---|---|---|---|----------|
| 90 | <u>Program Batch module</u> | <u>Check if admin able to create a batch with inactive program ID</u> | 4 | 4 | 0 | 0 | 0.478 s |
| 91 | | <u>Check if admin able to retrieve a batch with invalid BATCH ID</u> | 4 | 4 | 0 | 0 | 0.431 s |
| 92 | | <u>Check if admin able to retrieve a batch with invalid BATCH Name</u> | 4 | 4 | 0 | 0 | 0.442 s |
| 93 | | <u>Check if admin able to retrieve a batch with invalid Program Id</u> | 4 | 4 | 0 | 0 | 0.410 s |
| 94 | | <u>Check if admin able to update a Batch with invalid batchID and mandatory fields in request body</u> | 4 | 4 | 0 | 0 | 0.482 s |
| 95 | | <u>Check if admin able to update a Batch with invalid batchID and missing mandatory fields request body</u> | 4 | 4 | 0 | 0 | 0.504 s |
| 96 | <u>Negative scenario for User Module</u> | <u>Check if admin is able to retrieve all the available roles without Authorization</u> | 4 | 3 | 1 | 0 | 0.475 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--|--|---|---|---|---|----------|
| 97 | <u>Negative scenario for User Module</u> | <u>Check if admin is able to retrieve all the available roles with invalid End point</u> | 4 | 2 | 1 | 1 | 0.338 s |
| 98 | | <u>Check if admin able to retrieve all Admin without Authorization</u> | 4 | 3 | 1 | 0 | 0.408 s |
| 99 | | <u>Check if admin able to retrieve all Admin with invalid endpoint</u> | 4 | 2 | 1 | 1 | 0.303 s |
| 10-0 | | <u>Check if admin able to retrieve a Admin with valid Admin ID and invalid endpoint</u> | 4 | 4 | 0 | 0 | 0.430 s |
| 10-1 | | <u>Check if admin able to retrieve a Admin with valid Admin ID with No authorization</u> | 4 | 3 | 1 | 0 | 0.415 s |
| 10-2 | | <u>Check if Admin able to retrieve a Admin with invalid Admin ID</u> | 4 | 4 | 0 | 0 | 0.418 s |
| 10-3 | | <u>Check if admin able to retrieve all Admins with roles with No authorization</u> | 4 | 3 | 1 | 0 | 0.443 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--|--|---|---|---|---|----------|
| 10-4 | <u>Negative scenario for User Module</u> | <u>Check if admin able to retrieve all Admins with roles with invalid endpoint</u> | 4 | 2 | 1 | 1 | 1.288 s |
| 10-5 | | <u>Check if admin is able to create a Admin with valid endpoint and invalid values in request body</u> | 4 | 1 | 1 | 2 | 0.267 s |
| 10-6 | | <u>Check if Admin able to create a Admin missing mandatory fields in request body</u> | 4 | 1 | 1 | 2 | 0.300 s |
| 10-7 | | <u>Check if admin able to create a new Admin with request body without authorization</u> | 4 | 3 | 1 | 0 | 0.629 s |
| 10-8 | | <u>Check if admin is able to get count of active and inactive Admins with invalid endpoint</u> | 4 | 4 | 0 | 0 | 0.362 s |
| 10-9 | | <u>Check if admin is able to get count of active and inactive Admins by invalid role ID</u> | 4 | 2 | 1 | 1 | 0.339 s |
| 11-0 | | <u>Check if admin is able to get count of active and inactive Admins with no authorization</u> | 4 | 3 | 1 | 0 | 0.402 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--|---|---|---|---|---|----------|
| 11-1 | <u>Negative scenario for User Module</u> | <u>Check if admin able to retrieve all active Admins with invalid endpoint</u> | 4 | 4 | 0 | 0 | 0.445 s |
| 11-2 | | <u>Check if admin able to retrieve all active Admins with no authorization</u> | 4 | 4 | 0 | 0 | 0.423 s |
| 11-3 | | <u>Check if admin is able to get the Admins by program batches for invalid batch ID</u> | 4 | 4 | 0 | 0 | 0.413 s |
| 11-4 | | <u>Check if admin is able to get the Admins for invalid program Id</u> | 4 | 4 | 0 | 0 | 0.437 s |
| 11-5 | | <u>Check if admin is able to retreive Admins by invalid role ID</u> | 4 | 4 | 0 | 0 | 0.409 s |
| 11-6 | | <u>Check if admin is able to retrieve all Admins with filters with no authorization</u> | 4 | 3 | 1 | 0 | 0.398 s |
| 11-7 | | <u>Check if admin is able to retrieve all Admins with filters with invalid endpoint</u> | 4 | 4 | 0 | 0 | 1.491 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---------------------|---|----------|----------|----------|----------|-----------------|
| 11-8 | | <u>Check if admin is able to update Admin details with No authorization</u> | 4 | 3 | 1 | 0 | 0.471 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--|--|---|---|---|---|----------|
| 11-9 | <u>Negative scenario for User Module</u> | <u>Check if admin is able to update the Admin login status by Admin ID with invalid request body</u> | 4 | 1 | 1 | 2 | 0.263 s |
| 12-0 | | <u>Check if admin is able to update the Admin login status by Admin ID with invalid AdminId</u> | 4 | 2 | 1 | 1 | 0.272 s |
| 12-1 | | <u>Check if admin is able to update the Admin login status by Admin ID with NoAuth</u> | 4 | 1 | 1 | 2 | 0.261 s |
| 12-2 | | <u>Check if admin is able to delete Admin with invalid Admin ID</u> | 4 | 3 | 1 | 0 | 0.405 s |
| 12-3 | | <u>Check if admin is able to delete the Admin with NoAuth</u> | 4 | 1 | 1 | 2 | 0.266 s |
| 12-4 | | <u>Check if admin is able to delete the Admin with invalid endpoint</u> | 4 | 1 | 1 | 2 | 0.290 s |
| 12-5 | | <u>Check if admin is able to delete the Admin with invalid endpoint</u> | 4 | 1 | 1 | 2 | 0.262 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--|--|----------|----------|----------|----------|-----------------|
| 12-6 | <u>Negative scenario for User Controller</u> | <u>Check if admin is able to retrieve all Admins with assigned program batches with No Authorization</u> | 4 | 2 | 1 | 1 | 0.409 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--|--|---|---|---|---|----------|
| 12-7 | <u>Negative scenario for User Controller</u> | <u>Check if admin is able to retrieve assigned program batches for invalid AdminId</u> | 4 | 2 | 1 | 1 | 0.439 s |
| 12-8 | | <u>Check if admin is able to retrieve assigned program batches for valid AdminId with No authorization</u> | 4 | 2 | 1 | 1 | 0.259 s |
| 12-9 | | <u>Check if admin is able to delete the program batch for invalid Admin</u> | 4 | 2 | 1 | 1 | 0.275 s |
| 13-0 | | <u>Check if admin is able to delete the program batch for valid Admin and No Authorization</u> | 4 | 1 | 1 | 2 | 0.255 s |
| 13-1 | <u>Delete Request for all modules</u> | <u>Check if admin is able to delete the program batch for a Admin</u> | 4 | 1 | 1 | 2 | 0.269 s |
| 13-2 | | <u>Check if Admin able to delete a Admin with valid Admin Id</u> | 4 | 2 | 1 | 1 | 0.265 s |
| 13-3 | | <u>Check if admin able to delete a Batch with valid Batch ID</u> | 4 | 4 | 0 | 0 | 0.397 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---------------------|--|----------|----------|----------|----------|-----------------|
| 13-4 | | <i>Check if Admin able to delete a program with valid <u>programName</u></i> | 4 | 4 | 0 | 0 | 0.410 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---------------------------------------|--|----------|----------|----------|----------|-----------------|
| 13-5 | <u>Delete Request for all modules</u> | <u>Check if Admin able to delete a program with valid program ID</u> | 4 | 4 | 0 | 0 | 0.393 s |
| 13-6 | <u>User Logout</u> | <u>Check if Admin able to logout with valid endpoint</u> | 3 | 3 | 0 | 0 | 0.147 s |
| 13-7 | <u>User Logout Negative</u> | <u>Check if Admin able to logout with invalid endpoint</u> | 3 | 3 | 0 | 0 | 0.088 s |
| 13-8 | | <u>Check if Admin able to logout with valid endpoint with NoAuth</u> | 3 | 2 | 1 | 0 | 0.140 s |

User Login Negative request

| | | | | | |
|--------------------------------------|--------------------|--|--|--|--|
| PASSED | DURATION - 5.436 s | Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0 | | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 | |
| / 3:19:29.478 PM // 3:19:34.914 PM / | | | | | |

Check if Admin able to generate token with invalid endpoint

| | | | | |
|--------------------------------------|--------------------|---------------------|--|--|
| PASSED | DURATION - 4.144 s | Step / Hook Details | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 | |
| / 3:19:29.487 PM // 3:19:33.631 PM / | | | | |
| User Login Negative request | | | | |
| @Test01 @tag1 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Add UserLogin Payload | PASSED | 2.667 s |
| 2 | When Admin calls Post Https method with invalid endpoint | PASSED | 1.384 s |
| 3 | Then Admin receives 401 unauthorized | PASSED | 0.004 s |

Check if Admin able to generate token with invalid credentials


| | | | | |
|--------------------------------------|--------------------|---------------------|--|--|
| PASSED | DURATION - 1.138 s | Step / Hook Details | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 | |
| / 3:19:33.776 PM // 3:19:34.914 PM / | | | | |
| User Login Negative request | | | | |
| @tag1 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with invalid credentials | PASSED | 0.145 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.984 s |
| 3 | Then Admin receives 400 Bad request | PASSED | 0.001 s |

User Login Post request



Check if Admin able to generate token with valid credential




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Add UserLogin Payload | PASSED | 0.124 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.321 s |
| 3 | Then Admin receives 201 created with auto generated token | PASSED | 0.001 s |

program controller Positive




Check if Admin able to create a program with valid endpoint and request body with Authorization




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization | PASSED | 0.385 s |
| 2 | Given Admin creates POST Request for the LMS with request body | PASSED | 0.016 s |
| 3 | When Admin sends HTTPS Request and request Body with endpoint | PASSED | 0.362 s |
| 4 | Then Admin receives 201 Created Status with response body java.lang.IllegalArgumentException: Schema to use cannot be null at io.restassured.module.json.JsonSchemaValidator.validateSchemasNotNull(JsonSchemaValidator.java:270) at io.restassured.module.json.JsonSchemaValidator.access\$300(JsonSchemaValidator.java:75) at io.restassured.module.json.JsonSchemaValidator\$JsonSchemaValidatorFactory.create(JsonSchemaValidator.java:281) at io.restassured.module.json.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:166) at io.restassured.module.json.JsonSchemaValidator.matchesJsonSchemaInClasspath(JsonSchemaValidator.java:117) at api.stepdefinitions.ProgramPost.admin_receives_created_status_with_response_body(ProgramPost.java:269) at ?.Admin receives 201 Created Status with response body(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/03ProgramPositive.feature:11) * Not displayable characters are replaced by '?'. | FAILED | 0.009 s |

Check if Admin able to retrieve all programs with valid Endpoint



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given Admin sets Authorization | PASSED | 0.380 s |
| 2 | Given Admin creates GET Request for the LMS API | PASSED | 0.002 s |
| 3 | When Admin sends HTTPS Request with endpoint java.lang.NullPointerException: Cannot invoke "io.restassured.specification.RequestSpecification.when()" because "this.request" is null at api.stepdefinitions.UserModule.admin_sends_https_request_with_endpoint(UserModule.java:65) at ?.Admin sends HTTPS Request with endpoint(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/03ProgramPositive.feature:16) * Not displayable characters are replaced by '?'. 4 | FAILED | 0.013 s |
| 4 | Then Admin receives 200 OK Status with response body. | SKIPPED | 0.001 s |


Check if Admin able to retrieve a program with valid program ID



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization | PASSED | 0.376 s |
| 2 | Given Admin creates GET Request for the LMS API to retrieve a program by valid program ID | PASSED | 0.004 s |
| 3 | When Admin sends HTTPS Request with endpoint and stores the response | PASSED | 0.191 s |
| 4 | Then Admin receives 200 OK Status code with response body. java.lang.IllegalArgumentException: Schema to use cannot be null | FAILED | 0.005 s |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre>at io.restassured.module.jsv.JsonSchemaValidator.validateSchemasNotNull(JsonSchemaValidator.java:270) at io.restassured.module.jsv.JsonSchemaValidator.access\$300(JsonSchemaValidator.java:75) at io.restassured.module.jsv.JsonSchemaValidator\$JsonSchemaValidatorFactory.create(JsonSchemaValidator.java:281) at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:166) at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchemaInClasspath(JsonSchemaValidator.java:117) at api.stepdefinitions.ProgramPost.admin_receives_ok_status_code_with_response_body(ProgramPost.java:481) at ?.Admin receives 200 OK Status code with response body.(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/03ProgramPositive.feature:23)</pre> <p>* Not displayable characters are replaced by '?'.</p> | | |

Check if Admin able to retrieve all programs with users and with valid Endpoint




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization | PASSED | 0.338 s |
| 2 | Given Admin creates GET Request for the LMS API retrieve all programs with users | PASSED | 0.001 s |
| 3 | When Admin sends HTTPS Request with valid endpoint and stores the response | PASSED | 0.281 s |
| 4 | Then Admin receives 200 OK Status with response body and asserts the response. | PASSED | 0.000 s |

Check if Admin able to update a program with Valid program Name and request body



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization | PASSED | 0.678 s |
| 2 | Given Admin creates PUT Request for the LMS API endpoint with valid request Body with all fields. | PASSED | 0.001 s |
| 3 | When Admin sends HTTPS Request with valid endpoint and gets the response | PASSED | 0.282 s |
| 4 | <p>Then Admin receives 200 OK Status code with updated value in response body.</p> <pre>java.lang.IllegalArgumentException: Schema to use cannot be null at io.restassured.module.jsv.JsonSchemaValidator.validateSchemasNotNull(JsonSchemaValidator.java:270) at io.restassured.module.jsv.JsonSchemaValidator.access\$300(JsonSchemaValidator.java:75) at io.restassured.module.jsv.JsonSchemaValidator\$JsonSchemaValidatorFactory.create(JsonSchemaValidator.java:281) at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:166) at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchemaInClasspath(JsonSchemaValidator.java:117) at api.stepdefinitions.ProgramPost.admin_receives_ok_status_code_with_updated_value_in_response_body(ProgramPost.java:825) at ?.Admin receives 200 OK Status code with updated value in response body.(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/03ProgramPositive.feature:35)</pre> <p>* Not displayable characters are replaced by '?'.</p> | FAILED | 0.008 s |


Check if Admin able to update a program with valid programID endpoint and valid request body




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization | PASSED | 0.347 s |
| 2 | Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory, additional fields. | PASSED | 0.006 s |
| 3 | When Admin sends HTTPS Request with valid endpoint and receives the response | PASSED | 0.319 s |
| 4 | <p>Then Admin receives 200 OK Status code with updated value in response body.</p> <pre>java.lang.IllegalArgumentException: Schema to use cannot be null at io.restassured.module.jsv.JsonSchemaValidator.validateSchemasNotNull(JsonSchemaValidator.java:270) at io.restassured.module.jsv.JsonSchemaValidator.access\$300(JsonSchemaValidator.java:75) at io.restassured.module.jsv.JsonSchemaValidator\$JsonSchemaValidatorFactory.create(JsonSchemaValidator.java:281) at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:166) at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchemaInClasspath(JsonSchemaValidator.java:117)</pre> | FAILED | 0.003 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at api.stepdefinitions.ProgramPost.admin_receives_ok_status_code_with_updated_value_in_response_body(ProgramPost.java:825) at ?.Admin receives 200 OK Status code with updated value in response body.(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/03ProgramPositive.feature:41) * Not displayable characters are replaced by '?'. | | |

Program Batch module




Check if admin able to create a Batch with valid endpoint and request body (non existing values)



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin set Authorization | PASSED | 0.314 s |
| 2 | Given Admin creates POST Request with valid data in request body | PASSED | 0.167 s |
| 3 | When Admin sends POST HTTPS Request with endpoint of program batch | PASSED | 0.208 s |
| 4 | Then Admin receives 201 Created Status with response body of Post Batch request | PASSED | 0.002 s |
| 5 | And Validate the Schema after post batch request | FAILED | 0.001 s |
| | java.lang.IllegalArgumentException: Schema to use cannot be null at io.restassured.module.json.JsonSchemaValidator.validateSchemasNotNull(JsonSchemaValidator.java:270) at io.restassured.module.json.JsonSchemaValidator.access\$300(JsonSchemaValidator.java:75) at io.restassured.module.json.JsonSchemaValidator\$JsonSchemaValidatorFactory.create(JsonSchemaValidator.java:281) at io.restassured.module.json.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:166) at io.restassured.module.json.JsonSchemaValidator.matchesJsonSchemaInClasspath(JsonSchemaValidator.java:117) | | |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at api.stepdefinitions.ProgramBatch.validate_the_schema_after_post_batch_request(ProgramBatch.java:706) at ?.Validate the Schema after post batch request(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/04ProgramBatchPositive.feature:14) * Not displayable characters are replaced by '?'. 6 And Validate the header after post batch request | | |
| 6 | And Validate the header after post batch request | SKIPPED | 0.000 s |

Check if admin able to retrieve all batches with valid LMS API



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin set Authorization | PASSED | 0.369 s |
| 2 | Given Admin creates GET Request of program batch of all batches | PASSED | 0.002 s |
| 3 | When Admin sends HTTPS Request with endpoint of program batch of all batches | PASSED | 0.333 s |
| 4 | Then Admin receives 200 OK Status with response body of program batch of all batches. | PASSED | 0.001 s |

Check if admin able to retrieve all batches with search string



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin set Authorization | PASSED | 0.330 s |
| 2 | Given Admin creates GET Request with search string of program batch | PASSED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 3 | When Admin sends HTTPS Request with endpoint of program batch of search string | PASSED | 0.295 s |
| 4 | Then Admin receives 200 Ok status with response body of program batch of search string | PASSED | 0.005 s |

Check if admin able to retrieve a batch with valid BATCH ID

| | | | | |
|--------------------------------------|--------------------|--|--|--|
| PASSED | DURATION - 0.476 s | | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 | |
| / 3:19:41.737 PM // 3:19:42.213 PM / | | | | |
| Program Batch module | | | | |
| @programBatchWithAuthPositive @tag04 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin set Authorization | PASSED | 0.303 s |
| 2 | Given Admin creates GET Request with valid Batch ID | PASSED | 0.002 s |
| 3 | When Admin sends HTTPS Request with endpoint of program batch with batch id | PASSED | 0.167 s |
| 4 | Then Admin receives 200 Ok status with response body of program batch of batch id | PASSED | 0.001 s |

Check if admin able to retrieve a batch after deleting the batch

| | | | | |
|--------------------------------------|--------------------|--|--|--|
| PASSED | DURATION - 0.624 s | | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 | |
| / 3:19:42.228 PM // 3:19:42.852 PM / | | | | |
| Program Batch module | | | | |
| @programBatchWithAuthPositive @tag04 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin set Authorization | PASSED | 0.318 s |
| 2 | Given Admin creates GET Request with valid Batch ID after deleting batch | PASSED | 0.152 s |
| 3 | When Admin sends HTTPS Request with endpoint of program batch with batch id after deleting batch | PASSED | 0.150 s |
| 4 | Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body. | PASSED | 0.001 s |

Check if admin able to retrieve a batch with valid BATCH NAME

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| PASSED | DURATION - 0.446 s |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| / 3:19:42.867 PM // 3:19:43.313 PM / | | | | |
| Program Batch module | | | | |
| @programBatchWithAuthPositive @tag04 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin set Authorization | PASSED | 0.286 s |
| 2 | Given Admin creates GET Request with valid batch name | PASSED | 0.002 s |
| 3 | When Admin sends HTTPS Request with endpoint with batch name | PASSED | 0.152 s |
| 4 | Then Admin receives 200 OK Status with response body of batch name. | PASSED | 0.001 s |

Check if admin able to retrieve a batch after deleting the batch using batch name

| | | | | |
|--------------------------------------|--------------------|---|--|--|
| PASSED | DURATION - 0.607 s |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| / 3:19:43.325 PM // 3:19:43.932 PM / | | | | |
| Program Batch module | | | | |
| @programBatchWithAuthPositive @tag04 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin set Authorization | PASSED | 0.295 s |
| 2 | Given Admin creates GET Request with batch Name after deleting batch | PASSED | 0.153 s |
| 3 | When Admin sends HTTPS Request with endpoint of program batch with batch name after deleting batch | PASSED | 0.153 s |
| 4 | Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body using batchName. | PASSED | 0.001 s |

Check if admin able to retrieve a batch with valid Program ID



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin set Authorization | PASSED | 0.280 s |
| 2 | Given Admin creates GET Request with valid Program Id | PASSED | 0.001 s |
| 3 | When Admin sends HTTPS Request with endpoint with valid program id | PASSED | 0.144 s |
| 4 | Then Admin receives 200 OK Status with response body with valid program id. | PASSED | 0.001 s |

Check if admin able to update a Batch with valid batchID and mandatory fields in request body




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin set Authorization | PASSED | 0.298 s |
| 2 | Given Admin creates PUT Request with valid BatchId and Data | PASSED | 0.079 s |
| 3 | When Admin sends HTTPS Request with endpoint with PUT in request body | PASSED | 0.165 s |
| 4 | Then Admin receives 200 OK Status with updated value in response body with PUT. | PASSED | 0.001 s |

User Module Positive request




Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 1.294 s |
| 2 | Given Admin creates POST request with all mandatory fields | PASSED | 0.366 s |
| 3 | When Admin sends HTTPS Request with endpoint | PASSED | 0.482 s |
| 4 | Then Admin receives 201 Created Status with response body. | PASSED | 0.001 s |

Check if admin able to create a new Admin with valid endpoint and request body with mandatory and additional fields



| # | Step / Hook Details | Status | Duration |
|---|--------------------------------------|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.317 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 2 | Given Admin creates POST request with all mandatory fields and an additional fields | PASSED | 0.374 s |
| 3 | When Admin sends POST HTTPS Request with mandatory and additional fields | PASSED | 0.865 s |
| 4 | Then Admin receives 201 Created Status | PASSED | 0.001 s |

Check if admin is able to retrieve all the available roles(all roles)

| | | | | |
|--------------------------------------|--------------------|--|--|--|
| PASSED | DURATION - 0.929 s | | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 | |
| / 3:19:48.707 PM // 3:19:49.636 PM / | | | | |
| User Module Positive request | | | | |
| @tag05 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.294 s |
| 2 | Given Admin creates GET Request | PASSED | 0.001 s |
| 3 | When Admin sends HTTPS Request with GET All Roles endpoint | PASSED | 0.626 s |
| 4 | Then Admin receives 200 OK | PASSED | 0.001 s |


Check if admin able to retrieve all Admin with valid endpoint(all users)

| | | | | |
|--------------------------------------|--------------------|--|--|--|
| PASSED | DURATION - 0.836 s | | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 | |
| / 3:19:49.662 PM // 3:19:50.498 PM / | | | | |
| User Module Positive request | | | | |
| @tag05 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.284 s |
| 2 | Given Admin creates GET Request | PASSED | 0.001 s |
| 3 | When Admin sends HTTPS Request with valid endpoint | PASSED | 0.545 s |


| # | Step / Hook Details | Status | Duration |
|---|----------------------------|--------|----------|
| 4 | Then Admin receives 200 OK | PASSED | 0.001 s |

Check if admin able to retrieve a Admin with valid Admin ID




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.299 s |
| 2 | Given Admin creates GET Request with valid AdminId | PASSED | 0.001 s |
| 3 | When Admin sends HTTPS Request with a valid endpoint | PASSED | 0.149 s |
| 4 | Then Admin receives 200 OK | PASSED | 0.000 s |

Check if admin able to retrieve all Admins with roles




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.273 s |
| 2 | Given Admin creates GET Request | PASSED | 0.001 s |
| 3 | When Admin sends HTTPS Request with an endpoint | PASSED | 0.142 s |
| 4 | Then Admin receives 200 OK | PASSED | 0.000 s |

Check if admin is able to get count of active and inactive Admins

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| PASSED | DURATION - 0.487 s |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| / 3:19:51.406 PM // 3:19:51.893 PM / | | | | |
| User Module Positive request | | | | |
| @tag05 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.285 s |
| 2 | Given Admin creates GET Request with active and inactive Admins endpoint | PASSED | 0.001 s |
| 3 | When Admin sends Get count of active and inactive users HTTPS Request with endpoint | PASSED | 0.195 s |
| 4 | Then Admin receives 200 OK | PASSED | 0.001 s |

Check if admin able to retrieve all active Admins

| | | | | |
|--------------------------------------|--------------------|---|--|--|
| PASSED | DURATION - 0.653 s |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| / 3:19:51.905 PM // 3:19:52.558 PM / | | | | |
| User Module Positive request | | | | |
| @tag05 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.309 s |
| 2 | Given Admin creates GET Request | PASSED | 0.001 s |
| 3 | When Admin sends Get All Active Users HTTPS Request with endpoint | PASSED | 0.339 s |
| 4 | Then Admin receives 200 OK | PASSED | 0.001 s |

Check if admin is able to assign Admin to with program/batch by Admin Id




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.325 s |
| 2 | Given Admin creates PUT Request with valid data in request body | PASSED | 0.002 s |
| 3 | When Admin sends PUT HTTPS Request with User Role Program Batch Status endpoint | PASSED | 0.156 s |
| 4 | Then Admin receives 200 OK | PASSED | 0.001 s |

Check if admin is able to get the Admins by program batches for valid batch ID




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.267 s |
| 2 | Given Admin creates GET Request with valid batch Id | PASSED | 0.002 s |
| 3 | When Admin sends Get User by Program Batches HTTPS Request with endpoint | PASSED | 0.161 s |
| 4 | Then Admin receives 200 OK | PASSED | 0.001 s |

Check if admin is able to get the Admins for valid program Id




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.294 s |
| 2 | Given Admin creates GET Request with valid program Id | PASSED | 0.001 s |
| 3 | When Admin sends Gets Users for Program HTTPS Request with endpoint | PASSED | 0.159 s |
| 4 | Then Admin receives 200 OK | PASSED | 0.001 s |

Check if admin is able to retrieve Admins by valid role ID




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.264 s |
| 2 | Given Admin creates GET Request with valid role ID | PASSED | 0.000 s |
| 3 | When Admin sends Gets Users by roleId HTTPS Request with endpoint | PASSED | 0.276 s |
| 4 | Then Admin receives 200 OK | PASSED | 0.001 s |

Check if admin is able to retrieve all Admins with filters




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.314 s |
| 2 | Given Admin creates GET Request with filters | PASSED | 0.001 s |
| 3 | When Admin sends HTTPS Request with filters endpoint | PASSED | 0.536 s |
| 4 | Then Admin receives "200" OK | PASSED | 0.007 s |

Check if admin is able to update Admin details with Admin id and mandatory fields




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.275 s |
| 2 | Given Admin creates PUT Request with valid data in request body (values only in mandatory fields) | PASSED | 0.083 s |
| 3 | When Admin sends HTTPS request for update by userId with endpoint | PASSED | 0.158 s |
| 4 | Then Admin receives "200" OK | PASSED | 0.001 s |

Check if admin is able to update role status of a Admin with valid Admin id




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.505 s |
| 2 | Given Admin creates PUT Request with valid user data in request body | PASSED | 0.034 s |
| 3 | When Admin sends HTTPS Request for update by roleStatus with endpoint | PASSED | 0.153 s |
| 4 | Then Admin receives "200" OK | PASSED | 0.001 s |

Check if admin is able to update User by roleId with valid Admin id




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.270 s |
| 2 | Given Admin creates PUT Request with valid user data to with roleId | PASSED | 0.001 s |
| 3 | When Admin sends HTTPS Request for update User by roleId | PASSED | 0.158 s |
| 4 | Then Admin receives "200" OK | PASSED | 0.001 s |

Check if admin is able to update the Admin login status by Admin ID




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.276 s |
| 2 | Given Admin creates PUT Request with Admin login status by Admin ID | PASSED | 0.001 s |
| 3 | When Admin sends HTTPS Request for update User with Admin login status by Admin ID | PASSED | 0.133 s |
| 4 | Then Admin receives "200" OK | PASSED | 0.001 s |

User Controller Positive




admin is able to retrieve assigned program batches for valid AdminId



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization bearer token | PASSED | 0.270 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 2 | Given Admin creates a GET Request to retrieve Admin assigned to Program or Batch by AdminId | PASSED | 0.001 s |
| 3 | <p>When Admin sends HTTPS Request to retrieve assigned program batches for valid AdminId</p> <pre>java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor304.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.stepdefinitions.UserController. admin_sends_https_request_to_retrieve_assigned_program_batches_for_valid_admin_id(UserController.java:72) at ?.Admin sends HTTPS Request to retrieve assigned program batches for valid AdminId(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/06UserControllerPositive.feature:10) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.150 s |
| 4 | Then Admin receives a 200 OK response | SKIPPED | 0.001 s |

admin is able to retrieve all Admins with assigned program batches




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization bearer token | PASSED | 0.279 s |
| 2 | Given Admin creates a GET Request to retrieve all Admins assigned to programs or batches | PASSED | 0.001 s |
| 3 | When Admin sends HTTPS Request | PASSED | 0.232 s |
| 4 | Then Admin receives a 200 OK response | PASSED | 0.001 s |

To test the functionality of program controller Negative




Check if Admin able to create a program with valid endpoint and request body with Authorization



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates POST Request for the LMS with request body | PASSED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 2 | When Admin sends HTTPS Request and request Body with endpoint | PASSED | 0.231 s |
| 3 | <p>Then Admin receives 201 Created Status with response body</p> <pre>java.lang.IllegalArgumentException: Schema to use cannot be null at io.restassured.module.json.JsonSchemaValidator.validateSchemasNotNull(JsonSchemaValidator.java:270) at io.restassured.module.json.JsonSchemaValidator.access\$300(JsonSchemaValidator.java:75) at io.restassured.module.json.JsonSchemaValidator\$JsonSchemaValidatorFactory.create(JsonSchemaValidator.java:281) at io.restassured.module.json.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:166) at io.restassured.module.json.JsonSchemaValidator.matchesJsonSchemaInClasspath(JsonSchemaValidator.java:117) at api.stepdefinitions.ProgramPost.admin_receives_created_status_with_response_body(ProgramPost.java:269) at ?.Admin receives 201 Created Status with response body(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/07ProgramNegative.feature:12)</pre> <p>* Not displayable characters are replaced by '?'.</p> | FAILED | 0.002 s |

Check if Admin able to create a program with valid endpoint and request body without Authorization




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates POST Request for the LMS with request body | PASSED | 0.002 s |
| 2 | When Admin sends HTTPS Request without authorization and request Body with endpoint | PASSED | 0.194 s |
| 3 | Then Admin receives 401 Unauthorized | PASSED | 0.000 s |

Check if Admin able to create a program with invalid endpoint





| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates POST Request for the LMS with request body | PASSED | 0.001 s |
| 2 | When Admin sends HTTPS Request with invalid endpoint and request Body with endpoint | PASSED | 0.279 s |
| 3 | Then Admin receives 404 not found Status with message and boolean success details | PASSED | 0.001 s |

Check if Admin able to create a program with already existing program name





| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates POST Request for the LMS with request body | PASSED | 0.001 s |
| 2 | When Admin sends HTTPS Request with already existing program name and request Body with endpoint | PASSED | 0.180 s |
| 3 | Then Admin receives 400 Bad Request Status with message and boolean success details | PASSED | 0.000 s |

Check if Admin able to create a program with invalid method

| | | | | |
|--|--------------------|--|--|---|
| PASSED | DURATION - 0.204 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:19:59.478 PM // 3:19:59.682 PM / | | | | |
| To test the functionality of program controller Negative | | | | |
| @tag07 | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates POST Request for the LMS with request body | PASSED | 0.001 s |
| 2 | When Admin sends HTTPS Request with invalid method and request Body with endpoint | PASSED | 0.200 s |
| 3 | Then Admin receives 405 Method Not Allowed | PASSED | 0.001 s |

Check if Admin able to create a program with invalid request body

| | | | | |
|--|--------------------|--|--|---|
| PASSED | DURATION - 0.202 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:19:59.692 PM // 3:19:59.894 PM / | | | | |
| To test the functionality of program controller Negative | | | | |
| @tag07 | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates POST Request for the LMS with request body | PASSED | 0.001 s |
| 2 | When Admin sends HTTPS Request with invalid request body and request Body with endpoint | PASSED | 0.199 s |
| 3 | Then Admin receives 400 Bad Request Status | PASSED | 0.000 s |

Check if Admin able to create a program with missing values in the request body

| | | | | |
|--|--------------------|--|--|---|
| PASSED | DURATION - 0.193 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:19:59.902 PM // 3:20:00.095 PM / | | | | |
| To test the functionality of program controller Negative | | | | |
| @tag07 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates POST Request for the LMS with request body | PASSED | 0.001 s |
| 2 | When Admin sends HTTPS Request with missing values and request Body with endpoint | PASSED | 0.189 s |
| 3 | Then Admin receives 400 Bad Request Status code | PASSED | 0.000 s |

Check if Admin able to create a program with missing additional field

| | | | | |
|--|--------------------|--|--|---|
| PASSED | DURATION - 0.206 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:20:00.105 PM // 3:20:00.311 PM / | | | | |
| To test the functionality of program controller Negative | | | | |
| @tag07 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates POST Request for the LMS with request body | PASSED | 0.002 s |
| 2 | When Admin sends HTTPS Request with missing additional field and request Body with endpoint | PASSED | 0.201 s |
| 3 | Then Admin receives 400 Bad Request | PASSED | 0.000 s |

Check if Admin able to retrieve all programs with valid Endpoint





| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given Admin creates GET Request for the LMS API | PASSED | 0.003 s |
| 2 | When Admin sends HTTPS Request with endpoint java.lang.NullPointerException: Cannot invoke "io.restassured.specification.RequestSpecification.when()" because "this.request" is null at api.stepdefinitions.UserModule.admin_sends_https_request_with_endpoint(UserModule.java:65) at ?.Admin sends HTTPS Request with endpoint(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/07ProgramNegative.feature:59) * Not displayable characters are replaced by '?'. @tag07 | FAILED | 0.001 s |
| 3 | Then Admin receives 200 OK Status with response body. | SKIPPED | 0.000 s |

Check if Admin able to retrieve all programs with invalid Endpoint





| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates GET Request for the LMS API | PASSED | 0.003 s |
| 2 | When Admin sends HTTPS Request with invalid Endpoint | PASSED | 0.150 s |
| 3 | Then Admin receives 404 not found Status with error message | PASSED | 0.000 s |

Check if Admin able to retrieve all programs with invalid Method

| | | | | |
|--|--------------------|--|--|---|
| PASSED | DURATION - 0.380 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:20:00.501 PM // 3:20:00.881 PM / | | | | |
| To test the functionality of program controller Negative | | | | |
| @tag07 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates GET Request for the LMS API | PASSED | 0.001 s |
| 2 | When Admin sends HTTPS Request with invalid Method and endpoint | PASSED | 0.377 s |
| 3 | Then Admin receives 405 Method Not Allowed status code | PASSED | 0.000 s |

Check if Admin able to retrieve all programs without Authorization

| | | | | |
|--|--------------------|--|--|---|
| PASSED | DURATION - 0.151 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:20:00.891 PM // 3:20:01.042 PM / | | | | |
| To test the functionality of program controller Negative | | | | |
| @tag07 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates GET Request for the LMS API | PASSED | 0.001 s |
| 2 | When Admin sends HTTPS Request without Authorization with endpoint | PASSED | 0.148 s |
| 3 | Then Admin receives 401 Status with response body as Unauthorized | PASSED | 0.001 s |

Check if Admin able to retrieve a program with valid program ID



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates GET Request for the LMS API to retrieve a program by valid program ID | PASSED | 0.001 s |
| 2 | When Admin sends HTTPS Request with endpoint and stores the response | PASSED | 0.165 s |
| 3 | <p>Then Admin receives 200 OK Status code with response body.</p> <pre>java.lang.IllegalArgumentException: Schema to use cannot be null at io.restassured.module.json.JsonSchemaValidator.validateSchemasNotNull(JsonSchemaValidator.java:270) at io.restassured.module.json.JsonSchemaValidator.access\$300(JsonSchemaValidator.java:75) at io.restassured.module.json.JsonSchemaValidator\$JsonSchemaValidatorFactory.create(JsonSchemaValidator.java:281) at io.restassured.module.json.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:166) at io.restassured.module.json.JsonSchemaValidator.matchesJsonSchemaInClasspath(JsonSchemaValidator.java:117) at api.stepdefinitions.ProgramPost.admin_receives_ok_status_code_with_response_body(ProgramPost.java:481) at ?.Admin receives 200 OK Status code with response body.(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/07ProgramNegative.feature:84)</pre> <p>* Not displayable characters are replaced by '?'.</p> | FAILED | 0.001 s |


Check if Admin able to retrieve a program with invalid program ID



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates GET Request for the LMS API with invalid program ID | PASSED | 0.001 s |
| 2 | When Admin sends HTTPS Request with invalid program ID and endpoint | PASSED | 0.155 s |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 3 | <p>Then Admin receives 404 Not Found Status with message and boolean success details</p> <pre>java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null at api.stepdefinitions.ProgramBatch.admin_receives_not_found_status_with_message_and_boolean_success_details(ProgramBatch.java:544) at ?.Admin receives 404 Not Found Status with message and boolean success details(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/07ProgramNegative.feature:90) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.001 s |

Check if Admin able to retrieve a program with invalid baseURI





| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | <p>Given Admin creates GET Request with invalid baseURI for the LMS API</p> <pre>java.util.MissingResourceException: Can't find resource for bundle java.util.PropertyResourceBundle, key invalid_baseUrl at java.base/java.util.ResourceBundle.getObject(ResourceBundle.java:564) at java.base/java.util.ResourceBundle.getString(ResourceBundle.java:521) at api.stepdefinitions.ProgramPost.adminCreatesGetRequestWithInvalidBaseUriForTheLmsApi(ProgramPost.java:507) at ?.Admin creates GET Request with invalid baseURI for the LMS API(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/07ProgramNegative.feature:94) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.002 s |
| 2 | When Admin sends HTTPS Request with invalid baseURI endpoint | SKIPPED | 0.000 s |
| 3 | Then Admin receives 404 Not Found Status code with message and boolean success details | SKIPPED | 0.000 s |

Check if Admin able to retrieve a program without Authorization

| | | | | |
|--|--------------------|--|--|---|
| PASSED | DURATION - 0.143 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:20:01.413 PM // 3:20:01.556 PM / | | | | |
| To test the functionality of program controller Negative | | | | |
| @tag07 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates GET Request for the LMS API to retrieve a program without Authorization | PASSED | 0.001 s |
| 2 | When Admin sends HTTPS Request to retrieve a program without Authorization with endpoint | PASSED | 0.140 s |
| 3 | Then Admin receives 401 Unauthorized status code | PASSED | 0.001 s |

Check if Admin able to retrieve a program with invalid Endpoint

| | | | | |
|--|--------------------|--|--|---|
| PASSED | DURATION - 0.129 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:20:01.565 PM // 3:20:01.694 PM / | | | | |
| To test the functionality of program controller Negative | | | | |
| @tag07 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates GET Request for the LMS API to retrieve a program with invalid endpoint | PASSED | 0.001 s |
| 2 | When Admin sends HTTPS Request to retrieve a program with invalid Endpoint | PASSED | 0.127 s |
| 3 | Then Admin receives 404 Not Found status code with message and boolean success details | PASSED | 0.000 s |

Check if Admin able to retrieve all programs with users and with valid Endpoint





| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates GET Request for the LMS API retrieve all programs with users | PASSED | 0.003 s |
| 2 | When Admin sends HTTPS Request with valid endpoint and stores the response | PASSED | 0.284 s |
| 3 | Then Admin receives 200 OK Status with response body and asserts the response. | PASSED | 0.000 s |

Check if Admin able to retrieve all programs with invalid Endpoint





| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates GET request for the LMS API | PASSED | 0.000 s |
| 2 | When Admin sends HTTPS Request with invalid endpoint | PASSED | 0.136 s |
| 3 | Then Admin receives 404 not found status with error message | PASSED | 0.000 s |

Check if Admin able to retrieve all programs with invalid Method

| | | | | |
|--|--------------------|--|--|---|
| PASSED | DURATION - 0.155 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:20:02.153 PM // 3:20:02.308 PM / | | | | |
| To test the functionality of program controller Negative | | | | |
| @tag07 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates GET request for the LMS API | PASSED | 0.001 s |
| 2 | When Admin sends HTTPS Request to retrieve all programs with invalid Method and endpoint | PASSED | 0.151 s |
| 3 | Then Admin receives 405 Method Not Allowed Status Code | PASSED | 0.001 s |

Check if Admin able to retrieve all programs without Authorization

| | | | | |
|--|--------------------|--|--|---|
| PASSED | DURATION - 0.149 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:20:02.317 PM // 3:20:02.466 PM / | | | | |
| To test the functionality of program controller Negative | | | | |
| @tag07 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates GET request for the LMS API | PASSED | 0.001 s |
| 2 | When Admin sends HTTPS Request with endpoint to retrieve all programs without Authorization | PASSED | 0.145 s |
| 3 | Then Admin receives 401 status code with response body as Unauthorized | PASSED | 0.002 s |

Check if Admin able to update a program with valid programID endpoint and valid request body




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory, additional fields. | PASSED | 0.001 s |
| 2 | When Admin sends HTTPS Request with valid endpoint and receives the response | PASSED | 0.206 s |
| 3 | Then Admin receives 200 OK Status code with updated value. java.lang.AssertionError: expected:<200> but was:<500> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertequals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at api.stepdefinitions.ProgramPost.admin_receives_ok_status_with_updated_value_in_response_body(ProgramPost.java:664) at ?.Admin receives 200 OK Status code with updated value.(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/07ProgramNegative.feature:138) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |

Check if Admin able to update a program with invalid programID endpoint and valid request body




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates PUT Request for the LMS API endpoint with valid request Body with mandatory , additional fields. | PASSED | 0.002 s |
| 2 | When Admin sends HTTPS Request to update a program with invalid programID with invalid endpoint | PASSED | 0.202 s |
| 3 | Then Admin receives 404 Not Found status with message and boolean success details | PASSED | 0.000 s |

Check if Admin able to update a program with invalid request body




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates PUT Request for the LMS API with invalid request body | PASSED | 0.000 s |
| 2 | When Admin sends HTTPS Request to update a program with invalid request body and valid endpoint | PASSED | 0.187 s |
| 3 | Then Admin receives 400 Bad Request status with message and boolean success details | PASSED | 0.001 s |

Check if Admin able to update a program without request body




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates PUT Request for the LMS API with missing mandatory fields | PASSED | 0.000 s |
| 2 | When Admin sends HTTPS Request with missing mandatory fields and valid endpoint | PASSED | 0.240 s |
| 3 | Then Admin receives 400 Bad Request Status code with message | PASSED | 0.000 s |

Check if Admin able to update a program with invalid baseURI





| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | <p>Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.</p> <pre>java.util.MissingResourceException: Can't find resource for bundle java.util.PropertyResourceBundle, key invalid_baseUrl at java.base/java.util.ResourceBundle.getObject(ResourceBundle.java:564) at java.base/java.util.ResourceBundle.getString(ResourceBundle.java:521) at api.stepdefinitions.ProgramPost. adminCreatesPutRequestForTheLmsApiEndpointWithRequestBodyWithMandatoryAndAdditionalFields(ProgramPost.java:738) at ?.Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/07ProgramNegative.feature:160) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.002 s |
| 2 | When Admin sends HTTPS Request with request Body with mandatory, additional fields and valid endpoint | SKIPPED | 0.000 s |
| 3 | Then Admin receives 404 Not Found with message and boolean success details | SKIPPED | 0.000 s |

Check if Admin able to update a program with invalid method




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates PUT Request for the LMS API endpoint with request Body | PASSED | 0.001 s |
| 2 | When Admin sends HTTPS Request with request body and valid endpoint | PASSED | 0.508 s |
| 3 | Then Admin receives 405 Method Not Allowed status | PASSED | 0.000 s |

Check if Admin able to update a program without Authorization

| | | | | |
|---|--------------------|--|--|---|
| PASSED | DURATION - 0.738 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:20:03.914 PM // 3:20:04.652 PM / | | | | |
| <i>To test the functionality of program controller Negative</i> | | | | |
| @tag07 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates PUT Request for the LMS API without Authorization and endpoint with request Body and mandatory, additional fields. | PASSED | 0.001 s |
| 2 | When Admin sends HTTPS Request with valid endpoint to update a program without Authorization | PASSED | 0.736 s |
| 3 | Then Admin receives 401 Unauthorized status | PASSED | 0.000 s |


Check if Admin able to update a program with Valid program Name and request body

| | | | | |
|---|--------------------|---|--|--|
| FAILED | DURATION - 0.200 s |  | Steps Total - 3 Pass - 2 Fail - 1 Skip - 0 |  |
| / 3:20:04.664 PM // 3:20:04.864 PM / | | | | |
| <i>To test the functionality of program controller Negative</i> | | | | |
| @tag07 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates PUT Request for the LMS API endpoint with valid request Body with all fields. | PASSED | 0.001 s |
| 2 | When Admin sends HTTPS Request with valid endpoint and gets the response | PASSED | 0.195 s |
| 3 | Then Admin receives 200 OK Status code with updated value in response body. java.lang.IllegalArgumentException: Schema to use cannot be null at io.restassured.module.jsv.JsonSchemaValidator.validateSchemasNotNull(JsonSchemaValidator.java:270) at io.restassured.module.jsv.JsonSchemaValidator.access\$300(JsonSchemaValidator.java:75) at io.restassured.module.jsv.JsonSchemaValidator\$JsonSchemaValidatorFactory.create(JsonSchemaValidator.java:281) at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:166) at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchemaInClasspath(JsonSchemaValidator.java:117) | FAILED | 0.002 s |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>at api.stepdefinitions.ProgramPost.admin_receives_ok_status_code_with_updated_value_in_response_body(ProgramPost.java:825) at ?.Admin receives 200 OK Status code with updated value in response body.(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/07ProgramNegative.feature:180)</p> <p>* Not displayable characters are replaced by '?'.</p> | | |

Check if Admin able to update a program status

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| PASSED | DURATION - 0.204 s |  To test the functionality of program controller Negative | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:20:04.872 PM // 3:20:05.076 PM / | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates PUT Request for the LMS API endpoint and Valid program Name and status | PASSED | 0.001 s |
| 2 | When Admin sends HTTPS Request with Valid program Name, status and endpoint | PASSED | 0.199 s |
| 3 | Then Admin receives 200 OK with updated value in response body. | PASSED | 0.001 s |

Check if Admin able to update a program with invalid program Name and request body

| | | | | |
|--------------------------------------|--------------------|---|--|--|
| PASSED | DURATION - 0.196 s |  To test the functionality of program controller Negative | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:20:05.083 PM // 3:20:05.279 PM / | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates PUT Request for the LMS API endpoint with valid request body with mandatory, additional fields. | PASSED | 0.000 s |
| 2 | When Admin sends HTTPS request with invalid endpoint to update a program with invalid program Name | PASSED | 0.192 s |
| 3 | Then Admin gets 404 Not Found Status with message and boolean success details | PASSED | 0.000 s |

Check if Admin able to update a program using valid program name - missing mandatory fields in request body

| | | | | |
|--|--------------------|--|--|---|
| PASSED | DURATION - 0.247 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:20:05.292 PM // 3:20:05.539 PM / | | | | |
| To test the functionality of program controller Negative | | | | |
| @tag07 | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates PUT Request for the LMS API with missing programName and programStatus | PASSED | 0.002 s |
| 2 | When Admin sends HTTPS Request with missing mandatory fields and valid endpoint | PASSED | 0.242 s |
| 3 | Then Admin receives 400 Bad Request Status Code with message and boolean success details | PASSED | 0.001 s |

Check if Admin able to update a program with invalid values in request body

| | | | | |
|--|--------------------|---|--|--|
| PASSED | DURATION - 0.228 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:20:05.557 PM // 3:20:05.785 PM / | | | | |
| To test the functionality of program controller Negative | | | | |
| @tag07 | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates PUT Request for the LMS API endpoint and invalid program Name | PASSED | 0.001 s |
| 2 | When Admin sends HTTPS Request and request Body with invalid values in mandatory fields. (program Description , program Name, program status) | PASSED | 0.223 s |
| 3 | Then Admin receives 400 Bad Request with message and boolean success details | PASSED | 0.000 s |

Check if Admin able to update a program with invalid program Description

| | | | | |
|--|--------------------|--|--|---|
| PASSED | DURATION - 0.228 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:20:05.801 PM // 3:20:06.029 PM / | | | | |
| To test the functionality of program controller Negative | | | | |
| @tag07 | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates PUT Request for the LMS API endpoint and invalid program Description | PASSED | 0.002 s |
| 2 | When Admin sends HTTPS Request and request Body with invalid program Description in mandatory fields. (program Description , program Name, program status) | PASSED | 0.224 s |
| 3 | Then Admin receives 400 Bad Request response with message and boolean success details | PASSED | 0.000 s |

Check if Admin able to update a program without Authorization

| | | | | |
|--|--------------------|--|--|---|
| PASSED | DURATION - 0.205 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:20:06.039 PM // 3:20:06.244 PM / | | | | |
| To test the functionality of program controller Negative | | | | |
| @tag07 | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates PUT Request for the LMS API endpoint with request Body with all the fields. | PASSED | 0.001 s |
| 2 | When Admin sends HTTPS Request with valid endpoint to update a program without authorization | PASSED | 0.200 s |
| 3 | Then Admin receives 401 Unauthorized Status | PASSED | 0.000 s |

Check if Admin able to delete a program with valid programName

| | | | | |
|--|--------------------|--|--|---|
| PASSED | DURATION - 0.145 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:20:06.262 PM // 3:20:06.407 PM / | | | | |
| To test the functionality of program controller Negative | | | | |
| @tag07 | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates DELETE Request for the LMS API endpoint and valid <code>programName</code> | PASSED | 0.001 s |
| 2 | When Admin sends HTTPS Request with endpoint to delete a program with program name | PASSED | 0.140 s |
| 3 | Then Admin receives 200 Ok status with message | PASSED | 0.000 s |

Check if Admin able to delete a program with valid LMS API, invalid `programName`

| | | | | |
|--|--------------------|--|--|---|
| PASSED | DURATION - 0.137 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:20:06.417 PM // 3:20:06.554 PM / | | | | |
| To test the functionality of program controller Negative | | | | |
| @tag07 | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates DELETE Request for the LMS API endpoint and invalid <code>{programName}</code> | PASSED | 0.001 s |
| 2 | When Admin sends HTTPS Request with endpoint to delete a program with invalid <code>programName</code> | PASSED | 0.135 s |
| 3 | Then Admin gets 404 Not Found status code with message and boolean success details | PASSED | 0.000 s |

Check if Admin able to delete a program without Authorization

| | | | | |
|--|--------------------|--|--|---|
| PASSED | DURATION - 0.150 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:20:06.566 PM // 3:20:06.716 PM / | | | | |
| To test the functionality of program controller Negative | | | | |
| @tag07 | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates DELETE Request for the LMS API endpoint and valid programName | PASSED | 0.001 s |
| 2 | When Admin sends HTTPS Request with endpoint to delete a program without Authorization | PASSED | 0.148 s |
| 3 | Then Admin receives 401 unauthorized status code | PASSED | 0.000 s |

Check if Admin able to delete a program with valid program ID

| | | | | |
|--|--------------------|--|--|---|
| PASSED | DURATION - 0.144 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:20:06.724 PM // 3:20:06.868 PM / | | | | |
| To test the functionality of program controller Negative | | | | |
| @tag07 | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates DELETE Request for the LMS API endpoint and valid program ID | PASSED | 0.001 s |
| 2 | When Admin sends HTTPS Request with endpoint to delete a program with program ID | PASSED | 0.141 s |
| 3 | Then Admin receives 200 Ok and validates the status | PASSED | 0.001 s |

Check if Admin able to delete a program with valid LMS API,invalid program ID

| | | | | |
|--|--------------------|--|--|---|
| PASSED | DURATION - 0.135 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:20:06.882 PM // 3:20:07.017 PM / | | | | |
| To test the functionality of program controller Negative | | | | |
| @tag07 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates DELETE Request for the LMS API endpoint and invalid program ID | PASSED | 0.000 s |
| 2 | When Admin sends HTTPS Request with endpoint to delete a program with invalid program ID | PASSED | 0.131 s |
| 3 | Then Admin receives 404 Not Found Status Code as response with message and boolean success details | PASSED | 0.000 s |

Check if Admin able to delete a program without Authorization

| | | | | |
|--|--------------------|--|--|---|
| PASSED | DURATION - 0.172 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:20:07.026 PM // 3:20:07.198 PM / | | | | |
| To test the functionality of program controller Negative | | | | |
| @tag07 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates DELETE Request for the LMS API with endpoint and valid programId | PASSED | 0.000 s |
| 2 | When Admin sends HTTPS Request with endpoint to delete a program by programId without Authorization | PASSED | 0.170 s |
| 3 | Then Admin gets 401 Unauthorized status code | PASSED | 0.000 s |

Check if Admin able to create a program with valid endpoint and request body with Authorization to be used for batch



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates POST Request for the LMS with request body to be used for batch | PASSED | 0.001 s |
| 2 | When Admin sends HTTPS Request and request Body with endpoint to be used for batch | PASSED | 0.196 s |
| 3 | <p>Then Admin receives 201 Created Status with response body to be used for batch</p> <pre>java.lang.IllegalArgumentException: Schema to use cannot be null at io.restassured.module.json.JsonSchemaValidator.validateSchemasNotNull(JsonSchemaValidator.java:270) at io.restassured.module.json.JsonSchemaValidator.access\$300(JsonSchemaValidator.java:75) at io.restassured.module.json.JsonSchemaValidator\$JsonSchemaValidatorFactory.create(JsonSchemaValidator.java:281) at io.restassured.module.json.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:166) at io.restassured.module.json.JsonSchemaValidator.matchesJsonSchemaInClasspath(JsonSchemaValidator.java:117) at api.stepdefinitions.ProgramPost.admin_receives_created_status_with_response_body_active_batch(ProgramPost.java:1118) at ?.Admin receives 201 Created Status with response body to be used for batch(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/07ProgramNegative.feature:258)</pre> <p>* Not displayable characters are replaced by '?'.</p> | FAILED | 0.002 s |

Check if Admin able to create a program with valid endpoint and request body with Authorization to be used for batch inactive programID




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates POST Request for the LMS with request body to be used for batch inactive programID | PASSED | 0.000 s |
| 2 | When Admin sends HTTPS Request and request Body with endpoint to be used for batch inactive programID | PASSED | 0.198 s |
| 3 | <p>Then Admin receives 201 Created Status with response body to be used for batch inactive programID</p> <pre>java.lang.IllegalArgumentException: Schema to use cannot be null at io.restassured.module.json.JsonSchemaValidator.validateSchemasNotNull(JsonSchemaValidator.java:270) at io.restassured.module.json.JsonSchemaValidator.access\$300(JsonSchemaValidator.java:75) at io.restassured.module.json.JsonSchemaValidator\$JsonSchemaValidatorFactory.create(JsonSchemaValidator.java:281) at io.restassured.module.json.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:166) at io.restassured.module.json.JsonSchemaValidator.matchesJsonSchemaInClasspath(JsonSchemaValidator.java:117) at api.stepdefinitions.ProgramPost.admin_receives_created_status_with_response_body_active_batch_inactive_programID(ProgramPost.java:1155) at ?.Admin receives 201 Created Status with response body to be used for batch inactive programID(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/07ProgramNegative.feature:264)</pre> <p>* Not displayable characters are replaced by '?'.</p> | FAILED | 0.002 s |

Program Batch module




Check if admin able to retrieve all batches with invalid Endpoint



| # | Step / Hook Details | Status | Duration |
|---|-------------------------------|--------|----------|
| 1 | Given Admin set Authorization | PASSED | 0.260 s |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 2 | Given Admin creates GET Request of program batch of all batches | PASSED | 0.001 s |
| 3 | When Admin sends HTTPS GET Request with invalid endpoint to retrieve all batches | PASSED | 0.242 s |
| 4 | Then Admin receives 404 status with error message Not Found. | PASSED | 0.001 s |

Check if admin able to retrieve a batch with invalid endpoint

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| PASSED | DURATION - 0.440 s |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| / 3:20:08.150 PM // 3:20:08.590 PM / | | | | |
| Program Batch module | | | | |
| @programBatchWithAuthNegative @tag08 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin set Authorization | PASSED | 0.258 s |
| 2 | Given Admin creates GET Request with valid Batch ID | PASSED | 0.001 s |
| 3 | When Admin sends HTTPS Request with invalid endpoint to retrieve batch by batchId | PASSED | 0.177 s |
| 4 | Then Admin receives 404 status with error message Not Found. | PASSED | 0.001 s |


Check if admin able to retrieve a batch with invalid endpoint

| | | | | |
|--------------------------------------|--------------------|---|--|--|
| PASSED | DURATION - 0.445 s |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| / 3:20:08.602 PM // 3:20:09.047 PM / | | | | |
| Program Batch module | | | | |
| @programBatchWithAuthNegative @tag08 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin set Authorization | PASSED | 0.308 s |
| 2 | Given Admin creates GET Request with valid batch name | PASSED | 0.001 s |
| 3 | When Admin sends HTTPS Request with invalid endpoint to retrieve batch by batchName | PASSED | 0.130 s |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 4 | Then Admin receives 404 status with error message Not Found. | PASSED | 0.000 s |

Check if admin able to retrieve a batch with invalid endpoint




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin set Authorization | PASSED | 0.260 s |
| 2 | Given Admin creates GET Request with valid Program Id | PASSED | 0.001 s |
| 3 | When Admin sends HTTPS Request with invalid endpoint to retrieve batch by programid | PASSED | 0.157 s |
| 4 | Then Admin receives 404 status with error message Not Found. | PASSED | 0.000 s |

Check if admin able to update a Batch with invalid endpoint




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin set Authorization | PASSED | 0.265 s |
| 2 | Given Admin creates PUT Request with valid BatchId and Data | PASSED | 0.070 s |
| 3 | When Admin sends PUT HTTPS Request with invalid endpoint | PASSED | 0.149 s |
| 4 | Then Admin receives 404 status with error message Not Found. | PASSED | 0.001 s |

Check if admin able to delete a Batch with invalid endpoint



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given Admin set Authorization | PASSED | 0.291 s |
| 2 | Given Admin creates DELETE Request with valid BatchId | FAILED | 0.004 s |
| | Step undefined | | |
| 3 | When Admin sends HTTPS Request with invalid endpoint for delete batch | SKIPPED | 0.001 s |
| 4 | Then Admin receives 404 status with error message Not Found. | SKIPPED | 0.001 s |



Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin set Authorization | PASSED | 0.269 s |
| 2 | Given Admin creates POST Request with existing value in request body | PASSED | 0.065 s |
| 3 | When Admin sends POST HTTPS Request with endpoint | PASSED | 0.161 s |
| 4 | Then Admin receives 400 Bad Request Status with message and boolean success details. java.lang.AssertionError: expected:<201> but was:<400> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) | FAILED | 0.001 s |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre>at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at api.stepdefinitions.ProgramBatch.admin_receives_bad_request_status_with_message_and_boolean_success_details(ProgramBatch.java:489) at ?.Admin receives 400 Bad Request Status with message and boolean success details.(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/08ProgramBatchNegative.feature:50) * Not displayable characters are replaced by '?'.</pre> | | |

Check if admin able to create a Batch missing mandatory fields in request body

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| PASSED | DURATION - 0.455 s |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| / 3:20:10.839 PM // 3:20:11.294 PM / | | | | |
| Program Batch module | | | | |
| @programBatchWithAuthNegative @tag08 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin set Authorization | PASSED | 0.259 s |
| 2 | Given Admin creates POST Request with invalid data missing mandatory feild in request body | PASSED | 0.047 s |
| 3 | When Admin sends POST HTTPS Request with endpoint | PASSED | 0.146 s |
| 4 | Then Admin receives 400 Bad Request Status with message and boolean success details. | PASSED | 0.001 s |

Check if admin able to create a batch with invalid data in request body

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| PASSED | DURATION - 0.496 s |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| / 3:20:11.303 PM // 3:20:11.799 PM / | | | | |
| Program Batch module | | | | |
| @programBatchWithAuthNegative @tag08 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin set Authorization | PASSED | 0.279 s |
| 2 | Given Admin creates POST Request with invalid data in request body | PASSED | 0.062 s |
| 3 | When Admin sends POST HTTPS Request with endpoint | PASSED | 0.152 s |
| 4 | Then Admin receives 400 Bad Request Status with message and boolean success details. | PASSED | 0.000 s |

Check if admin able to create a batch with inactive program ID



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin set Authorization | PASSED | 0.264 s |
| 2 | Given Admin creates POST Request with inactive program id | PASSED | 0.059 s |
| 3 | When Admin sends POST HTTPS Request with endpoint | PASSED | 0.153 s |
| 4 | Then Admin receives 400 Bad Request Status with message and boolean success details. | PASSED | 0.001 s |

Check if admin able to retrieve a batch with invalid BATCH ID



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin set Authorization | PASSED | 0.288 s |
| 2 | Given Admin creates GET Request with invalid Batch ID | PASSED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 3 | When Admin sends GET HTTPS Request with endpoint with invalid batch id | PASSED | 0.140 s |
| 4 | Then Admin receives 404 Not Found Status with message and boolean success details | PASSED | 0.001 s |

Check if admin able to retrieve a batch with invalid BATCH Name

| | | | | |
|--------------------------------------|--------------------|--|--|--|
| PASSED | DURATION - 0.442 s | | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 | |
| / 3:20:12.737 PM // 3:20:13.179 PM / | | | | |
| Program Batch module | | | | |
| @programBatchWithAuthNegative @tag08 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin set Authorization | PASSED | 0.298 s |
| 2 | Given Admin creates GET Request with invalid Batch Name | PASSED | 0.001 s |
| 3 | When Admin sends GET HTTPS Request with endpoint with invalid batch name | PASSED | 0.142 s |
| 4 | Then Admin receives 404 Not Found Status with message and boolean success details | PASSED | 0.000 s |

Check if admin able to retrieve a batch with invalid Program Id

| | | | | |
|--------------------------------------|--------------------|--|--|--|
| PASSED | DURATION - 0.410 s | | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 | |
| / 3:20:13.191 PM // 3:20:13.601 PM / | | | | |
| Program Batch module | | | | |
| @programBatchWithAuthNegative @tag08 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin set Authorization | PASSED | 0.260 s |
| 2 | Given Admin creates GET Request with invalid Program Id | PASSED | 0.001 s |
| 3 | When Admin sends GET HTTPS Request with endpoint with invalid program id | PASSED | 0.145 s |
| 4 | Then Admin receives 404 Not Found Status with message and boolean success details | PASSED | 0.000 s |

Check if admin able to update a Batch with invalid batchID and mandatory fields in request body

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| PASSED | DURATION - 0.482 s |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| / 3:20:13.610 PM // 3:20:14.092 PM / | | | | |
| Program Batch module | | | | |
| @programBatchWithAuthNegative @tag08 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin set Authorization | PASSED | 0.261 s |
| 2 | Given Admin creates PUT Request with invalid BatchId and valid Data | PASSED | 0.065 s |
| 3 | When Admin sends PUT HTTPS Request endpoint with invalid BatchId and valid Data in request body | PASSED | 0.153 s |
| 4 | Then Admin receives 404 Not Found Status with message and boolean success details | PASSED | 0.001 s |

Check if admin able to update a Batch with invalid batchID and missing mandatory fields request body


| | | | | |
|--------------------------------------|--------------------|---|--|--|
| PASSED | DURATION - 0.504 s |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| / 3:20:14.101 PM // 3:20:14.605 PM / | | | | |
| Program Batch module | | | | |
| @programBatchWithAuthNegative @tag08 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin set Authorization | PASSED | 0.264 s |
| 2 | Given Admin creates PUT Request with invalid data | PASSED | 0.086 s |
| 3 | When Admin sends PUT HTTPS Request with endpoint with invalid data | PASSED | 0.150 s |
| 4 | Then Admin receives 400 Bad Request Status with message and boolean success details. | PASSED | 0.001 s |

Negative scenario for User Module




Check if admin is able to retrieve all the available roles without Authorization




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.288 s |
| 2 | Given Admin creates GET Request without Authorization | PASSED | 0.000 s |
| 3 | When Admin sends HTTPS Request with GET All Roles endpoint | PASSED | 0.179 s |
| 4 | Then Admin receives status 401 with Unauthorized message java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null at api.stepdefinitions.UserController.admin_receives_status_with_unauthorized_message(UserController.java:96) at ?.Admin receives status 401 with Unauthorized message(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/09UserModuleNegative.feature:12) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |

Check if admin is able to retrieve all the available roles with invalid End point



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.334 s |
| 2 | Given Admin creates GET Request | PASSED | 0.001 s |
| 3 | When Admin sends HTTPS Request with invalid endpoint java.lang.NullPointerException: Cannot invoke "io.restassured.specification.RequestSpecification.header(String, Object, Object[])" because "this.request" is null at api.stepdefinitions.ProgramPost.admin_sends_https_request_with_invalidEndpoint(ProgramPost.java:600) at ?.Admin sends HTTPS Request with invalid endpoint(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/09UserModuleNegative.feature:17) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 4 | Then Admin receives status 404 with Not Found error message | SKIPPED | 0.000 s |


Check if admin able to retrieve all Admin without Authorization



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.270 s |
| 2 | Given Admin creates GET Request without Authorization | PASSED | 0.000 s |
| 3 | When Admin sends HTTPS Request with valid endpoint | PASSED | 0.134 s |
| 4 | Then Admin receives status 401 with Unauthorized message | FAILED | 0.002 s |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null at api.stepdefinitions.UserController.admin_receives_status_with_unauthorized_message(UserController.java:96) at ?.Admin receives status 401 with Unauthorized message(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/09UserModuleNegative.feature:24) * Not displayable characters are replaced by '?'. | | |

Check if admin able to retrieve all Admin with invalid endpoint




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.299 s |
| 2 | Given Admin creates GET Request | PASSED | 0.001 s |
| 3 | When Admin sends HTTPS Request with invalid endpoint java.lang.NullPointerException: Cannot invoke "io.restassured.specification.RequestSpecification.header(String, Object, Object[])" because "this.request" is null at api.stepdefinitions.ProgramPost.admin_sends_https_request_with_invalidEndpoint(ProgramPost.java:600) at ?.Admin sends HTTPS Request with invalid endpoint(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/09UserModuleNegative.feature:29) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 4 | Then Admin receives status 404 with Not Found error message | SKIPPED | 0.000 s |

Check if admin able to retrieve a Admin with valid Admin ID and invalid endpoint




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.276 s |
| 2 | Given Admin creates GET Request with valid AdminId | PASSED | 0.000 s |
| 3 | When Admin sends HTTPS Request with invalid endpointId | PASSED | 0.149 s |
| 4 | Then Admin receives status 404 with Not Found error message | PASSED | 0.000 s |

Check if admin able to retrieve a Admin with valid Admin ID with No authorization




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.271 s |
| 2 | Given Admin creates GET Request with valid AdminId and with No Auth | PASSED | 0.000 s |
| 3 | When Admin sends HTTPS Request with a valid endpoint | PASSED | 0.140 s |
| 4 | Then Admin receives status 401 with Unauthorized message | FAILED | 0.001 s |
| | <pre>java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null at api.stepdefinitions.UserController.admin_receives_status_with_unauthorized_message(UserController.java:96) at ?.Admin receives status 401 with Unauthorized message(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/09UserModuleNegative.feature:42) * Not displayable characters are replaced by '?'.</pre> | | |

Check if Admin able to retrieve a Admin with invalid Admin ID




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.270 s |
| 2 | Given Admin creates GET Request with invalid AdminId | PASSED | 0.001 s |
| 3 | When Admin sends HTTPS Request with a valid endpoint | PASSED | 0.144 s |
| 4 | Then Admin receives status 404 with Not Found error message | PASSED | 0.000 s |

Check if admin able to retrieve all Admins with roles with No authorization




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.257 s |
| 2 | Given Admin creates GET Request without Authorization | PASSED | 0.000 s |
| 3 | When Admin sends HTTPS Request with endpoint as Alluserswithroles | PASSED | 0.181 s |
| 4 | Then Admin receives status 401 with Unauthorized message java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null at api.stepdefinitions.UserController.admin_receives_status_with_unauthorized_message(UserController.java:96) at ?.Admin receives status 401 with Unauthorized message(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/09UserModuleNegative.feature:54) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |

Check if admin able to retrieve all Admins with roles with invalid endpoint



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 1.283 s |
| 2 | Given Admin creates GET Request | PASSED | 0.000 s |
| 3 | When Admin sends HTTPS Request with invalid endpoint java.lang.NullPointerException: Cannot invoke "io.restassured.specification.RequestSpecification.header(String, Object, Object[])" because "this.request" is null at api.stepdefinitions.ProgramPost.admin_sends_https_request_with_invalidEndpoint(ProgramPost.java:600) at ?.Admin sends HTTPS Request with invalid endpoint(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/09UserModuleNegative.feature:59) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |
| 4 | Then Admin receives status 404 with Not Found error message | SKIPPED | 0.000 s |


Check if admin is able to create a Admin with valid endpoint and invalid values in request body



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.245 s |
| 2 | Given Admin creates POST request with all mandatory fields and additional fields java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFSheet.getRow(int)" because "this.sheet" is null | FAILED | 0.020 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at api.utils.ExcelReader.getCellData(ExcelReader.java:37) at api.resources.UserPostInvaliddata.dataBuild(UserPostInvaliddata.java:22) at api.stepdefinitions.UserModule.adminCreatesPostRequestWithAllMandatoryFieldsAndAdditionalFields(UserModule.java:724) at ?.Admin creates POST request with all mandatory fields and additional fields(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/09UserModuleNegative.feature:64) * Not displayable characters are replaced by '?'. | | |
| 3 | When Admin sends HTTPS Request with endpoint | SKIPPED | 0.000 s |
| 4 | Then Admin receives 400 Bad Request Status with message and boolean success details | SKIPPED | 0.000 s |

Check if Admin able to create a Admin missing mandatory fields in request body




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.276 s |
| 2 | Given Admin creates POST request with missing mandatory fields in request body java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFSheet.getRow(int)" because "this.sheet" is null at api.utils.ExcelReader.getCellData(ExcelReader.java:37) at api.resources.UserpostMissManddata.dataBuild(UserpostMissManddata.java:22) at api.stepdefinitions.UserModule.adminCreatesPostRequestWithMissingMandatoryFieldsInRequestBody(UserModule.java:732) at ?.Admin creates POST request with missing mandatory fields in request body(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/09UserModuleNegative.feature:70) * Not displayable characters are replaced by '?'. | FAILED | 0.021 s |
| 3 | When Admin sends HTTPS Request with endpoint | SKIPPED | 0.000 s |
| 4 | Then Admin receives 400 Bad Request Status with error message | SKIPPED | 0.001 s |

Check if admin able to create a new Admin with request body without authorization




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.255 s |
| 2 | Given Admin creates POST request with all mandatory fields and additional fields with No Auth | PASSED | 0.223 s |
| 3 | When Admin sends HTTPS Request with endpoint | PASSED | 0.147 s |
| 4 | Then Admin receives status 401 with Unauthorized message java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null at api.stepdefinitions.UserController.admin_receives_status_with_unauthorized_message(UserController.java:96) at ?.Admin receives status 401 with Unauthorized message(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/09UserModuleNegative.feature:78) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |

Check if admin is able to get count of active and inactive Admins with invalid endpoint



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.265 s |
| 2 | Given Admin creates GET Request | PASSED | 0.000 s |
| 3 | When Admin sends HTTPS Request with endpoint with invalid endpoint | PASSED | 0.093 s |
| 4 | Then Admin receives status 404 with Not Found error message | PASSED | 0.001 s |

Check if admin is able to get count of active and inactive Admins by invalid role ID





| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.325 s |
| 2 | Given Admin creates GET Request with active and inactive Admins Negative endpoint | PASSED | 0.001 s |
| 3 | When Admin sends GET HTTPS Request endpoint with invalid role ID <i>java.lang.IllegalArgumentException: Invalid number of path parameters. Expected 1, was 0. Undefined path parameters are: roleId.</i> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1277) at jdk.internal.reflect.GeneratedMethodAccessor212.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) | FAILED | 0.009 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor210.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter.StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) | | |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor201.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor200.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:172) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at api.stepdefinitions.UserModule.admin_sends_get_https_request_endpoint_with_invalid_role_id(UserModule.java:530) at ?.Admin sends GET HTTPS Request endpoint with invalid role ID(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/09UserModuleNegative.feature:90) * Not displayable characters are replaced by '?'. | | |
| 4 | Then Admin receives status 401 with Unauthorized message | SKIPPED | 0.000 s |

Check if admin is able to get count of active and inactive Admins with no authorization

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| FAILED | DURATION - 0.402 s |  | Steps Total - 4 Pass - 3 Fail - 1 Skip - 0 |  |
| / 3:20:21.187 PM // 3:20:21.589 PM / | | | | |
| Negative scenario for User Module | | | | |
| @tag09 @Test03 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.251 s |
| 2 | Given Admin creates no authorization GET Request | PASSED | 0.001 s |
| 3 | When Admin sends a HTTPS Request with endpoint no authorization | PASSED | 0.147 s |
| 4 | Then Admin receives status 401 with Unauthorized message java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null at api.stepdefinitions.UserController.admin_receives_status_with_unauthorized_message(UserController.java:96) at ?.Admin receives status 401 with Unauthorized message(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/09UserModuleNegative.feature:98) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |

Check if admin able to retrieve all active Admins with invalid endpoint

| | | | | |
|--------------------------------------|--------------------|---|--|--|
| PASSED | DURATION - 0.445 s |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| / 3:20:21.597 PM // 3:20:22.042 PM / | | | | |
| Negative scenario for User Module | | | | |
| @tag09 @Test03 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.356 s |
| 2 | Given Admin creates GET Request | PASSED | 0.000 s |
| 3 | When Admin sends HTTPS Request with all active Admins with invalid endpoint | PASSED | 0.087 s |
| 4 | Then Admin receives status 404 with Not Found error message | PASSED | 0.001 s |

Check if admin able to retrieve all active Admins with no authorization

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| PASSED | DURATION - 0.423 s |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| / 3:20:22.054 PM // 3:20:22.477 PM / | | | | |
| Negative scenario for User Module | | | | |
| @tag09 @Test03 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.261 s |
| 2 | Given Admin creates no authorization GET Request | PASSED | 0.001 s |
| 3 | When Admin sends HTTPS Request with endpoint with no auth | PASSED | 0.159 s |
| 4 | Then Admin receives status 401 with Unauthorized | PASSED | 0.000 s |

Check if admin is able to get the Admins by program batches for invalid batch ID

| | | | | |
|--------------------------------------|--------------------|---|--|--|
| PASSED | DURATION - 0.413 s |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| / 3:20:22.487 PM // 3:20:22.900 PM / | | | | |
| Negative scenario for User Module | | | | |
| @tag09 @Test04 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.272 s |
| 2 | Given Admin creates GET Request with invalid batchId | PASSED | 0.000 s |
| 3 | When Admin sends GET Request with invalid batchId by Program Batches endpoint | PASSED | 0.138 s |
| 4 | Then Admin receives status 404 with Not Found error message | PASSED | 0.000 s |

Check if admin is able to get the Admins for invalid program Id




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.297 s |
| 2 | Given Admin creates GET Request with invalid program Id | PASSED | 0.002 s |
| 3 | When Admin sends GET Request with invalid program Id by Program endpoint | PASSED | 0.136 s |
| 4 | Then Admin receives status 404 with Not Found error message | PASSED | 0.000 s |

Check if admin is able to retrieve Admins by invalid role ID




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.264 s |
| 2 | Given Admin creates GET Request for GET with invalid role ID | PASSED | 0.001 s |
| 3 | When Admin sends GET HTTPS Request endpoint with invalid role ID | PASSED | 0.144 s |
| 4 | Then Admin receives status 404 with Not Found error message | PASSED | 0.000 s |

Check if admin is able to retrieve all Admins with filters with no authorization





| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.248 s |
| 2 | Given Admin creates GET Request with filters with no authorization | PASSED | 0.000 s |
| 3 | When Admin sends HTTPS Request with filters with no authorization with endpoint | PASSED | 0.144 s |
| 4 | Then Admin receives status 401 with Unauthorized message java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null at api.stepdefinitions.UserController.admin_receives_status_with_unauthorized_message(UserController.java:96) at ?.Admin receives status 401 with Unauthorized message(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/09UserModuleNegative.feature:137) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |

Check if admin is able to retrieve all Admins with filters with invalid endpoint





| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 1.401 s |
| 2 | Given Admin creates GET Request with filters with invalid endpoint | PASSED | 0.001 s |
| 3 | When Admin sends HTTPS Request with filters with invalid endpoint | PASSED | 0.086 s |
| 4 | Then Admin receives status 404 with Not Found error message | PASSED | 0.001 s |

Check if admin is able to update Admin details with No authorization

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| FAILED | DURATION - 0.471 s |  | Steps Total - 4 Pass - 3 Fail - 1 Skip - 0 |  |
| / 3:20:25.705 PM // 3:20:26.176 PM / | | | | |
| Negative scenario for User Module | | | | |
| @tag09 @PUT_Admin_info_401 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.275 s |
| 2 | Given Admin creates PUT Request with valid data in request body with No Authorization | PASSED | 0.061 s |
| 3 | When Admin sends HTTPS request with endpoint with No Authorization | PASSED | 0.129 s |
| 4 | Then Admin receives status 401 with Unauthorized message java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null at api.stepdefinitions.UserController.admin_receives_status_with_unauthorized_message(UserController.java:96) at ?.Admin receives status 401 with Unauthorized message(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/09UserModuleNegative.feature:149) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |


Check if admin is able to update the Admin login status by Admin ID with invalid request body

| | | | | |
|--------------------------------------|--------------------|---|--|--|
| FAILED | DURATION - 0.263 s |  | Steps Total - 4 Pass - 1 Fail - 1 Skip - 2 |  |
| / 3:20:26.189 PM // 3:20:26.452 PM / | | | | |
| Negative scenario for User Module | | | | |
| @Put_byAdmin_LoginStatus_400 @tag09 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.258 s |
| 2 | Given Admin creates PUT Request with Admin login status by Admin ID with invalid request body java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | FAILED | 0.003 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.UserModule. adminCreatesPutRequestWithAdminLoginStatusByAdminIdWithInvalidRequestBody(UserModule.java:758) at ?.Admin creates PUT Request with Admin login status by Admin ID with invalid request body(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/09UserModuleNegative.feature:153) * Not displayable characters are replaced by '?'. | | |
| 3 | When Admin sends HTTPS Request for update User with Admin login status by Admin ID with invalid request body | SKIPPED | 0.000 s |
| 4 | Then Admin receives status "400" Bad Request | SKIPPED | 0.000 s |

Check if admin is able to update the Admin login status by Admin ID with invalid AdminId




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.252 s |
| 2 | Given Admin creates PUT Request with Admin login status by Admin ID with invalid AdminId | PASSED | 0.001 s |
| 3 | When Admin sends HTTPS Request for update User with Admin login status by Admin ID with invalid AdminId | FAILED | 0.015 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre>java.lang.IllegalArgumentException: Path parameters were not correctly defined. Redundant path parameters are: userID=1388. Undefined path parameters are: userId. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1277) at jdk.internal.reflect.GeneratedMethodAccessor212.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor210.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source)</pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor201.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor200.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at api.stepdefinitions.UserModule. admin_sends_https_request_for_update_user_with_admin_login_status_by_admin_id_with_invalid_admin_id(UserModule.java:778) at ?.Admin sends HTTPS Request for update User with Admin login status by Admin ID with invalid AdminId(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/09UserModuleNegative.feature:160) * Not displayable characters are replaced by '?'. </pre> | | |
| 4 | Then Admin receives status "404" with Not Found error message | SKIPPED | 0.001 s |


Check if admin is able to update the Admin login status by Admin ID with NoAuth



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.258 s |
| 2 | Given Admin creates PUT Request with Admin login status by Admin ID with NoAuth java.lang.IllegalArgumentException: parameterValue cannot be null | FAILED | 0.002 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.UserModule.admin_creates_put_request_with_admin_login_status_by_admin_id_with_no_auth(UserModule.java:788) at ?.Admin creates PUT Request with Admin login status by Admin ID with NoAuth(file:///C:/Users/shanj/git/Team05_APITesters/ Team05_APITesters/src/test/resources/features/09UserModuleNegative.feature:165) * Not displayable characters are replaced by '?'. | | |
| 3 | When Admin sends HTTPS Request for update User with Admin login status by Admin ID with NoAuth | SKIPPED | 0.000 s |
| 4 | Then Admin receives status "401" with Unauthorized message | SKIPPED | 0.000 s |


Check if admin is able to delete Admin with invalid Admin ID



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.259 s |
| 2 | Given Admin creates DELETE Request with Admin with invalid Admin ID | PASSED | 0.001 s |
| 3 | When Admin sends HTTPS Request for delete User with invalid Admin ID | PASSED | 0.142 s |
| 4 | Then Admin receives status "404" with Not Found error message | FAILED | 0.001 s |
| | java.lang.AssertionError: expected:<404> but was:<400> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:120) at org.junit.Assert.assertEquals(Assert.java:146) at api.stepdefinitions.UserModule.admin_receives_status_with_not_found_error_message(UserModule.java:576) at ?.Admin receives status "404" with Not Found error message(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/09UserModuleNegative.feature:173) * Not displayable characters are replaced by '?'. </pre> | | |


Check if admin is able to delete the Admin with NoAuth



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.261 s |
| 2 | <p>Given Admin creates DELETE Request with Admin with NoAuth</p> <pre> java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.UserModule.adminCreatesDeleteRequestWithAdminWithNoAuth(UserModule.java:820) </pre> | FAILED | 0.002 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at ?.Admin creates DELETE Request with Admin with NoAuth(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/09UserModuleNegative.feature:177) * Not displayable characters are replaced by '?'. | | |
| 3 | When Admin sends HTTPS Request for delete User with NoAuth | SKIPPED | 0.000 s |
| 4 | Then Admin receives status "401" with Unauthorized message | SKIPPED | 0.000 s |


Check if admin is able to delete the Admin with invalid endpoint



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.286 s |
| 2 | Given Admin creates DELETE Request with Admin with invalid endpoint java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.UserModule.adminCreates_delete_request_with_admin_with_invalid_endpoint(UserModule.java:836) at ?.Admin creates DELETE Request with Admin with invalid endpoint(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/09UserModuleNegative.feature:183) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |
| 3 | When Admin sends HTTPS Request for delete User with invalid endpoint | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 4 | Then Admin receives status "404" with Not Found error message | SKIPPED | 0.000 s |

Check if admin is able to delete the Admin with invalid endpoint




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given Admin sets Authorization token | PASSED | 0.259 s |
| 2 | Given Admin creates DELETE Request with Admin with invalid endpoint <pre>java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.UserModule.adminCreatesDeleteRequestWithAdminWithInvalidEndpoint(UserModule.java:836) at ?.Admin creates DELETE Request with Admin with invalid endpoint(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/09UserModuleNegative.feature:189) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.002 s |
| 3 | When Admin sends HTTPS DELETE Request for delete User with invalid endpoint | SKIPPED | 0.000 s |
| 4 | Then Admin receives status "405" with Method Not Allowed message | SKIPPED | 0.000 s |

Negative scenario for User Controller




Check if admin is able to retrieve all Admins with assigned program batches with No Authorization



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization bearer token | PASSED | 0.258 s |
| 2 | Given Admin creates GET Request for all Admins No Authorization | PASSED | 0.001 s |
| 3 | When Admin sends HTTPS Request to retrieve all Admins with assigned program batches java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <401>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor304.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) | FAILED | 0.147 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.stepdefinitions.UserController.admin_sends_https_request_to_retreive_all_admins_with_assigned_program_batches(UserController.java:89) at ?.Admin sends HTTPS Request to retreive all Admins with assigned program batches(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/10UserControllerNegative.feature:11) * Not displayable characters are replaced by '?'. </pre> | | |
| 4 | Then Admin receives status 401 with Unauthorized message | SKIPPED | 0.000 s |


Check if admin is able to retreive assigned program batches for invalid AdminId



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization bearer token | PASSED | 0.254 s |
| 2 | Given Admin creates GET Request to retrieve Admin assigned to Program Batch by invalid AdminID | PASSED | 0.000 s |
| 3 | <p>When Admin sends HTTPS Request to retreive assigned program batches for invalid AdminId</p> <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) </pre> | FAILED | 0.180 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor304.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.stepdefinitions.UserController. admin_sends_https_request_to_retreive_assigned_program_batches_for_invalid_admin_id(UserController.java:110) at ?.Admin sends HTTPS Request to retreive assigned program batches for invalid AdminId(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/10UserControllerNegative.feature:17) * Not displayable characters are replaced by '?'. </pre> | | |
| 4 | Then Admin receives status "404" with Not Found error message | SKIPPED | 0.000 s |

Check if admin is able to retreive assigned program batches for valid AdminId with No authorization




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization bearer token | PASSED | 0.250 s |
| 2 | Given Admin creates GET Request for all Admins No Authorization | PASSED | 0.001 s |
| 3 | When Admin sends HTTPS Request to retreive assigned program batches for valid AdminId with No authorization | FAILED | 0.004 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre>java.lang.IllegalArgumentException: Invalid number of path parameters. Expected 1, was 0. Undefined path parameters are: userId. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1277) at jdk.internal.reflect.GeneratedMethodAccessor212.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor210.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)</pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter.StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor201.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor200.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:172) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at api.stepdefinitions.UserController. admin_sends_https_request_to_retreive_assigned_program_batches_for_valid_admin_id_with_no_authorization(UserController.java:124) at ?.Admin sends HTTPS Request to retreive assigned program batches for valid AdminId with No authorization(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/10UserControllerNegative.feature:22) * Not displayable characters are replaced by '?'. </pre> | | |
| 4 | Then Admin receives status 401 with Unauthorized message | SKIPPED | 0.001 s |

Check if admin is able to delete the program batch for invalid Admin




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization bearer token | PASSED | 0.269 s |
| 2 | Given Admin creates DELETE Request to delete Admin assigned to program/batch by invalid AdminId | PASSED | 0.000 s |
| 3 | When Admin sends HTTPS Request | FAILED | 0.003 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre>java.lang.IllegalArgumentException: Invalid number of path parameters. Expected 0, was 1. Redundant path parameters are: userId=UA01. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1277) at jdk.internal.reflect.GeneratedMethodAccessor212.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor210.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)</pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter.StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor201.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor200.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:172) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at api.stepdefinitions.UserController.admin_sends_https_request(UserController.java:49) at ?.Admin sends HTTPS Request(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/10UserControllerNegative.feature:28) * Not displayable characters are replaced by '?'. </pre> | | |
| 4 | Then Admin receives 404 | SKIPPED | 0.001 s |


Check if admin is able to delete the program batch for valid Admin and No Authorization




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets Authorization bearer token | PASSED | 0.250 s |
| 2 | Given Admin creates DELETE Request to delete Admin assigned to program/batch by valid AdminId <pre> java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) </pre> | FAILED | 0.002 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.UserController. adminCreatesDeleteRequestToDeleteAdminAssignedToProgramBatchByValidAdminId(UserController.java:154) at ?.Admin creates DELETE Request to delete Admin assigned to program/batch by valid AdminId(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/10UserControllerNegative.feature:33) * Not displayable characters are replaced by '?'. | | |
| 3 | When Admin sends program batch HTTPS Request | SKIPPED | 0.001 s |
| 4 | Then Admin receives status 401 with Unauthorized message | SKIPPED | 0.000 s |

Delete Request for all modules




Check if admin is able to delete the program batch for a Admin



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given Admin sets Authorization bearer | PASSED | 0.263 s |
| 2 | Given Admin creates DELETE Request to delete Admin assigned to program/batch by AdminId java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.AllDeleteRequest. adminCreatesDeleteRequest_to_deleteAdminAssignedToProgramBatchByAdminId(AllDeleteRequest.java:45) at ?.Admin creates DELETE Request to delete Admin assigned to program/batch by AdminId(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/11AllDeleteRequest.feature:9) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |
| 3 | When Admin sends HTTPS Request to delete Admin assigned to program/batch by AdminId | SKIPPED | 0.001 s |
| 4 | Then Admin receives 200 OK | SKIPPED | 0.000 s |

Check if Admin able to delete a Admin with valid Admin Id




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization bearer | PASSED | 0.258 s |
| 2 | Given Admin creates DELETE Request to delete Admin details | PASSED | 0.001 s |
| 3 | <p>When Admin sends HTTPS request with valid Admin Id</p> <p>java.lang.IllegalArgumentException: Path parameters were not correctly defined. Redundant path parameters are: userId=U489. Undefined path parameters are: userID.</p> <pre>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1277) at jdk.internal.reflect.GeneratedMethodAccessor212.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1161) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy)</pre> | FAILED | 0.004 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at jdk.internal.reflect.GeneratedMethodAccessor210.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.StatusCodeBasedLoggingFilter.filter(StatusCodeBasedLoggingFilter.java:112) at io.restassured.filter.log.ResponseLoggingFilter.filter(ResponseLoggingFilter.java:31) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.log.RequestLoggingFilter.filter(RequestLoggingFilter.java:146) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) | | |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor201.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor200.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy:184) at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy) at api.stepdefinitions.AllDeleteRequest.admin_sends_https_request_with_valid_admin_id(AllDeleteRequest.java:68) at ?.Admin sends HTTPS request with valid Admin Id(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/11AllDeleteRequest.feature:16) * Not displayable characters are replaced by '?'. | | |
| 4 | Then Admin receives 200 Ok | SKIPPED | 0.000 s |

Check if admin able to delete a Batch with valid Batch ID




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization bearer | PASSED | 0.253 s |
| 2 | Given Admin creates DELETE Request with invalid BatchId | PASSED | 0.001 s |
| 3 | When Admin sends HTTPS Request with endpoint for delete batch | PASSED | 0.140 s |
| 4 | Then Admin receives 200 Ok status with message for delete batch. | PASSED | 0.001 s |

Check if Admin able to delete a program with valid programName




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization bearer | PASSED | 0.260 s |
| 2 | Given Admin creates DELETE Request for the LMS API endpoint and valid programName | PASSED | 0.000 s |
| 3 | When Admin sends HTTPS Request with endpoint to delete a program with program name | PASSED | 0.144 s |
| 4 | Then Admin receives 200 Ok status with message | PASSED | 0.001 s |

Check if Admin able to delete a program with valid program ID




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets Authorization bearer | PASSED | 0.248 s |
| 2 | Given Admin creates DELETE Request for the LMS API endpoint and valid program ID | PASSED | 0.000 s |
| 3 | When Admin sends HTTPS Request with endpoint to delete a program with program ID | PASSED | 0.139 s |
| 4 | Then Admin receives 200 Ok and validates the status | PASSED | 0.001 s |

User Logout



Check if Admin able to logout with valid endpoint




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets authorization to bearer Token with token | PASSED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 2 | When Admin calls Get Https method with valid endpoint | PASSED | 0.144 s |
| 3 | Then Admin receives 200 ok and response with "Logout successful" | PASSED | 0.001 s |

User Logout Negative




Check if Admin able to logout with invalid endpoint



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin sets authorization to bearer Token with token | PASSED | 0.000 s |
| 2 | When Admin calls Get Https method with invalid endpoint | PASSED | 0.086 s |
| 3 | Then Admin receives 404 Not found | PASSED | 0.000 s |

Check if Admin able to logout with valid endpoint with NoAuth



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin sets No authorization | PASSED | 0.003 s |
| 2 | When Admin calls GetHttps method with valid endpoint | PASSED | 0.134 s |
| 3 | Then Admin receives status 401 with unauthorized error message Negative <i>java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null</i> <i>at api.stepdefinitions.UserModule.admin_receives_status_with_unauthorized_error_message_negative(UserModule.java:454)</i> <i>at ?.Admin receives status 401 with unauthorized error message Negative(file:///C:/Users/shanj/git/Team05_APITesters/Team05_APITesters/src/test/resources/features/13LogoutNegative.feature:17)</i> <i>* Not displayable characters are replaced by '?'.</i> | FAILED | 0.001 s |