PT4052 - PT7004 PRACTICAL:

MSK: Manual Therapy - Lower Limbs

Date: Tue 19/11/2024 **Time: 14:00-15:30 & 15:30-17:00**

Learning Outcomes:

- Revise the proposed mechanisms of effectiveness for manual therapy
- Identify indications, precautions and contraindications for manual therapy
- Demonstrate safe and effective positioning for massage and mobilisation techniques
- Define and demonstrate Maitland grading of mobilisation techniques
- Be able to document these techniques within a SOAP note format

- **Joint Mobilisations**
- **Myofascial Releases/Trigger Points – (MFR/TrP)**
- **Soft Tissue Mobilisation**

Joint Mobilisations

Joint mobilizations may be used to reduce pain and change muscle. For example, anterior knee pain often involves the dysfunction of the quadriceps muscle group and the patellofemoral joint. Treatment to the muscle will affect the joint, and, similarly, treatment to the joint will affect the muscle.




TABLE 1: MAITLAND MOBILISATION GRADES	
Grade I	Small amplitude rhythmic oscillating mobilisation in early range of movement
Grade II	Large amplitude rhythmic oscillating mobilisation in mid-range of movement
Grade III	Large amplitude rhythmic oscillating mobilisation to point of limitation in range of movement
Grade IV	Small amplitude rhythmic oscillating mobilisation at end range of movement
Grade V (Thrust manipulation)	Small amplitude, quick thrust at end of range of movement

Applications for practical:

Hip Mobilisations:

Extension, Abduction & Adduction, External rotation, Distraction, Flexion and Extension (with strap & lateral distraction), Extension, Abduction & Adduction, External rotation, Distraction, Flexion and Extension (with strap & lateral distraction)

Knee Mobilisations:

Flexion, Extension, Internal Rotation, External Rotation, Fibular Head, Patella

Ankle/Foot:

Talocrural anterior and posterior (and tibia), Calcaneus-Cuboid (wring a towel), Navicular-Cuneiform, Metatarsals, Plantarflexion, Dorsiflexion (with and without strap), Ankle Traction.

Myofascial Release (MFR)/ Trigger Point (TrP)

A trigger point is defined as a focus of hyperirritability of a muscle and is thought to contribute to muscle tightness. On palpation of the muscle, an area of local tightness with tenderness, possible muscle twitch and referral of pain in a typical pattern is found. Having identified this, treatment involves applying manual pressure over the area.

Application for practical:

1. Test hip lateral rotation first (then retest after MFRs).
2. Locate Piriformis, apply NMR/MFR/TrP
3. Locate Glut Medius, apply NMR/MFR/TrP
4. Retest hip lateral rotation.

Foam Rollers, Massage Balls – SMR using principles from NMR, TrP

Self-myofascial Release (SMR) for calf muscles (gastroc-soleus), and vastus lateralis.

Soft Tissue Mobilisations:

Massage can be applied to muscle to reduce pain, using

- Stroking: https://www.youtube.com/watch?v=AfzSLUW93S8
- Effleurage: https://www.youtube.com/watch?v=_H5GlatHF6U
- Kneading: https://www.youtube.com/shorts/LX5VAtbsj_8
- Picking up: https://www.youtube.com/watch?v=OwMjvsc9EHo
- Wringing: https://www.youtube.com/watch?v=ggbgOptmGJk
- Skin rolling: https://www.youtube.com/watch?v=fxO-DZ2aoT0