

TUGAS KE-13 MATA KULIAH
INFRASTRUKTUR DATA SPASIAL
POKOK BAHASAN: MEMBUAT GEOPORTAL



Disusun Oleh :

Bintang Cahaya Putri

121230049

PROGRAM STUDI TEKNIK GEOMATIKA
FAKULTAS TEKNOLOGI INFRASTRUKTUR DAN KEWILAYAHAN
INSTITUT TEKNOLOGI SUMATERA
LAMPUNG SELATAN

2024

DAFTAR ISI

DAFTAR ISI	ii
BAB I INSTAL WSL ATAU UBUNTU	1
BAB II MEMBUAT GEOPORTAL	10
BAB IV PEMBAHASAN	12

BAB I


INSTAL WSL ATAU UBUNTU

Persiapkan alat dan bahan untuk digunakan dalam melakukan pembuatan Geoportal sebagai berikut:

Alat	Bahan
Laptop	Referesensi codingan
Mouse	
Microsoft Word	
CMD/Powershell	

Dibawah ini Langkah kerja yang telah di lakukan:

- 1) Pilih menu search >klik *Windows Features*, Lalu ceklis bagian *windows subsystem for Linux* dan *virtual machine platform*. Kemudian klik oke dan tunggu prosesnya.



- 2) Setelah itu, Pada menu search ketik “ CMD” lalu masukan codingan pertama yaitu **wsl --install -d Ubuntu-22.04**
Enter new UNIX username: bintang049
New password:

```
bintang049@LAPTOP-27QMN  x  Windows PowerShell
Microsoft Windows [Version 10.0.22631.4460]
(c) Microsoft Corporation. All rights reserved.

C:\Users\asus> wsl --install -d Ubuntu-22.04
Installing: Ubuntu 22.04 LTS
Ubuntu 22.04 LTS has been installed.
Launching Ubuntu 22.04 LTS...
Installing, this may take a few minutes...
Please create a default UNIX user account. The username does not need to match your Windows username.
For more information visit: https://aka.ms/wslusers
Enter new UNIX username: bintang049
New password:
Retype new password:
passwd: password updated successfully
Installation successful!
To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

Welcome to Ubuntu 22.04.5 LTS (GNU/Linux 5.15.167.4-microsoft-standard-WSL2 x86_64)


 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:        https://ubuntu.com/pro

System information as of Thu Dec  5 10:55:56 +07 2024

System load:  0.45          Processes:            61
Usage of /:   0.1% of 1006.85GB  Users logged in:     0
Memory usage: 11%          IPv4 address for eth0: 172.21.32.33
Swap usage:   0%

This message is shown once a day. To disable it please create the
/home/bintang049/.hushlogin file.
bintang049@LAPTOP-27QMNQAI:~$ sudo add-apt-repository universe
```

3) Buka file penyimpanan , untuk memastikan pada LINUX terdapat folder UBUNTU.



4) Ketik codingan berikutnya ;
sudo add-apt-repository universe

```
bintang049@LAPTOP-27QMN:~$ sudo add-apt-repository universe
This message is shown once a day. To disable it please create the
/home/bintang049/.hushlogin file.
bintang049@LAPTOP-27QMN:~$ sudo add-apt-repository universe
[sudo] password for bintang049:
Adding component(s) 'universe' to all repositories.
Press [ENTER] to continue or Ctrl-c to cancel.
Hit:1 http://archive.ubuntu.com/ubuntu jammy InRelease
Get:2 http://security.ubuntu.com/ubuntu jammy-security InRelease [129 kB]
Get:3 http://archive.ubuntu.com/ubuntu jammy-updates InRelease [128 kB]
Get:4 http://archive.ubuntu.com/ubuntu jammy-backports InRelease [127 kB]
Get:5 http://security.ubuntu.com/ubuntu jammy-security/main amd64 Packages [1956 kB]
Get:6 http://security.ubuntu.com/ubuntu jammy-security/main Translation-en [313 kB]
Get:7 http://security.ubuntu.com/ubuntu jammy-security/main amd64 c-n-f Metadata [13.3 kB]
Get:8 http://security.ubuntu.com/ubuntu jammy-security/restricted amd64 Packages [2611 kB]
Get:9 http://security.ubuntu.com/ubuntu jammy-security/restricted Translation-en [483 kB]
Get:10 http://security.ubuntu.com/ubuntu jammy-security/restricted amd64 c-n-f Metadata [580 B]
Get:11 http://security.ubuntu.com/ubuntu jammy-security/universe amd64 Packages [958 kB]
Get:12 http://archive.ubuntu.com/ubuntu jammy/universe amd64 Packages [14.1 MB]
Get:13 http://security.ubuntu.com/ubuntu jammy-security/universe Translation-en [203 kB]
Get:14 http://security.ubuntu.com/ubuntu jammy-security/universe amd64 c-n-f Metadata [19.5 kB]
Get:15 http://security.ubuntu.com/ubuntu jammy-security/multiverse amd64 Packages [37.6 kB]
Get:16 http://security.ubuntu.com/ubuntu jammy-security/multiverse Translation-en [8260 B]
Get:17 http://security.ubuntu.com/ubuntu jammy-security/multiverse amd64 c-n-f Metadata [224 B]
Get:18 http://archive.ubuntu.com/ubuntu jammy/universe Translation-en [5652 kB]
Get:19 http://archive.ubuntu.com/ubuntu jammy/universe amd64 c-n-f Metadata [286 kB]
Get:20 http://archive.ubuntu.com/ubuntu jammy/multiverse amd64 Packages [217 kB]
Get:21 http://archive.ubuntu.com/ubuntu jammy/multiverse Translation-en [112 kB]
Get:22 http://archive.ubuntu.com/ubuntu jammy/multiverse amd64 c-n-f Metadata [8372 B]
Get:23 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 Packages [2180 kB]
Get:24 http://archive.ubuntu.com/ubuntu jammy-updates/main Translation-en [372 kB]
Get:25 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 c-n-f Metadata [17.9 kB]
Get:26 http://archive.ubuntu.com/ubuntu jammy-updates/restricted amd64 Packages [2705 kB]
Get:27 http://archive.ubuntu.com/ubuntu jammy-updates/restricted Translation-en [470 kB]
```

5) Ketik codingan berikutnya ;

- **sudo apt-get update -y**
- **sudo apt-get install -y git-core git-buildpackage debhelper devscripts python3.10-dev python3.10-venv virtualenvwrapper**

```
bintang049@LAPTOP-27QMN:~$ sudo apt-get update -y
Fetching 34.7 MB in 48s (720 kB/s)
Reading package lists... Done
bintang049@LAPTOP-27QMN:~$ sudo apt-get install -y git-core git-buildpackage debhelper devscripts python3.10-dev python3.10-venv virtualenvwrapper
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
Note, selecting 'git' instead of 'git-core'
git is already the newest version (1:2.34.1-1ubuntu1.11).
git set to manually installed.
The following additional packages will be installed:
  autocore automake autopoint autotools-dev build-essential bzip2 cowbuilder cowerdancer cpp cpp-11 cURL dctrl-tools debconf debconfutils dh-autoreconf
  dh-strip-nondeterminism diffstat dpkg-dev dput dwz fakeroot g++ g++-11 gcc gcc-11 gcc-11-base gettext intltool-debian javascript-common
  libalgorithm-diff-perl libalgorithm-diff-xs-perl libalgorithm-merge-perl libaliased-perl libapt-pkg-perl libarchive-cpio-perl
  libarchive-zip-perl libarchive13 libarray-intspan-perl libasan6 libatomic1 libauthen-sasl-perl libb-hooks-endofscope-perl
  libb-hooks-op-check-perl libb-dev-bin libc-devtools libc6-dev libcapture-tiny-perl libcc1-0 libclass-data-inheritable-perl
  libclass-method-modifiers-perl libclass-xsaccessor-perl libclone-perl libcommon-sense-perl libconfig-tiny-perl libconst-fast-perl
  libcontextual-return-perl libcpanel-json-xs-perl libcrypt-dev libdata-dpath-perl libdata-dump-perl libdata-messagepack-perl libdata-optlist-perl
  libdata-validate-domain-perl libdata-validate-ip-perl libdata-validate-uri-perl libdebhelper-perl libdevel-callchecker-perl libdevel-size-perl
  libdevel-stacktrace-perl libdistro-info-perl libdpkg-perl libdynaloder-functions-perl libemail-address-xs-perl libencode-locale-perl
  libexception-class-perl libexpat1-dev libexporter-tiny-perl libfakeroot libfile-basedir-perl libfile-chdir-perl libfile-dirlist-perl
  libfile-fcntllock-perl libfile-find-rule-perl libfile-homedir-perl libfile-listing-perl libfile-stripnondeterminism-perl libfile-touch-perl
  libfile-which-perl libfont-afm-perl libfont-ttf-perl libgcc-11-dev libgd3 libgit-wrapper-perl libgitlab-api-v4-perl libgomp1 libgpgme1
  libhash-fieldhash-perl libhtml-form-perl libhtml-format-perl libhtml-html5-entities-perl libhtml-parser-perl libhtml-tagset-perl
  libhtml-tree-perl libhttp-cookies-perl libhttp-daemon-perl libhttp-date-perl libhttp-message-perl libhttp-negotiate-perl
  libhttp-tiny-multipart-perl libimport-into-perl libio-html-perl libio-interactive-perl libio-prompt-tiny-perl libio-prompter-perl libio-pty-perl
  libio-socket-ssl-perl libio-string-perl libipc-run-perl libipc-run3-perl libipc-system-simple-perl libis123 libiterator-perl
  libiterator-util-perl libl1 libjs-jquery libjs-sphinxdoc libjs-underscore libjson-maybexs-perl libjson-perl libjson-xs-perl
  liblist-compare-perl liblist-moreutils-perl liblist-moreutils-xs-perl liblist-someutils-perl liblist-someutils-xs-perl liblist-utilsby-perl
```

6) Ketik codingan berikutnya ;

sudo apt-get install -y apt-transport-https ca-certificates curl lsb-release gnupg gnupg-agent software-properties-common vim

```
bintang049@LAPTOP-27QMN Windows PowerShell
/sbin/ldconfig.real: /usr/lib/wsl/lib/libcud.so.1 is not a symbolic link

Processing triggers for man-db (2.10.2-1) ...
bintang049@LAPTOP-27QMNQAI:~$ sudo apt-get install -y apt-transport-https ca-certificates curl lsb-release gnupg gnupg-agent software-properties-common vim
[sudo] password for bintang049:
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
lsb-release is already the newest version (11.1.0ubuntu4).
lsb-release set to manually installed.
ca-certificates is already the newest version (20240203-22.04.1).
ca-certificates set to manually installed.
gnupg is already the newest version (2.2.27-3ubuntu2.1).
gnupg set to manually installed.
software-properties-common is already the newest version (0.99.22.9).
software-properties-common set to manually installed.
Suggested packages:
  ctags vim-doc vim-scripts indent
The following NEW packages will be installed:
  apt-transport-https gnupg-agent
The following packages will be upgraded:
  curl libcurl4 vim vim-common vim-runtime vim-tiny
6 upgraded, 2 newly installed, 0 to remove and 10 not upgraded.
Need to get 9842 kB of archives.
After this operation, 217 kB of additional disk space will be used.
Get:1 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 vim amd64 2:8.2.3995-1ubuntu2.21 [1729 kB]
Get:2 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 vim-tiny amd64 2:8.2.3995-1ubuntu2.21 [708 kB]
Get:3 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 vim-runtime all 2:8.2.3995-1ubuntu2.21 [6834 kB]
Get:4 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 vim-common all 2:8.2.3995-1ubuntu2.21 [81.5 kB]
Get:5 http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 apt-transport-https all 2.4.13 [1510 B]
Get:6 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 curl amd64 7.81.0-1ubuntu1.19 [194 kB]
Get:7 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libcurl4 amd64 7.81.0-1ubuntu1.19 [289 kB]
Get:8 http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 gnupg-agent all 2.2.27-3ubuntu2.1 [5484 B]
Fetched 9842 kB in 22s (455 kB/s)
```

7) Ketik codingan berikutnya ;

- **sudo mkdir -p /etc/apt/keyrings**
- **curl -fsSL https://download.docker.com/linux/ubuntu/gpg | sudo gpg --dearmor -o /etc/apt/keyrings/docker.gpg**
- **sudo chmod a+r /etc/apt/keyrings/docker.gpg**
- **echo "deb [arch=\$(dpkg --print-architecture) signed-by=/etc/apt/keyrings/docker.gpg] https://download.docker.com/linux/ubuntu \$(lsb_release -cs) stable" | sudo tee /etc/apt/sources.list.d/docker.list > /dev/null**
- **sudo apt-get update -y**
- **sudo apt-get install -y docker-ce docker-ce-cli containerd.io docker-compose**


```
bintang049@LAPTOP-27QMN: ~$ sudo apt autoremove --purge
Processing triggers for man-db (2.10.2-1) ...
Processing triggers for libc-bin (2.35-0ubuntu3.8) ...
/sbin/ldconfig.real: /usr/lib/wsl/lib/libcuda.so.1 is not a symbolic link

bintang049@LAPTOP-27QMNQAI:~$ sudo apt autoremove --purge
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
0 upgraded, 0 newly installed, 0 to remove and 10 not upgraded.
bintang049@LAPTOP-27QMNQAI:~$ sudo usermod -s /bin/bash $(whoami)
bintang049@LAPTOP-27QMNQAI:~$ su $(whoami)
Password:
su: Authentication failure
bintang049@LAPTOP-27QMNQAI:~$ git clone https://github.com/GeoNode/geonode-project.git
Cloning into 'geonode-project'...
remote: Enumerating objects: 3363, done.
remote: Counting objects: 100% (512/512), done.
remote: Compressing objects: 100% (277/277), done.
remote: Total 3363 (delta 295), reused 382 (delta 211), pack-reused 2851 (from 1)
Receiving objects: 100% (3363/3363), 2.20 MiB | 2.51 MiB/s, done.
Resolving deltas: 100% (1957/1957), done.
bintang049@LAPTOP-27QMNQAI:~$ cd geonode-project
bintang049@LAPTOP-27QMNQAI:~/geonode-project$ git checkout -b 4.2.2
Switched to a new branch '4.2.2'
bintang049@LAPTOP-27QMNQAI:~/geonode-project$ source /usr/share/virtualenvwrapper/virtualenvwrapper.sh
virtualenvwrapper.user_scripts creating /home/bintang049/.virtualenvs/premkproject
virtualenvwrapper.user_scripts creating /home/bintang049/.virtualenvs/postmkproject
virtualenvwrapper.user_scripts creating /home/bintang049/.virtualenvs/initialize
virtualenvwrapper.user_scripts creating /home/bintang049/.virtualenvs/premkvirtualenv
virtualenvwrapper.user_scripts creating /home/bintang049/.virtualenvs/postmkvirtualenv
virtualenvwrapper.user_scripts creating /home/bintang049/.virtualenvs/premvirtualenv
virtualenvwrapper.user_scripts creating /home/bintang049/.virtualenvs/postrmvirtualenv
virtualenvwrapper.user_scripts creating /home/bintang049/.virtualenvs/predeactivate
virtualenvwrapper.user_scripts creating /home/bintang049/.virtualenvs/postdeactivate
virtualenvwrapper.user_scripts creating /home/bintang049/.virtualenvs/preactivate
```

9) Ketik codingan berikutnya ;

- **mkvirtualenv --python=/usr/bin/python3 my_geonode**
- **pip install Django==3.2.13**
- **cd**
- **django-admin startproject --template=./geonode-project -e py,sh,md,rst,json,yml,ini,env,sample,properties -n monitoring-cron -n Dockerfile my_geonode**
- **ls**
- **source my_geonode/bin/activate**

```
bintang049@LAPTOP-27QMN... x Windows PowerShell x + v
virtualenvwrapper.user_scripts creating /home/bintang049/.virtualenvs/preactivate
virtualenvwrapper.user_scripts creating /home/bintang049/.virtualenvs/postactivate
virtualenvwrapper.user_scripts creating /home/bintang049/.virtualenvs/get_env_details
bintang049@LAPTOP-27QMNQAI:~/geonode-project$ mkvirtualenv --python=/usr/bin/python3 my_geonode
created virtual environment CPython3.10.12.final.0-64 in 401ms
creator CPython3Posix(dest=/home/bintang049/.virtualenvs/my_geonode, clear=False, no_vcs_ignore=False, global=False)
seeder FromAppData(download=False, pip=bundle, setuptools=bundle, wheel=bundle, via=copy, app_data_dir=/home/bintang049/.local/share/virtualenv)
added seed packages: pip==22.0.2, setuptools==59.6.0, wheel==0.37.1
activators BashActivator,CShellActivator,FishActivator,NushellActivator,PowerShellActivator,PythonActivator
virtualenvwrapper.user_scripts creating /home/bintang049/.virtualenvs/my_geonode/bin/predeactivate
virtualenvwrapper.user_scripts creating /home/bintang049/.virtualenvs/my_geonode/bin/postdeactivate
virtualenvwrapper.user_scripts creating /home/bintang049/.virtualenvs/my_geonode/bin/preactivate
virtualenvwrapper.user_scripts creating /home/bintang049/.virtualenvs/my_geonode/bin/postactivate
virtualenvwrapper.user_scripts creating /home/bintang049/.virtualenvs/my_geonode/bin/get_env_details
(my_geonode) bintang049@LAPTOP-27QMNQAI:~/geonode-project$ pip install Django==3.2.13
Collecting Django==3.2.13
  Downloading Django-3.2.13-py3-none-any.whl (7.9 MB)
    7.9/7.9 MB 5.2 MB/s eta 0:00:00
Collecting sqlparse>=0.2.2
  Downloading sqlparse-0.5.2-py3-none-any.whl (44 kB)
    44.4/44.4 KB 4.7 MB/s eta 0:00:00
Collecting asgiref<4,>=3.3.2
  Downloading asgiref-3.8.1-py3-none-any.whl (23 kB)
Collecting pytz
  Downloading pytz-2024.2-py2.py3-none-any.whl (508 kB)
    508.0/508.0 KB 2.4 MB/s eta 0:00:00
Collecting typing-extensions>=4
  Downloading typing_extensions-4.12.2-py3-none-any.whl (37 kB)
Installing collected packages: pytz, typing-extensions, sqlparse, asgiref, Django
Successfully installed Django-3.2.13 asgiref-3.8.1 pytz-2024.2 sqlparse-0.5.2 typing-extensions-4.12.2
(my_geonode) bintang049@LAPTOP-27QMNQAI:~/geonode-project$ cd
(my_geonode) bintang049@LAPTOP-27QMNQAI:~/geonode-project$ django-admin startproject --template=./geonode-project -e py,sh,md,rst,json,yml,ini,env,sample,properties
-n monitoring-cron -n Dockerfile my_geonode
(my_geonode) bintang049@LAPTOP-27QMNQAI:~/geonode-project$ ls
geonode-project my_geonode
```

```
bintang049@LAPTOP-27QMN... x Windows PowerShell x + v
Downloading asgiref-3.8.1-py3-none-any.whl (23 kB)
Collecting pytz
  Downloading pytz-2024.2-py2.py3-none-any.whl (508 kB)
    508.0/508.0 KB 2.4 MB/s eta 0:00:00
Collecting typing-extensions>=4
  Downloading typing_extensions-4.12.2-py3-none-any.whl (37 kB)
Installing collected packages: pytz, typing-extensions, sqlparse, asgiref, Django
Successfully installed Django-3.2.13 asgiref-3.8.1 pytz-2024.2 sqlparse-0.5.2 typing-extensions-4.12.2
(my_geonode) bintang049@LAPTOP-27QMNQAI:~/geonode-project$ cd
(my_geonode) bintang049@LAPTOP-27QMNQAI:~/geonode-project$ django-admin startproject --template=./geonode-project -e py,sh,md,rst,json,yml,ini,env,sample,properties
-n monitoring-cron -n Dockerfile my_geonode
(my_geonode) bintang049@LAPTOP-27QMNQAI:~/geonode-project$ ls
geonode-project my_geonode
(my_geonode) bintang049@LAPTOP-27QMNQAI:~/geonode-project$ source my_geonode/bin/activate
-bash: my_geonode/bin/activate: No such file or directory
(my_geonode) bintang049@LAPTOP-27QMNQAI:~/geonode-project$ cd my_geonode
(my_geonode) bintang049@LAPTOP-27QMNQAI:~/my_geonode$ source my_geonode/bin/activate
-bash: my_geonode/bin/activate: No such file or directory
(my_geonode) bintang049@LAPTOP-27QMNQAI:~/my_geonode$ python3 create-envfile.py
python3: command not found
(my_geonode) bintang049@LAPTOP-27QMNQAI:~/my_geonode$ python3 create-envfile.py
This action will overwrite any existing .env file. Do you wish to continue? (y/n)y
INFO - .env file created: /home/bintang049/my_geonode/.env
(my_geonode) bintang049@LAPTOP-27QMNQAI:~/my_geonode$ ls -al
total 112
drwxr-xr-x 4 bintang049 bintang049 4096 Dec 5 11:51 .
drwxr-xr-x 8 bintang049 bintang049 4096 Dec 5 11:45 ..
-rw-r--r-- 1 bintang049 bintang049 8163 Dec 5 11:51 .env
-rw-r--r-- 1 bintang049 bintang049 8079 Dec 5 11:45 .env.sample
-rw-r--r-- 1 bintang049 bintang049 893 Dec 5 11:45 .gitignore
-rw-r--r-- 1 bintang049 bintang049 3546 Dec 5 11:45 .override_dev_env.sample
-rw-r--r-- 1 bintang049 bintang049 1673 Dec 5 11:45 Dockerfile
-rw-r--r-- 1 bintang049 bintang049 13326 Dec 5 11:45 README.md
-rw-r--r-- 1 bintang049 bintang049 2352 Dec 5 11:45 Vagrantfile
-rw-r--r-- 1 bintang049 bintang049 2352 Dec 5 11:45 Vagrantfile.stack
-rw-r--r-- 1 bintang049 bintang049 2202 Dec 5 11:45 Vagrantfile.stack
```

10) Ketik codingan berikutnya ; Ls -al

```
bintang049@LAPTOP-27QMN... x Windows PowerShell x + v
INFO - .env file created: /home/bintang049/my_geonode/.env
(my_geonode) bintang049@LAPTOP-27QMNQAI:~/my_geonode$ ls -al
total 112
drwxr-xr-x 4 bintang049 bintang049 4096 Dec 5 11:51 .
drwxr-xr-x 8 bintang049 bintang049 4096 Dec 5 11:45 ..
-rw-r--r-- 1 bintang049 bintang049 8163 Dec 5 11:51 .env
-rw-r--r-- 1 bintang049 bintang049 8079 Dec 5 11:45 .env.sample
-rw-r--r-- 1 bintang049 bintang049 893 Dec 5 11:45 .gitignore
-rw-r--r-- 1 bintang049 bintang049 3546 Dec 5 11:45 .override_dev_env.sample
-rw-r--r-- 1 bintang049 bintang049 1673 Dec 5 11:45 Dockerfile
-rw-r--r-- 1 bintang049 bintang049 13326 Dec 5 11:45 README.md
-rw-r--r-- 1 bintang049 bintang049 2352 Dec 5 11:45 Vagrantfile
-rw-r--r-- 1 bintang049 bintang049 2202 Dec 5 11:45 Vagrantfile.stack
-rw-r--r-- 1 bintang049 bintang049 7864 Dec 5 11:45 create-envfile.py
-rw-r--r-- 1 bintang049 bintang049 586 Dec 5 11:45 dev_config.yml
-rw-r--r-- 1 bintang049 bintang049 4096 Dec 5 11:45 docker
drwxr-xr-x 7 bintang049 bintang049 4096 Dec 5 11:45 docker-build
-rw-r--r-- 1 bintang049 bintang049 98 Dec 5 11:45 docker-compose.sh
-rw-r--r-- 1 bintang049 bintang049 5757 Dec 5 11:45 docker-compose.yml
-rw-r--r-- 1 bintang049 bintang049 198 Dec 5 11:45 docker-guage.sh
-rw-r--r-- 1 bintang049 bintang049 1121 Dec 5 11:45 generated-project-vagrant-compose.sh
-rw-r--r-- 1 bintang049 bintang049 1202 Dec 5 11:45 generated-project-vagrant-swarm.sh
-rw-r--r-- 1 bintang049 bintang049 4094 Dec 5 11:45 geonode-stack.yml
-rw-r--r-- 1 bintang049 bintang049 1565 Dec 5 11:45 playbook.yml
drwxr-xr-x 6 bintang049 bintang049 4096 Dec 5 11:45 src
```

11) Ketik codingan berikutnya ;

- **code .env**
- **sudo apt install note**

```

C:\Users\berawan> cd C:\Program Files\PowerShell
[sudo] password for bintang049:
sudo: 3 incorrect password attempts
(my_geonode) bintang049@LAPTOP-27QMNQAI:~/my_geonode$ sudo apt install note
[sudo] password for bintang049:
Sorry, try again.
[sudo] password for bintang049:
Sorry, try again.
[sudo] password for bintang049:
sudo: 3 incorrect password attempts
(my_geonode) bintang049@LAPTOP-27QMNQAI:~/my_geonode$ sudo apt install note
[sudo] password for bintang049:
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
Suggested packages:
  libconfio-general-perl libcrypt-cbc-perl libcrypt-des-perl libdbd-mysql-perl libdbi-perl libterm-readline-gnu-perl
The following NEW packages will be installed:
  note
0 upgraded, 1 newly installed, 0 to remove and 10 not upgraded.
Need to get 62.3 kB of archives.
After this operation, 198 kB of additional disk space will be used.
Get:1 http://archive.ubuntu.com/ubuntu jammy/universe amd64 note all 1.3.26-3 [62.3 kB]
Fetched 62.3 kB in 2s (25.1 kB/s)
Selecting previously unselected package note.
(Reading database ... 58401 files and directories currently installed.)
Preparing to unpack .../archives/note-1.3.26-3_all.deb ...
Unpacking note (1.3.26-3) ...
Setting up note (1.3.26-3) ...
Processing triggers for man-db (2.10.2-1) ...
(my_geonode) bintang049@LAPTOP-27QMNQAI:~/my_geonode$ docker compose build
WARN[0000] /home/bintang049/my_geonode/docker-compose.yml: the attribute 'version' is obsolete, it will be ignored, please remove it to avoid potential confusion
permission denied while trying to connect to the Docker daemon socket at unix:///var/run/docker.sock: Head "http://%2Fvar%2Frun%2Fdocker.sock_ping"
: dial unix /var/run/docker.sock: connect: permission denied
(my_geonode) bintang049@LAPTOP-27QMNQAI:~/my_geonode$ sudo apt install n(my_geonode) bintang049@LAPTOP-27QMNQAI:~/my_geonode$ sudo docker compose bu

```

12) Ketik codingan berikutnya ;

- **docker compose build**
- **docker compose up -d**

```

C:\bingo@b49\LAPTOP-27QWQAI: ~ %
Processing triggers for man-db (2.10.2-1) ...
(my_geonode) bintang@b49\LAPTOP-27QWQAI:~/my_geonode$ docker compose build
WARN [0000] /home/bintang@b49/my_geonode/docker-compose.yml: the attribute 'version' is obsolete, it will be ignored, please remove it to avoid potential confusion
permission denied while trying to connect to the Docker daemon socket at unix:///var/run/docker.sock: Head "http://%2Fvar%2Frun%2Fdocker.sock_ping": dial unix /var/run/docker.sock: connect: permission denied
(my_geonode) bintang@b49\LAPTOP-27QWQAI:~/my_geonode$ sudo apt install n(my_geonode) bintang@b49\LAPTOP-27QWQAI:~/my_geonode$ sudo docker compose build
WARN [0000] /home/bintang@b49/my_geonode/docker-compose.yml: the attribute 'version' is obsolete, it will be ignored, please remove it to avoid potential confusion
[*] Building 1159.2s (51/51) FINISHED                                docker:default
=> [geonode internal] load build definition from Dockerfile                                0.1s
=> => transferring dockerfile: 100B                                                    0.0s
=> WARN: InvalidDefaultArgInFrom: Default value for ARG geonode/nginx:${BASE_IMAGE_VERSION} results in empty or invalid base image name (lin 0.1s
=> [data-dir-conf internal] load build definition from Dockerfile                                0.2s
=> => transferring dockerfile: 100B                                                    0.0s
=> WARN: InvalidDefaultArgInFrom: Default value for ARG geonode/geoserver_data:${BASE_IMAGE_VERSION} results in empty or invalid base image 0.2s
=> [letsencrypt internal] load build definition from Dockerfile                                0.2s
=> => transferring dockerfile: 100B                                                    0.0s
=> WARN: InvalidDefaultArgInFrom: Default value for ARG geonode/letsencrypt:${BASE_IMAGE_VERSION} results in empty or invalid base image nam 0.1s
=> [db internal] load build definition from Dockerfile                                0.2s
=> => transferring dockerfile: 102B                                                    0.0s
=> WARN: InvalidDefaultArgInFrom: Default value for ARG geonode/postgis:${BASE_IMAGE_VERSION} results in empty or invalid base image name (l 0.2s
=> [geonode internal] load metadata for docker.io/geonode/nginx:1.25.3-latest                    5.0s
=> [letsencrypt internal] load metadata for docker.io/geonode/letsencrypt:2.6.0-latest          5.0s
=> [data-dir-conf internal] load metadata for docker.io/geonode/geoserver_data:2.24.4-latest    5.0s
=> [db internal] load metadata for docker.io/geonode/postgis:15.3-latest                    5.1s
=> [letsencrypt internal] load .dockerignore                                              0.0s
=> => transferring context: 2B                                                         0.0s
=> [letsencrypt 1/1] FROM docker.io/geonode/letsencrypt:2.6.0-latest:sha256:9c6dd596c498b572806a6839c9eb2128e2528cee64ef4f09db3f6408a2d55a 16.6s
=> => resolve docker.io/geonode/letsencrypt:2.6.0-latest:sha256:9c6dd596c498b572806a6839c9eb2128e2528cee64ef4f09db3f6408a2d55a 0.0s
=> => sha256:9c6dd596c498b572806a6839c9eb2128e2528cee64ef4f09db3f6408a2d55a 1.57kB / 1.57kB 0.0s
=> => sha256:4d1bebf15695831282e9639cf985bba1e164f318ec497bda823936f50fd32e 2.13kB / 2.13kB 0.0s
=> => sha256:6c1ff4095c1c3f0850929ee509786730b4cf523cee6f529437f408056473ca 3.41kB / 3.41kB 1.1s
=> => sha256:fb1b120c4580f61bf90ac18fa86db323f45ae0ccea86d125940e8d322ab94 24.75MB / 24.75MB 12.2s

```

13) Ketik codingan berikutnya ;

```
bintang049@LAPTOP-27QMN: ~$ docker image sha256:dd45c8969315cf9881e043e287d1fa5fdd4aed2f29ec0fede9207bba9b78da9b 0.5s
=> extracting sha256:20a45be629606ef4095876772f1c103f5e8fe50eef57c657be32a771047de562 3.2s
=> extracting sha256:8e91c7f19edbc687d4f99975e80f8026d1b7c4d4874063e63532baf10604aa8a 0.0s
=> extracting sha256:4f8fb700ef94061cfa02571ae8db9a0dc1e0cd5577404a6d75a68dc38a8acc1 0.0s
=> extracting sha256:b8f9769d253aec822f9e80ae6ea2c4c7907d047c7cec99f2c38ebd78abdd42dd 0.0s
=> extracting sha256:4d6bda423b851d438638ee4aa326271bfcc9ea5863282dbcc10951b35a33c372 0.0s
=> extracting sha256:6f1cbe70a6d047592017fa84864e97884a61a5786fdacba448e6e9a178751814 0.0s
=> extracting sha256:b40bb5952d4bbc5094c9e97aafd2fcd898b92c7b045076dd3531d21c3c44ed07 48.2s
=> extracting sha256:4ffa56c85b793d84049362114bd293e3d81ae411defff67381071580a6845cae 0.3s
[geoserver] exporting to image 1.9s
=> exporting layers 0.0s
=> writing image sha256:acbee2733a43e332c3cfd694dd3a48dc50cbc3e326f42b9300380ff3fd95b7 0.1s
=> naming to docker.io/my_geonode/geoserver:2.24.0-latest 0.7s
=> [geoserver] resolving provenance for metadata file 0.0s
(my_geonode) bintang049@LAPTOP-27QMNQAI:~/my_geonode$ sudo docker compose up -d
[sudo] password for bintang049:
WARN[0000] /home/bintang049/my_geonode/docker-compose.yml: the attribute 'version' is obsolete, it will be ignored, please remove it to avoid potential confusion
[+] Running 16/16
  ✔ rabbitmq Pulled 26.0s
  ✔ 47419f9fac06 Pull complete 17.4s
  ✔ 35bccdea0b9e Pull complete 17.7s
  ✔ 03bbfa77339f Pull complete 18.1s
  ✔ f4db65b846a3 Pull complete 19.2s
  ✔ 42203f15e8af Pull complete 19.2s
  ✔ 74659fecdd41 Pull complete 19.3s
  ✔ ad5455b21658 Pull complete 19.3s
  ✔ a5087fe80f83 Pull complete 19.4s
  ✔ memcached Pulled 8.8s
  ✔ da9db072f522 Already exists 0.0s
  ✔ 2e3b6576f815 Pull complete 1.3s
  ✔ 2202fa40ee71 Pull complete 1.4s
  ✔ 71274c22921f Pull complete 1.9s
  ✔ 0a9ba9502499 Pull complete 2.0s
  ✔ ac6cb5025e1a Pull complete 2.2s
```


```
bintang049@LAPTOP-27QMN: ~$ docker image sha256:dd45c8969315cf9881e043e287d1fa5fdd4aed2f29ec0fede9207bba9b78da9b 0.5s
=> extracting sha256:20a45be629606ef4095876772f1c103f5e8fe50eef57c657be32a771047de562 3.2s
=> extracting sha256:8e91c7f19edbc687d4f99975e80f8026d1b7c4d4874063e63532baf10604aa8a 0.0s
=> extracting sha256:4f8fb700ef94061cfa02571ae8db9a0dc1e0cd5577404a6d75a68dc38a8acc1 0.0s
=> extracting sha256:b8f9769d253aec822f9e80ae6ea2c4c7907d047c7cec99f2c38ebd78abdd42dd 0.0s
=> extracting sha256:4d6bda423b851d438638ee4aa326271bfcc9ea5863282dbcc10951b35a33c372 0.0s
=> extracting sha256:6f1cbe70a6d047592017fa84864e97884a61a5786fdacba448e6e9a178751814 0.0s
=> extracting sha256:b40bb5952d4bbc5094c9e97aafd2fcd898b92c7b045076dd3531d21c3c44ed07 48.2s
=> extracting sha256:4ffa56c85b793d84049362114bd293e3d81ae411defff67381071580a6845cae 0.3s
[geoserver] exporting to image 1.9s
=> exporting layers 0.0s
=> writing image sha256:acbee2733a43e332c3cfd694dd3a48dc50cbc3e326f42b9300380ff3fd95b7 0.1s
=> naming to docker.io/my_geonode/geoserver:2.24.0-latest 0.7s
=> [geoserver] resolving provenance for metadata file 0.0s
(my_geonode) bintang049@LAPTOP-27QMNQAI:~/my_geonode$ sudo docker compose up -d
[sudo] password for bintang049:
WARN[0000] /home/bintang049/my_geonode/docker-compose.yml: the attribute 'version' is obsolete, it will be ignored, please remove it to avoid potential confusion
[+] Running 20/20
  ✔ network my_geonode_default Created 0.6s
  ✔ volume "my_geonode-gsdatadir" Created 0.0s
  ✔ volume "my_geonode-nginxcerts" Created 0.0s
  ✔ volume "my_geonode-rabbitmq" Created 0.0s
  ✔ volume "my_geonode-statics" Created 0.0s
  ✔ volume "my_geonode-data" Created 0.0s
  ✔ volume "my_geonode-database" Created 0.0s
  ✔ volume "my_geonode-dbackups" Created 0.0s
  ✔ volume "my_geonode-backup-restore" Created 0.0s
  ✔ volume "my_geonode-tmp" Created 0.0s
  ✔ volume "my_geonode-nginxconfd" Created 0.0s
  ✔ container letsencrypt4my_geonode Started 5.4s
  ✔ container nginx4my_geonode Started 5.1s
  ✔ container db4my_geonode Healthy 35.9s
  ✔ container rabbitmq4my_geonode Started 5.4s
  ✔ container gsconf4my_geonode Healthy 37.5s
  ✔ container memcached4my_geonode Started 5.4s
  ✔ container django4my_geonode Healthy 214.7s
  ✔ container celery4my_geonode Started 215.1s
  ✔ container geoserver4my_geonode Started 214.7s
(my_geonode) bintang049@LAPTOP-27QMNQAI:~/my_geonode$ sudo docker compose up -d
```

14) Selesai


BAB II

MEMBUAT GEOPORTAL


1. Bukalah file ubuntu di penyimpanan dan klik folder home.




2. Selanjutnya pilih folder bintang049>my_geonode



3. Kemudian kita akan mengetahui username dan password yang diberikan.



4. Bukalah di google “localhost”
5. Kemudian login dengan Username dan Password yang telah di dapatkan diatas
6. Kemudian klik pada logo sebelah kanan atas untuk melakukan editing pada geoportal kalian.




BAB IV

PEMBAHASAN

Berikut merupakan link video dalam proses pembuatan Geoportal yaitu:

1. Youtube : <https://youtu.be/XFePSunWWcw>
2. Website : localhost



Gambar 1. Hasil geoportal

Geoportal adalah platform berbasis web yang dirancang untuk menyimpan, mengelola, dan berbagi data geospasial. Geoportal memungkinkan pengguna untuk mengakses peta, metadata, data geospasial, serta layanan spasial melalui antarmuka yang mudah digunakan. Geoportal biasanya digunakan untuk mendukung pengambilan keputusan berbasis data spasial. Geoportal sering digunakan oleh organisasi, pemerintah, atau komunitas untuk mendukung pengambilan keputusan yang memerlukan data berbasis lokasi.

Berikut fungsi dari Geoportal adalah ;

1. Pengelolaan Data Geospasial dan menyediakan mekanisme untuk mengatur, menyimpan, dan mempublikasikan data geospasial.
2. Akses Data dan memudahkan pengguna dalam mencari, mengunduh, atau menggunakan data geospasial secara langsung.

3. Kolaborasi dan mendukung kerja sama antarorganisasi dengan menyediakan akses data yang terbuka.
4. Analisis Spasial dan menyediakan alat untuk analisis spasial langsung di platform.

Berikut manfaat dari Geoportal adalah ;

1. Efisiensi Pengelolaan Data dan mengurangi redundansi data dengan memberikan akses terpusat.
2. Transparansi dan memudahkan akses publik terhadap data geospasial untuk mendukung kebijakan atau penelitian.
3. Peningkatan Kapasitas Teknologi Informasi dan mendorong penggunaan teknologi modern dalam pengelolaan sumber daya spasial.
4. Mendukung Pengambilan Keputusan dan data yang tersimpan dalam geoportal membantu pemangku kepentingan dalam membuat keputusan berbasis bukti.