

HydraDG Judge Video Guide

Hack Hydra 2026 · Localhost recording version · 8-step Golden Path

STEP	SECTION	CLICK / BUTTON
01	Reference	/judge#golden-reference
02	Poison	Next · 02 Poison
03	Antidote	Next · 03 Antidote
04	HydraDB	Next · 04 HydraDB
05	Results	Next · 05 Results
06	Evidence	Next · 06 Evidence
07	Future Work	Next · 07 Future
08	Claim Boundary	Next · 08 Claim

START

<http://127.0.0.1:3000/judge#golden-reference>
Open this route before recording.

RULE

Use the gold Next button after every step. Keep the Golden Path bar visible so the judge always knows where you are.

PRIVACY

Do not show terminal hostname, API keys, org_id, request IDs, .env files, or credential configuration.

BOUNDARY

Hosted connectivity and request-level canary traceability may PASS. Full 653-FCO / 1,692-edge canonical parity remains NOT_ESTABLISHED until the full scoped verifier passes.

Suggested pacing: 3-5 minutes. Read SAY blocks; use VERIFY blocks as your on-screen checklist.

Reference

Start from the declared valid state and show that its source and custody remain attached.

CLICK	http://127.0.0.1:3000/judge#golden-reference Start here.
SAY	“This is HydraDG, a governed memory system built around HydraDB and FCO/FCG custody. The golden path starts with Reference: the declared valid state and its source.”
VERIFY	REFERENCE and CURRENT are visible. Keep the gold Golden Path navigation in frame.

Next · 02 Poison →

Poison

Introduce a controlled conflicting state without erasing the predecessor.

CLICK	Press the gold button labeled Next · 02 Poison.
SAY	“Poison introduces a controlled conflicting state. HydraDG keeps the predecessor and records the contradiction and supersession relationship instead of deleting history.”
VERIFY	Show CONTRADICTS / SUPERSEDED_BY and explain that the first divergence remains traversable.
Next · 03 Antidote →	

Antidote

Restore the valid state while retaining the poison and recovery history.

CLICK	Press the gold button labeled Next · 03 Antidote.
SAY	“Antidote restores the valid current state while preserving the poison, contradiction, provenance, and recovery path.”
VERIFY	Show RESTORES / CURRENT. Recovery must not delete the failed state.
Next · 04 HydraDB →	

Hosted HydraDB

Show live hosted connectivity and request-level canary traceability without inflating the parity claim.

CLICK

<http://127.0.0.1:3000/judge#hydradb-status>

Press Next · 04 HydraDB or scroll to this anchor.

SAY

“HydraDB is live in this demonstration. The local judge application connects to the hosted HydraDB API, the hydradg database and hydradg-judge-demo collection are bound, HydraDB reports its graph and vector infrastructure ready, and our canonical FCO canary relation readback succeeds.”

SAY

“That establishes hosted connectivity and request-level traceability. Full canonical parity of 653 FCO identities and 1,692 FCG edges remains a separate pending verification gate.”

VERIFY

Connectivity = PASS · Database = hydradg · Collection = hydradg-judge-demo · Traceability = PASS_REQUEST_LEVEL · Hosted Parity = NOT_ESTABLISHED.

DO NOT SAY

Do not say 653/653 or 1,692/1,692 parity is verified unless full scoped readback, missing/extra accounting, ID mapping, and roots all pass.

Next · 05 Results →

Historical Results

Show the executed Track03 evidence and preserve the null/negative result.

CLICK	http://127.0.0.1:3000/track03 Press Next · 05 Results.
SAY	“Our historical LongMemEval full500 retrieval experiment is preserved even though the tested graph-native routes did not outperform the flat reference at K equals 5.”
SAY	“HydraDG keeps null, negative, failed, timeout, and abstaining evidence instead of optimizing it away. The historical claim ceiling is retrieval-ablation-only, not end-to-end QA.”
VERIFY	Show 500 total cases, 470 retrieval-scored, 30 abstentions, and NO POSITIVE B/C/D HIT-RATE SIGNAL.
SECTION MAP	05A Result → 05B Graph → 05C Hashes → 05D Next Falsification.
Next · 06 Evidence →	

Evidence + FCG

Trace source → transformation → evidence → claim while keeping each claim ceiling visible.

CLICK	http://127.0.0.1:3000/evidence Press Next · 06 Evidence.
SAY	“HydraDG treats evidence, transformations, hashes, claims, failures, and pending states as separate custody objects. A hash proves object identity; it does not prove scientific correctness by itself.”
VERIFY	Show the evidence ledger, retained identities/hashes, project FCG, and NOT_SIGNED / NOT_MERKLE_COMMITTED boundaries.
SECTION MAP	06A Evidence Objects → 06B Retained Identities → 06C Governed Theory → 06D Project FCG.
Next · 07 Future →	

BEAM + Future Work

Present the next experiment as preregistered future work, not current evidence.

CLICK	http://127.0.0.1:3000/beam-1m Press Next · 07 Future.
SAY	“The broader research direction extends multi-session reasoning into multi-agent reasoning. Every model or agent that reads, transforms, retrieves, or decides over evidence can become part of the custody graph.”
SAY	“If an agent makes a wrong decision, that decision remains a perturbation node so we can identify where the error first entered, which downstream agents inherited it, and whether recovery succeeded.”
SAY	“BEAM 1M is the next preregistered benchmark family. We will test the HydraDB-style hybrid architecture, then separately test FCO supersession, validity, provenance, claim-state, agent-decision lineage, and Anticube classification.”
ECONOMICS	“We will measure canonical storage bytes, repeated context tokens, unnecessary downstream model calls, useful-compute ratio, and cost per correct governed answer. Those savings are hypotheses until measured.”
VERIFY	BEAM is PREPARED_UNEXECUTED / future work. No HydraDG BEAM numerical score is claimed.
SECTION MAP	07A Published Reference → 07B Architecture Routes → 07C Multi-Agent Hypothesis → 07D Economics.
Next · 08 Claim →	

Claim Boundary

Close by showing exactly what is established, pending, and deliberately not claimed.

CLICK	http://127.0.0.1:3000/eligibility Press Next · 08 Claim.
SAY	“HydraDG is not a leaderboard claim. It is a governed memory experiment: change state, find the first divergence, preserve custody, test recovery, and retain positive, null, negative, failed, timeout, and abstaining evidence in the same graph.”
VERIFY	Historical Track03 = EXECUTED/PRESERVED · Hosted connectivity = PASS · Canary traceability = PASS_REQUEST_LEVEL · Full canonical parity = NOT_ESTABLISHED · BEAM = future/preregistered · Signature = NOT_SIGNED · Merkle = NOT_MERKLE_COMMITTED.
SECTION MAP	08A Governed Context Chain → 08B Current Evidence State → 08C Final Claim Boundary.
Finish · Overview →	

Final 30-Second Checklist

- Browser starts at /judge#golden-reference.
- Golden Path visibly shows 01 through 08.
- Use gold Next buttons; do not hunt through menus during the recording.
- HydraDB connectivity and canary readback may show PASS / PASS_REQUEST_LEVEL.
- Hosted canonical parity remains NOT_ESTABLISHED until full 653/1,692 scoped verification passes.
- Historical Track03 null/negative evidence remains visible.
- BEAM and multi-agent economics remain future/preregistered work.
- Do not expose terminal hostname, API key, org_id, request IDs, or .env values.
- Do not claim signing or Merkle commitment unless actually performed.

FINAL LINE

“HydraDG is not a leaderboard claim. It is a governed memory experiment: change state, find the first divergence, preserve custody, test recovery, and retain positive, null, negative, failed, timeout, and abstaining evidence in the same graph.”