The rnaseqcomp user's guide

Mingxiang Teng mxteng@jimmy.harvard.edu
Rafael A. Irizarry rafa@jimmy.harvard.edu
Department of Biostatistics, Dana-Farber Cancer Institute,
Harvard T.H. Chan School Public Health, Boston, MA, USA
2015-08-03

Contents

1	Introduction	1
2	Getting Started	1
3	Preparing Data	2
4	Visualizing Benchmarks 4.1 Specificity on expressed features. 4.2 Specificity on non-expressed features 4.3 Specificity in differential analysis 4.4 Sensitivity in differential analysis	5 6
Re	eferences	9

1 Introduction

RNA sequencing (RNA-seq) has been utilized as the standard technology for measuring the expression abundance of genes, transcripts, exons or splicing junctions. Numerous quantification methods were proposed to quantify such abundances with combination of some RNA-seq read aligner. Unfortunately, it is currently difficult to evaluate the performance of the best method, due in part to the high costs of running assessment experiments as well as the computational requirements of running these algorithms. We have developed a series of statistical summaries and data visualization techniques to evaluate the performance of transcript quantification, particularly specificity and sensitivity.

The rnaseqcomp R-package performs comparisons and provides direct plots on these statistical summaries. It requires the inputs as an quantification table (or two, depending on which statistical comparisons is performed) by compared pipelines on a pair of RNA-seq samples. With necessary meta information on these pipelines (e.g. names), a two step analysis will generate the desired evaluations.

- 1. Data filtering and data preparation. In this step, options are provided for any filtering and calibration operations on the raw data. A S4 class rnaseqcomp object will be generated form next step.
- 2. Statistical summary evaluation and visualization. Functions are provided for specificity and sensitivity evaluations.

2 Getting Started

Load the package in R

library(rnaseqcomp)

3 Preparing Data

As the benchmark evaluation is performed on a pair of RNA-seq replicates, a quantification table should contain 2n columns (n corresponding to the number of pipeline compared), with each column representing a sample and each row representing a feature (i.e. genes, transcripts, exons, splicing junctions, etc.). The function matrixFilter takes this table as one of the inputs, with extra options such as meta information of pipelines, features for evaluation and features for calibration, and returns a S4 rnaseqcomp object that contains everything for downstream evaluation.

There are several reasons why we need extra options in this step:

- 1. Meta information of pipelines basically is a factor to check the sanity of table columns, and to provide unique names of pipelines for downstream analysis.
- 2. Since there might be dramatic quantification difference between different features, *e.g.* between protein coding genes and lincRNA genes, evaluations based on a subset of features can provide stronger robustness than using all involved features. Thus, an option is offered for selecting subset of features.
- 3. Due to different pipelines reports different units of quantification, such as FPKM (fragments per kilobases per million), RPKM (reads per kilobases per million), TPM (transcripts per million) etc. Calibrations across different units are necessary. Options are provided in the way that on which features the calibrations are based and to what pipeline the signals are mapped.

We show here an example of selecting house-keeping genes (Eisenberg and Levanon 2013) for calibration and filtering protein coding genes for evaluation. In this vignette, we will use enbedded dataset encodeCells as examples to illustrate this package. This dataset contains two cell-line quantifications, GM12878 and K562, each with two PolyA dUTP technical replicates by ENCODE project (https://www.encodeproject.org). In total, quantifications from 9 pipelines are included. Here, 9 pipelines are made up with 6 quantification methods (RESM(Li and Dewey 2011), Cufflinks(Trapnell et al. 2010), FluxCapacitor(Montgomery et al. 2010), Sailfish(Patro, Mount, and Kingsford 2014), eXpress(Roberts and Pachter 2013) and Naive) in conjunction to 2 mapping algorithms (STAR(Dobin et al. 2013) and TopHat2(D. Kim et al. 2013)) and different tuning parameters.

```
# load the dataset in this package
data(encodeCells)
class(encodeCells)
## [1] "list"
names(encodeCells)
## [1] "gm12878" "k562" "repInfo" "genemeta" "arrayFC"
```

Here, gm12878 and k562 are both quantification tables; replnfo is the meta information of pipelines; genemeta is the meta information for features: gene type and if house-keeping gene; arrayFC is fold change information between GM12878 and K562 cell lines from microarray platform(Ernst et al. 2011).

In order to fit into function 'matrixFilter', necessary transformation to logical vectors are needed for extra options.

```
evaluationFeature <- encodeCells$genemeta$type == "protein_coding"
calibrationFeature <- encodeCells$genemeta$housekeeping
unitReference <- grepl("Cufflinks",encodeCells$repInfo)</pre>
```

Generic function show is provided for bird-eye view of S4 rnaseqcomp object.

```
## Reps:
    RSEM_Bowtie_TPM RSEM_Bowtie_TPM RSEM_Bowtie_pmeTPM RSEM_Bowtie_pmeTPM RSEM_STAR_TPM RSEM_STAR_TPM Cuff
##
## Calibration subset log2Median:
   5.155628 5.168121 5.164102 5.170526 5.012122 5.030115 4.472787 4.540077 4.631066 4.668635 5.196811 5.1
##
##
## Detrened signal scaler:
##
   4.585572
##
## Quantification data has 20387 rows and 18 columns:
                   RSEM Bowtie TPM RSEM Bowtie TPM RSEM Bowtie pmeTPM
## ENSG00000237613
                                  0
                                                  0
                                                                      0
## ENSG00000268020
                                  0
                                                  0
                                                                      0
                                                  0
                                                                      0
## ENSG0000186092
                                  0
## ENSG00000237683
                             17.34
                                               14.8
                                                                  17.19
## .
## ENSG0000198886
                           2451.59
                                            1965.01
                                                                2430.38
## ENSG0000198786
                            883.51
                                             694.03
                                                                 875.88
## ENSG0000198695
                           1951.02
                                            1635.47
                                                                1934.18
## ENSG0000198727
                           1469.88
                                            1227.92
                                                                1457.18
##
                   RSEM_Bowtie_pmeTPM
                                         . eXpress_Bowtie_RPKM
## ENSG00000237613
                                     0 ...
                                     0 ...
## ENSG00000268020
                                                              0
## ENSG0000186092
                                     0 ...
                                                              0
                                                              0
## ENSG00000237683
                                 14.67 ...
##
                                   . . . . . .
                                                            . . .
## ENSG0000198886
                              1947.32 ...
                                                         68511
## ENSG0000198786
                               687.78 ...
                                                         54031
## ENSG0000198695
                              1620.78 ...
                                                         38362
## ENSG0000198727
                              1216.88 ...
                                                         72576
##
                   eXpress_Bowtie_RPKM Naive_TopHat_RPKM Naive_TopHat_RPKM
## ENSG00000237613
                                      0
                                                                           0
## ENSG00000268020
                                                        0
## ENSG0000186092
                                      0
                                                        0
                                                                           0
                                      0
## ENSG00000237683
                                         21.2337960741333
                                                           18.3457639904057
## .
                                    . . .
## ENSG0000198886
                                  54086
                                          1060.9847035949
                                                           797.308796591367
## ENSG0000198786
                                  40731
                                         1756.10324190415
                                                           1518.92584044264
## ENSG0000198695
                                  30442
                                         472.123283170283
                                                            393.854930860321
## ENSG0000198727
                                  60818 1302.55493980322 1105.88032279601
```


4 Visualizing Benchmarks

Three type of QC metrics can be evaluated by this package. More details please refer to our paper(Teng).

4.1 Specificity on expressed features.

This metric is evaluated by the quantification deviations between RNA-seq technical replicates. Basically lower deviations indicate higher specificity. Both one number statistics and deviation stratified by express signals are provided.

-	345 (1 . 4)	
_	tMAD(dat1)	
	Bmad Grafelinian GTAD EDVM	Confedicular Tandlet EDVM
##	Cufflinks_STAR_FPKM	_ - -
##	0.274	0.269
##	<u> </u>	FluxCapacitor_TopHat_RPKM
##	0.369	0.388
##	Naive_TopHat_RPKM	RSEM_Bowtie_pmeTPM
##	0.238	0.244
##	$RSEM_Bowtie_TPM$	RSEM_STAR_TPM
##	0.250	0.268
##	Sailfish_RPKM	
##	0.234	
##		
##	sd	
##	Cufflinks_STAR_FPKM	Cufflinks_TopHat_FPKM
##	0.312	0.317
##	eXpress_Bowtie_RPKM	FluxCapacitor_TopHat_RPKM
##	0.434	
##	Naive_TopHat_RPKM	RSEM_Bowtie_pmeTPM
##	0.230	0.268
##	RSEM_Bowtie_TPM	RSEM_STAR_TPM
##	0.268	0.301
##	Sailfish RPKM	0.002
##	0.264	
	0.201	



Detrended signals shown in the plot are actually the signals with the same scales as Cufflinks pipelines, as we selected unitReference as signals from Cufflinks. In this case, FPKM by Cufflinks.


4.2 Specificity on non-expressed features

The proportions of non-expressed features is another important statistics. However, two types of non-expressed features should be analyzed separately:

4.2.1 Features expressed in one technical replicate but not the other.

The reverse accumulated proportions of such either-or expressed features are plotted stratified by the detrended signals as described previously. Basically, a lower curve indicates higher specificity on these features.

nonexpress <- plotNE(dat1)</pre>



4.2.2 Features expressed in neither replicates, and others.

Here, proportions of both expressed, both non-expressed and either-or expressed features are list as a table.

```
nonexpress
## $pEE
## Cufflinks_STAR_FPKM Cufflinks_TopHat_FPKM
## 0.524 0.523
## eXpress_Bowtie_RPKM FluxCapacitor_TopHat_RPKM
## 0.516 0.516
```

```
##
           Naive_TopHat_RPKM
                                      RSEM_Bowtie_pmeTPM
##
                        0.552
                                                    0.538
##
             RSEM_Bowtie_TPM
                                           RSEM_STAR_TPM
##
                        0.530
                                                    0.522
##
               Sailfish_RPKM
##
                        0.564
##
##
  $pNE
##
         Cufflinks_STAR_FPKM
                                   Cufflinks_TopHat_FPKM
##
                        0.018
                                                    0.017
##
         eXpress_Bowtie_RPKM FluxCapacitor_TopHat_RPKM
##
                        0.035
                                                    0.022
##
           Naive_TopHat_RPKM
                                      RSEM_Bowtie_pmeTPM
                        0.012
##
                                                    0.017
             RSEM_Bowtie_TPM
                                           RSEM_STAR_TPM
##
                                                    0.017
##
                        0.015
##
               Sailfish RPKM
##
                        0.021
##
##
  $pNN
##
         Cufflinks_STAR_FPKM
                                   Cufflinks_TopHat_FPKM
##
                        0.458
                                                    0.460
##
         eXpress_Bowtie_RPKM FluxCapacitor_TopHat_RPKM
##
                        0.449
                                                    0.462
##
           Naive_TopHat_RPKM
                                      RSEM_Bowtie_pmeTPM
##
                        0.436
                                                    0.445
##
             RSEM_Bowtie_TPM
                                           RSEM_STAR_TPM
##
                        0.455
                                                    0.461
##
               Sailfish_RPKM
##
                        0.415
```

4.3 Specificity in differential analysis

We calculate the fold change of features between two different cell-lines and compare the fold change concordance between two technical replicates. A strategy that summarizes the overlapped proportions among top differential expressed features is used, as we described before(Irizarry et al. 2005).

```
dat2 <- matrixFilter(encodeCells$k562,encodeCells$repInfo,</pre>
    evaluationFeature, calibrationFeature, unitReference)
plotCAT(dat1,dat2)
## $Cufflinks_STAR_FPKM
## [1] 0.720 0.650 0.708
##
## $Cufflinks_TopHat_FPKM
## [1] 0.720 0.640 0.692
##
## $eXpress_Bowtie_RPKM
## [1] 0.46 0.54 0.60
##
## $FluxCapacitor TopHat RPKM
## [1] 0.500 0.530 0.596
##
## $Naive_TopHat_RPKM
```


```
## [1] 0.680 0.670 0.752
##

## $RSEM_Bowtie_pmeTPM
## [1] 0.640 0.660 0.744
##

## $RSEM_Bowtie_TPM
## [1] 0.660 0.600 0.736
##

## $RSEM_STAR_TPM
## [1] 0.620 0.600 0.696
##

## $Sailfish_RPKM
## [1] 0.72 0.70 0.72
```



Basically higher curve indicates better specificity. plotCAT also provides a one number summary of such specificity, which is the median of all overlap proportions plotted. In addition, constant is allowed for a more robust estimation of fold change.

```
plotCAT(dat1,dat2,constant=1)
```


Or, y/0 = inf with y > 0 can be considered into fold changes by comparing y only.

```
plotCAT(dat1,dat2,infinity=TRUE)
```

4.4 Sensitivity in differential analysis

There are other platforms provide the same quantifications such as microarray. We thus compare differential analysis of RNA-seq and other technology to evaluate sensitivity of pipelines. We have documented an object arrayFC which has been estimated from microarray technology(Ernst et al. 2011). We don't document the steps how we calculated microarray fold change here, since it is beyond the scope of this vignette.

```
genes <- encodeCells$genemeta[encodeCells$genemeta$type == "protein_coding",1]</pre>
otherFC <- encodeCells$arrayFC[match(genes,names(encodeCells$arrayFC))]
plotCAT(dat2,dat1,constant=1,otherFC=otherFC)
## $Cufflinks_STAR_FPKM
## [1] 0.460 0.480 0.552
##
## $Cufflinks_TopHat_FPKM
## [1] 0.440 0.490 0.552
##
## $eXpress_Bowtie_RPKM
## [1] 0.32 0.33 0.40
##
## $FluxCapacitor_TopHat_RPKM
## [1] 0.48 0.45 0.52
##
## $Naive_TopHat_RPKM
## [1] 0.480 0.430 0.516
##
## $RSEM_Bowtie_pmeTPM
## [1] 0.500 0.470 0.544
##
## $RSEM_Bowtie_TPM
## [1] 0.480 0.480 0.532
##
## $RSEM_STAR_TPM
## [1] 0.480 0.490 0.548
##
## $Sailfish_RPKM
## [1] 0.460 0.440 0.536
```



By comparing with microarray differential analysis, CAT plots will be plotted as higher curve indicates better sensitivity.

References

Dobin, Alexander, Carrie A Davis, Felix Schlesinger, Jorg Drenkow, Chris Zaleski, Sonali Jha, Philippe Batut, Mark Chaisson, and Thomas R Gingeras. 2013. "STAR: Ultrafast Universal RNA-Seq Aligner." *Bioinformatics* 29 (1). Oxford Univ Press: 15–21.

Eisenberg, Eli, and Erez Y Levanon. 2013. "Human Housekeeping Genes, Revisited." *Trends in Genetics* 29 (10). Elsevier: 569–74.

Ernst, Jason, Pouya Kheradpour, Tarjei S Mikkelsen, Noam Shoresh, Lucas D Ward, Charles B Epstein, Xiaolan Zhang, et al. 2011. "Mapping and Analysis of Chromatin State Dynamics in Nine Human Cell Types." *Nature* 473 (7345). Nature Publishing Group: 43–49.

Irizarry, Rafael A, Daniel Warren, Forrest Spencer, Irene F Kim, Shyam Biswal, Bryan C Frank, Edward Gabrielson, et al. 2005. "Multiple-Laboratory Comparison of Microarray Platforms." *Nature Methods* 2 (5). Nature Publishing Group: 345–50.

Kim, Daehwan, Geo Pertea, Cole Trapnell, Harold Pimentel, Ryan Kelley, and Steven L Salzberg. 2013. "TopHat2: Accurate Alignment of Transcriptomes in the Presence of Insertions, Deletions and Gene Fusions." *Genome Biol* 14 (4): R36.

Li, Bo, and Colin N Dewey. 2011. "RSEM: Accurate Transcript Quantification from RNA-Seq Data with or Without a Reference Genome." *BMC Bioinformatics* 12 (1). BioMed Central Ltd: 323.

Montgomery, Stephen B, Micha Sammeth, Maria Gutierrez-Arcelus, Radoslaw P Lach, Catherine Ingle, James Nisbett,

Roderic Guigo, and Emmanouil T Dermitzakis. 2010. "Transcriptome Genetics Using Second Generation Sequencing in a Caucasian Population." *Nature* 464 (7289). Nature Publishing Group: 773–77.

Patro, Rob, Stephen M Mount, and Carl Kingsford. 2014. "Sailfish Enables Alignment-Free Isoform Quantification from RNA-Seq Reads Using Lightweight Algorithms." *Nature Biotechnology* 32 (5). Nature Publishing Group: 462–64.

Roberts, Adam, and Lior Pachter. 2013. "Streaming Fragment Assignment for Real-Time Analysis of Sequencing Experiments." *Nature Methods* 10 (1). Nature Publishing Group: 71–73.

Teng, Mingxiang et al. "A Benchmark for RNA-Seq Quantification Pipelines Based on a Minimal Dataset." Submitted.

Trapnell, Cole, Brian A Williams, Geo Pertea, Ali Mortazavi, Gordon Kwan, Marijke J van Baren, Steven L Salzberg, Barbara J Wold, and Lior Pachter. 2010. "Transcript Assembly and Quantification by RNA-Seq Reveals Unannotated Transcripts and Isoform Switching During Cell Differentiation." *Nature Biotechnology* 28 (5). Nature Publishing Group: 511–15.