

# Reproducible research with knitr

*Stephen Turner*

*June 25, 2014*

## 1 This is a major heading

This is plain text.

### 1.1 This is a minor heading

This is more plain text.

## 2 Demo

### 2.1 Formatting

This is an R Markdown document. Markdown is a simple formatting syntax for authoring documents. Text you type here will appear as text in the report that's produced.

Formatting is easy. This is **bold text**, this is *italic text*, and this is `fixed-width text`.

- This is a bulleted list.
- This is a sub-bullet
- Another sub-bullet
- This is another bullet.

Create blockquotes with the “>” character:

IT WAS the best of times, it was the worst of times, it was the age of wisdom, it was the age of foolishness, it was the epoch of belief, it was the epoch of incredulity, it was the season of Light, it was the season of Darkness, it was the spring of hope, it was the winter of despair, we had everything before us, we had nothing before us, we were all going direct to Heaven, we were all going direct the other way- in short, the period was so far like the present period, that some of its noisiest authorities insisted on its being received, for good or for evil, in the superlative degree of comparison only.

### 2.2 Embedding R code inside a document.

This is a “chunk” of R code. The code is actually run, and the results are printed to the output.

```
chromstats <- read.table("chromstats.txt", header=TRUE)
chromstats
```

```
##      chr      length variations
## 1      1 249250621    4401091
## 2      2 243199373    4607702
## 3      3 198022430    3894345
```

```
## 4    4 191154276    3673892
## 5    5 180915260    3436667
## 6    6 171115067    3360890
## 7    7 159138663    3045992
## 8    8 146364022    2890692
## 9    9 141213431    2581827
## 10   10 135534747    2609802
## 11   11 135006516    2607254
## 12   12 133851895    2482194
## 13   13 115169878    1814242
## 14   14 107349540    1712799
## 15   15 102531392    1577346
## 16   16 90354753     1747136
## 17   17 81195210     1491841
## 18   18 78077248     1448602
## 19   19 59128983     1171356
## 20   20 63025520     1206753
## 21   21 48129895      787784
## 22   22 51304566      745778
## 23   23 155270560     2174952
## 24   24 59373566      286812
```

```
summary(chromstats)
```

```
##      chr      length      variations
## Min.   : 1.00   Min.   :4.81e+07   Min.    : 286812
## 1st Qu.: 6.75   1st Qu.:8.04e+07   1st Qu.:1481031
## Median :12.50   Median :1.34e+08   Median :2328573
## Mean   :12.50   Mean   :1.29e+08   Mean    :2323240
## 3rd Qu.:18.25   3rd Qu.:1.62e+08   3rd Qu.:3124716
## Max.   :24.00   Max.   :2.49e+08   Max.    :4607702
```

We're back in plain text world here.

You can also embed plots, for example, let's make a bar plot of chromosome lengths. Note that chromosome 23 and 24 represent the X and Y chromosomes, respectively:

```
library(ggplot2)
qplot(chr, length, geom="bar", data=chromstats, stat="identity", main="Chromosome lengths")
```

Now let's make a scatterplot of the number of SNPs on each chromosome versus the chromosome's length:

```
p <- qplot(length, variations, data=chromstats, main="Number of SNPs vs. Chromosome Length")
p + geom_smooth(method="loess")
```




Figure 1: Bar plot of Chromosome Lengths




Figure 2: Scatter plot of SNPs vs Chromosome Length