Response Surface Methodology: Central Composite Designs

BIOE 498/598 PJ

Spring 2022

Surrogate Optimization



Approximating f with a general quadratic

Let's find the second-order Taylor series of $f(x_1, x_2)$ centered at zero:

$$f(x_1, x_2) \approx \; f|_0 \; + \; \left.\frac{\partial f}{\partial x_1}\right|_0 x_1 + \; \left.\frac{\partial f}{\partial x_2}\right|_0 x_2 + \; \frac{1}{2}\left.\frac{\partial^2 f}{\partial x_1^2}\right|_0 x_1^2 + \; \frac{1}{2}\left.\frac{\partial^2 f}{\partial x_2^2}\right|_0 x_2^2 + \; \frac{1}{2}\left.\frac{\partial^2 f}{\partial x_1 \partial x_2}\right|_0 x_1 x_2$$

Approximating f with a general quadratic

Let's find the second-order Taylor series of $f(x_1, x_2)$ centered at zero:

$$f(x_1, x_2) \approx \underbrace{f|_0}_{\beta_0} + \underbrace{\left.\frac{\partial f}{\partial x_1}\right|_0}_{\beta_1} x_1 + \underbrace{\left.\frac{\partial f}{\partial x_2}\right|_0}_{\beta_2} x_2 + \underbrace{\left.\frac{1}{2}\frac{\partial^2 f}{\partial x_1^2}\right|_0}_{\beta_{11}} x_1^2 + \underbrace{\left.\frac{1}{2}\frac{\partial^2 f}{\partial x_2^2}\right|_0}_{\beta_{22}} x_2^2 + \underbrace{\left.\frac{1}{2}\frac{\partial^2 f}{\partial x_1 \partial x_2}\right|_0}_{\beta_{12}} x_1 x_2$$

- The function f and its derivatives are unknown, so we fit the parameters β with a linear model.

Approximating f with a general quadratic

Let's find the second-order Taylor series of $f(x_1, x_2)$ centered at zero:

$$f(x_1, x_2) \approx \underbrace{f|_0}_{\beta_0} + \underbrace{\left.\frac{\partial f}{\partial x_1}\right|_0}_{\beta_1} x_1 + \underbrace{\left.\frac{\partial f}{\partial x_2}\right|_0}_{\beta_2} x_2 + \underbrace{\left.\frac{1}{2}\frac{\partial^2 f}{\partial x_1^2}\right|_0}_{\beta_{11}} x_1^2 + \underbrace{\left.\frac{1}{2}\frac{\partial^2 f}{\partial x_2^2}\right|_0}_{\beta_{22}} x_2^2 + \underbrace{\left.\frac{1}{2}\frac{\partial^2 f}{\partial x_1 \partial x_2}\right|_0}_{\beta_{12}} x_1 x_2$$

$$f(x_1, x_2) \approx \beta_0 + \beta_1 x_1 + \beta_2 x_2 + \beta_{11} x_1^2 + \beta_{22} x_2^2 + \beta_{12} x_1 x_2$$

- The function f and its derivatives are unknown, so we fit the parameters β with a linear model.

Approximating f with a general quadratic

Let's find the second-order Taylor series of $f(x_1, x_2)$ centered at zero:

$$f(x_1, x_2) \approx \underbrace{f|_0}_{\beta_0} + \underbrace{\left.\frac{\partial f}{\partial x_1}\right|_0}_{\beta_1} x_1 + \underbrace{\left.\frac{\partial f}{\partial x_2}\right|_0}_{\beta_2} x_2 + \underbrace{\left.\frac{1}{2}\frac{\partial^2 f}{\partial x_1^2}\right|_0}_{\beta_{11}} x_1^2 + \underbrace{\left.\frac{1}{2}\frac{\partial^2 f}{\partial x_2^2}\right|_0}_{\beta_{22}} x_2^2 + \underbrace{\left.\frac{1}{2}\frac{\partial^2 f}{\partial x_1 \partial x_2}\right|_0}_{\beta_{12}} x_1 x_2$$

$$f(x_1, x_2) \approx \underbrace{\underbrace{\beta_0 + \beta_1 x_1 + \beta_2 x_2}_{\text{FO}} + \underbrace{\beta_{11} x_1^2 + \beta_{22} x_2^2}_{\text{PQ}} + \underbrace{\beta_{12} x_1 x_2}_{\text{TWI}}}_{\text{SO}}$$

- The function f and its derivatives are unknown, so we fit the parameters β with a linear model.

Approximating f with a general quadratic

Let's find the second-order Taylor series of $f(x_1, x_2)$ centered at zero:

$$f(x_1,x_2) \approx \underbrace{f|_0}_{\beta_0} + \underbrace{\left.\frac{\partial f}{\partial x_1}\right|_0}_{\beta_1} x_1 + \underbrace{\left.\frac{\partial f}{\partial x_2}\right|_0}_{\beta_2} x_2 + \underbrace{\frac{1}{2}\left.\frac{\partial^2 f}{\partial x_1^2}\right|_0}_{\beta_{11}} x_1^2 + \underbrace{\frac{1}{2}\left.\frac{\partial^2 f}{\partial x_2^2}\right|_0}_{\beta_{22}} x_2^2 + \underbrace{\frac{1}{2}\left.\frac{\partial^2 f}{\partial x_1 \partial x_2}\right|_0}_{\beta_{12}} x_1 x_2$$

$$f(x_1,x_2) \approx \underbrace{\underbrace{\beta_0 + \beta_1 x_1 + \beta_2 x_2}_{\text{FO}} + \underbrace{\beta_{11} x_1^2 + \beta_{22} x_2^2}_{\text{PQ}} + \underbrace{\beta_{12} x_1 x_2}_{\text{TWI}}}_{\text{SO}}$$

- The function f and its derivatives are unknown, so we fit the parameters β with a linear model.
- In general we will have k factors and the quadratic approximation will be

$$y = \beta_0 + \sum_{i=1}^{k} \beta_i x_i + \sum_{i=1}^{k} \beta_{ii} x_i^2 + \sum_{j=1}^{k} \sum_{i=1}^{j-1} \beta_{ij} x_i x_j.$$

Approximating f with a general quadratic

Let's find the second-order Taylor series of $f(x_1, x_2)$ centered at zero:

$$f(x_1,x_2) \approx \underbrace{f|_0}_{\beta_0} + \underbrace{\left.\frac{\partial f}{\partial x_1}\right|_0}_{\beta_1} x_1 + \underbrace{\left.\frac{\partial f}{\partial x_2}\right|_0}_{\beta_2} x_2 + \underbrace{\left.\frac{1}{2}\frac{\partial^2 f}{\partial x_1^2}\right|_0}_{\beta_{11}} x_1^2 + \underbrace{\left.\frac{1}{2}\frac{\partial^2 f}{\partial x_2^2}\right|_0}_{\beta_{22}} x_2^2 + \underbrace{\left.\frac{1}{2}\frac{\partial^2 f}{\partial x_1 \partial x_2}\right|_0}_{\beta_{12}} x_1 x_2$$

$$f(x_1,x_2) \approx \underbrace{\underbrace{\beta_0 + \beta_1 x_1 + \beta_2 x_2}_{\text{FO}} + \underbrace{\beta_{11} x_1^2 + \beta_{22} x_2^2}_{\text{PQ}} + \underbrace{\beta_{12} x_1 x_2}_{\text{TWI}}}_{\text{SO}}$$

- The function f and its derivatives are unknown, so we fit the parameters β with a linear model.
- In general we will have k factors and the quadratic approximation will be

$$y = \beta_0 + \sum_{i=1}^{k} \beta_i x_i + \sum_{i=1}^{k} \beta_{ii} x_i^2 + \sum_{j=1}^{k} \sum_{i=1}^{j-1} \beta_{ij} x_i x_j.$$

- This model has $1 + 2k + k(k-1)/2$ parameters, so RSM designs must have at least this many runs.

The Central Composite Design (CCD)

- A factorial or FF design can estimate FO and TWI terms.
- Estimating curvature requires points beyond the factorial corners.
- One popular option is the **Central Composite Design**.

The Central Composite Design (CCD)

- A factorial or FF design can estimate FO and TWI terms.
- Estimating curvature requires points beyond the factorial corners.
- One popular option is the **Central Composite Design**.



Parts of the CCD



- Factorial points alone estimates the FO and TWI terms. The core must be Resolution V or higher.

Parts of the CCD



- Factorial points alone estimates the FO and TWI terms. The core must be Resolution V or higher.
- Axial points allow estimation of the PQ terms. Without axial points we could only estimate the sum of all PQ terms.

Parts of the CCD



- Factorial points alone estimates the FO and TWI terms. The core must be Resolution V or higher.
- Axial points allow estimation of the PQ terms. Without axial points we could only estimate the sum of all PQ terms.
- CCDs have a pair of axial runs for each factor:

Parts of the CCD



- Factorial points alone estimates the FO and TWI terms. The core must be Resolution V or higher.
- Axial points allow estimation of the PQ terms. Without axial points we could only estimate the sum of all PQ terms.
- CCDs have a pair of axial runs for each factor:
  - One factor is set to $\pm\alpha$

Parts of the CCD



- Factorial points alone estimates the FO and TWI terms. The core must be Resolution V or higher.
- Axial points allow estimation of the PQ terms. Without axial points we could only estimate the sum of all PQ terms.
- CCDs have a pair of axial runs for each factor:
  - One factor is set to $\pm\alpha$
  - All other factors are set to 0.

Parts of the CCD



- Factorial points alone estimates the FO and TWI terms. The core must be Resolution V or higher.
- Axial points allow estimation of the PQ terms. Without axial points we could only estimate the sum of all PQ terms.
- CCDs have a pair of axial runs for each factor:
  - One factor is set to $\pm\alpha$
  - All other factors are set to 0.
- Center points estimate pure error and help (some) with PQ terms.

Parts of the CCD



- Factorial points alone estimates the FO and TWI terms. The core must be Resolution V or higher.
- Axial points allow estimation of the PQ terms. Without axial points we could only estimate the sum of all PQ terms.
- CCDs have a pair of axial runs for each factor:
  - One factor is set to $\pm\alpha$
  - All other factors are set to 0.
- Center points estimate pure error and help (some) with PQ terms.
- To build a CCD you need to decide:

Parts of the CCD



- Factorial points alone estimates the FO and TWI terms. The core must be Resolution V or higher.
- Axial points allow estimation of the PQ terms. Without axial points we could only estimate the sum of all PQ terms.
- CCDs have a pair of axial runs for each factor:
  - One factor is set to $\pm\alpha$
  - All other factors are set to 0.
- Center points estimate pure error and help (some) with PQ terms.
- To build a CCD you need to decide:
  1. The size of the FF core

Parts of the CCD



- Factorial points alone estimates the FO and TWI terms. The core must be Resolution V or higher.
- Axial points allow estimation of the PQ terms. Without axial points we could only estimate the sum of all PQ terms.
- CCDs have a pair of axial runs for each factor:
  - One factor is set to $\pm\alpha$
  - All other factors are set to 0.
- Center points estimate pure error and help (some) with PQ terms.
- To build a CCD you need to decide:
  1. The size of the FF core
  2. The number of center runs

Parts of the CCD



- Factorial points alone estimates the FO and TWI terms. The core must be Resolution V or higher.
- Axial points allow estimation of the PQ terms. Without axial points we could only estimate the sum of all PQ terms.
- CCDs have a pair of axial runs for each factor:
  - One factor is set to $\pm\alpha$
  - All other factors are set to 0.
- Center points estimate pure error and help (some) with PQ terms.
- To build a CCD you need to decide:
  1. The size of the FF core
  2. The number of center runs
  3. The value of α

Uniform precision

- A model has **uniform precision** if the variance at design radius 1 is the same as at the center.

Uniform precision

- A model has **uniform precision** if the variance at design radius 1 is the same as at the center.



Uniform precision

- A model has **uniform precision** if the variance at design radius 1 is the same as at the center.



- Choosing the correct number of center points in a CCD ensures uniform precision.

Rotatable designs

- Models are most precise at the center of the design.

Rotatable designs

- Models are most precise at the center of the design.
- Ideally, the change in precision should be independent of the *direction* we move away from the center.

Rotatable designs

- Models are most precise at the center of the design.
- Ideally, the change in precision should be independent of the *direction* we move away from the center.



Fig. 2. Variance contours for some 2 dimensional designs

Image from Box and Hunter 1957.

Rotatable designs

- Models are most precise at the center of the design.
- Ideally, the change in precision should be independent of the *direction* we move away from the center.



Fig. 2. Variance contours for some 2 dimensional designs

Image from Box and Hunter 1957.

- Designs where the variance only depends on the radius are called **rotatable designs**.

Rotatable designs

- Models are most precise at the center of the design.
- Ideally, the change in precision should be independent of the *direction* we move away from the center.



FIG. 2. Variance contours for some 2 dimensional designs

Image from Box and Hunter 1957.

- Designs where the variance only depends on the radius are called **rotatable designs**.
- A CCD with F factorial points is rotatable when $\alpha = \sqrt[4]{F}$.

Rotatable, uniform precision CCDs

factors (k)	2	3	4	5	$5-1$	6
factorial points	4	8	16	32	16	64
axial points	4	6	8	10	10	12
center points	5	6	7	10	6	15
axial distance (α)	1.414	1.682	2.000	2.378	2.000	2.828

factors (k)	$6-1$	7	$7-1$	8	$8-1$	$8-2$
factorial points	32	128	64	256	128	64
axial points	12	14	14	16	16	16
center points	9	21	14	28	20	13
axial distance (α)	2.378	3.364	2.828	4.000	3.364	2.828

Factor levels in a CCD

Each factor in the CCD will be set at five levels:

$$-\alpha \quad -1 \quad 0 \quad 1 \quad \alpha$$

Factor levels in a CCD

Each factor in the CCD will be set at five levels:

$$-\alpha \quad -1 \quad 0 \quad 1 \quad \alpha$$

Unlike a 2-level design, the coded units in a CCD have meaning!

Coding the CCD

Let's say we're designing a combination screening of three drugs. The absolute widest concentration range we can use for drug A is $[-3.2, 1.0]$ on a $\log_{10}$-μM scale. What are the five levels assuming a full-factorial CCD?

Coding the CCD

Let's say we're designing a combination screening of three drugs. The absolute widest concentration range we can use for drug A is $[-3.2, 1.0]$ on a $\log_{10}$-μM scale. What are the five levels assuming a full-factorial CCD?

$$F = 2^3 = 8 \Rightarrow \alpha = \sqrt[4]{8} = 1.68$$

Coding the CCD

Let's say we're designing a combination screening of three drugs. The absolute widest concentration range we can use for drug A is $[-3.2, 1.0]$ on a $\log_{10}$-μM scale. What are the five levels assuming a full-factorial CCD?

$$F = 2^3 = 8 \Rightarrow \alpha = \sqrt[4]{8} = 1.68$$

$$\begin{aligned} \mathsf{A} &= \text{center(A)} + \frac{\text{range(A)}}{2\alpha}[\text{code}] \\ &= -1.1 + \frac{1-(-3.2)}{2(1.68)}[\text{code}] \end{aligned}$$

Coding the CCD

Let's say we're designing a combination screening of three drugs. The absolute widest concentration range we can use for drug A is $[-3.2, 1.0]$ on a $\log_{10}$-μM scale. What are the five levels assuming a full-factorial CCD?

$$F = 2^3 = 8 \Rightarrow \alpha = \sqrt[4]{8} = 1.68$$

$$\begin{aligned} \text{A} &= \text{center(A)} + \frac{\text{range(A)}}{2\alpha}[\text{code}] \\ &= -1.1 + \frac{1 - (-3.2)}{2(1.68)}[\text{code}] \end{aligned}$$

code:	$-\alpha$	-1	0	1	α
$\log_{10}$-μM:	-3.2	-2.4	-1.1	0.2	1.0