

Intracellular Acidosis Enhances the Excitability of Working Muscle

Thomas H. Pedersen *et al.*

Science **305**, 1144 (2004);

DOI: 10.1126/science.1101141

This copy is for your personal, non-commercial use only.

If you wish to distribute this article to others, you can order high-quality copies for your colleagues, clients, or customers by [clicking here](#).

Permission to republish or repurpose articles or portions of articles can be obtained by following the guidelines [here](#).

The following resources related to this article are available online at www.sciencemag.org (this information is current as of February 26, 2015):

Updated information and services, including high-resolution figures, can be found in the online version of this article at:

<http://www.sciencemag.org/content/305/5687/1144.full.html>

A list of selected additional articles on the Science Web sites **related to this article** can be found at:

<http://www.sciencemag.org/content/305/5687/1144.full.html#related>

This article **cites 20 articles**, 8 of which can be accessed free:

<http://www.sciencemag.org/content/305/5687/1144.full.html#ref-list-1>

This article has been **cited by** 97 article(s) on the ISI Web of Science

This article has been **cited by** 53 articles hosted by HighWire Press; see:

<http://www.sciencemag.org/content/305/5687/1144.full.html#related-urls>

This article appears in the following **subject collections**:

Physiology

<http://www.sciencemag.org/cgi/collection/physiology>