

Dihydrotestosterone attenuates hypoxia inducible factor-1 α and cyclooxygenase-2 in cerebral arteries during hypoxia or hypoxia with glucose deprivation

Kristen L. Zuloaga and Rayna J. Gonzales

Am J Physiol Heart Circ Physiol 301:H1882-H1890, 2011. First published 19 August 2011;
doi: 10.1152/ajpheart.00446.2011

You might find this additional info useful...

This article cites 50 articles, 29 of which you can access for free at:
<http://ajpheart.physiology.org/content/301/5/H1882.full#ref-list-1>

This article has been cited by 2 other HighWire-hosted articles:
<http://ajpheart.physiology.org/content/301/5/H1882#cited-by>

Updated information and services including high resolution figures, can be found at:
<http://ajpheart.physiology.org/content/301/5/H1882.full>

Additional material and information about *American Journal of Physiology - Heart and Circulatory Physiology* can be found at:
<http://www.the-aps.org/publications/ajpheart>

This information is current as of May 31, 2013.

American Journal of Physiology - Heart and Circulatory Physiology publishes original investigations on the physiology of the heart, blood vessels, and lymphatics, including experimental and theoretical studies of cardiovascular function at all levels of organization ranging from the intact animal to the cellular, subcellular, and molecular levels. It is published 12 times a year (monthly) by the American Physiological Society, 9650 Rockville Pike, Bethesda MD 20814-3991. Copyright © 2011 the American Physiological Society. ISSN: 0363-6135, EISSN: 1522-1539. Visit our website at <http://www.the-aps.org/>.

