



ATP as a biological hydrotrope

Avinash Patel, Liliana Malinovska, Shambaditya Saha, Jie Wang, Simon Alberti, Yamuna Krishnan and Anthony A. Hyman (May 18, 2017)

Science **356** (6339), 753-756. [doi: 10.1126/science.aaf6846]

Editor's Summary

ATP boosts protein solubility

Adenosine triphosphate (ATP) has well-characterized roles in providing energy for biochemical reactions within cells. Patel *et al.* find that ATP may also enhance protein solubility, which could help explain why such high concentrations of ATP are maintained in cells (see the Perspective by Rice and Rosen). Protein concentrations in cells can exceed 100 mg/ml. The authors found that ATP at concentrations found in cells could act as a hydrotrope to help solubilize hydrophobic proteins. The results raise the possibility that ATP concentrations could influence processes such as protein aggregation that occur in disease or liquid-liquid phase separations that occur within cells.

Science, this issue p. 753; see also p. 701

This copy is for your personal, non-commercial use only.

Article Tools Visit the online version of this article to access the personalization and article tools:
<http://science.sciencemag.org/content/356/6339/753>

Permissions Obtain information about reproducing this article:
<http://www.sciencemag.org/about/permissions.dtl>

Science (print ISSN 0036-8075; online ISSN 1095-9203) is published weekly, except the last week in December, by the American Association for the Advancement of Science, 1200 New York Avenue NW, Washington, DC 20005. Copyright 2016 by the American Association for the Advancement of Science; all rights reserved. The title *Science* is a registered trademark of AAAS.