### **Protein-Protein Interaction**

#### **Proteomes Interactomes and Biological Networks**

November 18, 2019

Emidio Capriotti
http://biofold.org/



Department of Pharmacy and Biotechnology (FaBiT) University of Bologna



### Classification of the Methods

Wide variety of techniques and methods have been developed to generate PPI data and can be subdivided in:

- High throughput techniques
- Low throughput techniques


These techniques can be further divided in:

- techniques that detect direct physical interactions between two proteins, called binary methods
- techniques that detect interactions among groups of proteins that may not form physical contacts — co-complex methods.

## High Throughput Techniques

The main binary methods for measuring of direct physical interactions between protein pairs is Yeast two-hybrid (Y2H).


The strategy interrogates two proteins, called bait (X) and prey (Y), coupled to two halves of a transcription factor and expressed in yeast. If the proteins make contact, they reconstitute a transcription factor that activates a reporter gene.



## Low Throughput Techniques


Some low throughput techniques provide deeper insight certain characteristic of an interaction, such as FRET, NMR and X-ray crystallography.

X-ray crystallography is considered the gold standard for PPI, since provide high quality data of binding surfaces to the level of individual atoms and binding sites.



## Co-complex Method

The most common co-complex method is co-immunoprecipitation (co-IP) coupled with mass spectrometry (MS). In this approach, the bait protein, usually expressed in the cell at *in vivo* conditions, is affinity purified and the interacting partners are detected by mass spectrometry.




# Gene Co-expression

Function of a protein complex depends on the functionality of all subunits that should be present in stoichiometric amounts. Thus, the gene expression levels of subunits in a complex should be related.

Several studies have tackled the problem of gene co-expression and demonstrated that interacting proteins in yeast are more likely to have their genes coexpressed compared with noninteracting proteins.


The expression levels of physically interacting proteins coevolve, and coevolution of gene expression can be a better predictor of protein interactions than coevolution of amino acid sequences



# Synthetic Lethality

The synthetic lethality method produces mutations or deletions of two separate genes which are viable alone but cause lethality when combined together in a cell under certain conditions.

Synthetic interaction can point to the possible physical interaction between two gene products, their participation in a single pathway, or a similar function.



# **Experimental Techniques**


Different experimental techniques for the detection of protein-protein interaction

| Methods                                 | нт | Assay    | Interaction Type                | Characterization                           |  |
|---|----|----------|---------------------------------|--|--|
| Y2H                                     | +  | In vivo  | Physical interactions (binary)  | Identification                             |  |
| Affinity purification-MS                | +  | In vitro | Physical interactions (complex) | Identification                             |  |
| DNA microarrays/Gene coexpression       | +  | In vitro | Functional association          | Identification                             |  |
| Protein microarrays                     | +  | In vitro | Physical interaction (complex)  | Identification                             |  |
| Synthetic lethality                     | +  | In vivo  | Functional association          | Identification                             |  |
| Phage display                           | +  | In vitro | Physical interaction (complex)  | Identification                             |  |
| X-ray crystallography, NMR spectroscopy | -  | In vitro | Physical interactions (complex) | Structural and biological characterization |  |
| Fluorescence resonance energy transfer  | -  | In vivo  | Physical interaction (binary)   | Biological characterization                |  |
| Surface plasmon resonance               | -  | In vitro | Physical interaction (complex)  | Kinetic, dynamic characterization          |  |
| Atomic force microscopy                 | -  | In vitro | Physical interaction (binary)   | Mechanical, dynamic characterization       |  |
| Electron microscopy                     | -  | In vitro | Physical interaction (complex)  | Structural and biological characterization |  |

## **Curation and Databases**


The results of experiments are published on scientific journal. The curators extract information from the literature and to develop curated databases.

#### **Wet Lab Scientists**



#### **Scientific Curators**













### Verification of Interactions

There is no comprehensive gold standard interaction set. Several verification methods have been proposed:

- Expression profile reliability method: based on the observation that interacting proteins are coexpressed.
- Paralogous verification method: if two proteins interact, their paralogs most likely interact. This method identified 40% true interactions at a 1% error rate.
- Protein localization method: defines true positives as interacting proteins that are localized in the same cellular compartment and/or common cellular role. Y2H and co-IP respectively 50% and 100% true positive.

### Interaction Databases

Molecular interaction databases have been established to archive and subsequently disseminate molecular interaction data in a structured format available to perform searches and bioinformatics analyses.

Molecular interaction databases can be divided in:

- Primary databases: experimentally proven protein interactions coming from either small-scale or large-scale published studies that have been manually curated
- Meta databases: experimentally proven PPIs obtained by consistent integration of several primary databases
- Prediction databases: mainly predicted PPIs derived using different approaches, combined with experimentally proven PPIs.

## Database Classification

#### Type of data captured:

- Only PPIs information as MINT and DIP.
- Interactions between proteins and other molecular types (DNA, RNA, small molecules) as IntAct and MatrixDB.
- PPIs and genetic interactions as BIOGRID.
- Only PPIs related to a specific scientific topic such as: InnateDB (PPIs in the immune system), MPIDB (PPIs in microbes) and MatrixDB (extracellular PPIs).

#### **Type of curation Policy:**

- Databases describing PPIs with low level of curation details and quality control procedures
- Databases describing PPIs with high level of curation details and high accuracy of quality control procedures such as IMEx databases.

## Important Databases

A complete list of molecular interaction databases is available at: <a href="http://www.pathguide.org">http://www.pathguide.org</a>.

| Database name       | Data types           | Main Taxonomies                         | Archival/thematic                       | Curation depth      | IMEx<br>Member | PSICQUIC service    | Ref. |
|---------------------|----------------------|---|---|---------------------|----------------|---------------------|------|
| IntAct              | All                  | Full                                    | Archival                                | IMEx/MIMIx          | Full           | Yes                 | [6]  |
| MINT                | PPIs                 | Full                                    | Archival                                | IMEx/MIMIx          | Full           | Yes                 | [7]  |
| InnateDB            | PPIs                 | Human and mouse                         | Proteins involved in<br>innate immunity | IMEx/MIMIx          | Full           | Yes                 | [10] |
| MPIDB               | PPIs                 | Bacteria and<br>archaea                 | Microbial proteins                      | IMEx/MIMIx          | Full           | Yes                 | [9]  |
| I2D                 | PPIs                 | Model organisms                         | Cancer related<br>proteins              | IMEx/MIMIx          | Full           | Yes                 |      |
| DIP                 | PPIs                 | Full                                    | Archival                                | IMEx                | Full           | Yes                 | [1]  |
| MatrixDB            | PPIs; PSMIs          | Human and mouse                         | Extracellular matrix                    | IMEx                | Full           | Yes                 | [8]  |
| BioGRID             | PPIs                 | Model organisms                         | Archival                                | Limited             | Observer       | Yes                 | [13] |
| HPRD                | PPIs                 | Human                                   | Human                                   | Limited             | No             | No                  | [38] |
| ChEMBL              | Drug-target<br>PSMIs | Targets mainly<br>human or<br>pathogens | Drug-target                             | MIABE<br>[39]/MIMIx | No             | Yes                 | [16] |
| BindingDB           | Drug-target<br>PSMIs | All                                     | Drug-target                             | MIABE/MIMIx         | No             | Yes                 | [40] |
| PubChem<br>BioAssay | Drug-target<br>PSMIs | Targets mainly<br>human or<br>pathogens | Drug-target                             | MIABE/MIMIx         | No             | No                  | [19] |
| PrimesDB            | PPIs                 | Human and mouse                         | EGFR network                            | Limited             | Observer       | No                  |      |
| HPIDB               | PPIs                 | Model organisms<br>and pathogens        | Host-pathogen systems                   | IMEx                | Full           | Application pending | [34] |

IMEX/MIMIx - the database contains both IMEx and MIMIx standards data.

PPIs - Protein-Protein Interactions; PSMIs - Protein-Small Molecule Interactions.

## **IMEx Consortium**

- The International Molecular Exchange Consortium established a collaboration between a group of major public interaction data providers who have agreed to share curation effort (<u>www.imexconsortium.org</u>)
- 13 active molecular interaction databases dedicated to producing high quality, annotated data, curated to the same standards and following the same curation rules
- Data is curated once at a single centre then exchanged between partners
- Users can query a single website to obtain all data

#### **Imex Central**


The web service IMEx Central (<a href="https://imexcentral.org/icentralbeta/">https://imexcentral.org/icentralbeta/</a>) is a central resource to assign IMEx IDs to the publications curated by IMEx members (version BETA-0.93 has been recently released).

Curators can check by using the NCBI PubMed identifier (PMID) if other IMEx members have curated an already published paper and therefore it allows avoiding work duplication.

## MIntAct Project


- MINT and IntAct databases were two of the largest databases (number of manuscripts curated and the number of non-redundant interactions).
- Both adopted the highest possible data quality standards.
- Both were founder members of the IMEx Consortium.

IntAct and MINT joined forces to create a single resource to improve curation and software development efforts.




# PPI Representation

Representation of binding domain of interacting proteins in IMEx databases




# Complex Representation

- •Several experimental techniques produce complex data: Eg. co-IP coupled with MS
- •There are two algorithms available to convert complexes into binary interactions




### IntAct Interface


Use the input window to search for the interactions of the CREB1 protein



#### IntAct Molecular Interaction Database

IntAct provides a freely available, open source database system and analysis tools for molecular interaction data. All interactions are derived from literature curation or direct user submissions and are freely available. The IntAct Team also produce the Complex Portal






https://www.ebi.ac.uk/intact/

## IntAct Output

CREB1 has 192 possible interaction, 114 of which are with proteins



### **PPI Data Format**

The first molecular interaction databases independently established their own dataset formats and curation strategies:

In 2002, The HUPO-Proteomics Standards Initiative (HUPO-PSI) defined community standards for data representation of proteomics data to facilitate data comparison, exchange and verification.

The development of PSI-MI XML schema has facilitated the description of protein-protein interactions.

An Excel-compatible, tab-delimited format, MITAB, has been developed for users who require only minimal information but in a more accessible configuration.

## **PSI-MITAB** File

#### PSI-MITAB 2.7 Standard Columns (42)

- ID(S) INTERACTORS
- ALT. ID(S) INTERACTORS
- ALIAS(ES) INTERACTORS
- INTERACTION DETECTION METHOD(S)
- PUBLICATION FIRST AUTHOR(S)
- PUBLICATION IDENTIFIER(S)
- TAXID INTERACTORS
- INTERACTION TYPE
- SOURCE DATABASE(S)
- INTERACTION IDENTIFIER(S)
- CONFIDENCE VALUE(S) EXPANSION METHOD(S)
- BIOLOGICAL ROLE(S)
- EXPERIMENTAL ROLE(S)
- TYPE OF INTERACTORS
- PROPERTIES (CROSS REFERENCES) OF INTERACTORS/INTERACTION
- ANNOTATION OF INTERACTORS/INTERACTION
- HOST ORGANISM(S)
- PARAMETER OF INTERACTION
- FEATURE(S) INTERACTORS
- STOICHIOMETRY(S) INTERACTORS
- PARTECIPANT IDENTIFICATION METHODS

## **Exercise**

- Search for the interactions of the MEKK1 protein.
   How many interaction you can find? Are all this referring to the same protein?
- Refine your search using the UniProtID Q13233.
   How many interaction you have now?
- Download the PSI-MITAB 2.7 file and search for the interaction with BRAF How many experiments are supporting the existence of this interaction?
- From the PSI-MITAB file extract all the interactions between human proteins from UniProt. How many unique interactions are present?