# **Table of Contents**

| Paths         | . 1 |
|---------------|-----|
| error         | . 1 |
| error         | . 1 |
| error         | . 2 |
| error         | . 3 |
| error         | . 3 |
| error         | . 4 |
| error         |     |
| Inventory     | . 5 |
| 是一个上 excel的方法 |     |
| 建用            | . 7 |
| 取用 列表         | . 8 |

# **Paths**

#### error

POST /error

### Responses

| HTTP<br>Code | Description  | Schema                 |
|--------------|--------------|------------------------|
| 200          | OK           | < string, object > map |
| 201          | Created      | No Content             |
| 401          | Unauthorized | No Content             |
| 403          | Forbidden    | No Content             |
| 404          | Not Found    | No Content             |

#### **Consumes**

• application/json

#### **Produces**

• /

### **Tags**

• basic-error-controller

### error

GET /error

### Responses

| HTTP<br>Code | Description  | Schema                 |
|--------------|--------------|------------------------|
| 200          | OK           | < string, object > map |
| 401          | Unauthorized | No Content             |
| 403          | Forbidden    | No Content             |
| 404          | Not Found    | No Content             |

• /

### Tags

• basic-error-controller

### error

PUT /error

# Responses

| HTTP<br>Code | Description  | Schema                 |
|--------------|--------------|------------------------|
| 200          | OK           | < string, object > map |
| 201          | Created      | No Content             |
| 401          | Unauthorized | No Content             |
| 403          | Forbidden    | No Content             |
| 404          | Not Found    | No Content             |

#### **Consumes**

• application/json

### **Produces**

• /

# Tags

• basic-error-controller

#### error

DELETE /error

### Responses

| HTTP<br>Code | Description  | Schema                 |
|--------------|--------------|------------------------|
| 200          | OK           | < string, object > map |
| 204          | No Content   | No Content             |
| 401          | Unauthorized | No Content             |
| 403          | Forbidden    | No Content             |

#### **Produces**

• /

### **Tags**

• basic-error-controller

#### error

PATCH /error

### Responses

| HTTP<br>Code | Description  | Schema                 |
|--------------|--------------|------------------------|
| 200          | OK           | < string, object > map |
| 204          | No Content   | No Content             |
| 401          | Unauthorized | No Content             |

| HTTP<br>Code | Description | Schema     |
|--------------|-------------|------------|
| 403          | Forbidden   | No Content |

#### **Consumes**

application/json

#### **Produces**

• /

### **Tags**

• basic-error-controller

### error

HEAD /error

### Responses

| HTTP<br>Code | Description  | Schema                 |
|--------------|--------------|------------------------|
| 200          | ОК           | < string, object > map |
| 204          | No Content   | No Content             |
| 401          | Unauthorized | No Content             |
| 403          | Forbidden    | No Content             |

#### **Consumes**

application/json

#### **Produces**

• /

### **Tags**

• basic-error-controller

#### error

OPTIONS /error

### Responses

| HTTP<br>Code | Description  | Schema                 |
|--------------|--------------|------------------------|
| 200          | OK           | < string, object > map |
| 204          | No Content   | No Content             |
| 401          | Unauthorized | No Content             |
| 403          | Forbidden    | No Content             |

#### **Consumes**

• application/json

#### **Produces**

. /

# **Tags**

• basic-error-controller

# **Inventory**

GET /swagger/queryInventory

#### **Parameters**

| Туре | Name                     | Description | Schema |
|------|--------------------------|-------------|--------|
| Body | customerCode<br>optional | 客           | string |

## Responses

| HTTP<br>Code | Description  | Schema     |
|--------------|--------------|------------|
| 200          | OK           | No Content |
| 401          | Unauthorized | No Content |
| 403          | Forbidden    | No Content |
| 404          | Not Found    | No Content |

• /

### **Tags**

• swagger-demo

# 是一个上 excel的方法

POST /swagger/uploadExcel

#### **Parameters**

| Туре         | Name                       | Description | Schema |
|--------------|----------------------------|-------------|--------|
| FormDat<br>a | <b>ePlusExcel</b> required | ePlusExcel  | file   |

# Responses

| HTTP<br>Code | Description  | Schema     |
|--------------|--------------|------------|
| 200          | OK           | No Content |
| 201          | Created      | No Content |
| 401          | Unauthorized | No Content |
| 403          | Forbidden    | No Content |
| 404          | Not Found    | No Content |

#### **Consumes**

• multipart/form-data

• /

### Tags

• swagger-demo

# 建用

POST /user/

# **Description**

根据User 象 建用

### **Parameters**

| Туре  | Name                | Schema         |
|-------|---------------------|----------------|
| Query | <b>age</b> optional | integer(int32) |
| Query | id<br>optional      | integer(int64) |
| Query | name<br>optional    | string         |

# Responses

| HTTP<br>Code | Description  | Schema     |
|--------------|--------------|------------|
| 200          | OK           | string     |
| 201          | Created      | No Content |
| 401          | Unauthorized | No Content |
| 403          | Forbidden    | No Content |
| 404          | Not Found    | No Content |

### Consumes

application/json

• /

### Tags

• leave-controller

# 取用 列表

GET /user/

# **Description**

注

# Responses

| HTTP<br>Code | Description  | Schema         |
|--------------|--------------|----------------|
| 200          | OK           | < User > array |
| 401          | Unauthorized | No Content     |
| 403          | Forbidden    | No Content     |
| 404          | Not Found    | No Content     |

### **Produces**

• /

## Tags

• leave-controller