

Canadian Bioinformatics Workshops

www.bioinformatics.ca

This page is available in the following languages:

Afrikaans বাংলা Català Dansk Deutsch Ελληνικά English (GB) English (US) Esperanto
 Castellano Castellano (AR) Español (CL) Castellano (CO) Español (Ecuador) Castellano (MX) Castellano (PE)
 Euskara Suomi français français (CA) Galego עברית hrvatski Magyar Italiano 日本語 한국어 Macedonian Melayu
 Nederlands Norsk Sesotho sa Leboa polski Português română slovenski jezik српски (latinica) Sotho svenska
 中文 華語 (台灣) isiZulu



Attribution-Share Alike 2.5 Canada

You are free:



to Share — to copy, distribute and transmit the work



to Remix — to adapt the work



Under the following conditions:



Attribution. You must attribute the work in the manner specified by the author or licensor (but not in any way that suggests that they endorse you or your use of the work).



Share Alike. If you alter, transform, or build upon this work, you may distribute the resulting work only under the same or similar licence to this one.

- For any reuse or distribution, you must make clear to others the licence terms of this work.
- Any of the above conditions can be waived if you get permission from the copyright holder.
- The author's moral rights are retained in this licence.

[Disclaimer](#)

Your fair dealing and other rights are in no way affected by the above.

This is a human-readable summary of the Legal Code (the full licence) available in the following languages:
[English](#) [French](#)

Bonus Module

PICRUSt

Morgan Langille

Analysis of Metagenomic Data

June 24-26, 2015


16S rRNA gene



QIIME

	Sample 1	Sample 2	Sample 3
OTU 1	4	0	2
OTU 2	1	0	0
OTU 3	2	4	2

MetaPhlAn



Shotgun Metagenomics



HUMAnN

	Sample 1	Sample 2	Sample 3
K00001	20	15	18
K00002	1	2	0
K00003	4	5	4

PICRUSt



STAMP








Figure 2



STAMP



PICRUSt

- **Phylogenetic Investigation of Communities by Reconstruction of Unobserved States**
- <http://picrust.github.com>

NATURE BIOTECHNOLOGY | COMPUTATIONAL BIOLOGY | ANALYSIS




日本語要約


Predictive functional profiling of microbial communities using 16S rRNA marker gene sequences

Morgan G I Langille, Jesse Zaneveld, J Gregory Caporaso, Daniel McDonald, Dan Knights, Joshua A Reyes, Jose C Clemente, Deron E Burkepille, Rebecca L Vega Thurber, Rob Knight, Robert G Beiko & Curtis Huttenhower


PICRUSt: How does it work?



Predicting the abundance of a single function



Predicting the abundance of a single function



Repeat for each function (~8000X)

Repeat for all unknown tips (>100,000)

PICRUST: Predicting Metagenomes

OTU Table

	S1	S2	S3
12345	10	0	5
67890	1	0	0
66666	4	8	2



PICRUST 16S Predictions

	16S Copy Number
12345	5
67890	1
66666	2



Normalized OTU Table

	S1	S2	S3
12345	2	0	1
67890	1	0	0
66666	2	4	1

PICRUSt: Predicting Metagenomes

OTU Table

	S1	S2	S3
12345	10	0	5
67890	1	0	0
66666	4	8	2

PICRUSt 16S Predictions

	16S Copy Number
12345	5
67890	1
66666	2

Normalized OTU Table

	S1	S2	S3
12345	2	0	1
67890	1	0	0
66666	2	4	1

	S1	S2	S3
12345	2	0	1
67890	1	0	0
66666	2	4	1


PICRUSt KEGG Predictions

	K0001	K0002	K0003
12345	4	0	2
67890	1	0	0
66666	2	4	2

Metagenome Prediction

	S1	S2	S3
K0001	13	8	6
K0002	8	16	4
K0003	8	8	4

Tutorial Pipeline



Questions?

We are on a Coffee Break &
Networking Session