SVM (32 features) — selected-feature RF records

Importance across outer-training fits

pswm_score
tm_tendency_max_w19
hydrophobic_stretch_length
hydropathy_max_w5
hydropathy_profile_mean_w5
tm_tendency_profile_mean_w19
hydropathy_peak_position
aa_fraction_L
nterminal_charge_first5
alpha_helix_profile_mean_w5
alpha_helix_max_w5
aa_fraction_A
aa_fraction_R
aa_fraction_E
aa_fraction_G
postpeak_small_fraction
cleavage_motif_score
aa_fraction_I
aa_fraction_F
aa_fraction_S
aa_fraction_D
aa_fraction_V
aa_fraction_N
aa_fraction_P
aa_fraction_K
aa_fraction_T
aa_fraction_C
aa_fraction_W
aa_fraction_M
aa_fraction_Y
aa_fraction_Q
aa_fraction_H

Individual outer-training fits

0.00 0.05 0.10 0.15 0.20

Mean RF importance

Rank in each outer-training fit

pswm_score	1	1	1	1	1
tm_tendency_max_w19	2	2	2	2	2
hydrophobic_stretch_length	3	3	3	3	3
hydropathy_max_w5	4	4	4	4	4
hydropathy_profile_mean_w5	5	5	5	5	5
tm_tendency_profile_mean_w19	6	7	6	6	6
hydropathy_peak_position	7	6	7	7	7
aa_fraction_L	8	8	8	8	8
nterminal_charge_first5	9	9	9	9	9
alpha_helix_profile_mean_w5	10	10	10	10	10
alpha_helix_max_w5	12	11	11	11	11
aa_fraction_A	11	12	12	12	12
aa_fraction_R	15	13	14	16	13
aa_fraction_E	14	16	13	13	14
aa_fraction_G	13	14	15	14	15
postpeak_small_fraction	19	15	17	15	16
cleavage_motif_score	17	17	16	23	18
aa_fraction_I	18	19	18	18	20
aa_fraction_F	16	18	22	17	22
aa_fraction_S	20	20	20	20	21
aa_fraction_D	21	22	21	24	17
aa_fraction_V	23	21	23	21	19
aa_fraction_N	22	25	19	22	24
aa_fraction_P	24	24	24	19	25
aa_fraction_K	25	23	26	25	26
aa_fraction_T	26	27	25	26	23
aa_fraction_C	28	26	28	27	27
aa_fraction_W	27	28	27	28	28
aa_fraction_M	29	30	29	29	29
aa_fraction_Y	30	29	30	31	30
aa_fraction_Q	31	31	31	30	31
aa_fraction_H	32	32	32	32	32

1 2 3 4 5

Outer test fold

30 25 20 15 10 5

RF rank (1 = highest)