

**Mrs. SEYDAKHMETOVA ZHAKSYKUL**

**Patient Details**

DOB: 16/02/1965  
 Age: 57 years  
 Gender: Female  
 MRN: AHLDMC0176080

**Account**

AMINA HOSPITAL LLC  
 Al Quds Street, Ajman, United Arab Emirates  
 Ajman  
 Accession: 03-22-233-02899  
 Requesting Physician:  
 Reference Number:

Passport: N10463582

Date Coll: 31/Jul/2022 18:26

Date Rec: 31/Jul/2022 18:26

Date Verified: 31/Jul/2022 19:04

**Molecular**

Orderable	Specimen Type		
SARS CoV 2, NAA (9917137)	Nasopharyngeal Swab		
Test	Result	Units	Reference Range
SARS CoV 2	NOT DETECTED <sup>f††</sup>		
f:	“Not Detected” (Negative) result indicates that SARS CoV 2 RNA is not present in patient's specimen. However, this result may be influenced by the stage of the infection, quality and type of the specimen collected for testing. Result should be correlated with patient's history and clinical presentation. SARS CoV 2 (COVID-19) by nucleic acid amplification test is based on reverse transcriptase PCR (RT-PCR) and targets at least two distinct regions in SARS COV 2 genome (ORF1 , RdRP and N gene). This test is accredited by EIAC ISO 15189.		

*Basel Altrabulsi*

Dr. Basel Altrabulsi, MD, FCAP, ABMS  
 Consultant Anatomic and Clinical Pathologists  
 American Board of Medical Specialties  
 DOH License No: GD20074



**eIACI**

مركز الإمارات العالمي للاعتماد  
 Emirates International Accreditation Centre

**LB MED 017**

**Pending Tests**

\*\*\* No Pending Tests \*\*\*

**Performing Locations**

\*1: This test was performed at:  
 NRL Dubai Lab

