

Mr. SEYDAKMETOV ZHOLYBEK

Patient Details

DOB: 02/10/62
Age: 61 years
Gender: Male
MRN: AHLDMC0342387

Account

AMINA HOSPITAL LLC

Al Quds Street, Ajman, United Arab Emirates

Ajman

Accession:

03-22-233-02820

Requesting Physician:

Reference Number:

Passport: N11736888

Date Coll: 31/Jule/2022 18:36

Date Rec: 31/Jule/2022 18:36

Date Verified: 31/Jule/2022 19:13

Molecular

Orderable

SARS CoV 2, NAA (9917137)

Specimen Type

Nasopharyngeal Swab

Test	Result	Units	Reference Range
SARS CoV 2	NOT DETECTED ^{f*1}		

f: "Not Detected" (Negative) result indicates that SARS CoV 2 RNA is not present in patient's specimen. However, this result may be influenced by the stage of the infection, quality and type of the specimen collected for testing. Result should be correlated with patient's history and clinical presentation.

SARS CoV 2 (COVID-19) by nucleic acid amplification test is based on reverse transcriptase PCR (RT-PCR) and targets at least two distinct regions in SARS COV 2 genome (ORF1 , RdRP and N gene).

This test is accredited by EIAC ISO 15189.

Basel Alrabulsi

Dr. Basel Alrabulsi, MD, FCAP, ABMS
Consultant Anatomic and Clinical Pathologists
American Board of Medical Specialties
DOH License No: GD20074




مختبر الإمارات العالمي للاعتماد
Emirates International Accreditation Centre

LB MED 017

Pending Tests

*** No Pending Tests ***

Performing Locations

*1: This test was performed at:
NRL Dubai Lab

