Codebook for bapa Dataset

DATA SET: bapa        LABEL:        DATE CREATED: 07OCT15:10:53:54
Number of Observations: 1147
Number of Variables: 48
Organization of file: Summary of JHS Participants (SUBJID)

| Variable Name | Variable Label (VAR) | VAR Type | VAR Format | VAR Length | Mean | Range of Values | Frequency Category | | Frequency | Percent |
|---|---|---|---|---|---|---|---|---|---|---|
| SUBJID | PARTICIPANT ANALYSIS ID | Char | $ | 7 | | – | | | | |
| VISIT | CONTACT OCCASION | Num | | 8 | 1 | 1.00-1.00 | | | 1147 | 100.00 |
| BAPA1 | 1: ABPM instructions provided | Char | $JH_YNV | 1 | | – | | | 55 | 4.80 |
| | | | | | | | N | No | 1 | 0.09 |
| | | | | | | | Y | Yes | 1091 | 95.12 |
| BAPA2 | 2: Did Tech explain procedure? | Char | $JH_YNV | 1 | | – | | | 54 | 4.71 |
| | | | | | | | Y | Yes | 1093 | 95.29 |
| BAPA3 | 3: Participant agree to wear ABPM | Char | $JH_YNV | 1 | | – | | | 54 | 4.71 |
| | | | | | | | Y | Yes | 1093 | 95.29 |
| BAPA6 | 6: Arm (Left/Right) | Char | $JH_LRV | 1 | | – | | | 26 | 2.27 |
| | | | | | | | L | Left | 1052 | 91.72 |
| | | | | | | | R | Right | 69 | 6.02 |
| BAPA7 | 7: Cuff Size (cm) | Char | $BAPA7V | 1 | | – | | | 7 | 0.61 |
| | | | | | | | A | A. Small adult (17-26cm) | 6 | 0.52 |
| | | | | | | | B | B. Standard adult (24-32cm) | 288 | 25.11 |
| | | | | | | | C | C. Large adult (32-42cm) | 749 | 65.30 |
| | | | | | | | D | D. Extra large adult (38-50cm) | 97 | 8.46 |
| BAPA9A | 9a: Sphygmomanometer (SBP) | Num | | 8 | 136.089539 | 94.00-236.00 | | | 1128 | 98.34 |
| BAPA9B | 9b: Sphygmomanometer (DBP) | Num | | 8 | 79.5975177 | 50.00-110.00 | | | 1128 | 98.34 |
| BAPA9C | 9c: Ambulatory Monitor (SBP) | Num | | 8 | 137.05036 | 93.00-223.00 | | | 1112 | 96.95 |
| BAPA9D | 9d: Ambulatory Monitor (DBP) | Num | | 8 | 79.2922662 | 45.00-117.00 | | | 1112 | 96.95 |
| BAPA9E | 9e: Accept ( A ) / Reject ( R ) | Char | $BAPAR9V | 1 | | – | | | 71 | 6.19 |

Codebook for bapa Dataset

DATA SET: bapa          LABEL:              DATE CREATED: 07OCT15:10:53:54
Number of Observations: 1147
Number of Variables: 48
Organization of file: Summary of JHS Participants (SUBJID)

| Variable Name | Variable Label (VAR) | VAR Type | VAR Format | VAR Length | Mean | Range of Values | Frequency Category | | Frequency | Percent |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | A | Accept | 1040 | 90.67 |
| | | | | | | | R | Reject | 36 | 3.14 |
| | | | | | | | | | | |
| BAPA10A | 10a: Sphygmomanometer (SBP) | Num | | 8 | 135.363477 | 98.00-229.00 | | | 1139 | 99.30 |
| | | | | | | | | | | |
| BAPA10B | 10b: Sphygmomanometer (DBP) | Num | | 8 | 78.7682177 | 50.00-114.00 | | | 1139 | 99.30 |
| | | | | | | | | | | |
| BAPA10C | 10c: Ambulatory Monitor (SBP) | Num | | 8 | 135.362676 | 97.00-230.00 | | | 1136 | 99.04 |
| | | | | | | | | | | |
| BAPA10D | 10d: Ambulatory Monitor (DBP) | Num | | 8 | 78.1690141 | 46.00-113.00 | | | 1136 | 99.04 |
| | | | | | | | | | | |
| BAPA10E | 10e: Accept ( A ) / Reject ( R ) | Char | $BAPAR9V | 1 | | - | | | 63 | 5.49 |
| | | | | | | | A | Accept | 1067 | 93.03 |
| | | | | | | | R | Reject | 17 | 1.48 |
| | | | | | | | | | | |
| BAPA11A | 11a: Sphygmomanometer (SBP) | Num | | 8 | 133.713784 | 90.00-224.00 | | | 1139 | 99.30 |
| | | | | | | | | | | |
| BAPA11B | 11b: Sphygmomanometer (DBP) | Num | | 8 | 78.0869183 | 46.00-114.00 | | | 1139 | 99.30 |
| | | | | | | | | | | |
| BAPA11C | 11c: Ambulatory Monitor (SBP) | Num | | 8 | 133.51273 | 88.00-220.00 | | | 1139 | 99.30 |
| | | | | | | | | | | |
| BAPA11D | 11d: Ambulatory Monitor (DBP) | Num | | 8 | 77.3792801 | 45.00-116.00 | | | 1139 | 99.30 |
| | | | | | | | | | | |
| BAPA11E | 11e: Accept ( A ) / Reject ( R ) | Char | $BAPAR9V | 1 | | - | | | 69 | 6.02 |
| | | | | | | | A | Accept | 1067 | 93.03 |
| | | | | | | | R | Reject | 11 | 0.96 |
| | | | | | | | | | | |
| BAPA12A | 12a: Sphygmomanometer (SBP) | Num | | 8 | 143.357143 | 98.00-216.00 | | | 84 | 7.32 |
| | | | | | | | | | | |
| BAPA12B | 12b: Sphygmomanometer (DBP) | Num | | 8 | 80.7951807 | 60.00-106.00 | | | 83 | 7.24 |
| | | | | | | | | | | |
| BAPA12C | 12c: Ambulatory Monitor (SBP) | Num | | 8 | 133.72093 | 96.00-219.00 | | | 602 | 52.48 |
| | | | | | | | | | | |
| BAPA12D | 12d: Ambulatory Monitor (DBP) | Num | | 8 | 79.3372093 | 52.00-122.00 | | | 602 | 52.48 |
| | | | | | | | | | | |
| BAPA12E | 12e: Accept( A ) / Reject ( R ) | Char | $BAPAR9V | 1 | | - | | | 782 | 68.18 |
| | | | | | | | A | Accept | 360 | 31.39 |

DATA SET: bapa          LABEL:              DATE CREATED: 07OCT15:10:53:54
Number of Observations: 1147
Number of Variables: 48
Organization of file: Summary of JHS Participants (SUBJID)

| Variable Name | Variable Label (VAR) | VAR Type | VAR Format | VAR Length | Mean | Range of Values | Frequency Category | Frequency | Percent |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | R | Reject | 5 | 0.44 |
| BAPA13A | 13a: Sphygmomanometer (SBP) | Num | | 8 | 154.666667 | 114.00-186.00 | | 12 | 1.05 |
| BAPA13B | 13b: Sphygmomanometer (DBP) | Num | | 8 | 81.3333333 | 68.00-96.00 | | 12 | 1.05 |
| BAPA13C | 13c: Ambulatory Monitor (SBP) | Num | | 8 | 144.017857 | 108.00-191.00 | | 56 | 4.88 |
| BAPA13D | 13d: Ambulatory Monitor (DBP) | Num | | 8 | 82.4285714 | 51.00-115.00 | | 56 | 4.88 |
| BAPA13E | 13e: Accept ( A ) / Reject ( R ) | Char | $BAPAR9V | 1 | | - | | 1102 | 96.08 |
| | | | | | | A | Accept | 44 | 3.84 |
| | | | | | | R | Reject | 1 | 0.09 |
| BAPA14A | 14a: Sphygmomanometer (Mean Accepted SBP) | Num | | 8 | 134.73501 | 96.00-212.00 | | 1034 | 90.15 |
| BAPA14B | 14b: Sphygmomanometer (Mean Accepted DBP) | Num | | 8 | 78.6295938 | 50.00-126.00 | | 1034 | 90.15 |
| BAPA14C | 14c: Ambulatory Monitor (Mean Accepted SBP) | Num | | 8 | 135.782398 | 96.00-731.00 | | 1034 | 90.15 |
| BAPA14D | 14d: Ambulatory Monitor (Mean Accepted DBP) | Num | | 8 | 79.0309478 | 45.00-743.00 | | 1034 | 90.15 |
| BAPA16 | 16: Nondominant arm used? | Char | $JH_YNV | 1 | | - | | 5 | 0.44 |
| | | | | | | N | No | 10 | 0.87 |
| | | | | | | Y | Yes | 1132 | 98.69 |
| BAPA17A | 17a: Reason unable to use nondominant arm | Char | $BAPA17V | 1 | | - | | 1137 | 99.13 |
| | | | | | | B | B. Mastectomy on nondominant side | 8 | 0.70 |
| | | | | | | D | D. Other (specify) | 2 | 0.17 |
| BAPA17B | 17b: Specify other reason for 17b | Char | $ | 40 | | - | | 1145 | 99.83 |
| | | | | | | | ABOVE ELBOW AMPUTEE | 1 | 0.09 |

Codebook for bapa Dataset

DATA SET: bapa          LABEL:              DATE CREATED: 07OCT15:10:53:54
Number of Observations: 1147
Number of Variables: 48
Organization of file: Summary of JHS Participants (SUBJID)

| Variable Name | Variable Label (VAR) | VAR Type | VAR Format | VAR Length | Mean | Range of Values | Frequency Category | Frequency | Percent |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | RECENT BREAST BIOSPY | | 1 | 0.09 |
| | | | | | | | | | |
| BAPA18 | 18: Is ABPM being done? | Char | $JH_YNV | 1 | | – | | 7 | 0.61 |
| | | | | | | N | No | 2 | 0.17 |
| | | | | | | Y | Yes | 1138 | 99.22 |
| | | | | | | | | | |
| BAPA19A | 19a: Reason unable to use ABPM | Char | $BAPA19V | 1 | | – | | 1145 | 99.83 |
| | | | | | | A | A. Exceeded maximum cuff size | 1 | 0.09 |
| | | | | | | E | E. Other (specify) | 1 | 0.09 |
| | | | | | | | | | |
| BAPA19B | 19b: Specify other reason for 19a | Char | $ | 40 | | – | | 1146 | 99.91 |
| | | | | | | CUFFS DIDNOT FIT COMFORTABLY | | 1 | 0.09 |
| | | | | | | | | | |
| BAPA20 | 20: Appointment made for return of ABPM | Char | $JH_YNV | 1 | | – | | 329 | 28.68 |
| | | | | | | Y | Yes | 818 | 71.32 |
| | | | | | | | | | |
| BAPA22 | 22: Method of ABPM return | Char | $BAPA22V | 1 | | – | | 328 | 28.60 |
| | | | | | | C | Clinic pick-up | 629 | 54.84 |
| | | | | | | P | Participant delivery | 190 | 16.56 |
| | | | | | | | | | |
| BAPA23 | 23: Code of person completing form | Char | $ | 3 | | – | | 52 | 4.53 |
| | | | | | | 201 | | 4 | 0.35 |
| | | | | | | 202 | | 275 | 23.98 |
| | | | | | | 203 | | 71 | 6.19 |
| | | | | | | 204 | | 222 | 19.35 |
| | | | | | | 205 | | 282 | 24.59 |
| | | | | | | 206 | | 142 | 12.38 |
| | | | | | | 214 | | 80 | 6.97 |
| | | | | | | 215 | | 18 | 1.57 |
| | | | | | | 230 | | 1 | 0.09 |

Codebook for bapa Dataset

DATA SET: bapa               LABEL:                DATE CREATED: 07OCT15:10:53:54
Number of Observations: 1147
Number of Variables: 48
Organization of file: Summary of JHS Participants (SUBJID)

| Variable Name | Variable Label (VAR) | VAR Type | VAR Format | VAR Length | Mean | Range of Values | Frequency Category | Frequency | Percent |
|---|---|---|---|---|---|---|---|---|---|
| BAPA24 | 24: Method of data Collection | Char | $JH_CPV | 1 | | - | | 7 | 0.61 |
| | | | | | | C | Computer | 772 | 67.31 |
| | | | | | | P | Paper | 368 | 32.08 |
| | | | | | | | | | |
| BAPAT15 | 15: Time Monitoring Begun (hh:mm) 24 hour clock | Num | TIME | 8 | 11:10 | 1:00-17:32 | | 1112 | 96.95 |