

# A few Bayesian lectures for the Uninitiated



## Part 4: priors

Carsten F. Dormann

Biometry & Environmental System Analysis, University of Freiburg

1. März 2022

# Bayes?!

Remember Bayes' Theorem in terms of fitting a model:

$$P(\theta|\text{data}) = \frac{P(\text{data}|\theta)P(\theta)}{P(\text{data})} \quad (1)$$

# Bayes?!

Remember Bayes' Theorem in terms of fitting a model:

$$P(\theta|\text{data}) = \frac{P(\text{data}|\theta)P(\theta)}{P(\text{data})} \quad (1)$$

Now: how to choose the *prior*,  $P(\theta)$ ?

# Priors galore!

---

Name
uninformative/vague/diffuse
improper
conjugate
Jeffreys (scale invariant)
shrinkage
savvy (AIC-like)
hyperprior

---

See here for more:

[https://jrnold.github.io/bayesian\\_notes/priors.html](https://jrnold.github.io/bayesian_notes/priors.html)

# Priors galore!

Name	Comment
uninformative/vague/diffuse	avoids imposing information

# Priors galore!

Name	Comment
uninformative/vague/diffuse Jeffreys	avoids imposing information uninformative prior, scale invariant (and cumbersome: $p(\vec{\theta}) \sim \sqrt{\det \mathcal{I}(\vec{\theta})}$ )

# Priors galore!

Name	Comment
uninformative/vague/diffuse	avoids imposing information
Jeffreys	uninformative prior, scale invariant (and cumbersome: $p(\vec{\theta}) \sim \sqrt{\det \mathcal{I}(\vec{\theta})}$ )
improper	prior distribution not integrating to 1 (e.g. infinitive uniform)


# Priors galore!

Name	Comment
uninformative/vague/diffuse	avoids imposing information
Jeffreys	uninformative prior, scale invariant (and cumbersome: $p(\vec{\theta}) \sim \sqrt{\det \mathcal{I}(\vec{\theta})}$ )
improper	prior distribution not integrating to 1 (e.g. infinitive uniform)
conjugate	such that posterior is same distribution as prior



# Priors galore!

Name	Comment
uninformative/vague/diffuse Jeffreys	avoids imposing information uninformative prior, scale invariant (and cumbersome: $p(\vec{\theta}) \sim \sqrt{\det \mathcal{I}(\vec{\theta})}$ )
improper	prior distribution not integrating to 1 (e.g. infinitive uniform)
conjugate	such that posterior is same distribution as prior
shrinkage	to implement model selection



# Priors galore!

Name	Comment
uninformative/vague/diffuse Jeffreys	avoids imposing information uninformative prior, scale invariant (and cumbersome: $p(\vec{\theta}) \sim \sqrt{\det \mathcal{I}(\vec{\theta})}$ )
improper	prior distribution not integrating to 1 (e.g. infinitive uniform)
conjugate	such that posterior is same distribution as prior
shrinkage savvy (K-L-model)	to implement model selection to yield AIC-weight for model $i$ : $p_i = c \cdot e^{\frac{1}{2}k_i \ln(n) - k_i}$

# Priors galore!

Name	Comment
uninformative/vague/diffuse Jeffreys	avoids imposing information uninformative prior, scale invariant (and cumbersome: $p(\vec{\theta}) \sim \sqrt{\det \mathcal{I}(\vec{\theta})}$ )
improper	prior distribution not integrating to 1 (e.g. infinitive uniform)
conjugate	such that posterior is same distribution as prior
shrinkage savvy (K-L-model)	to implement model selection to yield AIC-weight for model $i$ : $p_i = c \cdot e^{\frac{1}{2}k_i \ln(n) - k_i}$
hyperprior	prior for a hyper-parameter

# Which prior distribution to choose?


1. Informative or not?  $\longrightarrow$  informative if possible!<sup>1</sup>

---

<sup>1</sup>Lemoine, N. (2019) Moving beyond noninformative priors: why and how to choose weakly informative priors in Bayesian analyses. *Oikos* 128, 912.

# Which prior distribution to choose?

## 1. Informative or not? → informative if possible!<sup>1</sup>



Uniform( $-10, 10$ ) as prior for binomial model's intercept: it is no longer uninformative at the response scale!  
(Jeffreys priors *remain* uninformative!)

---

<sup>1</sup>Lemoine, N. (2019) Moving beyond noninformative priors: why and how to choose weakly informative priors in Bayesian analyses. *Oikos* 128, 912.

# Which prior distribution to choose?

1. Informative or not?  $\rightarrow$  informative if possible!<sup>2</sup>
2. Is parameter a “location” (i.e. mean or slope) or a “scale” (i.e. variance-like)?  $\rightarrow$  normal/ $t$  vs.  $\gamma$ /half-Cauchy<sup>1</sup>

---

<sup>2</sup>Lemoine, N. (2019) Moving beyond noninformative priors: why and how to choose weakly informative priors in Bayesian analyses. *Oikos* 128, 912.

# Which prior distribution to choose?

1. Informative or not?  $\longrightarrow$  informative if possible!<sup>2</sup>
2. Is parameter a “location” (i.e. mean or slope) or a “scale” (i.e. variance-like)?  $\longrightarrow$  normal/ $t$  vs.  $\gamma$ /half-Cauchy<sup>1</sup>
3. Does parameter have upper/lower limits?  $\longrightarrow$  think of  $\beta, \gamma$  and truncated distributions (e.g. half-normal)

---

<sup>2</sup>Lemoine, N. (2019) Moving beyond noninformative priors: why and how to choose weakly informative priors in Bayesian analyses. *Oikos* 128, 912.

# Which prior distribution to choose?

1. Informative or not?  $\rightarrow$  informative if possible!<sup>2</sup>
2. Is parameter a “location” (i.e. mean or slope) or a “scale” (i.e. variance-like)?  $\rightarrow$  normal/ $t$  vs.  $\gamma$ /half-Cauchy<sup>1</sup>
3. Does parameter have upper/lower limits?  $\rightarrow$  think of  $\beta, \gamma$  and truncated distributions (e.g. half-normal)
4. Are parameters correlated?  $\rightarrow$  multivariate priors (e.g. inverse (!) Wishart for MVN)

---

<sup>2</sup>Lemoine, N. (2019) Moving beyond noninformative priors: why and how to choose weakly informative priors in Bayesian analyses. *Oikos* 128, 912.



# Prior: take-home-message

- ▶ The prior quantifies your expectation *before* seeing the data.

# Prior: take-home-message

- ▶ The prior quantifies your expectation *before* seeing the data.
- ▶ It forces us to think about such expectation, which is a good thing.

# Prior: take-home-message

- ▶ The prior quantifies your expectation *before* seeing the data.
- ▶ It forces us to think about such expectation, which is a good thing.
- ▶ When pretending to knowing nothing, *uninformative priors* are used.

# Prior: take-home-message

- ▶ The prior quantifies your expectation *before* seeing the data.
- ▶ It forces us to think about such expectation, which is a good thing.
- ▶ When pretending to knowing nothing, *uninformative priors* are used.
- ▶ Priors are our friends: we can use them to our advantage!

# Prior: take-home-message

- ▶ The prior quantifies your expectation *before* seeing the data.
- ▶ It forces us to think about such expectation, which is a good thing.
- ▶ When pretending to knowing nothing, *uninformative priors* are used.
- ▶ Priors are our friends: we can use them to our advantage!
- ▶ We may not like priors, but they are inevitable in Bayesian analysis.

**Next time:**

**Mixed effect models from a Bayesian perspective (with R)**