C /N	Material Description	Additional Constitution	SAP Number	Augilahla Otu	Hait Daise	Tatal Cast	Chausan Laurdian	DIN Location	WarehouseLocation
5/N		Additional Specification	SAP Number	Available Qty			Storage Location		PHIA
1	O-RING CLAMP SET			4			NG1101-Sub1 NG1101-Sub1	1AV501-03 1AV503-01	PHIA
2				1					
3	SMART SENSOR SYSTEM, COMBUSTIBLE GAS			1			NG1101-Sub1	1AS310	PHIA
4	STEEL STEM BUSHING			1			NG1101-Sub1	1AV503-05	PHIA
5	STEEL TRUNNION BUSHING			1		31.68	NG1101-Sub1	1AV404-05	PHIA
	STEEL STEM BUSHING			1			NG1101-Sub1	1AV503-06	PHIA
	STEEL STEM BUSHING						NG1101-Sub1	1AV502-02	PHIA
	MECHANICAL SEAL ,SS	E670 , 4-600-250, 3582					NG1101-Sub1	1AV601-06	PHIA
9	SERVICE KIT			1	638.00	638.00	NG1101-SUB1	1AT115	PHIA
10	SEAT RING	CF8M, 3597		1	45.93	45.93	NG1101-Sub1	1AV402-01	PHIA
11	SEAL			1	0.98	0.98	NG1101-Sub1	1AV501-06	PHIA
12	ISOLATED ANALOG INPUT MODULE	PN-92547	1000397015	1	1,916.04	1,916.04	NG1101-Sub1	1AW301-04	PHIA
13	BLIND PLATE, 10-1/2" X 1/4" THICK,SS			1	1,026.73		NG1101-Sub1	1AU602	PHIA
14		AW0920	1001924395	1			NG1101-Sub1	1AV603-06	PHIA
15	SAND PROBE REMOTE ALARM/SHUT IN PRESSU			1			NG1101-SUB1	1AT503	PHIA
16	ELEMENT FILTER LUBE KIT	186280-500, SOLAR	1000343089	3			NG1101-Sub1	1AS306	PHIA
17	SPRING RETURN ACTUATOR	200200 300, 300411	1000343003	2			NG1101-Sub1	1AS115	PHIA
18	SEAL SEAL	GE-028-MO-3456		2		120.20	NG1101-Sub1	1AR405	PHIA
19		GE-U28-MU-3456		1	1.45	5.80	NG1101-SUB1	1AW505-03	PHIA
	GASKET O RING			4					
20	PUSH ROD			3		354.78	NG1101-Sub1	1AS404	PHIA
21	PILLOW BLOCK	101933516-010-000	1000221927	4			NG1101-Sub1	1AU206	PHIA
22	MECHANICAL SEAL ,SS	2N04739-DB-A-021 , 3N03429-DB-021		1			NG1101-Sub1	1AU607	PHIA
23		A192F316L		1			NG1101-Sub1	1AV603-01	PHIA
24	OPTICAL SMOKE DETECTOR	ES DETECT	1002426473	2	19.31	38.62	NG1101-Sub1	1AR102	PHIA
25	COUPLING SLEEVE	173		1		29.18	NG1101-SUB1	1AQ114	PHIA
26	LED LAMP, GREEN,28V/20		1000328759	1	45.82	45.82	NG1101-SUB1	1AW403-04	PHIA
27	SPW GASKET 2" X 300#' PTFE			2	28.96	57.92	NG1101-Sub1	1AU302	PHIA
28	SPW GASKET 3"'X 300		1000328407	2	16.47	32.94	NG1101-Sub1	1AR305	PHIA
	ROD		1001164175	7			NG1101-SUB1	1AW601-05	PHIA
	SUCTION VALVE		1000348808	2			NG1101-Sub1	1AR309	PHIA
31	VALVE ASSY	1560034,	10005 10000	16			NG1101-Sub1	1AS613	PHIA
32	WASHER, STANDARD	55700019	1000348812	F	76.82	384.10	NG1101-SUB1	1AW403-05	PHIA
-	PLUNGER	PLGR-2.38-CR-CP	1000348846	5	720.28	3,601.40	NG1101-30B1 NG1101-Sub1	1AR307	PHIA
33				3					
34	PLUNGER	PLGR-2.75-CR-CP	1000348831	4		4,072.00	NG1101-Sub1	1AR408/1AR409	PHIA
35	VALVE	179402725SD		1		980.33	NG1101-Sub1	1AS615	PHIA
36	GAUGE,SWITCH,PRESSURE		1000370306	1			NG1101-SUB1	1AT102	PHIA
37	POWER PACK AND CHARGER SET	ARKA-F003	1000934178	7			NG1101-SUB1	1AQ513	PHIA
38	SINK IN/OUT	24/48VDC		1			NG1101-Sub1	1AR101	PHIA
39	RUPTURE DISK	1", TYPE: P BT . BURST PRESSURE: 307.33 PSIG@72degF & 75degF	1001942569	6		185.04	NG1101-Sub1	1AW304-01	PHIA
40	VIBRATION SWITCH		1000370852	1	169.00	169.00	NG1101-SUB1	1AT103	PHIA
41	LCDT MODULE	4246493, 4336463	1000369605	4	1,130.67	4,522.68	NG1101-Sub1	1AU403	PHIA
42	FERROUS AND NON FERROUS BRAZING ROD	1/8 X 18" (3.2mm) 3LB , HEAT NO: 041607	1000402943	5	35.48	177.40	NG1101-Sub1	1AS303	PHIA
43	O RING			33	2.09	68.97	NG1101-Sub1	1AV501-02	PHIA
44	ROLLER BEARING			2	52.78	105.56	NG1101-Sub1	1AU606	PHIA
45	AIR FILTER SPA	PARKER		11	45.12	496.32	NG1101-SUB1	1AQ207	PHIA
46	RING SEAL		1000324377	6		77.88	NG1101-SUB1	1AW504-03	PHIA
	RING LUBRICATOR		1000341678	3			NG1101-SUB1	1AS706	PHIA
-	REGULATOR		1001537554	1		871.58	NG1101-Sub1	1AR109	PHIA
	SERVICE KIT OIL STOP VALVE		1000701103(EXT)	1		129.00	NG1101-SUB1	1AS208	PHIA
50		Diameter, od, bolt: 8mm; Cross Section, conductor: 10mm2 (FLEXIBLE) 16 mm2 (STRANDED)	1000701103(EXT)	4			NG1101-30B1 NG1101-Sub1	1AW205-01	PHIA
	SPW GASKET 1" X 150 TEFLON COATED	Summerer, 66, 56th 6fillin, 61633 Section, conductor. Ioninitz (Flexible) 10 fillinz (STRANDED)	1000048022				NG1101-Sub1	1AU105	PHIA
	SPW GASKET 1 X 150 TEFLON COATED SPW GASKET 3" X 300/600 TEFLON COATED		1000327712	4			NG1101-Sub1	1AU104	PHIA
		400204 4 00 07	100032//30	4					
53	INTERFACE CARD	106351-1 08-97		1		342.77	NG1101-Sub1	1AS204	PHIA
54	COUPLING SLEEVE DRIVE			4			NG1101-SUB1	1AQ607	PHIA
55	DIAPHRAM		1000786198	2			NG1101-SUB1	1AS701	PHIA
	TEMPERATURE TRANSMITTER 0 -100	00079-0326-0004 REV		4			NG1101-Sub1	1AU609	PHIA
	DISC CELCON		1001000851	19			NG1101-Sub1	1AV704-01	PHIA
58	COUPLING		1002418383	34			NG1101-SUB1	1AW601-04	PHIA
59	VALVE ASSY, DEL PLT SS L/N SEAT			3	523.35		NG1101-SUB1	1AQ313	PHIA
60	SHELL BEARING , STD SIZE		1000018676	12	397.95	4,775.40	NG1101-SUB1	1AQ106	PHIA
61	CROSSHEAD P300/HP125	7957L	1000580766	18	412.23	7,420.14	NG1101-Sub1	1AU115	PHIA
62	ADAPTER,EF-FE, P323, BRONZE			34	55.00	1,870.00	NG1101-SUB1	1AQ405	PHIA
63	SLEEVE			12			NG1101-Sub1	1AV502-06	PHIA
64	SPRING		1000705748				NG1101-SUB1	1AW502-02	PHIA
65	BACKUP RING		1000015570				NG1101-Sub1		PHIA
66	SPRING		1000705756			197.60	NG1101-Sub1		PHIA
67	NIPPLE		2000/05/50	10		166.00	NG1101-Sub1	1AV605-05	PHIA
				-			NG1101-SUB1	1AW401-05	PHIA
	DDECCTIDE CTIVGE (U. 200C)								
68	PRESSURE GUAGE (0-30PSI)	0-200kPa	1000367220	5					
68 69	DISCHARGE VALVE	0-200kPa 4-3/4" RW CR HDG	1000367220 1000793771	4	1,595.67	6,382.68	NG1101-SUB1 NG1101-SUB1 NG1101-Sub1	1AQ213 1AV603-02	PHIA PHIA

71	ELBOW			16		173.60	NG1101-SUB1	1AT515	PHIA
72	SWIVEL MOUNTING ARM		1000511682	2	632.90	1,265.80	NG1101-Sub1	1AS407	PHIA
73	STEM PLUG		1001619268	3	2,868.45	8,605.35	NG1101-Sub1	1AV705-01	PHIA
74	STEM PLUG M2M			2	1,875.44	3,750.88	NG1101-Sub1	1AV705-04	PHIA
75	COMPRESS AIR FILTER	50 443 1110		1	28.03	28.03	NG1101-Sub1	1AW305-06	PHIA
		30 443 1110	1001141275						PHIA
	VALVE REPAIR KIT		1001141275		356.09	356.09	NG1101-SUB1	1AQ111	
	VALVE PLATE	FOR COMPRESSOR			347.45	694.90	NG1101-SUB1	1AT415	PHIA
78	RING PISTON 11.25IN		1001141237	2	956.02	1,912.04	NG1101-SUB1	1AS702	PHIA
79	BULL RING	11-1/4", TEFLON	1001148129	27	748.91	20,220.57	NG1101-Sub1	1AU713	PHIA
80	CAGE 21K 1.5-2 " X 600 SCH 40	HT4X0911-144	1000225422		88.93	266.79	NG1101-Sub1	1AV405-06	PHIA
		N14X0911-144	1000223422						
81	O-RING (GLASS FILLER TEFLON)				19.99	39.98	NG1101-SUB1	1AW503-03	PHIA
82	FEND HOSE			1	10.43	10.43	NG1101-Sub1	1AR601	PHIA
83	SPARE KIT	082665A0004 FOR ROBERTSHAW RELAYS 082059 & 082240 SERIES	1000368552	13	508.88	6,615.44	NG1101-Sub1	1AV602-02	PHIA
84	HOSE			8	7.38	59.04	NG1101-Sub1	1AR603	PHIA
	GEAR DRIVE			4	231.00	231.00		1AT512	PHIA
85							NG1101-SUB1		
86	PRESSURE REGULATOR KIT				31.66	63.32	NG1101-Sub1	1AW205-03	PHIA
87	GASKET		1002327538	1	48.85	48.85	NG1101-Sub1	1AR613	PHIA
88	PRO FLO AIR VALVE			9	350.56	3,155.04	NG1101-Sub1	1AR513	PHIA
89	CENTRAL BLOCK ASSEMBLY		1000766934	0	507.26	4,565.34	NG1101-Sub1	1AS403	PHIA
	MUFLER PLATE PRO FLO		1000700334		45.00	405.00	NG1101-Sub1	1AR614	PHIA
	O RING			5	3.45	17.25	NG1101-Sub1	1AV501-01	PHIA
92	SEAL			5	1.45	7.25	NG1101-Sub1	1AV501-03	PHIA
93	SEAL			5	2.67	13.35	NG1101-Sub1	1AV501-02	PHIA
	BUSHING			1	8.50	8.50	NG1101-Sub1	1AV501-05	PHIA
		200510 0 20010-0	 						PHIA
95	DIFF. PRESS. SWITCH GUAGE	0-30PSID , 0-200kPaD	l		125.00	250.00	NG1101-SUB1	1AW702-03	
96	VACCUUM PRESSURE GAUGE	X-4	1000370306	1	964.97	964.97	NG1101-Sub1	1AS206	PHIA
97	REPAIR KIT			5	185.23	926.15	NG1101-Sub1	1AV602-04	PHIA
	RUPTURE DISK	2" COV , 316/TEF/316 , 18.6PSIG@72degF , 16700-1-1	1001085529	4		5,881.24	NG1101-Sub1	1AR111	PHIA
99	SERVICE KIT. T312/SR/M3-00	2 cov, 310/12/310/13/06/12/20/20/20/20/20/20/20/20/20/20/20/20/20	1000620693(EXT)		45.50	45.50	NG1101-SUB1	1AU103	PHIA
	PACKING SET	SET OF 7	1000348354		272.26	272.26	NG1101-Sub1	1AV702-01	PHIA
101	SEAL LINER			12	44.30	531.60	NG1101-SUB1	1AS704	PHIA
102	GASKET -FLAT , M1 12.0/118.0X1.0 (BRONZE)			6	5.00	30.00	NG1101-Sub1	1AV501-03	PHIA
	O RING		1001179168		1.21	10.89	NG1101-Sub1	1AV501-03	PHIA
			1001179100						
	O-RING				2.00	6.00	NG1101-Sub1	1AV501-01	PHIA
105	O RING		1000324431	12	1.86	22.32	NG1101-Sub1	1AV501-01	PHIA
106	O RING		1000324438	6	0.98	5.88	NG1101-Sub1	1AV501-02	PHIA
107	SFAI			6	8.45	50.70	NG1101-SUB1	1AW505-05	PHIA
	GASKET DOOR		1000348386		64.70	452.90	NG1101-SUB1	1AQ504	PHIA
			1000348380						
109	COVER FASTENING SET	1100/110T10			4.50	13.50	NG1101-SUB1	1AW605-03	PHIA
110	RELAY			1	3.50	3.50	NG1101-Sub1	1AV402-05	PHIA
111	RELAY			10	85.23	852.30	NG1101-Sub1	1AU408	PHIA
112	PREESURE GUAGE 0-4BAR	93N03	1000324425	3	108.49	325.47	NG1101-Sub1	1AU508	PHIA
	PRESSURE GUAGE 0-6 BAR	557165	1000087404		317.63	952.89	NG1101-SUB1	1AT412	PHIA
			1000087404						
	BALL VALVE 1/4"				192.57	192.57	NG1101-Sub1	1AV605-05	PHIA
115	ORIFICE PLUG				55.71	111.42	NG1101-Sub1	1AV704-03	PHIA
116	CAPSCREW		1000359150	42	0.31	13.02	NG1101-SUB1	1AW405-04	PHIA
117	CAPSCREW		1001014219	55	1.97	108.35	NG1101-Sub1	1AR313	PHIA
118	CAPSCREW		1000360717		1.35	35.10	NG1101-Sub1	1AW303-06	PHIA
			1000300717						
119	SPRING SET		1		3.21	115.56	NG1101-Sub1	1AV501-03	PHIA
120	GASKET (SS)			12	45.56	546.72	NG1101-Sub1	1AV605-02	PHIA
121	KNIFE FUSE	120kA~500V , GG/GI 100A	_	9	17.34	156.06	NG1101-SUB1	1AW602-01	PHIA
122	GASKET		1000324660	2	3.21	6.42	NG1101-Sub1	1AV501-02	PHIA
	CNET REMOTE I/O ADAPTER MODULE	1771-ACNR/B , 1.0AMP AT 5VDC , 1014215-2 , SOLAR	1000729260	1	5,763.49	5,763.49	NG1101-SUB1	1AQ208	PHIA
				-					
	AXIAL FAN 4650N	230V~50Hz 120mA 19WATT	1001160154	1	110.60	110.60	NG1101-Sub1	1AR410	PHIA
125	PROBE	3300XL 8MM	1000705742	1	8.60	8.60	NG1101-SUB1	1AT305	PHIA
126	FILTER ELEMENT , FOR 3" FILTER	1000405380	1000405512	6	101.63	609.78	NG1101-Sub1	1AS506	PHIA
127	5" BIMETAL THERMOMETER	(-40-120-degF, -40-50degC), E239059		1	19.98	19.98	NG1101-SUB1	1AQ712	PHIA
128	5" BIMETAL THERMOMETER	5", 1/2NPT, 9"STEM, -50-50degC, E255916			304.13	304.13	NG1101-Sub1	1AR210	PHIA
			 	4					
129	TEMPERATURE SWITCH GUAGE	32 -160degF , 0-70degC	1	1	157.57	157.57	NG1101-SUB1	1AT101	PHIA
	FILTER AIR, GAS FUEL	ELEMENT 050-11-DX , SOLAR , 5000 PSIG @ 200degF	1000089049		701.90	1,403.80	NG1101-SUB1	1AQ615	PHIA
131	INPUT/OUTPUTMODULE	ANALOG 2/2 ISOLATION	1000328746	1	1,227.91	1,227.91	NG1101-SUB1	1AQ514	PHIA
	BEARING					37.44	NG1101-Sub1	1AV501-06	PHIA
	TEMPERATURE SWITCH GUAGE	4AMP @ 120VAC , 130-250 degF , 60-120degC	t		157.57	630.28	NG1101-SUB1	1AT101	PHIA
				-					
	TEMPERATURE SWITCH GUAGE	4AMP @ 120VAC , 130-250 degF , 60-120degC	1	3	157.57	472.71	NG1101-SUB1	1AT101	PHIA
135	DRAIN VALVE ASSY		1000328611	2	1,996.89	3,993.78	NG1101-Sub1	1AS507	PHIA
136	DISCRETE MODULE FLEX	1089240-4 , SOLAR	1000388515	6	384.42	2,306.52	NG1101-SUB1	1AS713	PHIA
	HOURMETER	24/50Hz		1	84.87	84.87	NG1101-Sub1	1AV501-03	PHIA
		- y some	1000304767						
	SEAL O-RING		1000384767		17.21	68.84	NG1101-SUB1	1AW704-04	PHIA
	GASKET				2.35	7.05	NG1101-Sub1	1AV501-01	PHIA
140	VALVE ASSEMBLY	117901-103 , 66195-117910-3 , 63461-A1698	1000756868	1	1,958.73	1,958.73	NG1101-Sub1	1AR714	PHIA
4.44	PIN COTTER 3/16" DIA x 2.1/2" LG	1Set of 8pcs	1001002192	1	22.86	22.86	NG1101-Sub1	1AV601-01	PHIA
141									

142 BUSH	1AW304-05 PHIA 1AV601 PHIA 1AV601 PHIA 1AW501-03 PHIA 1AW703-06 PHIA 1AW703-06 PHIA 1AW702-02 PHIA 1AW702-02 PHIA 1AW405 PHIA 1AS413 PHIA 1AS413 PHIA 1AS508 PHIA 1AW505-01 PHIA 1AW505-01 PHIA 1AU606 PHIA 1AW601-04 PHIA 1AW601-04 PHIA 1AW601-05 PHIA 1AW303-05 PHIA 1AW301-05 PHIA 1AW3
144 BUSHING	1AT409 PHIA 1AW501-03 PHIA 1AW501-03 PHIA 1AV703-06 PHIA 1AR406 PHIA 1AW702-02 PHIA 1AU405 PHIA 1AS413 PHIA 1AS413 PHIA 1AS508 PHIA 1AW505-01 PHIA 1AQ209 PHIA 1AQ209 PHIA 1AU410 PHIA 1AU410 PHIA 1AU410 PHIA 1AU303 PHIA 1AU304 PHIA 1AU304 PHIA 1AU304 PHIA 1AU304 PHIA 1AU304 PHIA 1AU305 PHIA
145 ALVE SHOULDER SCREW SS 1000705946 15 15.64 234.60 NG1101-SuB1 146 ROD END 1001163815 1 42.55 42.55 NG1101-Sub1 147 HOSE ASSEMBLY 15KA, 16MN-NO-SKIVE 18 16.60 66.40 NG1101-Sub1 148 RING PACKING 4 16.60 66.40 NG1101-Sub1 149 ROLLER BEARING, CONICAL 779455-EB 1000705764 4 1.456.74 5,826.96 NG1101-Sub1 150 DELTAV AI CARD HART 100055085 1 3,209.67 3,209.67 NG1101-Sub1 151 S POWER SUPPLY CARRIER KI4101X1-BC1 1 26.60 26.60 NG1101-Sub1 152 S FALGP 1000384762 1 63.69 63.69 NG1101-Sub1 152 S FALGP 1000384762 1 63.69 S 63.36 NG1101-Sub1 153 S FALGP 100038689 1 853.36 NG1101-Sub1 154 4 4 4 4 4 4 4 4 4	1AW501-03 PHIA 1AV703-06 PHIA 1AR406 PHIA 1AR406 PHIA 1AW702-02 PHIA 1AU405 PHIA 1AS413 PHIA 1AR508 PHIA 1AW505-01 PHIA 1AQ406 PHIA 1AQ209 PHIA 1AT-506 PHIA 1AU410 PHIA 1AU410 PHIA 1AU303 PHIA 1AU304 PHIA 1AU304 PHIA 1AU304 PHIA 1AV501-04 PHIA 1AV301-04 PHIA 1AW404-01 PHIA 1AW404-01 PHIA
146 ROD END 1001163815 1 42.55 42.55 NG1101-Sub1 147 HOSE ASSEMBLY LSKA, 16MN-NO-SKIVE 8 12.66 101.28 NG1101-Sub1 148 RINER PACKING 4 16.60 66.40 NG1101-Sub1 149 ROLLER BEARING, CONICAL 779455-EB 100075764 4 1,455.74 5,826.96 NG1101-Sub1 150 DELTAY AI CARD HART 1000650685 1 3,209.67 NG1101-Sub1 151 IS POWER SUPPLY CARRIER KJ4101X1-BC1 1000384762 1 63.69 63.69 NG1101-Sub1 152 SEAL GP 1000384762 1 63.69 63.69 NG1101-Sub1 153 ROKIMITY PROBE 2.0m 1000384762 1 63.69 63.69 NG1101-Sub1 154 4-CHANNEL UNFILTERED MONITOR 190662-26, 0.7AMP, SOLAR 1000369144 2 4,859.63 9,719.26 NG1101-Sub1 155 SEAL O-RING 1000369144 2 4,859.63 9,719.26 NG1101-Sub1 156 PSTON 1000369144 2 4,859.63 9,719.26 NG1101-Sub1 157 CONNECTING ROD 1000369144 2 4,859.63 9,719.26 NG1101-Sub1 157 CONNECTING ROD 2 350.00 700.00 NG1101-Sub1 157 CONNECTING ROD 2 350.00 700.00 NG1101-Sub1 158 CONNECTING ROD 2 350.00 700.00 NG1101-Sub1 159 REARING (HALF) COMPLETE SEE NG101-Sub1 160 PSTON RING 1000341189 8 30.57 244.56 NG1101-Sub1 161 LEUIS 1000341189 1000341189 1000341189 1000341189 1000341189 1000341189 1000341189 1000341189 1000341189 1000341189 1000341189 1000341189 100034118	1AV703-06 PHIA 1AR406 PHIA 1AR406 PHIA 1AW702-02 PHIA 1AU405 PHIA 1AS413 PHIA 1AS508 PHIA 1AW505-01 PHIA 1AQ206 PHIA 1AQ209 PHIA 1AT-506 PHIA 1AU410 PHIA 1AU410 PHIA 1AU303 PHIA 1AU304 PHIA 1AU304 PHIA 1AV501-04 PHIA 1AV501-04 PHIA 1AV404-01 PHIA 1AW404-01 PHIA
147 HOSE ASSEMBLY	1AR406 PHIA 1AW702-02 PHIA 1AW702-02 PHIA 1AU405 PHIA 1AS413 PHIA 1AR508 PHIA 1AW505-01 PHIA 1AQ209 PHIA 1AQ209 PHIA 1AQ209 PHIA 1AU410 PHIA 1AU303 PHIA 1AU304 PHIA 1AU304 PHIA 1AU304 PHIA 1AU304 PHIA 1AW301-04 PHIA 1AW404-01 PHIA 1AW205 PHIA
148 RING PACKING	1AW702-02 PHIA 1AU405 PHIA 1AS413 PHIA 1AR508 PHIA 1AW505-01 PHIA 1AQ209 PHIA 1AU209 PHIA 1AU410 PHIA 1AU410 PHIA 1AU410 PHIA 1AU303 PHIA 1AU304 PHIA 1AU304 PHIA 1AW304 PHIA 1AW304 PHIA 1AW304 PHIA 1AW404-01 PHIA 1AW205 PHIA
148 RING PACKING	1AW702-02 PHIA 1AU405 PHIA 1AS413 PHIA 1AR508 PHIA 1AW505-01 PHIA 1AQ209 PHIA 1AU209 PHIA 1AU410 PHIA 1AU410 PHIA 1AU410 PHIA 1AU303 PHIA 1AU304 PHIA 1AU304 PHIA 1AW304 PHIA 1AW304 PHIA 1AW304 PHIA 1AW404-01 PHIA 1AW205 PHIA
ROLLER BEARING, CONICAL 779455-EB 1000705764 4 1,456.74 5,826.96 NG1101-Sub1	1AU405 PHIA 1AS413 PHIA 1AS508 PHIA 1AW505-01 PHIA 1AQ406 PHIA 1AQ209 PHIA 1AT-506 PHIA 1AU410 PHIA 1AU410 PHIA 1AU303 PHIA 1AU304 PHIA 1AV501-04 PHIA 1AV501-04 PHIA 1AW404-01 PHIA 1AW205 PHIA
DELTAY AI CARD HART 1000650685 1 3,209.67 3,209.67 NG1101-Sub1 1 26.60 26.60 NG1101-Sub1 2 2 2 2 2 2 2 2 2	1AS413 PHIA 1AR508 PHIA 1AW505-01 PHIA 1AQ406 PHIA 1AQ209 PHIA 1AT-506 PHIA 1AU410 PHIA 1AU303 PHIA 1AU304 PHIA 1AU304 PHIA 1AU304 PHIA 1AU304 PHIA 1AV401-04 PHIA 1AW404-01 PHIA 1AQ205 PHIA
1	1AR508 PHIA 1AW505-01 PHIA 1AQ406 PHIA 1AQ209 PHIA 1AT-506 PHIA 1AU410 PHIA 1AU303 PHIA 1AU304 PHIA 1AV501-04 PHIA 1AW404-01 PHIA 1AQ205 PHIA
152 SEAL GP 1000384762 1 63.69 63.69 NG1101-SUB1 153 PROXIMITY PROBE 2.0m 1000328689 1 853.56 853.36 NG1101-SUB1 154 C-HANNEL UNFILTERED MONITOR 190662-26 , 0.7AMP , SOLAR 1000369144 2 4,859.36 83.36 NG1101-SUB1 155 SEAL O-RING 1000928708 7 14.67 102.69 NG1101-SUB1 156 PISTON 1 1000928708 7 14.67 102.69 NG1101-SUB1 157 CONNECTING ROD 2 350.00 700.00 NG1101-SUB1 158 CONNECTING ROD 3 56.48 169.44 NG1101-Sub1 159 BEARING (HALF) Complete Set 1000341189 8 30.07 244.56 NG1101-SUB1 150 PISTON RING 5 76.34 381.70 NG1101-SUB1 161 CLEVIS 100016339 2 106.59 213.18 NG1101-SUB1 162 BAR W/HOLE SF0035139 1001125492 2 201.65 403.30 NG1101-SUB1 163 SEAL GP 1000660140 4 145.21 580.84 NG1101-SUB1 164 DIFFERENTIAL PRESSURE GAUGE 0-1.0BAR 1000341681 4 15.15 60.60 NG1101-SUB1 165 HALF BERRING 1000369934 21 166.9 3,496.29 NG1101-SUB1 166 CULLAR 1000369934 21 166.9 3,496.29 NG1101-SUB1 167 EVEL SWTCH GUAGE 15700116 1000369934 21 166.9 3,496.29 NG1101-SUB1 168 CULLAR 1000369934 21 166.9 3,496.29 NG1101-SUB1 167 EVEL SWTCH GUAGE 15700116 1000369934 21 166.9 3,496.29 NG1101-SUB1 168 CULLAR 1000369934 21 166.9 3,496.29 NG1101-SUB1 169 NG1101-SUB1 1000369934 21 166.9 3,496.29 NG1101-SUB1 160 CULLAR 1000369934 21 166.9 3,496.29 NG1101-SUB	1AW505-01 PHIA 1AQ406 PHIA 1AQ209 PHIA 1AT-506 PHIA 1AU410 PHIA 1AU303 PHIA 1AU304 PHIA 1AV501-04 PHIA 1AW501-04 PHIA 1AW404-01 PHIA 1AQ205 PHIA
153 PROXIMITY PROBE 2.0m 1000328689 1 853.36 853.36 NG1101-SUB1 4 - CHANNEL UNFILTERED MONITOR 190662-26 , 0.7AMP , SOLAR 1000369144 2 4,859.63 9,719.26 NG1101-SUB1 55 SEAL O-RING 1000928708 7 14.67 102.69 NG1101-SUB1 56 PISTON 3 56.48 169.44 NG1101-SUB1 57 CONNECTING ROD 2 350.00 700.00 NG1101-Sub1 58 CONNECTING ROD 3 35.648 169.44 NG1101-Sub1 59 BEARING (HALF) Complete Set 1000341189 8 30.57 244.56 60 PISTON RING 1000341189 8 30.57 244.56 NG1101-Sub1 61 CLEVIS 1000016339 2 106.59 213.18 NG1101-Sub1 62 BAR W/HOLE SF0035139 100125492 2 201.65 403.30 NG1101-Sub1 63 SEAL GP 1000660140 2 174.69 349.38 NG1101-Sub1 64 DIFFERENTIAL PRESSURE GAUGE 0-1.0BAR 1000341681 4 145.21 580.84 NG1101-Sub1 65 HALF BEARING 1000341676 6 55.30 33.00 NG1101-Sub1 66 CLUAR 1000369934 21 166.49 3,496.29 NG1101-Sub1 67 LEVEL SWITCH GUAGE 15700116 1000369934 21 166.49 3,496.29 NG1101-Sub1 68 CLUAR 1000369934 21 166.49 3,496.29 NG1101-Sub1 68 CLUAR 1000369934 21 166.49 3,496.29 NG1101-Sub1 69 CLUAR 1000369934 21 166.49 3,496.29 NG1101-Sub1 60 CLUAR 1000369934 21 166.49 3,496.29 NG1101-S	1AQ406 PHIA 1AQ209 PHIA 1AT-506 PHIA 1AU410 PHIA 1AU303 PHIA 1AU304 PHIA 1AV501-04 PHIA 1AW404-01 PHIA 1AQ205 PHIA
154 4- CHANNEL UNFILTERED MONITOR 190662-26 , 0.7AMP , SOLAR 190662-26 , 0.7AMP , SOLAR 1000369144 2 4,859.63 9,719.26 NG1101-SUB1 155 SEAL O-RING 1000928708 7 14.67 102.69 NG1101-SUB1 155 NG1101-SUB1 NG1101-	1AQ209 PHIA 1AT-506 PHIA 1AU410 PHIA 1AU303 PHIA 1AU304 PHIA 1AV501-04 PHIA 1AW404-01 PHIA 1AQ205 PHIA
155 SEAL O-RING 1000928708 7 14.67 102.69 NG1101-SUB1 156 PISTON 2 35.04 163.44 NG1101-Sub1 157 CONNECTING ROD 2 350.00 700.00 NG11011-Sub1 158 CONNECTING ROD 3IZE:67,67 4 350.00 1,400.00 NG1101-Sub1 159 BEARING (HALF) Complete Set 1000341189 8 30.57 244.56 NG1101-Sub1 160 PISTON RING 5 76.34 381.70 NG1101-Sub1 161 CLEVIS 5 1000016339 2 106.59 213.18 NG1101-Sub1 162 BAR W/HOLE SF0035139 1001125492 2 201.65 403.30 NG1101-Sub1 163 SEAL GP 1000660140 2 174.69 349.38 NG1101-Sub1 164 DIFFERENTIAL PRESSURE GAUGE 0-1.0BAR 4 145.21 580.84 NG1101-Sub1 165 HALF BEARING 1000341681 4 15.15 60.60 NG1101-Sub1 166 COLLAR 1000369934 21 166.49 3,496.29 NG1101-Sub1 167 LEVEL SWITCH GUAGE 15700116 1000369934 21 166.49 3,496.29 NG1101-Sub1 168 CONNECTING ROD 2 174.69 3,496.29 NG1101-Sub1 169 LEVEL SWITCH GUAGE 15700116 1000369934 21 166.49 3,496.29 NG1101-Sub1 160 LEVEL SWITCH GUAGE 15700116 1000369934 21 166.49 3,496.29 NG1101-Sub1 165 LEVEL SWITCH GUAGE 15700116 1000369934 21 166.49 3,496.29 NG1101-Sub1 166 LEVEL SWITCH GUAGE 15700116 1000369934 21 166.49 3,496.29 NG1101-Sub1 167 LEVEL SWITCH GUAGE 15700116 1000369934 21 166.49 3,496.29 NG1101-Sub1 168 LEVEL SWITCH GUAGE 15700116 1000369934 21 166.49 3,496.29 NG1101-Sub1 169 LEVEL SWITCH GUAGE 15700116 1000369934 21 166.49 3,496.29 NG1101-Sub1 160 LEVEL SWITCH GUAGE 15700116 1000369934 21 166.49 3,496.29 NG1101-Sub1 160 LEVEL SWITCH GUAGE 15700116 1000369934 21 166.49 3,496.29 NG1101-Sub1 160 LEVEL SWITCH GUAGE 15700116 1000369934 21 166.49 3,496.29 NG1101-Sub1 160 LEVEL SWITCH GUAGE 15700116 1000369934 21 166.49 3,496.29 NG1101-Sub1 160 LEVEL SWITCH GUAGE 15	1AT-506 PHIA 1AU410 PHIA 1AU303 PHIA 1AU304 PHIA 1AV501-04 PHIA 1AW604-01 PHIA 1AQ205 PHIA
156 PISTON 3 56.48 169.44 NG1101-Sub1 157 CONNECTING ROD 2 350.00 700.00 NG1101-Sub1 158 CONNECTING ROD SIZE:67,67 4 350.00 1,400.00 NG1101-Sub1 159 BEARING (HALF) Complete Set 1000341189 8 30.57 244.56 NG1101-Sub1 160 PISTON RING 5 76.34 381.70 NG1101-Sub1 161 CLEVIS 100016339 2 106.59 213.18 NG1101-Sub1 162 BAR W/HOLE SF0035139 1001125492 2 201.65 403.30 NG1101-Sub1 163 SEAL GP 1000660140 2 174.69 349.38 NG1101-Sub1 164 DIFFERENTIAL PRESSURE GAUGE 0-1.0BAR 4 145.21 580.84 NG1101-Sub1 165 HALF BERSING 1000341681 4 15.15 60.60 NG1101-Sub1 166 COLLAR 1000341681 4 15.15	1AU410 PHIA 1AU303 PHIA 1AU304 PHIA 1AV501-04 PHIA 1AW404-01 PHIA 1AQ205 PHIA
157 CONNECTING ROD 2 350.00 700.00 NG1101-Sub1 158 CONNECTING ROD SIZE:67,67 4 350.00 1,400.00 NG1101-Sub1 159 BEARING (HALF) Complete Set 1000341189 8 30.57 244.56 NG1101-Sub1 160 PISTON RING 5 76.34 381.70 NG1101-Sub1 161 CLEVIS 100016339 2 106.59 213.18 NG1101-Sub1 162 BAR W/HOLE SF0035139 1001125492 2 201.65 403.30 NG1101-Sub1 163 SEAL GP 1000660140 2 174.69 349.38 NG1101-Sub1 164 DIFFERENTIAL PRESSURE GAUGE 0-1.0BAR 4 145.21 580.84 NG1101-Sub1 165 HALF BEARING 1000341681 4 15.15 60.60 NG1101-Sub1 166 OLLAR 1000341681 4 15.15 60.60 NG1101-Sub1 167 LVEL SWTCH GUAGE 1570016 100036993	1AU303 PHIA 1AU304 PHIA 1AV501-04 PHIA 1AV404-01 PHIA 1AQ205 PHIA
157 CONNECTING ROD 2 350.00 700.00 NG1101-Sub1 158 CONNECTING ROD SIZE:67,67 4 350.00 1,400.00 NG1101-Sub1 159 BEARING (HALF) Complete Set 1000341189 8 30.57 244.56 NG1101-Sub1 160 PISTON RING 5 76.34 381.70 NG1101-Sub1 161 CLEVIS 100016339 2 106.59 213.18 NG1101-Sub1 162 BAR W/HOLE SF0035139 1001125492 2 201.65 403.30 NG1101-Sub1 163 SEAL GP 1000660140 2 174.69 349.38 NG1101-Sub1 164 DIFFERENTIAL PRESSURE GAUGE 0-1.08AR 4 145.21 580.84 NG1101-Sub1 165 HALF BEARING 1000341681 4 15.15 60.60 NG1101-Sub1 166 CULAR 1000341681 4 15.15 60.60 NG1101-Sub1 167 LEVEL SWITCH GUAGE 1570016 50.30 </td <td>1AU303 PHIA 1AU304 PHIA 1AV501-04 PHIA 1AV404-01 PHIA 1AQ205 PHIA</td>	1AU303 PHIA 1AU304 PHIA 1AV501-04 PHIA 1AV404-01 PHIA 1AQ205 PHIA
158 CONNECTING ROD SIZE:67,67 4 350.00 1,400.00 NG1101-Sub1 159 BEARING (HALF) Complete Set 1000341189 8 30.57 244.56 NG1101-Sub1 160 PISTON RING 5 76.34 381.70 NG1101-Sub1 161 CLEVIS 1000016339 2 106.59 213.18 NG1101-Sub1 162 BAR W/HOLE SF0035139 1001125492 2 201.65 403.30 NG1101-Sub1 163 SEAL GP 1000660140 2 174.69 349.38 NG1101-Sub1 164 DIFFERENTIAL PRESSURE GAUGE 0-1.0BAR 4 145.21 580.84 NG1101-Sub1 165 HALF BEARING 1000341681 4 15.15 60.60 NG1101-Sub1 166 COLLAR 1000341676 6 55.30 331.80 NG1101-Sub1 167 LEVEL SWITCH GUAGE 1570016 1000369934 21 166.49 3,496.29 NG10101-Sub1	1AU304 PHIA 1AV501-04 PHIA 1AW404-01 PHIA 1AQ205 PHIA
159 BEARING (HALF) Complete Set 1000341189 8 30.57 244.56 NG1101-Sub1 160 PISTON RING 5 76.34 381.70 NG1101-SUB1 161 CLEVIS 100016339 2 106.59 213.18 NG1101-SUB1 162 BAR W/HOLE \$F0035139 1001125492 2 201.65 403.30 NG1101-SUB1 163 SEAL GP 1000660140 2 174.69 349.38 NG1101-SUB1 164 DIFFERENTIAL PRESSURE GAUGE 0-1.0BAR 4 145.21 580.84 NG1101-SUB1 165 HALF BEARING 1000341681 4 15.15 60.60 NG1101-SUB1 166 COLLAR 1000341676 6 55.30 331.80 NG1101-SUB1 167 LEVEL SWTCH GUAGE 1570016 1000369934 21 166.49 3,496.29 NG1101-SUB1	1AV501-04 PHIA 1AW404-01 PHIA 1AQ205 PHIA
FISTON RING	1AW404-01 PHIA 1AQ205 PHIA
161 CLEVIS 1000016339 2 106.59 213.18 NG1101-SUB1 162 BAR W/HOLE SF0035139 1001125492 2 201.65 403.30 NG1101-Sub1 163 SEAL GP 1000660140 2 174.69 349.38 NG1101-SUB1 164 DIFFERENTIAL PRESSURE GAUGE 0-1.0BAR 4 145.21 580.84 NG1101-SUB1 165 HALF BEARING 1000341681 4 15.15 60.60 NG1101-Sub1 166 COLLAR 1000341676 6 55.30 331.80 NG1101-SUB1 167 IVEL SWTCH GUAGE 15700116 1000369934 21 166.49 3,496.29 NG1101-SUB1	1AQ205 PHIA
162 BAR W/HOLE \$F035139 1001125492 2 201.65 403.30 NG1101-Sub1 163 \$EAL GP 1000660140 2 174.69 349.38 NG1101-SUB1 164 DIFFERENTIAL PRESSURE GAUGE 0-1.0BAR 4 145.21 580.84 NG1101-SUB1 165 HALF BEARING 1000341671 4 15.15 60.60 NG1101-Sub1 166 COLLAR 1000341676 6 55.30 331.80 NG1101-Sub1 167 LEVEL SWTCH GUAGE 15700116 1000369934 21 166.49 3,496.29 NG1101-Sub1	
163 SEAL GP 1000660140 2 174.69 349.38 NG1101-SUB1 164 DIFFERENTIAL PRESSURE GAUGE 0-1.0BAR 4 145.21 580.84 NG1101-SUB1 165 HALF BEARING 1000341681 4 15.15 60.60 NG1101-Sub1 166 COLLAR 1000341676 6 55.30 331.80 NG1101-Sub1 167 LEVEL SWTCH GUAGE 15700116 1000369934 21 166.49 3,496.29 NG1101-Sub1	1AW303-05 PHIA
163 SEAL GP 1000660140 2 174.69 349.38 NG1101-SUB1 164 DIFFERENTIAL PRESSURE GAUGE 0-1.0BAR 4 145.21 580.84 NG1101-SUB1 165 HALF BEARING 1000341681 4 15.15 60.60 NG1101-Sub1 166 COLLAR 1000341676 6 55.30 331.80 NG1101-Sub1 167 LEVEL SWTCH GUAGE 15700116 1000369934 21 166.49 3,496.29 NG1101-Sub1	
164 DIFFERENTIAL PRESSURE GAUGE 0-1.0BAR 4 145.21 580.84 NG1101-SUB1 165 HALF BEARING 1000341681 4 15.15 60.60 NG1101-Sub1 166 COLLAR 1000341676 6 55.30 331.80 NG1101-Sub1 167 LEVEL SWTCH GUAGE 15700116 1000369934 21 166.49 3,496.29 NG1101-Sub1	1AT602 PHIA
165 HALF BEARING 1000341681 4 15.15 60.60 NG1101-Sub1 166 COLLAR 1000341676 6 55.30 331.80 NG1101-SUB1 167 LEVEL SWTCH GUAGE 15700116 1000369934 21 166.49 3,496.29 NG1101-Sub1	1AT511 PHIA
166 COLLAR 1000341676 6 55.30 331.80 NG1101-SUB1 167 LEVEL SWTCH GUAGE 15700116 1000369934 21 166.49 3,496.29 NG1101-Sub1	1AW201-02 PHIA
167 LEVEL SWTCH GUAGE 15700116 1000369934 21 166.49 3,496.29 NG1101-Sub1	
	1AW705-03 PHIA
	1AU501 PHIA
168 SEAL INTEGRAL 1001163812 1 164.51 164.51 NG1101-SUB1	1AT608 PHIA
169 CONVERSION KIT, PLUG, 1001209183 9 8.34 75.06 NG1101-SUB1	1AW505-04 PHIA
170 RING SEAL 1000324375 8 8.57 68.56 NG1101-Sub1	1AV501-01 PHIA
171 SPRING 8 3.80 30.40 NG1101-sub1	1AV501-03 PHIA
172 GUAGE AIR,50MBAR 100034129 3 27.03 81.09 NG1101-Sub1	1AV602-03 PHIA
173 PACKING 2.1/2" ID 27 15.32 413.64 NG1101-Sub1	1AR515 PHIA
174 FILTER ELEMENT KIT SERVICE KIT OD/PDP-120SFA 1002405715 1 916.00 NG1101-SUB1	1AS707 PHIA
175 EEB NON ASBES GASKET. PYRO BOSS GASKET, PYRO BOSS GASKET DE GA	1AW302-02 PHIA
176 EB-NON ABST GASKET, INJECTOR 100089039 3 15.40 46.20 NG1101-SUB1	1AW502-03 PHIA
177 RELAY OUTPUT MODILE 16-CH OUT:5-25VAC , 50/60Hz , 5-125VDC 100364347 1 478.96 478.96 NG1101-Sub1	1AR509 PHIA
1000482654 3 5.08 15.24 NG1101-sub1	1AR512 PHIA
179 HALF BEARING 1001148122 1 118.52 118.52 NG1101-SUB1	1AW602-02 PHIA
180 OPTICAL FIRE DETECTOR 1000033683 1 239.98 239.98 NG1101-Sub1	1AR207 PHIA
181 SUCTION VALVE 4" (SD) J165L 1001062462 2 665.70 1,331.40 NG1101-Sub1	1AS515 PHIA
182 SUCTION VALVE 4" (SD) J165L 1001062467 1 884.10 884.10 NG1101-Sub1	1AS514 PHIA
183 MDL INPUT FAST TC/RTD 2 1,950.00 3,900.00 NG1101-SUB1	1AQ215 PHIA
184 FREQUENCY GUAGE 55-65Hz INPUT:110-130VAC 11 77.48 ING1101-Sub1	1AU207 PHIA
185 FUEL FILTER 1000328838 1 814.19 814.19 NG1101-SUB1	1AQ613 PHIA
186 SOLENOID VALVE 3-WAY SOLAR, Eex Diict4/t5/t6 1000498841 2 1,028.56 2,057.12 NG1101-SUB1	1AQ115 PHIA
187 SOLENIOD VALVE 3-WAY 1000371520 2 1,245.26 2,490.52 NG1101-SUB1	1AQ113 PHIA
188 SOLENOID VALVE	1AW701-04 PHIA
189 ELECTRONIKON REGULATOR GRAPHIC SRN 1134A01107, 1001946358 2 425.27 850.54 NG1101-Sub1	1AS612 PHIA
190 NON ABESTOSE GASKET, BLEED AIR 1000089033 2 16.79 33.58 NG1101-Sub1	1AW301-02 PHIA
191 TACHOMETER 111074 1000361430 2 502.33 1,004.66 NG1101-5UB1	1AT615 PHIA
	1AV604-06 PHIA
193 HOSE	1AR605 PHIA
194 HOSE 124-1950 1001528943 2 7.38 14.76 NG1101-Sub1	1AR602 PHIA
195 HOSE 1 7.38 NG1101-Sub1	1AR601 PHIA
196 ELBOW 16 3.20 51.20 NG1101-SUB1	1AT508 PHIA
197 O RING 1 2.32 2.32 NG1101-Sub1	1AV501-05 PHIA
1 2.29 2.29 NG1101-Sub1	1AV702-03 PHIA
200 ELBOW 15 121.20 1,818.00 NG1101-SUB1	1AT609 PHIA
201 PRESSURE REGULATOR 186273-1 SOLAR , WTM 10167 1000328643 2 1,188.66 2,377.32 NG1101-SUB1	1AQ614 PHIA
202 FUEL FILTER 2 24.83 49.66 NG1101-Sub1	1AS610 PHIA
203 CONTACTOR 100A, AC-3, 22KW - 400V 1000332179 1 268.68 268.68 NG1101-Sub1	1AR105 PHIA
204 V-BELT 1000705860 1 50.15 NG1101-SUB1	1AQ703 PHIA
205 SIGHT GIASS 20" 2 55.00 110.00 NG1101-5US1	1AQ314 PHIA
	1AR214 PHIA
207 EXTENSION ROD 1000413918 1 158.05 158.05 NG1101-Sub1	1AU406 PHIA
	1AV505-04 PHIA
208 WASHER 1000755424 40 9.01 360.40 NG1101-Sub1	1AW503-04 PHIA
208 WASHER 1000755424 40 9.01 360.40 NG1101-Sub1 209 VANE PACK 1001026519 5 45.12 225.60 NG1101-SUB1	
	1AS103 PHIA
209 VANE PACK 1001026519 5 45.12 225.60 NG1101-SUB1 210 OPEN PATH INFRARED GAS DETECTOR (RECEIVER) 1000733100 2 10,828.54 21,657.08 NG1101-Sub1	
209 VANE PACK 1001026519 5 45.12 225.60 NG1101-SUB1	1AS103 PHIA 1AV705-03 PHIA 1AS703 PHIA

							T	
213 ADAPTER ASSY		1000384939	4		879.84	NG1101-SUB1	1AQ309	PHIA
214 FILTER			3	39.69	119.07	NG1101-Sub1	1AR610	PHIA
215 RING KITS			1	22.50	22.50	NG1101-SUB1	1AT301	PHIA
216 ADAPTER YOKE ACTUATOR	SOLAR	1000340346	1	249.30	249.30	NG1101-SUB1	1AQ206	PHIA
217 STUFFING BOX SEAL	2.3/4"	1000348814	14	19.31	270.34	NG1101-Sub1	1AU412	PHIA
218 STRAINER REPLACEMENT		1000219764	2		123.10	NG1101-Sub1	1AW205-02	PHIA
219 SNAP ACTING RELAY	MODEL 24	1001751166	1		694.11	NG1101-Sub1	1AR212	PHIA
	MODILE 24	1001/31100	-					
220 V-BELT				11.52	57.60	NG1101-SUB1	1AQ603	PHIA
221 COPPER RING GASKET		1000705759	20	44.22	884.40	NG1101-SUB1	1AW503-02	PHIA
222 GASKET RING , 1-31/32X1-7/16X1/16 COP		1001141240	16	48.77	780.32	NG1101-SUB1	1AW503-05	PHIA
223 VALVE GASKET	COPPER	1001141241	1	41.38	41.38	NG1101-Sub1	1AV602-06	PHIA
224 SEAL KIT		1000011163	1	369.64	369.64	NG1101-SUB1	1AW504-05	PHIA
225 OIL STOP KIT		1000382695	1	7.52	7.52	NG1101-Sub1	1AV501-01	PHIA
226 OIL STOP CHECK VALVE KIT			4		2,258.92	NG1101-SUB1	1AQ715	PHIA
227 UNLOADER KIT	+		2		111.63	NG1101-SUB1	1AQ714	PHIA
			3					
228 VALVE KIT			2	77.42	154.84	NG1101-SUB1	1AQ604	PHIA
229 SCAVENGE LINE KIT		1002018244	6		467.52	NG1101-Sub1	1AU615	PHIA
230 THERMAL VALVE KIT			4	12.32	49.28	NG1101-Sub1	1AW303-04	PHIA
231 V-BELT		1001082537	2	47.37	94.74	NG1101-SUB1	1AQ713	PHIA
232 ELEMENT KIT			1		145.43	NG1101-SUB1	1AQ506	PHIA
233 RADIATOR KIT CAP		1001106842	2		766.04	NG1101-Sub1	1AS414	PHIA
234 FITTING	 		1		0.20	NG1101-3081	1AW405-06	PHIA
			1					
235 SEAL O-RING		1001477272	1	5.18	5.18	NG1101-Sub1	1AW203-05	PHIA
236 WASHER	1	1000359705	35	0.87	30.45	NG1101-Sub1	1AV402-06	PHIA
237 BOLT			47	1.50	70.50	NG1101-Sub1	1AV605-04	PHIA
238 ELBOW		1001477451	16	3.48	55.68	NG1101-SUB1	1AW403-03	PHIA
239 BREATHER ASSEMBLY		1000384906	1		54.80	NG1101-SUB1	1AW604-01	PHIA
240 COVER		1	1		77.32	NG1101-Sub1	1AS214	PHIA
241 DISCHARGE VALVE	ASM-DISCHARGE 0.425	1001148241	2	2,048.40	6,145.20	NG1101-Sub1	1AS606	PHIA
	ASWI-DISCHARGE 0.423							
242 SPARK PLUG		1001240468	1	129.29	129.29	NG1101-SUB1	1AW704-03	PHIA
243 3 WAY PISTON VALVE 3/8"	10-200 H2O PSI , OIL & AIR	1000255667	4	775.05	3,100.20	NG1101-Sub1	1AV705-05	PHIA
244 GASKET INJECTOR		1000328612	43	49.92	2,146.56	NG1101-SUB1	1AW401-03	PHIA
245 IGNITION EXCITER	SOLAR , 917560C2	1000375086	1	1,688.07	1,688.07	NG1101-Sub1	1AS509	PHIA
246 GASKET	2-31/32" X 5/32"	1000345119	1	141.94	141.94	NG1101-Sub1	1AV601-02	PHIA
247 MALE CONNECTOR			1		20.61	NG1101-Sub1	1AW305-02	PHIA
248 CROSS TEE			10		123.40	NG1101-Sub1	1AR412	PHIA
249 BAFFLE PLATE			0	132.00	1,056.00	NG1101-Sub1	1AU515	PHIA
			8					
250 RIDER RING CARRIER HY52	12919129	1001141276	4		4,919.64	NG1101-Sub1	1AU211	PHIA
251 SPRING			1	6.50	6.50	NG1101-SUB1	1AQ305	PHIA
252 STEM PLUG		1001084197	1	2,868.45	2,868.45	NG1101-Sub1	1AV705-02	PHIA
253 CROSSHEAD PIN	705791274, 2311.77R011.018		3	190.82	572.46	NG1101-Sub1	1AV605-01	PHIA
254 SPRING	00236199000A	1000705756	16	9.88	158.08	NG1101-Sub1	1AV504-01	PHIA
255 PLUG			16		59.36	NG1101-SUB1	1AW405-02	PHIA
256 LOCK WASHER		1000358606	15	0.07	1.05	NG1101-Sub1	1AV405-05	PHIA
257 NIPPLE			17	12.26	208.42	NG1101-Sub1	1AW201-05	PHIA
258 BEARING		1000359221	1		73.79	NG1101-Sub1	1AW301-01	PHIA
259 ELBOW			4	27.61	110.44	NG1101-Sub1	1AV605-03	PHIA
260 KNIFE FUSE,35A,500V			31	35.67	1,105.77	NG1101-SUB1	1AW402-03	PHIA
261 SUCTION VALVE	00337314		2	204.21	408.42	NG1101-Sub1	1AS601	PHIA
262 RELAY DISPLAY CARD			1	140.78	140.78	NG1101-Sub1	1AS212	PHIA
263 ATEX OPTICAL CARD		1001156719	2	1,526.90	3,053.80	NG1101-SUB1	1AT505	PHIA
264 V-BELT	 	1001136719 1001026592(EXT)	1	6.50	6.50	NG1101-30B1	1AQ702	PHIA
		10010502A5(EYI)	4					
265 FILTER ELEMENT			1	72.96	72.96	NG1101-Sub1	1AV501-06	PHIA
266 SIGHT GLASS	4"		6		132.00	NG1101-SUB1	1AQ204	PHIA
267 KIT ELEMENT FILTER LUBE OIL	SOLAR , 186280-500 , 3000PSI , 3MICRON	1000343089	7	515.44	3,608.08	NG1101-Sub1	1AR115	PHIA
268 IMPELLER LABYRINTH	288324	1000705615	4	1,699.15	6,796.60	NG1101-Sub1	1AU305	PHIA
269 RING PACKING		1000334405	2	167.33	334.66	NG1101-SUB1	1AW601-06	PHIA
270 VALVE		1000360096	19	70.52	1,339.88	NG1101-Sub1	1AV605-06	PHIA
271 HOSE	DOT GY AIR BRAKE 1/4 SAE J1402 A	1000360141	1	18.40	18.40	NG1101-Sub1	1AR703	PHIA
	DOT OF AIR DIVARE 1/4 JACUTAUS A		2					PHIA
272 HOSE		1000360142	20		59.04	NG1101-Sub1	1AR709	
273 SPRING		1000385055	30		271.50	NG1101-SUB1	1AW403-01	PHIA
274 LEVER		1000913040	4		566.64	NG1101-SUB1	1AW503-06	PHIA
		1000361199	4	129.97	519.88	NG1101-Sub1	1AV604-02	PHIA
275 SEAL G				4 000 00	1 002 00	NG1101-Sub1	1AR206	PHIA
		1000844155	1	1,092.69	1,092.69		IMNZUU	
275 SEAL G 276 SWITCH ASSY	OVER RANGE: 1500PSI. ADJ RANGE: 7-30PSI. 5A, 250VAC	1000844155	2					
275 SEAL G 276 SWITCH ASSY 277 SNAP SWITCH	OVER RANGE: 1500PSI, ADJ RANGE: 7-30PSI, 5A, 250VAC	1000844155 1001088769	2	933.03	1,866.06	NG1101-SUB1	1AQ704	PHIA
275 SEAL G 276 SWITCH ASSY 277 SNAP SWITCH 278 CABLE GLAND M20	OVER RANGE: 1500PSI, ADJ RANGE: 7-30PSI, 5A, 250VAC	1000844155	1 2 7	933.03 15.59	1,866.06 109.13	NG1101-SUB1 NG1101-SUB1	1AQ704 1AW601-03	PHIA PHIA
275 SEAL G 276 SWITCH ASSY 277 SNAP SWITCH 278 CABLE GLAND M20 279 CABLE GLAND M25	OVER RANGE: 1500PSI, ADJ RANGE: 7-30PSI, 5A, 250VAC	1000844155 1001088769 1000492175	1 2 7 10	933.03 15.59 13.88	1,866.06 109.13 138.80	NG1101-SUB1 NG1101-SUB1 NG1101-SUB1	1AQ704 1AW601-03 1AW403-05	PHIA PHIA PHIA
275 SEAL G 276 SWITCH ASSY 277 SNAP SWITCH 278 CABLE GLAND M20 279 CABLE GLAND M25 280 ELEMENT KIT	OVER RANGE: 1500PSI, ADJ RANGE: 7-30PSI, 5A, 250VAC	1000844155 1001088769	1 2 7 10 5	933.03 15.59 13.88 3,176.78	1,866.06 109.13 138.80 15,883.90	NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1	1AQ704 1AW601-03 1AW403-05 1AQ307	PHIA PHIA PHIA PHIA
275 SEAL G 276 SWITCH ASSY 277 SNAP SWITCH 278 CABLE GLAND M20 279 CABLE GLAND M25 280 ELEMENT KIT 281 AIR FILTER ELEMENT		1000844155 1001088769 1000492175	1 2 7 10 5	933.03 15.59 13.88 3,176.78 603.63	1,866.06 109.13 138.80 15,883.90 603.63	NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1	1AQ704 1AW601-03 1AW403-05 1AQ307 1AR712	PHIA PHIA PHIA PHIA PHIA
275 SEAL G 276 SWITCH ASSY 277 SNAP SWITCH 278 CABLE GLAND M20 279 CABLE GLAND M25 280 ELEMENT KIT	OVER RANGE: 1500PSI, ADJ RANGE: 7-30PSI, 5A, 250VAC DC:20-30V , Um: 40V , CURRENT CONSUM: 70-45mA , MAX TEMP: 60degC ,	1000844155 1001088769 1000492175 1000953168	1 2 7 10 5 1	933.03 15.59 13.88 3,176.78	1,866.06 109.13 138.80 15,883.90	NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1	1AQ704 1AW601-03 1AW403-05 1AQ307	PHIA PHIA PHIA PHIA

284 VALVE PLATE	DAMPER PLATE	10003635	15	155.52	2,332.80	NG1101-SUB1	1AQ402	PHIA
285 VALVE PLATE	DAMPING PLATE	10003637		122.14	977.12	NG1101-SUB1	1AQ302	PHIA
286 VALVE PLATE	DISCHARGE VALVE PLATE	10003637		206.43	1,238.58	NG1101-SUB1	1AQ301	PHIA
287 DISCHARGE VALVE PLATE		10003637		266.83	4,269.28	NG1101-SUB1	1AQ303	PHIA
288 RECORDING CHART			38	6.60	250.80	NG1101-SUB1	1AQ707	PHIA
289 STEEL STOP PLATE			1	32.87	32.87	NG1101-Sub1	1AV404-03	PHIA
290 STEEL STEM BUSHING			1	159.26	159.26	NG1101-Sub1	1AV404-06	PHIA
291 STEEL TRUNNION BUSHING			1	159.26	159.26	NG1101-Sub1	1AV405-02	PHIA
292 STEM O RING			2	1.40	2.80	NG1101-Sub1	1AV501-06	PHIA
293 TRUNNION O RING			1	2.70	2.70	NG1101-Sub1	1AV501-06	PHIA
294 BONNET O RING 295 SEAT O RING			1	1.80	1.80	NG1101-Sub1	1AV501-06	PHIA
295 SEAT O RING 296 ADAPTER O RING			2	2.50	6.00	NG1101-Sub1	1AV501-06	PHIA
297 STEM O RING			2	3.00	5.00 6.00	NG1101-Sub1 NG1101-Sub1	1AV501-06 1AV501-06	PHIA
297 STEM O RING 298 TRUNNION O RING			1	4.30	4.30	NG1101-Sub1	1AV501-06	PHIA
299 BONNET O RING			1	3.80	3.80	NG1101-Sub1	1AV501-06	PHIA
300 ADAPTER ORING			2	2.67	5.34	NG1101-Sub1	1AV501-06	PHIA
301 SEAT ORING			2	3.78	7.56	NG1101-Sub1	1AV501-06	PHIA
302 IGNITION COIL	CLASS 1 , GROUP D , DIVISION 2	10011548	1802 1	32.54	32.54	NG1101-SUB1	1AT402	PHIA
303 PRESSURE GAUGE (PANEL MOUNTE			13	234.12	3,043.56	NG1101-Sub1	1AU510	PHIA
304 COVER		10003906		194.01	3,298.17	NG1101-Sub1	1AU308	PHIA
305 ELBOW			5	14.34	71.70	NG1101-SUB1	1AW605-04	PHIA
306 SEAL		10003593	332 1	4.13	4.13	NG1101-Sub1	1AV601-05	PHIA
307 WASHER		10003163		0.33	20.46	NG1101-Sub1	1AW204-03	PHIA
308 WATER HOSE		10003606	0632 1	0.60	0.60	NG1101-Sub1	1AU514	PHIA
309 HOSE			2	12.94	25.88	NG1101-Sub1	1AU514	PHIA
310 HOSE	5P-1262T 90CCM	10003606		122.23	122.23	NG1101-Sub1	1AR301	PHIA
311 HOSE	90cm	10003628		1.86	1.86	NG1101-Sub1	1AR401	PHIA
312 M-SEAL		10003606		18.65	18.65	NG1101-Sub1	1AR713	PHIA
313 BOLT		10013960		8.55	17.10	NG1101-SUB1	1AW502-06	PHIA
314 V BELT 315 O-RING KIT		10008460	056 1	119.41 3.29	119.41 3.29	NG1101-SUB1 NG1101-SUB1	1AQ104 1AW404-02	PHIA PHIA
316 O-RING			1	0.82	0.82	NG1101-SUB1 NG1101-Sub1	1AW202-02	PHIA
317 O RING KIT			1	2.12	2.12	NG1101-Sub1	1AV501-05	PHIA
318 OUTLET VALVE KIT MX			2	837.32	1,674.64	NG1101-Sub1	1AS315	PHIA
319 CAM TIMER	CAMTIMER AND LOGIC MXP	10011725	1563 2	1,896.59	3,793.18	NG1101-Sub1	1AS315	PHIA
320 VALVE SPRING			12	12.56	150.72	NG1101-Sub1	1AV501-05	PHIA
321 O-RING	2311-8053-00		1	1.32	1.32	NG1101-Sub1	1AV501-06	PHIA
322 ROLLER BEARING			3	55.49	166.47	NG1101-Sub1	1AU605	PHIA
323 SIGHT GLASS	6"		3	30.13	90.39	NG1101-SUB1	1AQ701	PHIA
324 LOCK NUT	49274.14 , 0-6397-0032-00		5	45.64	228.20	NG1101-SUB1	1AW701-06	PHIA
325 SEAL LINER		10003483	3399 1	132.39	132.39	NG1101-Sub1	1AR215	PHIA
326 SEAL O-RING			3	4.17	12.51	NG1101-Sub1	1AV504-01	PHIA
327 2" SAND PROBE , ASSY 316			3	765.49	2,296.47	NG1101-Sub1	1AU312	PHIA
328 SAND PROBE ASSEMBLY			1	817.77	817.77	NG1101-Sub1	1AV603-06	PHIA
329 O RING			3	1.86	5.58	NG1101-Sub1	1AV501-01	PHIA
330 SEALANT STICKS	24pcs Per Pack	10003881		362.52	1,812.60	NG1101-SUB1	1AQ306	PHIA
331 PRESSURE REGULATOR 1/4MPT	SET POINT 50 PSI	10007329	912 1	251.89	251.89	NG1101-Sub1	1AR607	PHIA
332 RING JOINT GASKET R35 333 FERRULE	F-3854 PX35 D-4, 4.75 ID 5.7500 0D	10003586	1 12	43.00 4.35	43.00	NG1101-SUB1 NG1101-Sub1	1AT205 1AW204-06	PHIA PHIA
334 SEAL FERRULE		10003586	8686 43	2.22	187.05 17.76	NG1101-Sub1	1AW204-06 1AV601-05	PHIA
335 FITTING	ELBOW	10003591	138 34	4.55	154.70	NG1101-Sub1	1AW204-04	PHIA
336 SWITCH		10003391	3	7.59	22.77	NG1101-Sub1	1AV704-03	PHIA
337 INSERT			2	10.43	20.86	NG1101-Sub1	1AR511	PHIA
338 SEAL FERRULE	20-MQ-6L713	10003595	514 40	3.08	123.20	NG1101-Sub1	1AV601-05	PHIA
339 O RING		10003595		5.21	36.47	NG1101-Sub1	1AV505-05	PHIA
340 PIPE NIPPLE		10021114	448 14	12.64	176.96	NG1101-Sub1	1AU409	PHIA
341 BRACKET			4	20.61	82.44	NG1101-Sub1	1AU608	PHIA
342 NUT		10006708	13	0.26	3.38	NG1101-SUB1	1AW403-01	PHIA
343 1.1/2" X 600 BALL VALVE	BODY:BRONZE , STEM: 316S.S , BALL:BRS , SEAT:MPTFE, HAND	LE:A249/A269/A554	5	227.99	1,139.95	NG1101-SUB1	1AT109	PHIA
344 ORIFICE PLATE SEAL RING 6" WHITE			5	27.67	138.35	NG1101-SUB1	1AT413	PHIA
345 BALL VALVE SEAL KIT	2"		1	60.50	60.50	NG1101-Sub1	1AV502-03	PHIA
346 BUSHING		10003586		8.55	145.35	NG1101-SUB1	1AW404-06	PHIA
347 NIPPLE			28	6.56	183.68	NG1101-Sub1	1AR415	PHIA
348 EXHAUST SEAL ASSEMBLY 349 ANALOG MODULE	W49001V0012 A 1005217	10011437	3/02 8	127.20 94.77	1,017.60 94.77	NG1101-Sub1 NG1101-Sub1	1AV604-03 1AS215	PHIA
	W48091X0012-A-1005217	40003505	1 1					PHIA
350 TRANSFORMER 351 SEAL O-RING		10003595 10003306		153.11 8.57	153.11 25.71	NG1101-Sub1 NG1101-SUB1	1AS604 1AW701-02	PHIA
351 SEAL O-RING 352 GASKET		10003306	1	4.26	4.26	NG1101-Sub1	1AU512	PHIA
353 GASKET	<u> </u>	10003306	0617 2	41.90	83.80	NG1101-Sub1	1AR411	PHIA
354 GUIDE		10003849		17.52	560.64	NG1101-SUB1	1AW505-02	PHIA
100 1000	1	10005015	. , ,	1				

[]		T	1.	T	1	I	T	I
355 MAGNETO GROUP		1001151197	1		5,078.87	NG1101-Sub1	1AS603	PHIA
356 OIL FILTER		1000762235	4	13.99	55.96	NG1101-Sub1	1AS611	PHIA
357 ES-DETECTORBASE			3	8.86	26.58	NG1101-Sub1	1AR108	PHIA
358 SIGHT GLASS	8"		7	37.50	262.50	NG1101-SUB1	1AQ110	PHIA
359 PRESSURE REGULATOR	0 - 70 Bar, 0 - 1000PSI, BRASS, LPM-0Z	1002498923	1	120.87	120.87	NG1101-Sub1	1AV703-03	PHIA
360 CALIBRATION CRADLE	X-am 1/2/5X00	1000957146	2	56.53	113.06	NG1101-Sub1	1AU709	PHIA
361 LOGIC /LOCKOUT RELAY			1	2.57	2.57	NG1101-Sub1	1AV402-05	PHIA
362 CLUTCH KEY		1000358705	3	32.24	96.72	NG1101-Sub1	1AW304-04	PHIA
363 SEAL O-RING		1000359057	1	4.65	4.65	NG1101-Sub1	1AW203-04	PHIA
364 BEARING	+	1000359068	1	28.84	28.84	NG1101-Sub1	1AW302-05	PHIA
365 SEAL O-RING		1000702339	1	5.11	20.44	NG1101-Sub1	1AW301-03	PHIA
366 PICK-UP		1000702333	1	159.49	159.49	NG1101-Sub1	1AV603-01	PHIA
	-		1					
		1000359642	ь	200.33	1,201.98	NG1101-SUB1	1AW703-01	PHIA
368 COVER		1000315482	1	113.45	113.45	NG1101-Sub1	1AR615	PHIA
369 INSERT		1000359798	11	46.53	511.83	NG1101-SUB1	1AW405-05	PHIA
370 BAND FILLER			1	2.38	2.38	NG1101-Sub1	1AV702-04	PHIA
371 RETAINER PIN		1000330621	9	7.89	71.01	NG1101-Sub1	1AV504-02	PHIA
372 HOSE ASSEMBLY		1000391172	1	141.06	141.06	NG1101-Sub1	1AR402	PHIA
373 CONTROL TRANSFORMER	EN 61558, 50/60Hz		1	31.86	31.86	NG1101-SUB1	1AT715	PHIA
374 PRESSURE SWITCH GUAGE	0-100PSI , 0-600kPa , 05052280D	1000370199	4	50.01	200.04	NG1101-Sub1	1AU507	PHIA
375 TEMPERATURE SENSOR	SR-21	1000222982	3	64.97	194.91	NG1101-Sub1	1AU506	PHIA
376 O RING	35-21	1000222382	3	2.30				PHIA
		_	2		6.90	NG1101-Sub1	1AV501-06	
	+	10005	4	27.78	55.56	NG1101-Sub1	1AR103	PHIA
378 LUBRICANT GREASE		1000668219	1	67.14	67.14	NG1101-Sub1	1AR211	PHIA
379 SEAL			1	2.34	2.34	NG1101-Sub1	1AV501-06	PHIA
380 ROD END		1000340353	19	144.82	2,751.58	NG1101-SUB1	1AW702-04/05/06	PHIA
381 CONTROL ROD (GAS/LIQUID FUEL)		1000340351	2	128.99	257.98	NG1101-SUB1	1AW603-03	PHIA
382 SEAL EXTRUDED		1000328637	1	343.00	343.00	NG1101-SUB1	1AT204	PHIA
383 METALLIC SEAL 1" SAE O-RING		1000328639	11	78.74	866.14	NG1101-SUB1	1AW601-02	PHIA
384 SPW GASKET		1000345117	1	2.96	2.96	NG1101-Sub1	1AU306	PHIA
385 LOAD SHARING AND SPEED CONTROL	LOW VOLTAGE 2301A		1	4,910.06	4,910.06	NG1101-Sub1	1AS213	PHIA
386 VALVE ASSY	2-003 715-D	1000018670	16	488.39	7,814.24	NG1101-Sub1	1AR216	PHIA
387 ROD ASSY	2 003 713 8	1000359082	11	45.60	501.60	NG1101-SUB1	1AQ404	PHIA
	-							
388 SPRING		1000359810	10	5.66	56.60	NG1101-SUB1	1AW402-04	PHIA
389 INSERT RING		1000359822	10	20.93	209.30	NG1101-SUB1	1AT611	PHIA
390 NUT		1000391177	10	0.19	1.90	NG1101-SUB1	1AW404-04	PHIA
391 HOSE			10	10.71	107.10	NG1101-Sub1	1AR604	PHIA
392 THROTTLE		1000361484	1	528.56	528.56	NG1101-Sub1	1AS401	PHIA
393 COUPLING		1001166272	4	153.87	615.48	NG1101-Sub1	1AR311	PHIA
394 BASE ASSEMBLY		1000361494	1	372.11	372.11	NG1101-Sub1	1AV401-05	PHIA
395 PISTON RING	EMSCO PUMP 7.25", PO/SH/CPI/00/005		10	123.12	1,231.20	NG1101-Sub1	1AU611	PHIA
396 PLUNGER, 22,COL SPCE/F/DPSB				800.51	2,401.53	NG1101-Sub1	1AR407	PHIA
	Col 22 Special for DPSR note	1002316998						
	Col 22 Special for DPSB note	1002316998	3					DUIA
397 CONTACTOR	100-250V , 50/60Hz , AC-1: 50A , AC-3:18, 5kW-400V	1002316998	1	113.00	113.00	NG1101-SUB1	1AW703-05	PHIA
397 CONTACTOR 398 MICRO SWITCH	100-250V , 50/60Hz , AC-1: 50A , AC-3:18, 5kW-400V 60PSI PROOF: 500PSI , DEADBAND: 2-7 , 4.0KG/CM2 , 40KPA , EL RATING :11AMOS, 125/250VAC, 5A,30VDC	1002316998	3 1 3	113.00 35.15	113.00 105.45	NG1101-SUB1 NG1101-SUB1	1AW703-05 1AT309	PHIA
397 CONTACTOR 398 MICRO SWITCH 399 S" BIMETAL THERMOMETER	100-250V, 50/60Hz, AC-1: 50A, AC-3:18, 5kW-400V 60PSI PROOF: 500PSI, DEADBAND: 2-7, 4.0KG/CM2, 40KPA, EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF, -10-120degC, 5"DIAL, 9"STEM, 1/2NPT		3 1	113.00 35.15 19.98	113.00 105.45 19.98	NG1101-SUB1 NG1101-SUB1 NG1101-SUB1	1AW703-05 1AT309 1AQ712	PHIA PHIA
397 CONTACTOR 398 MICRO SWITCH 399 5" BIMETAL THERMOMETER 400 PLUG	100-250V , 50/60Hz , AC-1: 50A , AC-3:18, 5kW-400V 60PSI PROOF: 500PSI , DEADBAND: 2-7 , 4.0KG/CM2 , 40KPA , EL RATING :11AMOS, 125/250VAC, 5A,30VDC	1000327414	3 1 3 1 17	113.00 35.15 19.98 10.01	113.00 105.45 19.98 170.17	NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-Sub1	1AW703-05 1AT309 1AQ712 1AW204-05	PHIA PHIA PHIA
397 CONTACTOR 398 MICRO SWITCH 399 S' BIMETAL THERMOMETER 400 PLUG 401 SOFT IRON RING	100-250V, 50/60Hz, AC-1: 50A, AC-3:18, 5kW-400V 60PSI PROOF: 500PSI, DEADBAND: 2-7, 4.0KG/CM2, 40KPA, EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF, -10-120degC, 5"DIAL, 9"STEM, 1/2NPT	1000327414 1000435168	3 1 3 1 17 4	113.00 35.15 19.98 10.01 136.34	113.00 105.45 19.98 170.17 545.36	NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-Sub1 NG1101-SUB1	1AW703-05 1AT309 1AQ712 1AW204-05 1AW705-02	PHIA PHIA PHIA PHIA
397 CONTACTOR 398 MICRO SWITCH 399 5" BIMETAL THERMOMETER 400 PLUG	100-250V, 50/60Hz, AC-1: 50A, AC-3:18, 5kW-400V 60PSI PROOF: 500PSI, DEADBAND: 2-7, 4.0KG/CM2, 40KPA, EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF, -10-120degC, 5"DIAL, 9"STEM, 1/2NPT	1000327414	3 1 3 1 17 4	113.00 35.15 19.98 10.01	113.00 105.45 19.98 170.17	NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-Sub1	1AW703-05 1AT309 1AQ712 1AW204-05	PHIA PHIA PHIA PHIA PHIA
397 CONTACTOR 398 MICRO SWITCH 399 S' BIMETAL THERMOMETER 400 PLUG 401 SOFT IRON RING	100-250V, 50/60Hz, AC-1: 50A, AC-3:18, 5kW-400V 60PSI PROOF: 500PSI, DEADBAND: 2-7, 4.0KG/CM2, 40KPA, EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF, -10-120degC, 5"DIAL, 9"STEM, 1/2NPT	1000327414 1000435168	1 3 1 17 4 2 5	113.00 35.15 19.98 10.01 136.34	113.00 105.45 19.98 170.17 545.36	NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-Sub1 NG1101-SUB1	1AW703-05 1AT309 1AQ712 1AW204-05 1AW705-02	PHIA PHIA PHIA PHIA
397 CONTACTOR 398 MICRO SWITCH 399 5" BIMETAL THERMOMETER 400 PLUG 401 SOFT IRON RING 402 OIL FILTER	100-250V, 50/60Hz, AC-1: 50A, AC-3:18, 5kW-400V 60PSI PROOF: 500PSI, DEADBAND: 2-7, 4.0KG/CM2, 40KPA, EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF, -10-120degC, 5"DIAL, 9"STEM, 1/2NPT	1000327414 1000435168 1000705760	1 3 1 17 4 2 5	113.00 35.15 19.98 10.01 136.34 177.99	113.00 105.45 19.98 170.17 545.36 355.98	NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1	1AW703-05 1AT309 1AQ712 1AW204-05 1AW705-02 1AR708	PHIA PHIA PHIA PHIA PHIA
397 CONTACTOR	100-250V, 50/60Hz, AC-1: 50A, AC-3:18, 5kW-400V 60PSI PROOF: 500PSI, DEADBAND: 2-7, 4.0KG/CM2, 40KPA, EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF, -10-120degC, 5"DIAL, 9"STEM, 1/2NPT	1000327414 1000435168 1000705760 1000344156	3 1 3 1 17 4 2 5 3	113.00 35.15 19.98 10.01 136.34 177.99 134.20	113.00 105.45 19.98 170.17 545.36 355.98 671.00	NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-Sub1	1AW703-05 1AT309 1AQ712 1AW204-05 1AW705-02 1AR708	PHIA PHIA PHIA PHIA PHIA PHIA PHIA
397 CONTACTOR 398 MICRO SWITCH 399 5" BIMETAL THERMOMETER 400 PLUG 401 SOFT IRON RING 402 OIL FILTER 403 PRESSURE RING 404 PISTON RING 405 PISTON RING	100-250V, 50/60Hz, AC-1: 50A, AC-3:18, 5kW-400V 60PSI PROOF: 500PSI, DEADBAND: 2-7, 4.0KG/CM2, 40KPA, EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF, -10-120degC, 5"DIAL, 9"STEM, 1/2NPT	1000327414 1000435168 1000705760 1000344156 1001040497 1000344172	1 3 1 1 17 4 2 2 5 3 4 3	113.00 35.15 19.98 10.01 136.34 177.99 134.20 134.20 480.24	113.00 105.45 19.98 170.17 545.36 355.98 671.00 402.60 1,920.96	NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1	1AW703-05 1AT309 1AQ712 1AW204-05 1AW705-02 1AR708 1AU610 1AU215 1AU315	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
397 CONTACTOR	100-250V, 50/60Hz, AC-1: 50A, AC-3: 18, 5kW-400V 60PSI PROOF: 500PSI, DEADBAND: 2-7, 4.0KG/CM2, 40KPA, EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF, 1-01-120degC, 5"DIAL, 9"STEM, 1/2NPT 15A 3-PIN ROUND, WHITE	1000327414 1000435168 1000705760 1000344156 1001040497 1000344172 1000351797	1 1 3 1 17 4 2 5 3 4 3 1	113.00 35.15 19.98 10.01 136.34 177.99 134.20 134.20 480.24 2,194.94	113.00 105.45 19.98 170.17 545.36 355.98 671.00 402.60 1,920.96 6,584.82	NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1	1AW703-05 1AT309 1AQ712 1AW204-05 1AW705-02 1AR708 1AU610 1AU215 1AU315 1AW201-06	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
397 CONTACTOR 398 MICRO SWITCH 399 S" BIMETAL THERMOMETER 400 PLUG 401 SOFT IRON RING 402 OIL FILTER 403 PRESSURE RING 404 PISTON RING 405 PISTON RING 406 CV BUSHER 407 RINECTOR TUBE 407 MILECTOR TUBE 408 407 MILECTOR TUBE 407	100-250V, 50/60Hz, AC-1: 50A, AC-3:18, 5kW-400V 60PSI PROOF: 500PSI, DEADBAND: 2-7, 4.0KG/CM2, 40KPA, EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF, -10-120degC, 5"DIAL, 9"STEM, 1/2NPT	1000327414 1000435168 1000705760 1000344156 1001040497 1000344172	1 1 3 1 1 17 4 2 5 3 4 3 1	113.00 35.15 19.98 10.01 136.34 177.99 134.20 134.20 480.24 2,194.94 16,558.39	113.00 105.45 19.98 170.17 545.36 355.98 671.00 402.60 1,920.96 6,584.82 16,558.39	NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1	1AW703-05 1AT309 1AQ712 1AW204-05 1AW705-02 1AR708 1AU610 1AU215 1AU315 1AW315 1AW201-06 1AW703-01	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
397 CONTACTOR 398 MICRO SWITCH 399 5" BIMETAL THERMOMETER 400 PLUG 401 SOFT IRON RING 402 OIL FILTER 403 PRESSURE RING 404 PISTON RING 405 PISTON RING 406 CV BUSHER 407 INJECTOR TUBE 408 VALVE POSITIONER	100-250V, 50/60Hz, AC-1: 50A, AC-3: 18, 5kW-400V 60PSI PROOF: 500PSI, DEADBAND: 2-7, 4.0KG/CM2, 40KPA, EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF, -10-120degC, 5"DIAL, 9"STEM, 1/2NPT 15A 3-PIN ROUND, WHITE EJECTOR TUBE	1000327414 1000435168 1000705760 1000344156 1001040497 100034172 1000351797 1000351782	3 1 1 17 4 2 5 3 4 3 1 1 2	113.00 35.15 19.98 10.01 136.34 177.99 134.20 134.20 480.24 2,194.94 16,558.39 658.32	113.00 105.45 19.98 170.17 545.36 355.98 671.00 402.60 1,920.96 6,584.82 16,558.39 1,316.64	NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1	1AW703-05 1AT309 1AQ712 1AW204-05 1AW705-02 1AR708 1AU610 1AU215 1AU315 1AW201-06 1AV703-01 1AY609	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
397 CONTACTOR	100-250V, 50/60Hz, AC-1: 50A, AC-3: 18, 5kW-400V 60PSI PRODF: 500PSI, DEADBAND: 2-7, 4.0KG/CM2, 40KPA, EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF, 1-01-20degG, 5"DIAL, 9"STEM, 1/2NPT 15A 3-PIN ROUND, WHITE EJECTOR TUBE -20-200degF, 164PSIG	1000327414 1000435168 1000705760 1000344156 1001040497 1000344172 1000351797	3 1 1 1 17 4 2 5 3 4 3 1 1 2	113.00 35.15 19.98 10.01 136.34 177.99 134.20 480.24 2,194.94 16,558.39 658.32 1,350.77	113.00 105.45 19.98 170.17 545.36 355.98 671.00 402.60 1,920.96 6,584.82 16,558.39 1,316.64 2,701.54	NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1	1AW703-05 1AT309 1AQ712 1AW204-05 1AW705-02 1AW708 1AU610 1AU215 1AU315 1AW201-06 1AV703-01 1AS609 1AT314-1AT315	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
397 CONTACTOR 398 MICRO SWITCH 399 S" BIMETAL THERMOMETER 400 PLUG 401 SOFT IRON RING 402 OIL FILTER 403 PRESSURE RING 404 PISTON RING 405 PISTON RING 406 CV BUSHER 407 INJECTOR TUBE 408 VALVE POSITIONER 409 ACTUATOR 410 MALE CONNECTOR	100-250V, 50/60Hz, AC-1: 50A, AC-3: 18, 5kW-400V 60PSI PROOF: 500PSI, DEADBAND: 2-7, 4.0KG/CM2, 40KPA, EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF, -10-120degC, 5"DIAL, 9"STEM, 1/2NPT 15A 3-PIN ROUND, WHITE EJECTOR TUBE	1000327414 1000435168 1000705760 1000344156 1001040497 100034172 1000351797 1000351782	4 2 5 3 4 3 1 2 2 8	113.00 35.15 19.98 10.01 136.34 177.99 134.20 480.24 2,194.94 16,558.39 658.32 1,350.77 56.91	113.00 105.45 19.98 170.17 545.36 355.98 671.00 402.60 1,920.96 6,584.82 16,558.39 1,316.64 2,701.54	NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1	1AW703-05 1AT309 1AQ712 1AW204-05 1AW705-02 1AW708-01 1AU215 1AU315 1AU315 1AW201-06 1AV703-01 1AS609 1AT314-1AT315 1AW202-01	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
397 CONTACTOR 398 MICRO SWITCH 399 S" BIMETAL THERMOMETER 400 PLUG 401 SOFT IRON RING 402 OIL FILTER 403 PRESSURE RING 404 PISTON RING 405 PISTON RING 406 CV BUSHER 407 (INJECTOR TUBE 408 VALVE POSITIONER 409 ACTUATOR 410 MALE CONNECTOR 411 SEAL	100-250V, 50/60Hz, AC-1: 50A, AC-3: 18, 5kW-400V 60PSI PRODF: 500PSI, DEADBAND: 2-7, 4.0KG/CM2, 40KPA, EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF, 1-01-20degG, 5"DIAL, 9"STEM, 1/2NPT 15A 3-PIN ROUND, WHITE EJECTOR TUBE -20-200degF, 164PSIG	1000327414 1000435168 1000705760 1000344156 1001040497 100034172 1000351797 1000351782	3 1 1 1 17 4 2 5 3 4 3 1 1 2 2 8	113.00 35.15 19.98 10.01 136.34 177.99 134.20 134.20 480.24 2,194.94 16,558.39 658.32 1,350.77 56.91 27.48	113.00 105.45 19.98 170.17 545.36 355.98 671.00 402.60 1,920.96 6,584.82 16,558.39 1,316.64 2,701.54 455.28 274.80	NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1	1AW703-05 1AT309 1AQ712 1AW705-02 1AW705-02 1AW705-02 1AU610 1AU215 1AU315 1AW315 1AW301-06 1AV703-01 1AS609 1AT314-1AT315 1AW202-01 1AT509	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
397 CONTACTOR 398 MICRO SWITCH 399 S" BIMETAL THERMOMETER 400 PLUG 401 SOFT IRON RING 402 OIL FILTER 403 PRESSURE RING 404 PISTON RING 405 PISTON RING 406 CV BUSHER 407 INJECTOR TUBE 408 VALVE POSITIONER 409 ACTUATOR 410 MALE CONNECTOR 411 SEAL	100-250V, 50/60Hz, AC-1: 50A, AC-3: 18, 5kW-400V 60PSI PRODF: 500PSI, DEADBAND: 2-7, 4.0KG/CM2, 40KPA, EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF, 1-01-20degG, 5"DIAL, 9"STEM, 1/2NPT 15A 3-PIN ROUND, WHITE EJECTOR TUBE -20-200degF, 164PSIG	1000327414 1000435168 1000705760 1000344156 1001040497 1000344172 1000351797 1000351782	4 2 5 3 4 3 1 1 2 2 2 8 10	113.00 35.15 19.98 10.01 136.34 177.99 134.20 134.20 480.24 480.24 16,558.39 658.32 1,350.77 56.91 27.48	113.00 105.45 19.98 170.17 545.36 355.98 671.00 402.60 1,920.96 6,584.82 16,558.39 1,316.64 2,701.54 455.28 274.80	NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1	1AW703-05 1AT309 1AQ712 1AW204-05 1AW705-02 1AW705-02 1AU610 1AU215 1AU315 1AW201-06 1AV703-01 1AS609 1AT314-1AT315 1AW202-01 1AT509 1AT509	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
397 CONTACTOR 398 MICRO SWITCH 399 S" BIMETAL THERMOMETER 400 PLUG 401 SOFT IRON RING 402 OIL FILTER 403 PRESSURE RING 404 PISTON RING 405 PISTON RING 406 CV BUSHER 407 (INJECTOR TUBE 408 VALVE POSITIONER 409 ACTUATOR 410 MALE CONNECTOR 411 SEAL	100-250V, 50/60Hz, AC-1: 50A, AC-3: 18, 5kW-400V 60PSI PRODF: 500PSI, DEADBAND: 2-7, 4.0KG/CM2, 40KPA, EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF, 1-01-20degG, 5"DIAL, 9"STEM, 1/2NPT 15A 3-PIN ROUND, WHITE EJECTOR TUBE -20-200degF, 164PSIG	1000327414 1000435168 1000705760 1000344156 1001040497 100034172 1000351797 1000351782	4 2 5 3 4 3 1 2 2 8	113.00 35.15 19.98 10.01 136.34 177.99 134.20 480.24 2,194.94 16,558.39 658.32 1,350.77 56.91 27.48 45.10 15.62	113.00 105.45 19.98 170.17 545.36 355.98 671.00 402.60 1,920.96 6,584.82 16,558.39 1,316.64 2,701.54 455.28 274.80 45.10	NG1101-SUB1	1AW703-05 1AT309 1AQ712 1AW204-05 1AW705-02 1AW705-02 1AU610 1AU215 1AU315 1AW315 1AW201-06 1AV703-01 1AS609 1AT314-1AT315 1AW202-01 1AT509 1AT509 1AT507	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
397 CONTACTOR 398 MICRO SWITCH 399 S" BIMETAL THERMOMETER 400 PLUG 401 SOFT IRON RING 402 OIL FILTER 403 PRESSURE RING 404 PISTON RING 405 PISTON RING 406 CV BUSHER 407 INJECTOR TUBE 408 VALVE POSITIONER 409 ACTUATOR 410 MALE CONNECTOR 411 SEAL	100-250V, 50/60Hz, AC-1: 50A, AC-3: 18, 5kW-400V 60PSI PRODF: 500PSI, DEADBAND: 2-7, 4.0KG/CM2, 40KPA, EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF, 1-01-20degG, 5"DIAL, 9"STEM, 1/2NPT 15A 3-PIN ROUND, WHITE EJECTOR TUBE -20-200degF, 164PSIG	1000327414 1000435168 1000705760 1000344156 1001040497 1000344172 1000351797 1000351782	4 2 5 3 4 3 1 1 2 2 2 8 10	113.00 35.15 19.98 10.01 136.34 177.99 134.20 134.20 480.24 2.194.94 16,558.39 688.32 1,350.77 56.91 27.48 45.10 15.62	113.00 105.45 19.98 170.17 545.36 355.98 671.00 402.60 1,920.96 6,584.82 16,558.39 1,316.64 2,701.54 455.28 274.80 45.10 265.54 244.53	NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1	1AW703-05 1AT309 1AQ712 1AW204-05 1AW705-02 1AW705-02 1AU610 1AU215 1AU315 1AW201-06 1AV703-01 1AS609 1AT314-1AT315 1AW202-01 1AT509 1AT509	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
397 CONTACTOR 398 MICRO SWITCH 399 S" BIMETAL THERMOMETER 400 PLUG 401 SOFT IRON RING 402 OIL FILTER 403 PRESSURE RING 404 PISTON RING 406 CV BUSHER 407 INJECTOR TUBE 408 VALVE POSITIONER 409 ACTUATOR 410 MALE CONNECTOR 411 SEAL 412 OIL SEAL KIT 413 SWITCHED SOCKET, 15A, OUTLET 1 GANG	100-250V, 50/60Hz, AC-1: 50A, AC-3: 18, 5kW-400V 60PSI PRODF: 500PSI, DEADBAND: 2-7, 4.0KG/CM2, 40KPA, EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF, 1-01-20degG, 5"DIAL, 9"STEM, 1/2NPT 15A 3-PIN ROUND, WHITE EJECTOR TUBE -20-200degF, 164PSIG	1000327414 1000435168 1000705760 1000344156 1001040497 1000344172 1000351797 1000351782	4 2 5 3 4 3 1 2 2 2 8 8 10 1	113.00 35.15 19.98 10.01 136.34 177.99 134.20 480.24 2,194.94 16,558.39 658.32 1,350.77 56.91 27.48 45.10 15.62	113.00 105.45 19.98 170.17 545.36 355.98 671.00 402.60 1,920.96 6,584.82 16,558.39 1,316.64 2,701.54 455.28 274.80 45.10	NG1101-SUB1	1AW703-05 1AT309 1AQ712 1AW204-05 1AW705-02 1AW705-02 1AU610 1AU215 1AU315 1AW315 1AW201-06 1AV703-01 1AS609 1AT314-1AT315 1AW202-01 1AT509 1AT509 1AT507	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
397 CONTACTOR 398 MICRO SWITCH 399 S" BIMETAL THERMOMETER 400 PLUG 401 SOFT IRON RING 402 OL FILTER 403 PRESSURE RING 404 PISTON RING 405 PISTON RING 406 CV BUSHER 407 INJECTOR TUBE 408 VALVE POSITIONER 409 ACTUATOR 410 MALE CONNECTOR 411 SEAL 412 OIL SEAL KIT 413 SWITCHED SOCKET, 15A, OUTLET 1 GANG 414 10A SWITCH, 2 GANG 2WAY 415 SHIM PACK ASSY	100-250V, 50/60Hz, AC-1: 50A, AC-3: 18, SkW-400V 60PSI PROOF: 500PSI, DEADBAND: 2-7, 4.0KG/CM2, 40KPA, EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF, -10-120degG, S*IDAL, 9*STEM, 1/2NPT 15A 3-PIN ROUND, WHITE EJECTOR TUBE -20-200degF, 164PSIG 1-Way Flow, SS SOLAR: 233601-17	1000327414 1000435168 1000705760 1000344156 1001040497 1000344172 1000351797 1000351782 1000378795	4 2 5 3 4 3 1 2 2 2 8 8 10 1	113.00 35.15 19.98 10.01 136.34 177.99 134.20 134.20 1480.24 2,194.94 16,558.39 1,350.77 56.91 27.48 45.10 15.62 12.87 945.47	113.00 105.45 19.98 170.17 545.36 355.98 671.00 402.60 1,920.96 6,584.82 16,558.39 1,316.64 2,701.54 455.28 274.80 45.10 265.54 244.53 945.47	NG1101-SUB1	1AW703-05 1AT309 1AQ712 1AW204-05 1AW705-02 1AW705-02 1AU610 1AU215 1AU315 1AW201-06 1AV703-01 1AS609 1AT314-1AT315 1AW202-01 1AT509 1AT509 1AT507 1AT406 1AT408	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
397 CONTACTOR 398 MINCRO SWITCH 399 S"BIRETAL THERMOMETER 400 PLUG 401 SOFT IRON RING 402 OLI FILTER 403 PRESSURE RING 404 PISTON RING 405 PISTON RING 406 CV BUSHER 407 INJECTOR TUBE 408 VALVE POSITIONER 409 ACTUATOR 410 MALE CONNECTOR 411 SEAL 412 OLI SEAL KIT 413 SWITCHED SOCKET, 15A, OUTLET 1 GANG 414 10A SWITCH 2 GANG 2WAY 415 SHIM PACK ASSY 416 DIFFERENTIAL PRESSURE SWITCH	100-250V, 50/60Hz , AC-1: 50A , AC-3: 18, 5kW-400V 60PSI PROOF: 500PSI , DEADBAND: 2-7 , 4.0KG/CM2 , 40KPA , EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF , 1-0-120degG , 5"OIAL , 9"STEM , 1/2NPT 15A 3-PIN ROUND, WHITE EJECTOR TUBE -20-200degF , 164PSIG 1-Way Flow, SS SOLAR: 233601-17 30PSID , MAX. WP:500PSI , PROOF: 2000PSI, BUNA.BRASS	1000327414 1000435168 1000705760 1000344156 1001040497 100034172 1000351797 1000351782 1000378795	4 2 5 3 4 3 1 2 2 2 8 8 10 1	113.00 35.15 19.98 10.01 136.34 177.99 134.20 480.24 480.24 16,558.39 658.32 1,350.77 56.91 27.48 45.10 15.62 12.87 945.47 791.20	113.00 105.45 19.98 170.17 545.36 355.98 671.00 402.60 1,920.96 6,584.82 16,558.39 1,316.64 2,701.54 455.28 274.80 45.10 265.54 244.53 945.47 791.20	NG1101-SUB1	1AW703-05 1AT309 1AQ712 1AW204-05 1AW705-02 1AR708 1AU610 1AU215 1AW201-06 1AW703-01 1AS609 1AT314-1AT315 1AW202-01 1AT509 1AT406 1AT408 1AT408 1AR406 1AR414	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
397 CONTACTOR 398 MICRO SWITCH 399 S" BIMETAL THERMOMETER 400 PLUG 401 SOFT IRON RING 402 OIL FILTER 403 PRESSURE RING 404 PISTON RING 405 PISTON RING 406 CV BUSHER 407 INJECTOR TUBE 408 VALVE POSITIONER 409 ACTUATOR 410 MALE CONNECTOR 411 SEAL 412 OIL SEAL KIT 413 SWITCHED SOCKET, 15A, OUTLET 1 GANG 414 10A SWITCH, 2 GANG 2WAY 415 SHIM PACK ASSY 416 DIFFERENTIAL PRESSURE SWITCH 417 HOMI CABLE	100-250V, 50/60Hz, AC-1: 50A, AC-3: 18, 5kW-400V 60PSI PROOF: 500PSI, DEADBAND: 2-7, 4.0KG/CM2, 40KPA, EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF, -10-120degC, 5"DIAL, 9"STEM, 1/2NPT 15A 3-PIN ROUND, WHITE EJECTOR TUBE -20-200degF, 164PSIG 1-Way Flow, SS SOLAR: 233601-17 30PSID, MAX. WP:500PSI, PROOF: 2000PSI, BUNA.BRASS 2505 1719 507 ROHS 0799528	1000327414 1000435168 1000705760 1000344156 1001040497 1000344172 1000351797 1000351782 1000378795	4 2 2 5 5 3 4 4 3 1 1 2 2 2 8 8 10 11 17 19 11 1 1 1 1 1	113.00 35.15 19.98 10.01 136.34 177.99 134.20 134.20 134.20 480.24 2,194.94 16,558.39 658.32 1,350.77 56.91 27.48 45.10 15.62 12.87 945.47 791.20 11.31	113.00 105.45 19.98 170.17 545.36 355.98 671.00 402.60 1,920.96 6,584.82 16,558.39 1,316.64 2,701.54 455.28 274.80 45.10 265.54 244.53 945.47 791.20 11.31	NG1101-SUB1	1AW703-05 1AT309 1AQ712 1AW204-05 1AW705-02 1AR708 1AU610 1AU215 1AU215 1AW201-06 1AV703-01 1AS609 1AT314-1AT315 1AW202-01 1AT509 1AT507 1AT406 1AT408 1AR408 1AR306 1AR414 1AV701-06	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
397 CONTACTOR	100-250V, 50/60Hz , AC-1: 50A , AC-3: 18, SkW-400V 60PSI PROOF: 500PSI, DEADBAND: 2-7 , 4.0KG/CM2 , 40KPA , EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF , 1-01-120degC , 5"DIAL , 9"STEM , 1/2NPT 15A 3-PIN ROUND, WHITE EJECTOR TUBE -20-200degF , 164PSIG 1-Way Flow, SS SOLAR: 233601-17 30PSID , MAX. WP:500PSI , PROOF: 2000PSI , BUNA.BRASS 2505 1719 507 ROHS 0799528 519-271-5380	1000327414 1000435168 1000705760 1000344156 1001040497 1000344172 1000351797 1000351782 1000378795	4 2 5 3 4 3 1 2 2 2 8 8 10 1	113.00 35.15 19.98 10.01 136.34 177.99 134.20 134.20 2,194.94 16,558.39 658.32 1,350.77 56.91 27.48 45.10 15.62 12.87 791.20 11.31 78.43	113.00 105.45 19.98 170.17 545.36 355.98 671.00 402.60 1,920.96 6,584.82 16,558.39 1,316.64 2,701.54 455.28 274.80 45.10 265.54 244.53 945.47 791.20 11.31	NG1101-SUB1	1AW703-05 1AT309 1AQ712 1AW204-05 1AW705-02 1AW705-02 1AW1010 1AU215 1AU215 1AW201-06 1AV703-01 1AS609 1AT314-1AT315 1AW202-01 1AT509 1AT507 1AT406 1AT406 1AR306 1AR306 1AR306 1AR414 1AV701-06 1AS409	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
397 CONTACTOR 398 MICRO SWITCH 400 99 S" BIMETAL THERMOMETER 400 PLUG 401 SOFT IRON RING 402 OIL FILTER 403 PRESSURE RING 404 PISTON RING 405 PISTON RING 406 CV BUSHER 407 INJECTOR TUBE 408 VALVE POSITIONER 409 ACTUATOR 410 MALE CONNECTOR 411 SEAL 412 OIL SEAL KIT 413 SWITCHED SOCKET, 15A, OUTLET 1 GANG 414 10A SWITCH, 2 GANG 2WAY 415 SHIM PACK ASSY 416 DIFFERENTIAL PRESSURE SWITCH 417 HOMI CABLE 418 SG BUSHING 419 CONTACTOR 3 POLE BREAKING	100-250V, 50/60Hz, AC-1: 50A, AC-3: 18, 5kW-400V 60PSI PROOF: 500PSI, DEADBAND: 2-7, 4.0KG/CM2, 40KPA, EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF, -10-120degC, 5"DIAL, 9"STEM, 1/2NPT 15A 3-PIN ROUND, WHITE EJECTOR TUBE -20-200degF, 164PSIG 1-Way Flow, SS SOLAR: 233601-17 30PSID, MAX. WP:500PSI, PROOF: 2000PSI, BUNA.BRASS 2505 1719 507 ROHS 0799528	1000327414 1000435168 1000705760 1000344156 1001040497 1000344172 1000351797 1000351782 1000378795	4 2 2 5 5 3 4 4 3 1 1 2 2 2 8 8 10 11 17 19 11 1 1 1 1 1	113.00 35.15 19.98 10.01 136.34 177.99 134.20 134.20 480.24 480.24 16,558.39 658.32 1,350.77 56.91 27.48 45.10 15.62 12.87 945.47 791.20 11.31 78.43 378.99	113.00 105.45 19.98 170.17 545.36 355.98 671.00 402.60 1,920.96 6,584.82 16,558.39 1,316.64 2,701.54 455.28 274.80 45.10 265.54 244.53 945.47 791.20 11.31 941.16 378.99	NG1101-SUB1	1AW703-05 1AT309 1AQ712 1AW204-05 1AW705-02 1AR708 1AU610 1AU215 1AW201-06 1AV703-01 1AS609 1AT314-1AT315 1AW202-01 1AT509 1AT406 1AT406 1AT408 1AR408 1AR408 1AR414 1AV701-06 1AS409 1AS409 1AS409	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
397 CONTACTOR 398 MICRO SWITCH 399 S" BIMETAL THERMOMETER 400 PLUG 401 SOFT IRON RING 402 OIL FILTER 403 PRESSURE RING 404 PISTON RING 405 PISTON RING 406 CV BUSHER 407 INJECTOR TUBE 408 VALVE POSITIONER 409 ACTUATOR 410 MALE CONNECTOR 411 SEAL 412 OIL SEAL KIT 413 SWITCHED SOCKET, 15A, OUTLET 1 GANG 414 10A SWITCH, 2 GANG 2WAY 415 SHIM PACK ASSY 416 DIFFERENTIAL PRESSURE SWITCH 417 HDMI CABLE 418 SG BUSHING 419 CONTACTOR 3 POLE BREAKING 419 OBTACTOR 3 POLE BREAKING 410 DESCRIPTION OF THE PLANT	100-250V, 50/60Hz, AC-1: 50A, AC-3: 18, SkW-400V 60PSI PROOF: 500PSI, DEADBAND: 2-7, 4.0KG/CM2, 40KPA, EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF, -10-120degC, 5"OIAL, 9"STEM, 1/2NPT 15A 3-PIN ROUND, WHITE EJECTOR TUBE -20-200degF, 164PSIG 1-Way Flow, SS SOLAR: 233601-17 30PSID, MAX. WP:500PSI, PROOF: 2000PSI, BUNA.BRASS 2505 1719 507 ROHS 0799528 519-271-5380 200-208V, 220-240V, 440-480V, 550-600V, 420AMP 600VAC, SK 287 004	1000327414 1000435168 1000705760 1000344156 1001040497 1000344172 1000351797 1000351782 1000378795	4 2 2 5 5 3 4 4 3 1 1 2 2 2 8 8 10 11 17 19 11 1 1 1 1 1	113.00 35.15 19.98 10.01 136.34 177.99 134.20 134.20 1480.24 2,194.94 16,558.39 658.32 1,350.77 56.91 27.48 45.10 15.62 12.87 945.47 791.20 11.31 78.43 378.99 37.44	113.00 105.45 19.98 170.17 545.36 355.98 671.00 402.60 1,920.96 6,584.82 16,558.39 1,316.64 2,701.54 455.28 274.80 45.10 265.54 244.53 945.47 791.20 11.31 941.16 378.99 74.88	NG1101-SUB1	1AW703-05 1AT309 1AC712 1AW204-05 1AW705-02 1AW705-02 1AW205-02 1AU215 1AU215 1AU215 1AU21-06 1AV703-01 1A5609 1AT314-1AT315 1AW202-01 1AT509 1AT507 1AT406 1AT408 1AT408 1AR306 1AT408 1AR306 1AR414 1AV701-06 1AS409 1AT713	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
397 CONTACTOR 398 MICRO SWITCH 399 S'' BIMEAL THERMOMETER 400 PLUG 401 SOFT IRON RING 402 OIL FILTER 403 PRESSURE RING 404 PISTON RING 405 PISTON RING 406 CV BUSHER 407 INJECTOR TUBE 408 VALVE POSITIONER 409 ACTUATOR 410 MALE CONNECTOR 411 SEAL 412 OIL SEAL KIT 413 SWITCHED SOCKET, 15A, OUTLET 1 GANG 414 10A SWITCH, 2 GANG 2WAY 415 SHIM PACK ASSY 416 DIFFERENTIAL PRESSURE SWITCH 417 HOMI CABLE 418 SG BUSHING 419 CONTACTOR 3 POLE BREAKING 420 BEARING 421 BUSHING	100-250V, 50/60Hz , AC-1: 50A , AC-3: 18, SkW-400V 60PSI PROOF: 500PSI, DEADBAND: 2-7 , 4.0KG/CM2 , 40KPA , EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF , 1-01-120degC , 5"DIAL , 9"STEM , 1/2NPT 15A 3-PIN ROUND, WHITE EJECTOR TUBE -20-200degF , 164PSIG 1-Way Flow, SS SOLAR: 233601-17 30PSID , MAX. WP:500PSI , PROOF: 2000PSI , BUNA.BRASS 2505 1719 507 ROHS 0799528 519-271-5380	1000327414 1000435168 1000705760 1000344156 1001040497 1000344172 1000351797 1000351782 1000378795	4 2 2 5 5 3 4 4 3 1 1 2 2 2 8 8 10 1 1 1 17 19 1 1 1 1 1 1 1	113.00 35.15 19.98 10.01 136.34 177.99 134.20 134.20 134.20 134.20 134.20 135.58.39 658.32 1,350.77 56.91 27.48 45.10 15.62 12.87 945.47 791.20 11.31 78.43 378.49 45.21	113.00 105.45 19.98 170.17 545.36 355.98 671.00 402.60 1,920.96 6,584.82 16,558.39 1,316.64 2,701.54 455.28 274.80 45.10 265.54 244.53 945.47 791.20 11.31 941.16 378.99 74.88 180.84	NG1101-SUB1	1AW703-05 1AT309 1AC712 1AW705-02 1AW705-02 1AW705-02 1AW708 1AU610 1AU215 1AU315 1AW315 1AW703-01 1AS609 1AT314-1AT315 1AW202-01 1AT509 1AT507 1AT406 1AT408 1AR404 1AR404 1AR404 1AR404 1AR404 1AR404 1AR404 1AS409 1AT713 1AV503-03 1AU213	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
397 CONTACTOR 398 MICRO SWITCH 399 S"BIRETAL THERMOMETER 400 PLUG 401 SOFT IRON RING 402 OIL FILTER 403 PRESSURE RING 404 PISTON RING 405 PISTON RING 406 CV BUSHER 407 INJECTOR TUBE 408 VALVE POSITIONER 409 ACTUATOR 410 MALE CONNECTOR 411 SEAL 412 OIL SEAL KIT 413 SWITCHED SOCKET, 15A, OUTLET 1 GANG 414 10A SWITCH, 2 GANG 2WAY 415 SHIM PACK ASSY 416 DIFFERENTIAL PRESSURE SWITCH 417 HDMI CABLE 418 SG BUSHING 419 CONTACTOR 3 POLE BREAKING 419 CONTACTOR 3 POLE BREAKING 420 BEARING 421 BUSHING 421 BUSHING	100-250V, 50/60Hz, AC-1: 50A, AC-3: 18, SkW-400V 60PSI PROOF: 500PSI, DEADBAND: 2-7, 4.0KG/CM2, 40KPA, EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF, -10-120degC, 5"OIAL, 9"STEM, 1/2NPT 15A 3-PIN ROUND, WHITE EJECTOR TUBE -20-200degF, 164PSIG 1-Way Flow, SS SOLAR: 233601-17 30PSID, MAX. WP:500PSI, PROOF: 2000PSI, BUNA.BRASS 2505 1719 507 ROHS 0799528 519-271-5380 200-208V, 220-240V, 440-480V, 550-600V, 420AMP 600VAC, SK 287 004	1000327414 1000435168 1000705760 1000344156 1001040497 1000344172 1000351797 1000351782 1000378795	4 2 2 5 5 3 4 4 3 1 1 2 2 2 8 8 10 1 1 1 17 19 1 1 1 1 1 1 1	113.00 35.15 19.98 10.01 136.34 177.99 134.20 134.20 480.24 480.24 480.24 16.558.39 658.32 1,350.77 56.91 27.48 45.10 15.62 12.87 791.20 11.31 78.43 378.99 37.44 45.21 76.88	113.00 105.45 19.98 170.17 545.36 355.98 671.00 402.60 1,920.96 6,584.82 16,558.39 16,558.39 16,58.39 274.80 455.28 274.80 455.28 244.53 945.47 791.20 11.31 945.47 791.20 11.31 936.99 74.88 180.84 307.52	NG1101-SUB1	1AW703-05 1AT309 1AQ712 1AW204-05 1AW705-02 1AR708 1AU610 1AU215 1AW201-06 1AV703-01 1AS609 1AT314-1AT315 1AW202-01 1AT509 1AT406 1AT406 1AT408 1AT408 1AR408 1AR408 1AR414 1AV701-06 1AS409 1AT513 1AW503-03 1AU213 1AW605-02	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
397 CONTACTOR 398 MICRO SWITCH 399 S'' BIMEAL THERMOMETER 400 PLUG 401 SOFT IRON RING 402 OIL FILTER 403 PRESSURE RING 404 PISTON RING 405 PISTON RING 406 CV BUSHER 407 INJECTOR TUBE 408 VALVE POSITIONER 409 ACTUATOR 410 MALE CONNECTOR 411 SEAL 412 OIL SEAL KIT 413 SWITCHED SOCKET, 15A, OUTLET 1 GANG 414 10A SWITCH, 2 GANG 2WAY 415 SHIM PACK ASSY 416 DIFFERENTIAL PRESSURE SWITCH 417 HOMI CABLE 418 SG BUSHING 419 CONTACTOR 3 POLE BREAKING 420 BEARING 421 BUSHING	100-250V, 50/60Hz, AC-1: 50A, AC-3: 18, SkW-400V 60PSI PROOF: 500PSI, DEADBAND: 2-7, 4.0KG/CM2, 40KPA, EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF, -10-120degC, 5"OIAL, 9"STEM, 1/2NPT 15A 3-PIN ROUND, WHITE EJECTOR TUBE -20-200degF, 164PSIG 1-Way Flow, SS SOLAR: 233601-17 30PSID, MAX. WP:500PSI, PROOF: 2000PSI, BUNA.BRASS 2505 1719 507 ROHS 0799528 519-271-5380 200-208V, 220-240V, 440-480V, 550-600V, 420AMP 600VAC, SK 287 004	1000327414 1000435168 1000705760 1000344156 1001040497 1000344172 1000351797 1000351782 1000378795	4 2 2 5 5 3 4 4 3 1 1 2 2 2 8 8 10 1 1 1 17 19 1 1 1 1 1 1 1	113.00 35.15 19.98 10.01 136.34 177.99 134.20 134.20 134.20 134.20 134.20 135.58.39 658.32 1,350.77 56.91 27.48 45.10 15.62 12.87 945.47 791.20 11.31 78.43 378.49 45.21	113.00 105.45 19.98 170.17 545.36 355.98 671.00 402.60 1,920.96 6,584.82 16,558.39 1,316.64 2,701.54 455.28 274.80 45.10 265.54 244.53 945.47 791.20 11.31 941.16 378.99 74.88 180.84	NG1101-SUB1	1AW703-05 1AT309 1AC712 1AW705-02 1AW705-02 1AW705-02 1AW708 1AU610 1AU215 1AU315 1AW315 1AW703-01 1AS609 1AT314-1AT315 1AW202-01 1AT509 1AT507 1AT406 1AT408 1AR404 1AR404 1AR404 1AR404 1AR404 1AR404 1AR404 1AS409 1AT713 1AV503-03 1AU213	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
397 CONTACTOR 398 MICRO SWITCH 399 S"BIRETAL THERMOMETER 400 PLUG 401 SOFT IRON RING 402 OIL FILTER 403 PRESSURE RING 404 PISTON RING 405 PISTON RING 406 CV BUSHER 407 INJECTOR TUBE 408 VALVE POSITIONER 409 ACTUATOR 410 MALE CONNECTOR 411 SEAL 412 OIL SEAL KIT 413 SWITCHED SOCKET, 15A, OUTLET 1 GANG 414 10A SWITCH, 2 GANG 2WAY 415 SHIM PACK ASSY 416 DIFFERENTIAL PRESSURE SWITCH 417 HDMI CABLE 418 SG BUSHING 419 CONTACTOR 3 POLE BREAKING 419 CONTACTOR 3 POLE BREAKING 420 BEARING 421 BUSHING 421 BUSHING	100-250V, 50/60Hz, AC-1: 50A, AC-3: 18, SkW-400V 60PSI PROOF: 500PSI, DEADBAND: 2-7, 4.0KG/CM2, 40KPA, EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF, -10-120degC, 5"OIAL, 9"STEM, 1/2NPT 15A 3-PIN ROUND, WHITE EJECTOR TUBE -20-200degF, 164PSIG 1-Way Flow, SS SOLAR: 233601-17 30PSID, MAX. WP:500PSI, PROOF: 2000PSI, BUNA.BRASS 2505 1719 507 ROHS 0799528 519-271-5380 200-208V, 220-240V, 440-480V, 550-600V, 420AMP 600VAC, SK 287 004	1000327414 1000435168 1000705760 1000344156 1001040497 1000344172 1000351797 1000351782 1000378795 1000378795 1000130362 1000072316 1001148427	4 2 2 5 5 3 4 4 3 1 1 2 2 2 8 8 10 1 1 1 17 19 1 1 1 1 1 1 1	113.00 35.15 19.98 10.01 136.34 177.99 134.20 134.20 480.24 480.24 480.24 16.558.39 658.32 1,350.77 56.91 27.48 45.10 15.62 12.87 791.20 11.31 78.43 378.99 37.44 45.21 76.88	113.00 105.45 19.98 170.17 545.36 355.98 671.00 402.60 1,920.96 6,584.82 16,558.39 16,558.39 16,58.39 274.80 455.28 274.80 455.28 244.53 945.47 791.20 11.31 945.47 791.20 11.31 936.99 74.88 180.84 307.52	NG1101-SUB1	1AW703-05 1AT309 1AQ712 1AW204-05 1AW705-02 1AR708 1AU610 1AU215 1AW201-06 1AV703-01 1AS609 1AT314-1AT315 1AW202-01 1AT509 1AT406 1AT406 1AT408 1AT408 1AR408 1AR408 1AR414 1AV701-06 1AS409 1AT513 1AW503-03 1AU213 1AW605-02	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
397 CONTACTOR 398 MICRO SWITCH 399 S" BIMETAL THERMOMETER 400 PLUG 401 SOFT IRON RING 402 OIL FILTER 403 PRESSURE RING 404 PISTON RING 406 CV BUSHER 407 INJECTOR TUBE 408 VALVE POSITIONER 409 ACTUATOR 410 MALE CONNECTOR 411 SEAL 412 OIL SEAL KIT 413 SWITCHED SOCKET, 15A, OUTLET 1 GANG 414 10A SWITCH, 2 GANG 2WAY 415 SHIM PACK ASSY 416 DIFFERENTIAL PRESSURE SWITCH 417 HOMI CABLE 418 SG BUSHING 419 CONTACTOR 3 POLE BREAKING 420 BEARING 421 BUSHING 422 PILLOW BLOCK 5/8"	100-250V, 50/60Hz, AC-1: 50A, AC-3: 18, SkW-400V 60PSI PROOF: 500PSI, DEADBAND: 2-7, 4.0KG/CM2, 40KPA, EL RATING: 11AMOS, 125/250VAC, 5A,30VDC 0-250degF, -10-120degC, 5"OIAL, 9"STEM, 1/2NPT 15A 3-PIN ROUND, WHITE EJECTOR TUBE -20-200degF, 164PSIG 1-Way Flow, SS SOLAR: 233601-17 30PSID, MAX. WP:500PSI, PROOF: 2000PSI, BUNA.BRASS 2505 1719 507 ROHS 0799528 519-271-5380 200-208V, 220-240V, 440-480V, 550-600V, 420AMP 600VAC, SK 287 004	1000327414 1000435168 1000705760 1000344156 1001040497 100034172 1000351797 1000351792 1000351782 1000217488 1000130362 1000072316 1001148427	4 2 2 5 5 3 4 4 3 1 1 2 2 2 8 8 10 1 1 1 17 19 1 1 1 1 1 1 1	113.00 35.15 19.98 10.01 136.34 177.99 134.20 134.20 480.24 480.24 16,558.39 658.32 1,350.77 56.91 27.48 45.10 15.62 12.87 945.47 791.20 11.31 78.43 378.49 378.49 378.44 45.21 76.88 32.15	113.00 105.45 19.98 170.17 545.36 355.98 671.00 402.60 1,920.96 6,584.82 16,558.39 1,316.64 2,701.54 455.28 274.80 455.28 274.80 45.10 265.54 244.53 945.47 799.20 11.31 941.16 378.99 74.88 180.84 307.52 32.15	NG1101-SUB1	1AW703-05 1AT309 1AQ712 1AW204-05 1AW705-02 1AW705-02 1AU215 1AU315 1AU315 1AU315 1AW30-106 1AY703-01 1AS609 1AT314-1AT315 1AW202-01 1AT509 1AT406 1AT408 1AR404 1AR408 1AR306 1AR414 1AV701-06 1AS409 1AT713 1AV503-03 1AU213 1AV503-03 1AU213 1AW605-02 1AW504-01	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA

AGE CLINCE PROTECTOR		T1000031500	Ta	Tacc 24	1,098.63	TNC4404 CUB4	1AQ512	PHIA
426 SURGE PROTECTOR	0.40	1000831500	3	366.21		NG1101-SUB1		
427 RECORDING CHART 428 KNIFE FUSE	0-10 560V ~ 50KA , gG 63A , IEC60269 , NT00	1000371535	8	4.47 20.55	35.76 123.30	NG1101-SUB1 NG1101-Sub1	1AQ708 1AW203-01	PHIA PHIA
429 HEATER PACK	360V 30KA, gG 65A, IEC60269, N100	1000304856	10	56.99	113.98	NG1101-3ub1 NG1101-Sub1	1AW204-01	PHIA
430 GASKET		1000304030	1	18.22	18.22	NG1101-Sub1	1AU307	PHIA
431 COUPLING ASSY	BRASS	+	2	14.72	29.44	NG1101-Sub1	1AT213	PHIA
432 SPACER CHARGER		+	1	12.99	12.99	NG1101-Sub1	1AW205-04	PHIA
433 GENIUS DISCRETE I/O BLOCK	SINK, Voltage rating: 24/48 Vdc GROUPED, Number of points: 16	1001427429	1	733.71	733.71	NG1101-Sub1	1AR104	PHIA
434 32PT SOURCE BLOCK	12/24VDC	1001228317	1		2,686.27	NG1101-Sub1	1AR203	PHIA
435 32PT SOURCE BLOCK	12/24VDC	1001228317	7		18,803.89	NG1101-Sub1	1AR504	PHIA
436 32PT SOURCE BLOCK , 12/24VDC		1001228317	2	2,686.27	5,372.54	NG1101-Sub1	1AR202	PHIA
437 GENIUS BLOCK			1	4,905.60	4,905.60	NG1101-Sub1	1AR101	PHIA
438 32PT SOURCE TERMINAL ASM	12/24VDC	1001228317	11	2,686.27	29,548.97	NG1101-Sub1	1AR506	PHIA
439 GENIUS I/O CONTROLLER		1002573990	5	2,686.27	13,431.35	NG1101-Sub1	1AS106	PHIA
440 TYPE 2 ETHERNET INTERFACE MODULE			23	420.34	9,667.82	NG1101-Sub1	1AS108	PHIA
441 CPM790 WITH IMEG MEMORY		1001123147	1		20,467.58	NG1101-Sub1	1AS209	PHIA
442 SEAL		_	3	12.95	38.85	NG1101-Sub1	1AV602-05	PHIA
443 MICRON ELEMENT		1001109908	13	458.00	1,374.00	NG1101-SUB1	1AT304	PHIA
444 FUSE 445 FUSE	600V ZA , 200,000A, HRCI-J 600V, 200,000A, HRCI-J	1001136621	15	90.46 1.95	452.30 5.85	NG1101-Sub1 NG1101-Sub1	1AV701-02 1AV703-05	PHIA PHIA
445 FUSE 446 MOTOR REBUILD KIT	SERIES 1250	1001046514	13	87.56	437.80	NG1101-SUB1	1AW705-05	PHIA
447 1/2" UNIV CERAMIC PLUNGER REPAIR KIT	SEKIES 1250	1001046514	3		32.34	NG1101-SUB1 NG1101-Sub1	1AV501-05	PHIA
448 RING 20.50 COMBO		1000705951	4		8,811.56	NG1101-SUB1	1AS710	PHIA
449 32" BVR FULL SEAL KIT		12000,03331	1	12.67	12.67	NG1101-SUB1	1AS715	PHIA
450 1" BVR FULL SEAT KIT	SOLAR	+	5	116.56	582.80	NG1101-30B1 NG1101-Sub1	1AV401-06	PHIA
451 2" BVR FULL SEAL KIT		+	3	12.67	38.01	NG1101-3ub1	1AV505-06	PHIA
452 BALL VALVE SEAL KIT	3"		5	95.00	475.00	NG1101-Sub1	1AV502-04	PHIA
453 PRESSURE GAUGE	0-16BAR		1	48.00	48.00	NG1101-SUB1	1AW604-03	PHIA
454 KIT PART		+	8	56.38	451.04	NG1101-Sub1	1AV701-04/1AV401-04	PHIA
455 RELAY	24VDC, 3A, 1/4HP	1000304588	2	54.65	109.30	NG1101-Sub1	1AW202-04	PHIA
456 LESS CASE	F-2	1000366741	2	1,352.96	2,705.92	NG1101-Sub1	1AR608	PHIA
457 METER	UNIT: BARRELS	1000369727	1	2,366.47	2,366.47	NG1101-Sub1	1AU612	PHIA
458 SEAL RING 6"			7	28.91	202.37	NG1101-Sub1	1AR314	PHIA
459 RELAY	250VAC / 28VDC	1000391258	15	79.05	1,185.75	NG1101-Sub1	1AW202-03	PHIA
460 BEARING		1000080047	1	503.38	503.38	NG1101-SUB1	1AT302	PHIA
461 FIRE ALARM	TYPE: PBI		1	117.21	117.21	NG1101-SUB1	1AT306	PHIA
462 STRONG BACK , VALVE EXTRACTOR			2	284.04	568.08	NG1101-Sub1	1AS405	PHIA
463 PULLER STEM			2	184.30	368.60	NG1101-Sub1	1AS406	PHIA
464 ROLLER BEARING			2	51.56	103.12	NG1101-SUB1	1AW405-03	PHIA
465 KNIFE FUSE	gT-25A , Vac 500		1	4.81	4.81	NG1101-Sub1	1AV705-06	PHIA
466 SEAT SEAL	3" X 150-1500, 7316 SS, NYLON		4	45.78	183.12	NG1101-SUB1	1AT303	PHIA
467 SHEAVE	SYNCH SPROCK, Dimension, keyway 1/2 x 1/4 in, Bore size 2.1/8 in	1001227637	12	170.46	2,045.52	NG1101-Sub1	1AS308	PHIA
468 KNIFE FUSE	120kA 500V~ Gg/Gt 35A		1	4.81	4.81	NG1101-SUB1	1AW403-06	PHIA
469 WASHER	F0014 CL 2004 2000 424	4000272002	12	1.13	13.56	NG1101-Sub1	1AV501-05	PHIA
470 KNIFE FUSE	500V , Gt-200A , 3328.134	1000373002	13	17.26	51.78	NG1101-SUB1	1AW701-05	PHIA
471 RING 472 BOTTLE FUSE	6A , 500V/50KA	+	10	7.21 13.33	50.47 133.30	NG1101-SUB1 NG1101-Sub1	1AS708 1AR412	PHIA PHIA
473 FILTER REGULATOR	FS: 67CF-1663-38539	1001583071	10	208.47	416.94	NG1101-3ub1	1AS203	PHIA
474 SPARK PLUG	641	1001383071	1/4	32.23	128.92	NG1101-3ub1	1AV505-03	PHIA
475 MICROPROCESSOR UNIT 800	FSROC-827/827	1001130028	3		9,046.86	NG1101-Sub1	1AU708	PHIA
476 RELAY 8-PIN	AC24V , 50/60Hz , 60Z13	1301133020	3	190.22	570.66	NG1101-3ub1	1AV701-01	PHIA
477 RING GASKET CS OCT		1000064293	2	87.59	175.18	NG1101-SUB1	1AT312	PHIA
478 SURGE PROTECTION DEVICE		1000821170	2	283.05	566.10	NG1101-SUB1	1AW401-02	PHIA
479 SG BUSHING		1001437820	1	78.43	78.43	NG1101-Sub1	1AU414	PHIA
480 WIPER GLAND			3	84.99	254.97	NG1101-SUB1	1AS711	PHIA
481 RELAY			1	3.50	3.50	NG1101-SUB1	1AW704-01	PHIA
482 MALE CONNECTOR	3/8" TUBE X 3/8" COMPRESSION TYPE	1000328353	10	45.98	459.80	NG1101-Sub1	1AV704-02	PHIA
483 AIR FILTER	TEXSTEAM	1000349028	3	18.17	54.51	NG1101-Sub1	1AV702-06	PHIA
484 REGULATOR 1/4" NPT	1500PSI	1000349015	1	514.34	514.34	NG1101-SUB1	1AW401-06	PHIA
485 TIME DELAY RELAY	10A , RES. AT 240VAC , 24VDC ,		7	170.46	1,193.22	NG1101-Sub1	1AS302	PHIA
486 SEAL RING 3"			20	35.22	704.40	NG1101-Sub1	1AR315	PHIA
487 GASKET SET			1	23.10	23.10	NG1101-Sub1	1AU513	PHIA
488 GASKET SET	FOR COMPRESSOR		1	35.00	35.00	NG1101-SUB1	1AT414	PHIA
489 SERVICE KIT316/SR/M3-00			1	110.41	110.41	NG1101-Sub1	1AS202	PHIA
490 PRESSURE DISCHARGE VALVE	MAX PRES. 225PSI , 15.5BAR 2"	1	2	186.93	373.86	NG1101-Sub1	1AS411	PHIA
491 WIRE LEAD 1/8"		1000344987	1	1.84	1.84	NG1101-Sub1	1AV601-04	PHIA
492 BOLT LOCK		1000344874	1	34.17	34.17	NG1101-Sub1	1AU311	PHIA
493 GASKET		1000344985	4	26.37	105.48	NG1101-Sub1	1AU314	PHIA
494 CHECK VALVE , 8000PSI		1	15	22.00	110.00	NG1101-SUB1	1AW605-05	PHIA
		+	1	202.15		NC1101 C 11		DUUA
495 SEAL GASKET 496 GASKET OIL WIPER STUFFER	HEAD GASKET	1000344962	2	293.46 56.41	586.92 56.41	NG1101-Sub1 NG1101-Sub1	1AU212 1AU411	PHIA PHIA

	CTEEL TURNET WASHER AND CTEEL THRUST BY	CV.		la .	Tan ac	22.25	NICAAOA C I A	Tanyana na	DI II A
	STEEL THRUST WASHER AND STEEL THRUST DI			1	22.36	22.36	NG1101-Sub1	1AV404-04	PHIA
498	STEEL THRUST WASHER AND STEEL THRUST DI	SK .		1	22.36	22.36	NG1101-Sub1	1AV501-06	PHIA
499	GASKET LEAD 2.1/2" OD x 5/16"		1000345055	4	102.43	409.72	NG1101-SUB1	1AQ401	PHIA
500	3"X300 GASKET			1	8.72	8.72	NG1101-Sub1	1AU309	PHIA
501	2.1/2" X 400/600 GASKET		1000345039	1	8.72	8.72	NG1101-Sub1	1AU310	PHIA
502	GASKET PACKING CASE	3.13/16" OD	1000344999	3	35.14	105.42	NG1101-Sub1	1AV601-03	PHIA
503	ALARM CALL POINT	M1A-R470FG-G017-01	1002207677	9	63.18	568.62	NG1101-Sub1	1AR107	PHIA
504	PROPER O-RING	316		1	1.45	1.45	NG1101-Sub1	1AW303-02	PHIA
-	PROPER O-RING	316		1	1.45	1.45	NG1101-Sub1	1AW303-02	PHIA
	SOLDERING WIRE	0.032mm SOFT STAINLESS STEEL, 4LB SPOOL	1000125396	1	29.41	29.41	NG1101-3ub1	1AW305-02	PHIA
			1000125596	1					
507	COALESCING COMPRESSED AIR FILTER	CAPACITY:80Ltr , MAX PRES.:250PSIG , (16BARG) , MAX. TEMP: 130degF(55degC) , MIN TEMP: -18.4deg F(-28degF)		2	211.99	423.98	NG1101-Sub1	1AR514	PHIA
508	EMSCO PUMP BASE DAMPNER GASKET	6397-0001-01	1000348396	26	58.34	1,516.84	NG1101-Sub1	1AR209	PHIA
509	BUSHING	19B2889X , JP932 ,		2	8.57	17.14	NG1101-Sub1	1AV504-06	PHIA
510	METAL GASKET 3.1/2" ID , 4" OD			11	2.87	31.57	NG1101-SUB1	1AW502-05	PHIA
511	PRESSURE DIFFERENTIAL SWITCH	1053929-10 , 5-60PSID , SOLAR , 0.5AMP , 125VDC , 5AMP 20VDC , 11AMP , 125/250VAC , 60Hz 1PH	1000370290	1	1,900.01	1,900.01	NG1101-Sub1	1AS412	PHIA
512	SPW GASKET 6"X600 TEFLON COATED	316L ASME 16.20		1	77.32	77.32	NG1101-Sub1	1AU103	PHIA
513	SPW GASKET 6"X300 TEFLON COATED	ASME 16.20		2	88.36	176.72	NG1101-Sub1	1AU201	PHIA
	SPW GASKET 4"X1500 TEFLON COATED	ASME 16.20 316L		2	66.28	132.56	NG1101-Sub1	1AU204	PHIA
	SPW GASKET 4" X 600 CS	ASINE 10.20 310E		2	65.18	195.54	NG1101-Sub1	1AU205	PHIA
		316L ASME 16.20		3	88.36	88.36	NG1101-Sub1	1AU102	PHIA
	SPW GASKET 4"X300 TEFLON COATED		40000007740	1					
	SPW GASKET 2"X150" CS	ASME B16.20 316L	1000327713	ь	42.98	257.88	NG1101-Sub1	1AU101	PHIA
518	PISTON HEAD		1	10	56.48	564.80	NG1101-Sub1	1AU601	PHIA
	STRAINER COVER			1	18.56	18.56	NG1101-Sub1	1AS503	PHIA
520	PISTON RING			30	35.56	1,066.80	NG1101-Sub1	1AR404	PHIA
521	DFO BOX (DFI 302 LINKING DEVICE)	80097505, +5VDC , DFI302 , RS232/RS485 INTERFACE	1000384436	2	1,227.76	2,455.52	NG1101-Sub1	1AS205	PHIA
522	TRANSFORMER			14	38.34	536.76	NG1101-SUB1	1AT401	PHIA
	VITON 70 O-RING KIT	FOR 3"X2"X600 BALL VALVE		1	74.68	74.68	NG1101-Sub1	1AV404-02	PHIA
	VITON 90 O-RING KIT FOR 2"X1.1/2"X1500 BAI			1	74.68	74.68	NG1101-Sub1	1AV404-01	PHIA
525				2	16.59	49.77		1AS605	PHIA
	ELBOW M25 BRASS	1073U 112G Eexd IIC RAXTON		5			NG1101-Sub1		
526	ELBOW M40 BRASS	1073U 112G Eexd IIC RAXTON		5	11.00	55.00	NG1101-SUB1	1AW604-05	PHIA
527	ELBOW M32 BRASS	1073U 112GD Eexd IIC		6	8.42	50.52	NG1101-SUB1	1AW603-02	PHIA
	MOTOR MOUNT WITH FAN BLADE	TYPE: 63 , 0403-0003-02		2	102.22	204.44	NG1101-SUB1	1AT108	PHIA
529	HOSE 1/2"	W.P:138BAR , SAE 100R1AT		2	5.49	10.98	NG1101-Sub1	1AR304	PHIA
530	PRO LOCK CABLES-YELLOW		1001278532	16	65.92	1,054.72	NG1101-SUB1	1AT604-1AT606	PHIA
531	PRO LOCK CABLES-RED		1000871951	51	44.03	2,245.53	NG1101-SUB1	1AT701-1AT706	PHIA
532	PRO LOCK CABLES-GREEN		1000871952	29	52.26	1,515.54	NG1101-SUB1	1AT707-1AT709	PHIA
533	TEMPERATURE GUAGE 0-100 degC	4inches-Dia		8	35.00	280.00	NG1101-SUB1	1AQ407-1AT412	PHIA
534	THERMOMETER 0-120degC 32-250degF			6	37.43	224.58	NG1101-SUB1	1AQ413	PHIA
535	TEMPERATURE GUAGE 0-150 Deg C			6	45.32	271.92	NG1101-SUB1	1AQ414-1AQ415	PHIA
-	TEMPERATURE GUAGE 0-150 Deg C			U					
536		3:b D:-		4					
		3inches-Dia		4	33.70	134.80	NG1101-SUB1	1AQ408-409	PHIA
537	JUNCTION BOX FOR INFRARED GAS DETECTOR	MAX W.:3.2-55degC Ta +40degC , IP66		10	175.23	1,752.30	NG1101-Sub1	1AS513	PHIA
538	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00	1000882837	4 10 7	175.23 1,333.40	1,752.30 9,333.80	NG1101-Sub1 NG1101-SUB1	1AS513 1AQ610/611/612	PHIA PHIA
538	JUNCTION BOX FOR INFRARED GAS DETECTOR	MAX W.:3.2-55degC Ta +40degC , IP66	1000882837 1000677267	4 10 7 1	175.23	1,752.30	NG1101-Sub1	1AS513	PHIA
538	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00		10 7 1	175.23 1,333.40	1,752.30 9,333.80	NG1101-Sub1 NG1101-SUB1	1AS513 1AQ610/611/612	PHIA PHIA
538 539	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY TEMPERATURE SENSOR pt100-385-4WIRE	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC	1000677267	4 10 7 1 1 3	175.23 1,333.40 614.36	1,752.30 9,333.80 614.36	NG1101-Sub1 NG1101-SUB1 NG1101-Sub1	1AS513 1AQ610/611/612 1AS304	PHIA PHIA PHIA
538 539 540 541	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY TEMPERATURE SENSOR pt100-385-4WIRE PRESSURE SWITCH DIFF PRESSURE SWITCH 1/2" NPT	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADJ RANGE: 7-100 INWCD , OVER RANGE: 1500 PSI , PROOF:1500PSI	1000677267 1000393471 1001106773	4 10 7 1 1 3	175.23 1,333.40 614.36 418.81 2,050.01	1,752.30 9,333.80 614.36 418.81 6,150.03	NG1101-Sub1 NG1101-SUB1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1	1AS513 1AQ610/611/612 1AS304 1AU402 1AS210	PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY TEMPERATURE SENSOR pt100-385-4WIRE PRESSURE SWITCH DIFF PRESSURE SWITCH 1/2" NPT DIFFERENTIAL PRESSURE SWITCH	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADJ RANGE: 7-100 INWCD , OVER RANGE: 1500 PSI , PROOF:1500PSI ADJ RANGE: 18-250MBAR , OVER RANGE: 100BAR , PROOF:100BAR	1000677267 1000393471	4 10 7 1 1 3 2	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00	NG1101-Sub1 NG1101-SUB1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1	1AS513 1AQ610/611/612 1AS304 1AU402 1AS210	PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 543	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY TEMPERATURE SENSOR pt100-385-4WIRE PRESSURE SWITCH DIFF PRESSURE SWITCH 1/2" NPT DIFFERENTIAL PRESSURE SWITCH SPRING	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADI RANGE: 7-100 INWCD , OVER RANGE: 1500 PSI , PROOF:1500PSI ADI RANGE: 18-250MBAR , OVER RANGE: 100BAR , PROOF:100BAR HOT DEEP GALVANIZED, Dia.: 50mm, Length: 150mm	1000677267 1000393471 1001106773 1000793738	4 10 7 1 1 3 2	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86	NG1101-Sub1 NG1101-SUB1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1	1AS513 1AQ610/611/612 1AS304 1AU402 1AS210 1AS211 1AS301	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 543 544	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY TEMPERATURE SENSOR pt100-385-4WIRE PRESSURE SWITCH DIFF PRESSURE SWITCH 1/2" NPT DIFFERENTIAL PRESSURE SWITCH SPRING INTERGRATOR POWER DRIVER	MAX W.:3.2-55degC Ta +40degC , IP66 120v , 25-00-0206-00 0-100degC 300-3000PSIG ADI RANGE: 7-100 INWCD , OVER RANGE: 1500 PSI , PROOF:1500PSI ADJ RANGE: 18-250MBAR , OVER RANGE: 100BAR , PROOF:100BAR HOT DEEP GALVANIZED, Dia: 50mm, Length: 150mm A116 , SF084904 , B01351RH	1000677267 1000393471 1001106773	4 10 7 1 1 3 2 2	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43 850.06	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86 850.06	NG1101-Sub1 NG1101-SUB1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1	1AS513 1AG610/611/612 1AS304 1AU402 1AS210 1AS211 1AS301 1AS401	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 543 544 545	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY TEMPERATURE SENSOR pt100-385-4WIRE PRESSURE SWITCH DIFF PRESSURE SWITCH 1/2" NPT DIFFERENTIAL PRESSURE SWITCH SPRING INTERGRATOR POWER DRIVER AUTOMUFFLER	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADJ RANGE: 7-100 INWCD , OVER RANGE: 1500 PSI , PROOF:1500PSI ADJ RANGE: 18-250MBAR , OVER RANGE: 100BAR , PROOF:100BAR HOT DEEP GALVANIZED, Dia.: 50mm, Length: 150mm A116 , SF084904 , B0135LRH MALE NPT	1000677267 1000393471 1001106773 1000793738	4 10 7 1 1 3 2 2 2	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43 850.06 175.00	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86 850.06 175.00	NG1101-Sub1 NG1101-SUB1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1	1AS513 1AG610/611/612 1AS304 1AU402 1AS210 1AS211 1AS301 1AU706 1AU705	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 543 544 545 546	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY TEMPERATURE SENSOR pt100-385-4WIRE PRESSURE SWITCH DIFF PRESSURE SWITCH 1/2" NPT DIFFERENTIAL PRESSURE SWITCH SPRING INTERGRATOR POWER DRIVER AUTOMUFFLER MODULAR DISTRIBUTION SURGE PROTECTOR	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADJ RANGE: 7-100 INWCD , OVER RANGE: 1500 PSI , PROOF:1500PSI ADJ RANGE: 18-250MBAR , OVER RANGE: 100BAR , PROOF:100BAR HOT DEEP GALVANIZED, Dia.: 50mm, Length: 150mm A116 , SF084904 , B0135LRH MALE NPT	1000677267 1000393471 1001106773 1000793738	4 10 7 1 1 3 2 2 2 1 1	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43 850.06 175.00 275.00	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86 850.06 175.00 275.00	NG1101-Sub1 NG1101-SUB1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1	1AS513 1AQ610/611/612 1AS304 1AU402 1AS210 1AS211 1AS301 1AU706 1AQ515 1AT714	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 543 544 545 546 547	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY TEMPERATURE SENSOR pt100-385-4WIRE PRESSURE SWITCH DIFF PRESSURE SWITCH 1/2" NPT DIFFERENTIAL PRESSURE SWITCH SPRING INTERGRATOR POWER DRIVER AUTOMUFFLER MODULAR DISTRIBUTION SURGE PROTECTOR VALVE POSITIONER	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADI RANGE: 7-100 INWCD , OVER RANGE: 1500 PSI , PROOF:1500PSI ADI RANGE: 18-250MBAR , OVER RANGE: 100BAR , PROOF:100BAR HOT DEEP GALVANIZED, Dia.: 50mm, Length: 150mm A116 , SF084904 , B0135LRH MALE NPT MDSP 150 SERIES , 415V 59Hz	1000677267 1000393471 1001106773 1000793738	4 10 7 1 1 1 3 2 2 2 1 1 1 1 5	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43 850.06 175.00 275.00 273.48	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86 850.06 175.00 275.00 1,367.40	NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1	1AS513 1AQ610/611/612 1AS304 1AU402 1AS210 1AS211 1AS301 1AU706 1AQ515 1AU704	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 543 544 545 546 547	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY PRESSURE SWITCH DIFF PRESSURE SWITCH 1/2" NPT DIFFERENTIAL PRESSURE SWITCH SPRING INTERGRATOR POWER DRIVER AUTOMUFFLER MODULAR DISTRIBUTION SURGE PROTECTOR VALVE POSITIONER PNEUMATIC RELAY	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADJ RANGE: 18-250MBAR , OVER RANGE: 1500 PSI , PROOF:1500PSI ADJ RANGE: 18-250MBAR , OVER RANGE: 100BAR , PROOF:100BAR HOT DEEP GALVANIZED, Dia.: 50mm, Length: 150mm A116 , 5F084904 , B0135LRH MALE NPT MDSP 150 SERIES , 415V 59Hz B/M 4297-112/10VJ	1000677267 1000393471 1001106773 1000793738	4 10 7 1 1 1 3 2 2 2 1 1 1 1 5	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43 850.06 175.00 275.00 273.48 198.64	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86 850.06 175.00 275.00 1,367.40 198.64	NG1101-Sub1 NG1101-SUB1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1	1AS513 1AG610/611/612 1AS304 1AU402 1AS210 1AS211 1AS301 1AU706 1AQ515 1AT714 1AU704 1AW703-03	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 543 544 545 546 547 548	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY TEMPERATURE SENSOR pt100-385-4WIRE PRESSURE SWITCH 1/2" NPT DIFF PRESSURE SWITCH 1/2" NPT DIFFERENTIAL PRESSURE SWITCH SPRING INTERGRATOR POWER DRIVER AUTOMUFFLER MODULAR DISTRIBUTION SURGE PROTECTOR VALVE POSITIONER POSITIONER POPULATIONER POSITIONER POPULATION SURGE PROTECTOR VALVE POSITIONER PREUMATIC RELAY INTERFACE CARD	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADI RANGE: 7-100 INWCD , OVER RANGE: 1500 PSI , PROOF:1500PSI ADI RANGE: 18-250MBAR , OVER RANGE: 100BAR , PROOF:100BAR HOT DEEP GALVANIZED, Dia.: 50mm, Length: 150mm A116 , SF084904 , B0135LRH MALE NPT MDSP 150 SERIES , 415V 59Hz	1000677267 1000393471 1001106773 1000793738	7 7 1 1 1 3 2 2 2 1 1 1 5 5 1 7 7	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43 850.06 175.00 275.00 273.48 198.64 111.28	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86 850.06 175.00 275.00 1,367.40 198.64 778.96	NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1	1AS513 1AG610/611/612 1AS304 1AU402 1AS210 1AS211 1AS301 1AU706 1AQ515 1AT714 1AU704 1AW703-03 1AS508	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 543 544 545 546 547	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY PRESSURE SWITCH DIFF PRESSURE SWITCH 1/2" NPT DIFFERENTIAL PRESSURE SWITCH SPRING INTERGRATOR POWER DRIVER AUTOMUFFLER MODULAR DISTRIBUTION SURGE PROTECTOR VALVE POSITIONER PNEUMATIC RELAY	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADJ RANGE: 18-250MBAR , OVER RANGE: 1500 PSI , PROOF:1500PSI ADJ RANGE: 18-250MBAR , OVER RANGE: 100BAR , PROOF:100BAR HOT DEEP GALVANIZED, Dia.: 50mm, Length: 150mm A116 , 5F084904 , B0135LRH MALE NPT MDSP 150 SERIES , 415V 59Hz B/M 4297-112/10VJ	1000677267 1000393471 1001106773 1000793738	4 10 7 1 1 1 3 2 2 2 1 1 1 5 1 7	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43 850.06 175.00 275.00 273.48 198.64	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86 850.06 175.00 275.00 1,367.40 198.64	NG1101-Sub1 NG1101-SUB1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1 NG1101-SUB1	1AS513 1AG610/611/612 1AS304 1AU402 1AS210 1AS211 1AS301 1AU706 1AQ515 1AT714 1AU704 1AW703-03	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 543 544 545 546 547 548	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY TEMPERATURE SENSOR pt100-385-4WIRE PRESSURE SWITCH 1/2" NPT DIFF PRESSURE SWITCH 1/2" NPT DIFFERENTIAL PRESSURE SWITCH SPRING INTERGRATOR POWER DRIVER AUTOMUFFLER MODULAR DISTRIBUTION SURGE PROTECTOR VALVE POSITIONER POSITIONER POPULATIONER POSITIONER POPULATION SURGE PROTECTOR VALVE POSITIONER PREUMATIC RELAY INTERFACE CARD	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADJ RANGE: 18-250MBAR , OVER RANGE: 1500 PSI , PROOF:1500PSI ADJ RANGE: 18-250MBAR , OVER RANGE: 100BAR , PROOF:100BAR HOT DEEP GALVANIZED, Dia.: 50mm, Length: 150mm A116 , 5F084904 , B0135LRH MALE NPT MDSP 150 SERIES , 415V 59Hz B/M 4297-112/10VJ	1000677267 1000393471 1001106773 1000793738	7 7 1 1 1 3 2 2 2 1 1 1 5 5 1 7 7	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43 850.06 175.00 275.00 273.48 198.64 111.28	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86 850.06 175.00 275.00 1,367.40 198.64 778.96	NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1	1AS513 1AG610/611/612 1AS304 1AU402 1AS210 1AS211 1AS301 1AU706 1AQ515 1AT714 1AU704 1AW703-03 1AS508	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 543 544 545 546 547 548 549	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY PRESSURE SWITCH DIFF PRESSURE SWITCH 1/2" NPT DIFFERENTIAL PRESSURE SWITCH SPRING INTERGRATOR POWER DRIVER AUTOMUFFLER MODULAR DISTRIBUTION SURGE PROTECTOR VALVE POSITIONER PNEUMATIC RELAY INTERFACE CARD PACKING GASKET	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADJ RANGE: 18-250MBAR , OVER RANGE: 1500 PSI , PROOF:1500PSI ADJ RANGE: 18-250MBAR , OVER RANGE: 100BAR , PROOF:100BAR HOT DEEP GALVANIZED, Dia.: 50mm, Length: 150mm A116 , 5F084904 , B0135LRH MALE NPT MDSP 150 SERIES , 415V 59Hz B/M 4297-112/10VJ	1000677267 1000393471 1000106773 1000793738 1000388063	7 7 1 1 1 3 2 2 2 1 1 1 5 5 1 7 7	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43 850.06 175.00 275.00 273.48 198.64 111.28	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86 850.06 175.00 275.00 1,367.40 198.64 778.96 65.38	NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1	1AS513 1AQ610/611/612 1AS304 1AU402 1AS210 1AS211 1AS301 1AU706 1AQ515 1AU706 1AQ704 1AU704 1AW703-03 1AW703-03	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 543 544 545 546 547 548 549 550 551	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY TEMPERATURE SENSOR pt100-385-4WIRE PRESSURE SWITCH DIFF PRESSURE SWITCH 1/2" NPT DIFF PRESSURE SWITCH SPRING INTERGRATOR POWER DRIVER AUTOMUFFER MODULAR DISTRIBUTION SURGE PROTECTOR VALVE POSITIONER PREUMATIC RELAY INTERFACE CARD PACKING GASKET ETHERNET HUB 9SWITCH)	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADJ RANGE: 7-100 INWCD , OVER RANGE: 1500 PSI , PROOF:1500PSI ADJ RANGE: 18-250MBAR , OVER RANGE : 1008AR , PROOF:1008AR HOT DEEP GALVANIZED, Dia.: 50mm, Length: 150mm A116 , 57084904 , 80135LRH MALE NPT MDSP 150 SERIES , 415V 59Hz B/M 4297-112/10VJ 070-0042-3-08-B (TFSI) , 070-0042-5-12-N R.12A	1000677267 1000393471 1001106773 1000793738 1000388063 1000370943	7 7 1 1 1 3 2 2 2 1 1 1 5 5 1 7 7	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43 850.06 175.00 273.48 198.64 111.28 4.67 6.45 450.43	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86 850.06 175.00 275.00 1,367.40 198.64 778.96 65.38 6.45	NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1 NG1101-Sub1	1AS513 1AG610/611/612 1AS304 1AU402 1AS210 1AS211 1AS301 1AU706 1AG515 1AT714 1AU704 1AW703-03 1AS508 1AR412 1AW203-06 1AR702	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 543 544 545 546 547 548 549 550 551 552	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY TEMPERATURE SENSOR pt100-385-4WIRE PRESSURE SWITCH DIFF PRESSURE SWITCH 1/2" NPT DIFFERENTIAL PRESSURE SWITCH SPRING INTERGRATOR POWER DRIVER AUTOMUFFLER MODULAR DISTRIBUTION SURGE PROTECTOR VALVE POSITIONER PNEUMATIC RELAY INTERFACE CARD PACKING GASKET ETHERNET HUB 9SWITCH) VIBRATION SWITCH	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADJ RANGE: 18-250MBAR , OVER RANGE: 1500 PSI , PROOF:1500PSI ADJ RANGE: 18-250MBAR , OVER RANGE: 100BAR , PROOF:100BAR HOT DEEP GALVANIZED, Dia.: 50mm, Length: 150mm A116 , 5F084904 , B0135LRH MALE NPT MDSP 150 SERIES , 415V 59Hz B/M 4297-112/10VJ	1000677267 1000393471 1001106773 1000793738 1000388063 1000370943	7 7 1 1 1 3 2 2 2 1 1 1 5 5 1 7 7	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43 850.06 175.00 275.00 273.48 198.64 111.28 4.67 6.45 450.43 167.70	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86 850.06 175.00 275.00 1,367.40 198.64 778.96 65.38 6.45 900.86 167.70	NG1101-Sub1 NG1101-Sub1	1AS513 1AG610/611/612 1AS304 1AU402 1AS210 1AS211 1AS301 1AU706 1AU515 1AT714 1AU704 1AW703-03 1AS508 1AR412 1AW203-06 1AR702 1AR702	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY PRESSURE SWITCH DIFF PRESSURE SWITCH 1/2" NPT DIFFERENTIAL PRESSURE SWITCH SPRING INTERGRATOR POWER DRIVER AUTOMUFFLER MODULAR DISTRIBUTION SURGE PROTECTOR VALVE POSITIONER PNEUMATIC RELAY INTERFACE CARD PACKING GASKET ETHERNET HUB 9SWITCH UIBRATION SWITCH UIBRATION SWITCH DIAPHRAGM (NITRILE)	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADJ RANGE: 7-100 INWCD , OVER RANGE: 1500 PSI , PROOF:1500PSI ADJ RANGE: 18-250MBAR , OVER RANGE : 1008AR , PROOF:1008AR HOT DEEP GALVANIZED, Dia.: 50mm, Length: 150mm A116 , 57084904 , 80135LRH MALE NPT MDSP 150 SERIES , 415V 59Hz B/M 4297-112/10VJ 070-0042-3-08-B (TFSI) , 070-0042-5-12-N R.12A	1000677267 1000393471 1001106773 1000793738 1000388063 1000370943 1000351785 1000697104	7 7 1 1 1 3 2 2 2 1 1 1 5 5 1 7 7	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43 850.06 175.00 275.00 273.48 198.64 111.28 4.67 6.45 450.43 167.70 13.12	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86 850.06 175.00 275.00 1,367.40 198.64 778.96 65.38 6.45 900.86 167.70 13.12	NG1101-Sub1 NG1101-Sub1	1AS513 1AG610/611/612 1AS304 1AU402 1AS210 1AS211 1AS301 1AU706 1AQ515 1AU704 1AU703-03 1AS508 1AK512 1AW203-06 1AR412 1AW203-06 1AR702 1AR407 1AQ203	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY TEMPERATURE SENSOR pt100-385-4WIRE PRESSURE SWITCH DIFF PRESSURE SWITCH 1/2" NPT DIFF PRESSURE SWITCH 1/2" NPT DIFFERENTIAL PRESSURE SWITCH SPRING INTERGRATOR POWER DRIVER AUTOMUFFER MODULAR DISTRIBUTION SURGE PROTECTOR VALVE POSITIONER PREUMATIC RELAY INTERFACE CARD PACKING GASKET ETHERNET HUB 9SWITCH) VIBRATION SWITCH DIAPHRAGM (NITRILE) TERMINAL STRIP	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADJ RANGE: 7-100 INWCD , OVER RANGE: 1500 PSI , PROOF:1500PSI ADJ RANGE: 18-250MBAR , OVER RANGE : 1008AR , PROOF:100BAR HOT DEEP GALVANIZED, Dia.: 50mm, Length: 150mm A116 , 57084904 , B0135LRH MALE NPT MDSP 150 SERIES , 415V 59Hz B/M 4297-112/10VJ 070-0042-3-08-B (TFSI) , 070-0042-5-12-N R.12A	1000677267 1000393471 1001106773 1000793738 1000388063 1000370943	7 7 1 1 1 3 2 2 2 1 1 1 5 5 1 7 7	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43 850.06 175.00 275.00 275.00 275.00 273.48 198.64 111.28 4.67 6.45 450.43 167.70 13.12 1,509.25	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86 850.06 175.00 275.00 1,367.40 198.64 778.96 65.38 64.45 900.86 167.70 13.12	NG1101-Sub1 NG1101-Sub1	1AS513 1AG610/611/612 1AS304 1AU402 1AS210 1AS211 1AS301 1AU706 1AG515 1AT714 1AU704 1AW703-03 1AS508 1AR412 1AW203-06 1AR702 1AT407 1AU407	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY TEMPERATURE SENSOR pt100-385-4WIRE PRESSURE SWITCH DIFF PRESSURE SWITCH 1/2" NPT DIFF PRESSURE SWITCH 5/2" NPT DIFFERENTIAL PRESSURE SWITCH SPRING INTERGRATOR POWER DRIVER AUTOMUFFLER MODULAR DISTRIBUTION SURGE PROTECTOR VALVE POSITIONER PNEUMATIC RELAY INTERFACE CARD PACKING GASKET ETHERNET HUB 9SWITCH) VIBRATION SWITCH DIAPHRAGM (NITRILE) TERMINAL STRIP ADJUSTABLE PRESSURE SWITCH	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADJ RANGE: 7-100 INWCD , OVER RANGE: 1500 PSI , PROOF:1500PSI ADJ RANGE: 18-250MBAR , OVER RANGE: 100BAR , PROOF:100BAR HOT DEEP GALVANIZED, Dia.: 50mm, Length: 150mm A116 , 57084904 , B0135LRH MALE NPT MDSP 150 SERIES , 415V 59Hz B/M 4297-112/10VJ 070-0042-3-08-B (TFSI) , 070-0042-5-12-N R.12A	1000677267 1000393471 1001106773 1000793738 1000388063 1000370943 1000351785 1000697104	7 7 1 1 1 3 2 2 2 1 1 1 5 5 1 7 7	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43 850.06 175.00 275.00 273.48 198.64 111.28 4.67 6.45 450.43 167.70 13.12 1,509.25 98.01	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86 850.06 175.00 275.00 1,367.40 198.64 778.96 65.38 6.45 900.86 167.70 13.12	NG1101-Sub1 NG1101-Sub1	1AS513 1AQ610/611/612 1AS304 1AU402 1AS210 1AS211 1AS301 1AU706 1AQ515 1AT714 1AU704 1AW703-03 1AW703-03 1AR412 1AW203-06 1AR412 1AW702 1AT407 1AQ203 1AQ03	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 543 544 545 546 547 548 559 550 551 552 553 554 555 556 557	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY PRESSURE SWITCH DIFF PRESSURE SWITCH 1/2" NPT DIFFERENTIAL PRESSURE SWITCH SPRING INTERGRATOR POWER DRIVER AUTOMUFFLER MODULAR DISTRIBUTION SURGE PROTECTOR VALVE POSITIONER PNEUMATIC RELAY INTERFACE CARD PACKING GASKET ETHERNET HUB 9SWITCH DIAPHRAGM (NITRILE) TERMINAS SIRIP TERMINAS SERIP TERMINAS SERIP TERMINAS SERIP TERMINAS SERIP THERMES SURTER THERMES SURTER THERMINAS SIRIP TERMINAS SIRIP TERMINAS SIRIP TERMINAS SERIP TER	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADJ RANGE: 7-100 INWCD , OVER RANGE: 1500 PSI , PROOF:1500PSI ADJ RANGE: 18-250MBAR , OVER RANGE : 1008AR , PROOF:100BAR HOT DEEP GALVANIZED, Dia.: 50mm, Length: 150mm A116 , 57084904 , B0135LRH MALE NPT MDSP 150 SERIES , 415V 59Hz B/M 4297-112/10VJ 070-0042-3-08-B (TFSI) , 070-0042-5-12-N R.12A	1000677267 1000393471 1001106773 1000793738 1000388063 1000370943 1000351785 1000697104	7 7 1 1 1 3 2 2 2 1 1 1 5 5 1 7 7	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43 850.06 175.00 273.48 198.64 111.28 4.67 6.45 450.43 167.70 13.12 1,509.25 98.01 98.67	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86 850.06 175.00 1,367.40 198.64 778.96 65.38 6.45 900.86 167.70 13.12 10,564.75 392.04 592.02	NG1101-Sub1 NG1101-Sub1	1AS513 1AQ610/611/612 1AS304 1AU402 1AS210 1AS211 1AS301 1AU706 1AQ515 1AU706 1AQ515 1AU704 1AW703-03 1AW703-03 1AW703-03 1AF812 1AW203-06 1AR702 1AR702 1AG203 1AQ710/711 1AT310 1AU404	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY PRESSURE SWITCH 1/2" NPT DIFF PRESSURE SWITCH 1/2" NPT DIFFERENTIAL PRESSURE SWITCH SPRING INTERGRATOR POWER DRIVER AUTOMUFFLER MODULAR DISTRIBUTION SURGE PROTECTOR VALVE POSITIONER PNEUMATIC RELAY INTERFACE CARD PACKING GASKET ETHERNET HUB 9SWITCH) VIBRATION SWITCH DIAPHRAGM (NITRILE) TERMINAL STRIP ADJUSTABLE PRESSURE SWITCH WIRE, CABLE AND ROD CUTTER COMPRESSOR RELIEF VALVE	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADJ RANGE: 7-100 INWCD , OVER RANGE: 1500 PSI , PROOF:1500PSI ADJ RANGE: 18-250MBAR , OVER RANGE: 100BAR , PROOF:100BAR HOT DEEP GALVANIZED, Dia.: 50mm, Length: 150mm A116 , 57084904 , B0135LRH MALE NPT MDSP 150 SERIES , 415V 59Hz B/M 4297-112/10VJ 070-0042-3-08-B (TFSI) , 070-0042-5-12-N R.12A	1000677267 1000393471 1001106773 1000793738 1000388063 1000370943 1000351785 1000697104	7	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43 850.06 175.00 273.48 198.64 111.28 4.67 6.45 450.43 167.70 13.12 1,509.25 98.01 98.67	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86 850.06 175.00 275.00 1,367.40 198.64 778.96 65.38 6.45 900.86 167.70 13.12 10,564.75 392.04 592.02 110.83	NG1101-Sub1	1AS513 1AG610/611/612 1AS304 1AU402 1AS210 1AS210 1AS211 1AS301 1AU706 1AG0515 1AU704 1AW703-03 1AS508 1AS508 1AR412 1AW203-06 1AR702 1AT407 1AQ203 1AQ710/711 1AT310 1AU404 1AUW303-03	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY PRESSURE SWITCH DIFF PRESSURE SWITCH 1/2" NPT DIFFERENTIAL PRESSURE SWITCH SPRING INTERGRATOR POWER DRIVER AUTOMUFFLER MODULAR DISTRIBUTION SURGE PROTECTOR VALVE POSITIONER PNEUMATIC RELAY INTERFACE CARD PACKING GASKET ETHERNET HUB 9SWITCH DIAPHRAGM (NITRILE) TERMINAS SIRIP TERMINAS SERIP TERMINAS SERIP TERMINAS SERIP TERMINAS SERIP THERMES SURTER THERMES SURTER THERMINAS SIRIP TERMINAS SIRIP TERMINAS SIRIP TERMINAS SERIP TER	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADJ RANGE: 7-100 INWCD , OVER RANGE: 1500 PSI , PROOF:1500PSI ADJ RANGE: 18-250MBAR , OVER RANGE: 100BAR , PROOF:100BAR HOT DEEP GALVANIZED, Dia.: 50mm, Length: 150mm A116 , 57084904 , B0135LRH MALE NPT MDSP 150 SERIES , 415V 59Hz B/M 4297-112/10VJ 070-0042-3-08-B (TFSI) , 070-0042-5-12-N R.12A	1000677267 1000393471 1001106773 1000793738 1000388063 1000370943 1000351785 1000697104	7 7 1 1 1 3 2 2 2 1 1 1 5 5 1 7 7	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43 850.06 175.00 273.48 198.64 111.28 4.67 6.45 450.43 167.70 13.12 1,509.25 98.01 98.67	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86 850.06 175.00 1,367.40 198.64 778.96 65.38 6.45 900.86 167.70 13.12 10,564.75 392.04 592.02	NG1101-Sub1 NG1101-Sub1	1AS513 1AQ610/611/612 1AS304 1AU402 1AS210 1AS211 1AS301 1AU706 1AQ515 1AU706 1AQ515 1AU704 1AW703-03 1AW703-03 1AW703-03 1AF812 1AW203-06 1AR702 1AR702 1AG203 1AQ710/711 1AT310 1AU404	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY ITEMPERATURE SENSOR pt100-385-4WIRE PRESSURE SWITCH 1/2" NPT DIFF PRESSURE SWITCH 1/2" NPT DIFFERENTIAL PRESSURE SWITCH SPRING INTERGRATOR POWER DRIVER AUTOMUFFLER MODULAR DISTRIBUTION SURGE PROTECTOR VALVE POSITIONER PROUMATIC RELAY INTERFACE CARD PACKING GASKET ETHERNET HUB 9SWITCH VIBRATION SWITCH DIAPHRAGM (NITRILE) TERMINAL STRIP ADJUSTABLE PRESSURE SWITCH WIRE, CABLE AND ROD CUTTER COMPRESSOR RELIEF VALVE WASHER SEAL	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADJ RANGE: 7-100 INWCD , OVER RANGE: 1500 PSI , PROOF:1500PSI ADJ RANGE: 18-250MBAR , OVER RANGE: 1500 PSI , PROOF:100BAR HOT DEEP GALVANIZED, Dia: 50mm, Length: 150mm A116 , \$F084904 , B0135LRH MALE NPT MDSP 150 SERIES , 415V 59Hz B/M 4297-112/10VJ 070-0042-3-08-B (TFSI) , 070-0042-5-12-N R.12A 5AMP, 480VAC , 14A.W.G , 2.5mm2 WIRE 100P , 440-1500PSI , SET PRESS. 1235PSI , 0.5AMPS, 125VDC , 11AMPS, 125.250VAC , 60 Hz SINGLE PHASE 190mm , 7.1/2"	1000677267 1000393471 1001106773 1000793738 1000388063 1000370943 1000351785 1000697104 1000369606	7	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43 850.06 175.00 273.48 198.64 111.28 4.67 6.45 450.43 167.70 13.12 1,509.25 98.01 98.67	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86 850.06 175.00 275.00 1,367.40 198.64 778.96 65.38 6.45 900.86 167.70 13.12 10,564.75 392.04 592.02 110.83	NG1101-Sub1	1AS513 1AG610/611/612 1AS304 1AU402 1AS210 1AS211 1AS301 1AU706 1AU505 1AT714 1AU704 1AW703-03 1AS508 1AR412 1AW203-06 1AR702 1AT407 1AQ203 1AG203 1AQ203 1AQ203 1AQ203 1AQ203 1AQ404 1AQ404 1AU404 1AU404 1AU405 1AW303-03 1AW303-03 1AW303-03	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 542 543 544 545 546 547 550 551 552 553 554 555 556 557 558 558	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY PREMSEATURE SENSOR pt100-385-4WIRE PRESSURE SWITCH 1/2" NPT DIFF PRESSURE SWITCH 1/2" NPT DIFFERENTIAL PRESSURE SWITCH SPRING INTERGRATOR POWER DRIVER AUTOMUFFLER MODULAR DISTRIBUTION SURGE PROTECTOR VALVE POSITIONER PNEUMATIC RELAY INTERFACE CARD PACKING GASKET ETHERNET HUB 9SWITCH UIRBRATION SWITCH DIAPHRAGM (NITRILE) TERMINAL STRIP ADJUSTABLE PRESSURE SWITCH WIRE, CABLE AND ROD CUTTER COMPRESSOR RELIEF VALVE WASHER SEAL CABLE CONNECTOR (LUG) 25mm²	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADJ RANGE: 7-100 INWCD , OVER RANGE: 1500 PSI , PROOF:1500PSI ADJ RANGE: 18-250MBAR , OVER RANGE: 100BAR , PROOF:100BAR HOT DEEP GALVANIZED, Dia.: 50mm, Length: 150mm A116 , 57084904 , B0135LRH MALE NPT MDSP 150 SERIES , 415V 59Hz B/M 4297-112/10VJ 070-0042-3-08-B (TFSI) , 070-0042-5-12-N R.12A	1000677267 1000393471 1001106773 1000793738 1000388063 1000370943 1000351785 1000697104	7	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43 850.06 175.00 273.48 198.64 111.28 4.67 6.45 4.67 13.12 1,509.25 98.01 1,509.25 98.07 110.83 50.09 7.90	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86 850.06 175.00 1,367.40 198.64 778.96 65.38 6.45 900.86 167.70 13.12 10,564.75 392.04 592.02 110.83 901.62 31.60	NG1101-Sub1	1AS513 1AG610/611/612 1AS304 1AU402 1AS210 1AS211 1AS301 1AU706 1AQ515 1AT714 1AU704 1AW703-03 1AW703-03 1AR412 1AW203-06 1AR702 1AT407 1AQ203 1AQ71711 1AT310 1AU404 1AW303-03 1AU404 1AW303-03 1AU404 1AW303-03 1AW303-03	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 555 555 556 557 558 559 560 560	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY PRESSURE SWITCH DIFF PRESSURE SWITCH 1/2" NPT DIFF PRESSURE SWITCH 5/2" NPT DIFFERENTIAL PRESSURE SWITCH SPRING INTERGRATOR POWER DRIVER AUTOMUFFLER MODULAR DISTRIBUTION SURGE PROTECTOR VALVE POSITIONER PNEUMATIC RELAY INTERFACE CARD PACKING GASKET ETHERNET HUB 9SWITCH DIAPHRAGM (NITRILE) TERMINAS SKIP TERMINAS TRIP TERMINAS TRIP AUTOMUTE TRIP TERMINAS TRIP COMPRESSOR RELIEF VALVE WASHER SEAL CABLE CONNECTOR (LUG) 25mm² ORIFICE PLATE INNER 6", OUTTER 13.8" SS	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADI RANGE: 7-100 INWCD , OVER RANGE: 1500 PSI , PROOF:1500PSI ADI RANGE: 18-250MBAR , OVER RANGE: 1500BAR , PROOF:100BAR HOT DEEP GALVANIZED, Dia: 50mm, Length: 150mm A116 , SF084904 , B0135LRH MALE NPT MDSP 150 SERIES , 415V 59H2 B/M 4297-112/10VJ 070-0042-3-08-B (TFSI) , 070-0042-5-12-N R.12A 5AMP, 480VAC , 14A.W.G , 2.5mm2 WIRE 100P , 440-1500PSI ,SET PRESS. 1235PSI , 0.5AMPS, 125VDC , 11AMPS, 125.250VAC , 60 Hz SINGLE PHASE 190mm , 7.1/2" 6878901691	1000677267 1000393471 1001106773 1000793738 1000388063 1000370943 1000351785 1000697104 1000369606	7	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43 850.06 175.00 273.48 198.64 111.28 4.67 6.45 450.43 167.70 13.12 1,509.25 98.01 98.01 98.07 110.83 50.09 7.90 115.57	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86 850.06 175.00 1,367.40 198.64 778.96 65.38 6.45 900.86 167.70 13.12 10,564.75 392.04 592.02 110.83 901.62 31.60 115.57	NG1101-Sub1	1AS513 1AQ610/611/612 1AS304 1AU402 1AS210 1AS210 1AS211 1AS301 1AU706 1AQ515 1AT714 1AU704 1AW703-03 1AW803-06 1AR412 1AW203-06 1AR702 1AT7407 1AQ203 1AQ710/711 1AT310 1AU404 1AW303-03 1AW303-03 1AW303-03 1AW303-03 1AW303-03 1AW303-03	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 543 545 546 547 548 550 551 552 555 556 557 558 559 560 561 562	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY TEMPERATURE SENSOR pt100-385-4WIRE PRESSURE SWITCH 1/2" NPT DIFF PRESSURE SWITCH 1/2" NPT DIFFERENTIAL PRESSURE SWITCH SPRING INTERGRATOR POWER DRIVER AUTOMUFFLER MODULAR DISTRIBUTION SURGE PROTECTOR VALVE POSITIONER PROUMATIC RELAY INTERFACE CARD PACKING GASKET ETHERNET HUB 9SWITCH VIBRATION SWITCH DIAPHRAGM (NITRILE) TERMINAL STRIP ADJUSTABLE PRESSURE SWITCH WIRE, CABLE AND ROD CUTTER COMPRESSOR RELIEF VALVE WASHER SEAL CABLE CONNECTOR (LUG) 25mm² ORLIFCO PLATE INNECT 6", OUTTER 13.8" SS ORLIFICE PLATE INNECT 6", OUTTER 13.8" SS	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADJ RANGE: 7-100 INWCD , OVER RANGE: 1500 PSI , PROOF:1500PSI ADJ RANGE: 18-250MBAR , OVER RANGE: 1500BAR , PROOF:100BAR HOT DEEP GALVANIZED, Dia: 50mm, Length: 150mm A116 , \$F084904 , B0135LRH MALE NPT MDSP 150 SERIES , 415V 59Hz B/M 4297-112/10VJ 070-0042-3-08-B (TFSI) , 070-0042-5-12-N R.12A 5AMP, 480VAC , 14A.W.G , 2.5mm2 WIRE 100P , 440-1500PSI , SET PRESS. 1235PSI , 0.5AMPS, 125VDC , 11AMPS, 125.250VAC , 60 Hz SINGLE PHASE 190mm , 7.1/2" INLET:FO-6615 , d=11.04mm	1000677267 1000393471 1001106773 1000793738 1000388063 1000370943 1000351785 1000697104 1000369606	7	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43 850.06 175.00 275.00 273.48 198.64 111.28 4.67 6.45 450.43 167.70 13.12 1,509.25 98.01 98.67 110.83 50.09 7.90 1115.57 96.72	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86 850.06 175.00 275.00 1,367.40 198.64 778.96 65.38 6.45 900.86 167.70 13.12 10,564.75 392.04 592.02 110.83 901.62 31.60 115.57 193.44	NG1101-Sub1	1AS513 1AG610/611/612 1AS304 1AU402 1AS210 1AS211 1AS301 1AU706 1AU505 1AT714 1AU707 1AU704 1AW703-03 1AS508 1AR412 1AW203-06 1AR702 1AT407 1AQ203 1AG203	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 543 544 545 545 549 550 551 552 553 555 555 557 558 559 560 561 562 563	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY TEMPERATURE SENSOR pt100-385-4WIRE PRESSURE SWITCH 1/2" NPT DIFF PRESSURE SWITCH 1/2" NPT DIFFERENTIAL PRESSURE SWITCH SPRING INTERGRATOR POWER DRIVER AUTOMUFFLER MODULAR DISTRIBUTION SURGE PROTECTOR VALVE POSITIONER PNEUMATIC RELAY INTERFACE CARD PACKING GASKET ETHERNET HUB 9SWITCH) VIBRATION SWITCH DIAPHRAGM (NITRILE) TERMINAL STRIP ADJUSTABLE PRESSURE SWITCH WIRE, CABLE AND ROD CUTTER COMPRESSOR RELIEF VALVE WASHER SEAL CABLE CONNECTOR (LUG) 25mm² ORIFICE PLATE INNER 6", OUTTER 13.8" SS ORIFICE PLATE 4" X 300# ORIFICE 4" X 300#	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADJ RANGE: 7-100 INWCD , OVER RANGE: 1500 PSI , PROOF:1500PSI ADJ RANGE: 18-250MBAR , OVER RANGE: 100BAR , PROOF:100BAR HOT DEEP GALVANIZED, Dia.: 50mm, Length: 150mm A116 , \$F084904 , B0135LRH MALE NPT MDSP 150 SERIES , 415V 59Hz B/M 4297-112/10VJ 070-0042-3-08-B (TFSI) , 070-0042-5-12-N R.12A 5AMP, 480VAC , 14A.W.G , 2.5mm2 WIRE 100P , 440-1500PSI , SET PRESS. 1235PSI , 0.5AMPS, 125VDC , 11AMPS, 125.250VAC , 60 Hz SINGLE PHASE 190mm , 7.1/2" INLET:FO-6615 , d=11.04mm BODY: 316SS , OUTLET: 2.000 , dr= 1.9997	1000677267 1000393471 1001106773 1000793738 1000388063 1000370943 1000351785 1000697104 1000369606	7	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43 850.06 175.00 273.48 198.64 111.28 4.67 6.45 4.67 13.12 1,509.25 98.01 198.67 110.83 50.09 7.90 115.57 96.72 66.91	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86 850.06 175.00 275.00 1,367.40 198.64 778.96 65.38 6.45 900.86 167.70 13.12 10,564.75 392.04 592.02 110.83 901.62 31.60 115.57 193.44 133.82	NG1101-Sub1	1AS513 1AG610/611/612 1AS304 1AU402 1AS210 1AS211 1AS301 1AU706 1AQ515 1AT714 1AU704 1AW703-03 1AK712 1AW903-06 1AR712 1AW903-06 1AR702 1AT407 1AQ203 1ACQ31 1AU70711 1AT310 1AU404 1AW903-06 1AW903-06 1AW903-06 1AW903-06 1AV903-06	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 543 544 545 546 547 550 551 552 553 554 555 556 557 558 559 560 561 562 563 563	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY PRESSURE SWITCH DIFF PRESSURE SWITCH 1/2" NPT DIFF PRESSURE SWITCH 1/2" NPT DIFFERENTIAL PRESSURE SWITCH SPRING INTERGRATOR POWER DRIVER AUTOMUFFLER MODULAR DISTRIBUTION SURGE PROTECTOR VALVE POSITIONER PNEUMATIC RELAY INTERFACE CARD PACKING GASKET ETHERNET HUB 9SWITCH DIAPHRAGM (NITRILE) TERMINAL STRIP TERMINAL STRIP TERMINAL STRIP COMPRESSOR RELIEF VALVE WASHER SEAL CABLE CONNECTOR (LUG) 25mm² ORIFICE PLATE INNER 6", OUTTER 13.8" SS ORIFICE PLATE 4" X 300# ORIFICE 4" ORIFICE 6" ORIFICE 6"	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADJ RANGE: 7-100 INWCD , OVER RANGE: 1500 PSI , PROOF:1500PSI ADJ RANGE: 18-250MBAR , OVER RANGE: 1500BAR , PROOF:100BAR HOT DEEP GALVANIZED, Dia: 50mm, Length: 150mm A116 , SF084904 , B0135LRH MALE NPT MDSP 150 SERIES , 415V 59Hz B/M 4297-112/10VJ 070-0042-3-08-B (TFSI) , 070-0042-5-12-N R.12A 5AMP, 480VAC , 14A.W.G , 2.5mm2 WIRE 100P , 440-1500PSI ,SET PRESS. 1235PSI , 0.5AMPS, 125VDC , 11AMPS, 125.250VAC , 60 Hz SINGLE PHASE 190mm , 7.1/2" 6878901691 INLET:F0-6615 , d=11.04mm BODY: 316SS , OUTLET: 2.000 , dr= 1.9997 316SS, 4.5000 , dr=4.5003	1000677267 1000393471 1001106773 1000793738 1000388063 1000370943 1000351785 1000697104 1000369606	7	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43 850.06 175.00 273.48 198.64 111.28 4.67 6.45 450.43 167.70 13.12 1,509.25 98.01 198.67 110.83 50.09 7.90 115.57 96.72 66.91 96.72	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86 850.06 175.00 1,367.40 198.64 778.96 65.38 6.45 900.86 167.70 13.12 10,564.75 392.04 592.02 110.83 901.62 31.60 115.57 193.44 193.42 195.72 196.72	NG1101-Sub1	1AS513 1AQ610/611/612 1AS304 1AU402 1AS210 1AS210 1AS211 1AS301 1AU706 1AQ515 1AT714 1AU704 1AW703-03 1AW703-03 1AK812 1AW203-06 1AR702 1AT407 1AQ203 1AQ710/711 1AT310 1AU404 1AW303-03	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 543 544 545 547 547 551 552 553 555 556 557 558 559 560 562 563 564 565	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY TEMPERATURE SENSOR pt100-385-4WIRE PRESSURE SWITCH 1/2" NPT DIFF PRESSURE SWITCH 1/2" NPT DIFFERENTIAL PRESSURE SWITCH SPRING INTERGRATOR POWER DRIVER AUTOMUFFLER MODULAR DISTRIBUTION SURGE PROTECTOR VALVE POSITIONER PREUMATIC RELAY INTERFACE CARD PACKING GASKET ETHERNET HUB 9SWITCH) VIBRATION SWITCH DISTRIBUTION SWITCH WIRE, CABLE AND ROD CUTTER COMPRESSOR RELIEF VALVE WASHER SEAL CABLE CONNECTOR (LUG) 25mm² ORIFICE PLATE 4" X 300# ORIFICE 6" ORIFICE 6"	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADJ RANGE: 7-100 INWCD , OVER RANGE: 1500 PSI , PROOF:1500PSI ADJ RANGE: 31-250MBAR , OVER RANGE: 1500BAR , PROOF:100BAR HOT DEEP GALVANIZED, Dia: 50mm, Length: 150mm A116 , \$F084904 , B0135LRH MALE NPT MDSP 150 SERIES , 415V 59Hz B/M 4297-112/10VJ 070-0042-3-08-B (TFSI) , 070-0042-5-12-N R.12A 5AMP, 480VAC , 14A.W.G , 2.5mm2 WIRE 100P , 440-1500PSI , SET PRESS. 1235PSI , 0.5AMPS, 125VDC , 11AMPS, 125.250VAC , 60 Hz SINGLE PHASE 190mm , 7.1/2" INLET:F0-6615 , d=11.04mm BODY: 316SS , 0UTLET: 2.000 , dr=1.9997 316SS, 4.5000 , dr=4.0003 316SS, 4.5000 , dr=4.0003 316SS, 4.5000 , dr=4.0003 316SS, 4.0000 , dr=4.0002	1000677267 1000393471 1001106773 1000793738 1000388063 1000370943 1000351785 1000697104 1000369606	7	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43 850.06 175.00 275.00 273.48 198.64 111.28 4.67 6.45 4.67 6.45 4.67 13.12 1,509.25 98.01 98.67 110.83 50.09 7.90 111.57 96.72 66.91 96.72 96.72	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86 850.06 175.00 275.00 1,367.40 198.64 778.96 65.38 6.45 900.86 167.70 13.12 10,564.75 392.04 592.02 110.83 901.62 31.60 115.57 193.44 133.82 96.72	NG1101-Sub1	1AS513 1AG610/611/612 1AS304 1AU402 1AS210 1AS211 1AS301 1AU706 1AU505 1AT714 1AU707 1AQ515 1AT714 1AU704 1AW703-03 1AS508 1AR412 1AW703-06 1AR702 1AT407 1AQ203 1ACQ10/711 1AT310 1AU404 1AU404 1AW303-06 1AW504-06 1AW702-02 1AV403-06 1AV403-06 1AV403-06 1AV403-06 1AV403-05 1AV403-05 1AV403-05	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA
538 539 540 541 542 543 546 546 547 549 550 551 552 552 553 554 555 556 557 558 556 557 558 556 561 562 563	JUNCTION BOX FOR INFRARED GAS DETECTOR PARALLELING RELAY PRESSURE SWITCH DIFF PRESSURE SWITCH 1/2" NPT DIFF PRESSURE SWITCH 1/2" NPT DIFFERENTIAL PRESSURE SWITCH SPRING INTERGRATOR POWER DRIVER AUTOMUFFLER MODULAR DISTRIBUTION SURGE PROTECTOR VALVE POSITIONER PNEUMATIC RELAY INTERFACE CARD PACKING GASKET ETHERNET HUB 9SWITCH DIAPHRAGM (NITRILE) TERMINAL STRIP TERMINAL STRIP TERMINAL STRIP COMPRESSOR RELIEF VALVE WASHER SEAL CABLE CONNECTOR (LUG) 25mm² ORIFICE PLATE INNER 6", OUTTER 13.8" SS ORIFICE PLATE 14" X 300# ORIFICE 6" ORIFICE 6" ORIFICE 6"	MAX W.:3.2-55degC Ta +40degC , IP66 120V , 25-00-0206-00 0-100degC 300-3000PSIG ADJ RANGE: 7-100 INWCD , OVER RANGE: 1500 PSI , PROOF:1500PSI ADJ RANGE: 18-250MBAR , OVER RANGE: 1500BAR , PROOF:100BAR HOT DEEP GALVANIZED, Dia: 50mm, Length: 150mm A116 , SF084904 , B0135LRH MALE NPT MDSP 150 SERIES , 415V 59Hz B/M 4297-112/10VJ 070-0042-3-08-B (TFSI) , 070-0042-5-12-N R.12A 5AMP, 480VAC , 14A.W.G , 2.5mm2 WIRE 100P , 440-1500PSI ,SET PRESS. 1235PSI , 0.5AMPS, 125VDC , 11AMPS, 125.250VAC , 60 Hz SINGLE PHASE 190mm , 7.1/2" 6878901691 INLET:F0-6615 , d=11.04mm BODY: 316SS , OUTLET: 2.000 , dr= 1.9997 316SS, 4.5000 , dr=4.5003	1000677267 1000393471 1001106773 1000793738 1000388063 1000370943 1000351785 1000697104 1000369606	7	175.23 1,333.40 614.36 418.81 2,050.01 2,514.00 77.43 850.06 175.00 273.48 198.64 111.28 4.67 6.45 450.43 167.70 13.12 1,509.25 98.01 198.67 110.83 50.09 7.90 115.57 96.72 66.91 96.72	1,752.30 9,333.80 614.36 418.81 6,150.03 5,028.00 154.86 850.06 175.00 1,367.40 198.64 778.96 65.38 6.45 900.86 167.70 13.12 10,564.75 392.04 592.02 110.83 901.62 31.60 115.57 193.44 193.42 195.72 196.72	NG1101-Sub1	1AS513 1AQ610/611/612 1AS304 1AU402 1AS210 1AS210 1AS211 1AS301 1AU706 1AQ515 1AT714 1AU704 1AW703-03 1AW703-03 1AK812 1AW203-06 1AR702 1AT407 1AQ203 1AQ710/711 1AT310 1AU404 1AW303-03	PHIA PHIA PHIA PHIA PHIA PHIA PHIA PHIA

567	ORIFICE 6"	HT990602 , .7500 , dr= .7502	1	1	96.72	96.72	NG1101-Sub1	1AV403-04	PHIA
568	ORIFICE 6"	T511233 , .5000 , dr= .4995			96.72	386.88	NG1101-3001 NG1101-Sub1	1AV403-04	PHIA
		DR= 1.4998				407.94	NG1101-SUB1	1AT113	PHIA
570	ORIFICE 6", 2.0000	DR= 20000		3	154.20	462.60	NG1101-SUB1	1AT211	PHIA
571	ORIFICE 6"	HT 517161, 1.2500, dr=1.2499		1	96.72	96.72	NG1101-Sub1	1AV402-03	PHIA
572	HOSE 2.1/2" X 64mm			1	10.71	10.71	NG1101-Sub1	1AR303	PHIA
	INDICATOR, 0-100*C, SPEC 200	12 SF9823		1	17.45	17.45	NG1101-SUB1	1AT614	PHIA
	ORIFICE PLATE, 4" X 600	ANS 600 RF, d:65,17mm, MAT: 316			96.72	96.72	NG1101-Sub1	1AU604	PHIA
		ANS 600, d:34, MAT:316			96.72	193.44	NG1101-Sub1	1AU603	PHIA
	VACUUM PRESSURE GUAGE	-30 -100PSI , -100-600kPa , 250VAC , 2AMP	1000370306			1,258.47	NG1101-SUB1	1AT308	PHIA
		1/2NPT , 2300 PSI ,250-1000 IN H2O , SILICON OIL	1000815566	11		18,774.14	NG1101-SUB1		PHIA
578 579	SPARES FOR 2 X 1/2 GLOBE VALVE AND 4 X 1/2 GLOBE VALVE 3/4"	1000PSI , 002377		1	158.82 291.77	158.82 291.77	NG1101-Sub1 NG1101-Sub1	1AV401-01 1AV505-02	PHIA PHIA
580	FLOAT 4.1/2"	2311-6082		1	21.12	21.12	NG1101-Sub1	1AR715	PHIA
581		1/2" X 900/1500		3	28.96	86.88	NG1101-3ub1	1AV402-02	PHIA
582	CABLE SINGLE CORE 2.5MM squred PVC	450/750V, RED, LENGTH 100M	1002551246		34.21	136.84	NG1101-3ub1	1AR705	PHIA
583	VALVE CONTROLLER	SERIES 760	1002331210	4	211.29	845.16	NG1101-Sub1	1AR707	PHIA
584	CONTROL MODULE	SERVED FOO	1000369606	1	1,509.25	1,509.25	NG1101-Sub1	1AR501	PHIA
585	HOSE 2.1/2" X 460mm			2	10.71	21.42	NG1101-Sub1	1AR302	PHIA
586	STEEL FLEX GRID COUPLING (SPRING)	1100T		9	260.81	2,347.29	NG1101-Sub1	1AR201	PHIA
587	DIGITAL I/O MODULE		1000364347	1	478.96	478.96	NG1101-Sub1	1AR110	PHIA
588	POWER SUPPLY, SOLA	SDN20-24-100C	1001867379	1	732.04	732.04	NG1101-Sub1	1AR112	PHIA
589	SEARCHLINE OPEN PATH DETECTOR			1	5,653.54	5,653.54	NG1101-Sub1	1AS207	PHIA
590	CURRENT-TO-PNEUMATIC SIGNAL CONVERTER	67 Air Supply Regulator (B0110XS) & 67FR Supply Filter Regulator (B0110XR)		1	442.93	442.93	NG1101-Sub1	1AS415	PHIA
591	HOSE	5-4 R5-4, 3/16"		1	2.17	2.17	NG1101-Sub1	1AS511	PHIA
592	DOF SEAL 4"			2	66.91	133.82	NG1101-Sub1	1AS501	PHIA
593	PACKING			1	4.12	4.12	NG1101-Sub1	1AS608	PHIA
594	AMMETER 0 - 30A	DC AMPERES	1001896801		282.94	4,527.04	NG1101-Sub1	1AS705	PHIA
595		316L			101.71	305.13	NG1101-Sub1	1AU202	PHIA
596	SPW GASKET 8" X 600 CS RIDER RING 6"	316L			101.71 102.23	813.68	NG1101-Sub1	1AU203	PHIA PHIA
598	MOUNTING KIT	SVI-2 ON 87/88, Size 6 & 10	1001284569	1	357.49	6,542.72 357.49	NG1101-Sub1 NG1101-Sub1	1AU509 1AU613	PHIA
599	CAPLUGS	J-1/2, BRASS	1001264509	E	34.89	174.45	NG1101-3001 NG1101-Sub1	1AV701-03	PHIA
600	GAS DETECTOR KIT	1-1/2, blv433		1	111.85	111.85	NG1101-3ub1	1AV703-02	PHIA
601	PRESSURE GAUGE 0 - 16 Bar	1/2NPT Radial		1	218.92	218.92	NG1101-Sub1	1AV704-06	PHIA
	SEAL 10"	GREEN		2	56.71	113.42	NG1101-Sub1	1AV602-01	PHIA
	PIPE CONNECTOR 3/4" SS				41.85	41.85	NG1101-Sub1	1AV603-01	PHIA
		4" CS, PAINTED			26.85	268.50	NG1101-Sub1	1AV603-05	PHIA
605	BEARING			2	37.44	74.88	NG1101-Sub1	1AV503-02	PHIA
606	MAIN BEARING				31.28	93.84	NG1101-Sub1	1AV504-04	PHIA
607	O-RING	Parts for 2 " X 1" 1500# TK Ball Valve, Set V90 Kit C/W			1.82	3.64	NG1101-Sub1	1AV405-01	PHIA
608	· · · · · · · · · · · · · · · · · · ·	342338		-	12.36	123.60	NG1101-Sub1	1AV405-03	PHIA
609	CABLE LUG	SC95-12, BRASS			5.32	5.32	NG1101-Sub1	1AW305-03	PHIA
610	BATTERY TERMINAL	POSITIVE, BRASS			10.83	10.83	NG1101-Sub1	1AW305-04	PHIA
611	COPPER WASHER	1-1/2"		11	1.42	15.62	NG1101-Sub1	1AW204-02	PHIA
	TEMPERATURE GAUGE	(-20 TO 120DEG CELCIUS)		1	170.00	170.00	NG1101-SUB1	1AQ308	PHIA
	INLET VALVE KIT PRESSURE TRANSMITTER	0.75DAD MAND: 440D	1001237700	1	1,200.00 2,000.85	1,200.00 2,000.85	NG1101-SUB1 NG1101-SUB1	1AQ609 1AQ705	PHIA
	MASTER BLATER SIREN	0-75mBAR, MWP: 140B	1001237700	1	105.00	-	NG1101-SUB1	1AT104	PHIA
	ORIFICE PLATE 6", 1.2500	DR: 1.2499		1	127.23	105.00 508.92	NG1101-30B1	1AT212	PHIA
	PRESSURE REGULATOR	MAX INLET: 750PSIG(17BAR), RANGE: 4-150PSIG(0.3-10BAR), MAX TEMP: 175F(80C)	1000540090	2	176.83	353.66	NG1101-SUB1	1AT307	PHIA
618		The state of the s		50	2.00	100.00	NG1101-SUB1	1AT513	PHIA
619				55	3.45	189.75	NG1101-SUB1	1AW604-04	PHIA
620	ELEMENT HYGROMETER ASSY	PARKER	1000661370	8	3,199.37	25,594.96	NG1101-Sub1	1AS311/312	PHIA
621	FUEL PRE-FILTER			4	45.98	183.92	NG1101-Sub1	1AR612	PHIA
622	FUEL FILTER			1	319.90	319.90	NG1101-Sub1	1AR611	PHIA
623	TEMPERATURE GAUGE		1000979521	1	153.85	153.85	NG1101-Sub1	1AU505	PHIA
624	PULSATION DAMPNER		1001155938	5	1,188.00	5,940.00	NG1101-Sub1	1AU407	PHIA
625		50-70mm HOSE SIZE		8	4.51	36.08	NG1101-Sub1	1AV704-05	PHIA
	HOSE CLIP	40-55mm HOSE SIZE		9	3.29	29.61	NG1101-Sub1	1AV704-04	PHIA
627	SPARK PLUG			9	45.34	408.06	NG1101-SUB1	1AW703-02	PHIA
628	CABLE CONNECTOR (LUG) 20mm	(C. 1)	4000040	1	1.80	1.80	NG1101-Sub1	1AV603-01	PHIA
	CABLE LUG 10mm2	Cross section, conductor: 10 mm2 (STRANDED), 6 mm2 (FLEXIBLE); Diameter, od, bolt: 6 mm	1000048020	4	0.45	1.80	NG1101-Sub1	1AW305-05	PHIA
	SILENCER ELEMENT		1000953166	1		345.11	NG1101-Sub1	1AS315	PHIA
631	DRYER PM KITS			2	1,200.00 650.00	2,400.00 1,300.00	NG1101-SUB1	1AQ310 1AQ109	PHIA PHIA
632	PNEU.CONTROL VALVE MX		1001172562	2	231.23	1,300.00 462.46	NG1101-SUB1 NG1101-SUB1	1AQ109 1AQ312	PHIA
634	CAM TIMER/LOGIC MXP		10011/2502	1	1,535.98	1,535.98	NG1101-SUB1	1AQ312 1AQ311	PHIA
635	GASKET,T5-PROBE,		1000016293	176	9.97	1,754.10	NG1101-SUB1	1AW601-01	PHIA
			1001671660		99.18	198.36	NG1101-30B1	1AS402	PHIA
		PARKER				1,100.00	NG1101-SUB1	1AQ212	PHIA
								-	

	638 B	RE-PRESSURE VALVE	PARKER		5	439.20	2,196.00	NG1101-SUB1	1AQ210	PHIA
Second Property Second Pro				1000991895	17					
Control Cont					1					
March Marc					26	487.00	12,662.00	NG1101-SUB1	1AQ315	
March Marc				1001141236	37					
50 Description										
Math										
Mathematical Math				1000324439	12					
March Marc					3					
Mary			3.3./All 19.							
Monte Mont				1001437820	4					
100 100			18.5-36VDC,5A,55*C	1000229612	10					
150										
100 MATERIAN 100			1051021 25 SOLAR		0					
55 WASHINDOOF			1031331-23, 30LAN	1000801840	14					
500 MONO				1001141275						
1989 1984 1985										
50 MA										
1908 May FRATE										
500 MACHTENCLIP MACHAE 19003672 1 27 00 88.22 MASSISTANCE MACHAE	658 S	ERVICE KIT			6	1,515.87	9,095.20		1AU214	PHIA
MONEMENT MARCHE MATERIAL MONEMENT	659 V	ALVE PLATE		1000363733	14					PHIA
505 505			VALVE PLATE							PHIA
500 SOCIATION DIPM		MAGNETIC PICK-UP			21		1,360.00			
Sect	662 H	IOSE		1000358666	2	36.21	72.41	NG1101-Sub1	1AS512	PHIA
60 SAL PREDUE			KIT: DPM		11					
560 SALV S					5				1AW205-05	
569 MAYE				1000359515						
568 SA, O-NING 1000328975 23 1.59 5.54 No. 10101-5601 MAYD-65 PMA MARCON P					10					
MACES MACE					5					
Formation 1,000328694 1,										
For Male Bachinson 1000016334 15 167.22 2,08.83 10101-5.981 1,0000.03-06 PHA 1,0000.05-06					11					
Facility	-				2					
Face Part			F201							
524 PMP GASKET NT			r500							
\$75 GAMET COVER			P300							
176 SMERTURE 1700 N SOON" GOFT GASA 100037214 27	-		1500		4					
157 ISPHTINES FLASH COUNTER			120kA 500V~ Gg/Gt 63A		27					
578 PILLOW BLOCK ROLLER BEARNING UNIT 7-2-16" 9 34-13 3.06-20 NC1101-SUB1 AT404/405 PHA					2					
S80 RELAY TYPE:RHIBH. LOCAY TYPE:R			BEARING UNIT 2-3/16"		9	345.13	3,106.20			PHIA
SEA FRECURENT METER (INTERNINAL COUR) 50.5 SSH2, 200-250/OUTS AC, E28/315/SRNAGAG 10.0 S00168 2.0 24.0 29.0 48.5 7.0 NG101-Sub1 1.8110				1000016314	6	199.88				PHIA
SEZ CURRENT TO AIR CONVERTER STYLE B: INPUTA-20MA, DUTPUT 3-15PS], SUPPLY :19-23PSI. MAX. AMB TEMP-80degC 100880168 2 29.92 498.57 NG1107-Sub2 20.33.55 PHIA					49	2.07				PHIA
S83 SQUARE PULLOW BLOCK ROLLER BEARNING UNT 2 1:51/16" FABE-21:58 S84 S85 S87 S72 S87	681 F	REQUENCY METER (OPT TERMINAL COVER)	45-50-55Hz , 200-250VOLTS AC , E24341SGRNAGAG		5	89.53	447.64	NG1101-Sub1	1AR106	PHIA
SAB BALLSS.3" X1500 20075101745-00	682 C	CURRENT TO AIR CONVERTER	STYLE B: INPUT:4-20MA ,OUTPUT 3-15PSI , SUPPLY :19-23PSI . MAX. AMB TEMP:80degC	1000860168	2	249.29	498.57	NG1101-Sub1	1AS113	PHIA
AUBRATION CHECK GAS CYLINDER 19 352.85 6,704.15 M01107-SUB2 AD0219.55 PHIA					8					
December					2					
ELECTRIC CONTROL HEAD SOLAR, 1053400			OXYGEN: 20.8% PPM		19					
SEA RETAINER INTER ROD WIPER 68448.004 9 107.12 964.08 NG1107-Sub2 2AD0215.5 PHIA					1					
Feb				1000902653	2					
SALL VALVE, I"X150 RF BODY:WCB,STEM/BODY:316L,SEAT:FFM1700,STEM:A105N/ENP 1000378356 1 241.31 241.31 NC1107-Sub2 2AD0119.5 B PHIA			68448.004	4000074	9					
SALL VALVE, 2" X 1-1/2" X 150 RF SODY-A105, SEAT: TFM1700, STEM: A105N/ENP 1000378356 1 241.31 N61107-Sub2 2AD0215.8 PHIA			DODANICO CTEM/DODA 2161 CENTITEM 700 DECCIDE 6100 F AMIC	10003/1236	3					
Feb Panel, Shut Down F-12, 919136C 100112220S 1 8,927.17 8,927.				1000270256	1					
FUEL SHUT OFF VALVE					1					
Feesure Regulator (Big Joe Pressure Regulator (Big Joe 1/2", 150, 46.98, (9-150 PSig) 1/2", 150, 46.98, (9-150 PSig) 1000458403 8 1,911.81 15,294.48 NG1107-sub2 2AD0231 PHIA					2					
FLOATING BALL VALVE 1" X300 RF WCB F310L BODY-WCB_STEM/BODY-316L BODY-WCB_STEM/BODY-316L BODY-STEM/BALL:F316,SEAT:PTFE					8					
BALL VALVE, 1/2" X 150, SS, RF,F-1:05mm BODY/STEM/BALL:F316,SEAT:PTFE 1 99.99 99.99 NG1107-Sub2 2AD0119A PHIA	-				1					
Fig. Digital excitation control system 1000793765 1 22,605.72 2,605.72 2,605.72 2,605.72 2,005.72 2,005.72 2,005.78 Phila 1000746767 36 49.84 1,794.24 1,795.24 2,005.75 2,					1					
Fig. 2 Fig. 2 Fig. 3 Fig. 4 Fig. 4 Fig. 2 Fig. 3 Fig. 4 Fig. 4 Fig. 4 Fig. 2 Fig. 3 Fig. 4 Fig. 3 Fig. 4 Fig. 3 F				1000793765	1					
699 FOLLOWER 1000974614 36 60.62 2,182.32 NG1107-Sub2 2AD0225.5B PHIA 700 SCRAPPER FOR INST AIR (LATERN) 1000974602 36 53.88 1,939.68 NG1107-Sub2 2AD0225.5B PHIA 701 FILTER 1000974602 36 158.81 1,939.68 NG1107-Sub2 2AD0225.5B PHIA 702 SUCTION VALVE 1000973769 8 1,595.67 12,765.36 NG1107-SUB2 2AD0204 PHIA 703 RELIEF VALVE 2" X 2" X 1500 BODY: AISIA130, PRESSURE CAL: 5000PSI 1000973769 8 1,595.67 12,765.36 NG1107-SUB2 2AD018A PHIA 703 RELIEF VALVE 2" X 2" X 1500 BODY: AISIA130, PRESSURE CAL: 5000PSI 1 235.21 NG1107-SUB2 2AD0107.5B PHIA 705 BUMPER STEM 1000976901 1 149.55 149.55 NG1107-SUB2 2AD021.5B PHIA 705 BUMPER STEM 1000976901 1 149.55 149.55 NG1107-SUB2 2AD021.5B PHIA 705 BUMPER STEM 1000976901 1 149.55 149.55 NG1107-SUB2 2AD021.5B PHIA 705 BUMPER STEM 1000976901 1 149.55 149.55 NG1107-SUB2 2AD021.5B PHIA 705 BUMPER STEM 1000976901 1 149.55 149.55 NG1107-SUB2 2AD021.5B PHIA 705 BUMPER STEM 1000976901 1 149.55 149.55 NG1107-SUB2 2AD021.5B PHIA 705 BUMPER STEM 1000976901 1 149.55 149.55 NG1107-SUB2 2AD021.5B PHIA 705 BUMPER STEM 1000976901 1 149.55 149.55 NG1107-SUB2 2AD021.5B PHIA 705 BUMPER STEM 1000976901 1 149.55 149.55 NG1107-SUB2 2AD021.5B PHIA 705 BUMPER STEM 1000976901 1 149.55 149.55 NG1107-SUB2 2AD021.5B PHIA 705 BUMPER STEM 1000976901 1 149.55 149.55 NG1107-SUB2 2AD021.5B PHIA 705 BUMPER STEM 1000976901 1 149.55 149.55 NG1107-SUB2 2AD021.5B PHIA 705 BUMPER STEM 1000976901 1 149.55 NG1107-SUB2 2AD021.5B PHIA 705 BUMPER STEM 1000976901 1 149.55 NG1107-SUB2 2AD021.5B PHIA 705 BUMPER STEM 1000976901 1 149.55 NG1107-SUB2 2AD021.5B PHIA 705 BUMPER STEM 1000976901 1 149.55 NG1107-SUB2 2AD021.5B PHIA 705 BUMPER STEM 1000976901 1 149.55 NG1107-SUB2 2AD021.5B PHIA 705 BUMPER STEM 1000976901 1 149.55 NG1107-SUB2 2AD021.5B PHIA 705 BUMPER STEM 1000976901 1 149.55 NG1107-SUB2 2AD021.5B PHIA 705 BUMPER STEM 1000976901 1 149.55 NG1107-SUB2 2AD021.5B PHIA 705 BUMPER STEM 1000976901 1 149.55 NG1107-SUB2 2AD021.5B PHIA 705 BUMPER STEM 1000976901 1 149.55 NG1107-SUB2 2AD021.5B PHIA 705 NG1107-SUB2 2AD021.5B PHIA 705 N					36					
700 SCRAPPER FOR INST AIR (LATERN) 1000974602 36 53.88 1,939.68 NG1107-Sub2 2AD0225.5B PHIA 701 FILTER										
FILTER										PHIA
702 SUCTION VALVE 1000793769 8 1,595.67 12,765.36 NG1107-SUB2 2AD0218A PHIA 703 RELIEF VALVE 2" X 2" X 1500 BODY: AISI4130, PRESSURE CAL: 5000PSI 1 235.21 235.21 NG1107-SUB2 2AD0107.5B PHIA 704 AIR FILTER ELEMENT 11 HD ABS 425CFM 1000966901 1 149.55 NG1107-SUB2 2AD0221.5B PHIA 705 BUMPER STEM 3 0.98 2.94 NG1107-SUB2 2AD0219B PHIA 706 ELEMENT FILTER Old Part No - 1090886-12 1000071083 8 1,353.05 10,829.20 NG1107-SUB2 2AD0229 PHIA 707 SPACER HUB 1 135.00 135.00 NG1107-SUB2 2AD0103A PHIA					6					PHIA
703 RELIEF VALVE 2" X 2" X 1500 BODY: AISI4130, PRESSURE CAL: 5000PSI PHIA 704 AIR FILTER ELEMENT 11 HD ABS 425CFM 100966901 1 149.55 149.55 NG1107-Sub2 2AD0121.58 PHIA 705 BUMPER STEM 3 0.98 2.94 NG1107-Sub2 2AD0221.58 PHIA 706 ELEMENT FILTER Old Part No - 1090886-12 1000071083 8 1,353.55 10,829.20 NG1107-Sub2 2AD0229 PHIA 707 SPACER HUB 1 135.00 135.00 NG1107-Sub2 2AD0139A PHIA					8					
705 BUMPER STEM 3 0.98 2.94 NG1107-SUB2 2AD0219B PHIA 706 ELEMENT FILTER Old Part No - 1090886-12 1000071083 8 1,353.65 10,829.20 NG1107-Sub2 2AD0229 PHIA 707 SPACER HUB 1 135.00 135.00 NG1107-SUB2 2AD0103A PHIA	703 F	RELIEF VALVE 2" X 2" X 1500	BODY: AISI4130, PRESSURE CAL: 5000PSI		1	235.21	235.21	NG1107-SUB2	2AD0107.5B	PHIA
706 ELEMENT FILTER Old Part No - 1090886-12 100071083 8 1,353.65 10,829.20 NG1107-Sub2 2AD0229 PHIA 707 SPACER HUB 1 135.00 135.00 NG1107-SUB2 2AD0103A PHIA			11 HD ABS 425CFM	1000966901	1					
707 SPACER HUB 1 135.00 135.00 NG1107-SUB2 2AD0103A PHIA					3					
			Old Part No - 1090886-12	1000071083	8					
708 V-BELT					1					
	708 V	/-BELT			1	37.00	37.00	NG1107-SUB2	2AD0236A	PHIA

709 TRUNNION VALVE SS , 2" X 150/300	CL150/300 , SEAT:COMP, DISK:SST/ENC	1000340336	2	2,128.43	4,256.86	NG1107-SUB2	2AD0220B	PHIA
710 JUNCTION BOX	U _i 690VAC	1000520527	57	76.27	4,347.39	NG1107-30B2	2AD02206	PHIA
711 CONTROL PANEL)	0/0504/10	1001129865	2	402.52	805.04	NG1107-SUB2	2AD0207	PHIA
712 BLEED VALVE KIT , INST , DUCT		1000414544	1	1,469.41	1,469.41	NG1107-SUB2	2AD0312	PHIA
713 SHIM	0.01THK	1001727054	6	55.83	334.98	NG1107-Sub2	2AD0221.5A	PHIA
714 SHIM	0.134THK	1001727051		231.24	462.48	NG1107-Sub2	2AD0221.5A	PHIA
715 SHIM	250THK	1001727052		316.32	632.64	NG1107-Sub2	2AD0221.5A	PHIA
716 SHIM		1002142222		298.56	298.56	NG1107-Sub2	2AD0221.5A	PHIA
	3000PSI(200BAR),200F(93C), 316SST, RANGE: 0-55BAR, PORT: 1/2NPT			497.00	2,982.00	NG1107-SUB2	2AD0217B	PHIA
718 BALL VALVE RF 3" X 2.1/2" X 150	BODY/STEM/BALL:F316,SEAT:PTFE	1000059639	1	202.59	202.59	NG1107-Sub2	2AD0119.5B	PHIA
719 BALL,SS,4"	8180 50172,N233,13		4	193.48	773.92	NG1107-Sub2	2AD01126B	PHIA
720 V-BELT			1	22.34	22.34	NG1107-SUB2	2AD0213A	PHIA
721 V-BELT			4	45.90	183.60	NG1107-SUB2	2AD0236B	PHIA
722 OIL FILTER		1000902614	1	639.48	639.48	NG1107-Sub2	2AD0225B	PHIA
723 GAS DETECTOR		1000733101	6	6,204.97	37,229.82	NG1107-Sub2	2AD0325	PHIA
724 GAS DETECTOR		1001262327		8,558.32	34,233.28	NG1107-Sub2	2AD0326	PHIA
725 LINER CYLINDER		1000801417		417.98	417.98	NG1107-SUB2	2AD0211.5B	PHIA
726 V-BELT				42.69	85.38	NG1107-SUB2	2AD0213.5A	PHIA
727 AIR FILTER		1000967064		517.93	517.93	NG1107-SUB2	2AD0317	PHIA
728 ROTO OIL ROTAFLUID 4000	5 U.S GALLONS, New Part No: 1630-0918-00	1000673546		265.62	531.24	NG1107-Sub2	2AD0136	PHIA
729 OIL SEPARATOR GA30-56		1001511181		554.30	554.30	NG1107-Sub2	2AD0328	PHIA
730 PREV MAINT KIT RIF FS C111		L	3	85.43	256.29	NG1107-Sub2	2AD0328	PHIA
731 COVER		1001145998	2	542.62	1,085.24	NG1107-Sub2	2AD0226A	PHIA
732 V-BELT			1	285.10	285.10	NG1107-SUB2	2AD0201A	PHIA
733 V-BELT			4	625.37	2,501.48	NG1107-SUB2	2AD0214A	PHIA
734 V-BELT		-	1	321.37	321.37	NG1107-SUB2	2AD0201.5A	PHIA
735 V-BELT 736 BALL VALVE, 2" X 1-1/2" X 150 RF	STEM/BALL: 316L,SEAT:TFM1700,PRES: 275@100*F,ASTM A361 CF8M F316L/TFMI, F-F: 178mm	1000327981		475.08 1,819.84	4,275.72 1,819.84	NG1107-SUB2	2AD0214B	PHIA
	STEM/BALL: 316L,SEAT:TFM1700,PRES: 275@100*F,ASTM A361 CF8M F316L/TFMI, F-F: 178mm	1000327981	1			NG1107-Sub2	2AD01123.5C	
737 V-BELT 738 COUPLING A	RADIATOR JOINT-AS-TUBE	1000879440	2	15.00 231.15	30.00 1,155.75	NG1107-SUB2 NG1107-Sub2	2AD0129 2AD0225A	PHIA
739 COVER	RADIATOR JOINT-A5-TUBE	1000879440	2	1,008.60	2,017.20	NG1107-Sub2 NG1107-Sub2	2AD0225A 2AD0225.5A	PHIA
740 V-BELT		1000315380	c .	29.58	177.48	NG1107-SUB2	2AD0129.5	PHIA
740 V-BELT 741 TURBO GP		1000363007	1	1,050.00	1,050.00	NG1107-SUB2	2AD0315	PHIA
741 TORBO GP 742 AIR FILTER		1000297169		58.38	1,401.12	NG1107-30B2 NG1107-Sub2	2AD0313	PHIA
743 FILTER ELEMENT		1000297169		33.02	396.24	NG1107-Sub2	2AD0323	PHIA
744 VALVE	3-1/8 X 5000	1000387314	1	120.88	120.88	NG1107-Sub2	2AD01121	PHIA
745 ELBOW	5 Johnson	1000359385	3	1,544.51	4,633.53	NG1107-Sub2	2AD0133	PHIA
746 V-BELT		1000555505	1	22.00	22.00	NG1107-SUB2	2AD0131A	PHIA
747 V-BELT	3-K 1	1001104326	13	335.32	4,359.16	NG1107-SUB2	2AD0113-2AD0114	PHIA
748 V-BELT				104.17	2,187.57	NG1107-SUB2	2AD0213B	PHIA
749 V-BELT		1000306602		57.15	1,657.35	NG1107-SUB2	2AD0135	PHIA
750 V-BELT		1000705667		230.56	8,530.72	NG1107-SUB2	2AD0331-2AD0332	PHIA
751 V-BELT		1000705780	2	85.38	170.76	NG1107-SUB2	2AD0131B	PHIA
752 PCV, 1" X 300	BODY: STL, STEM: STL, SEAT: STL, TYPE: E5, F-F:193mm	1000370995	3	558.39	1,675.17	NG1107-Sub2	2AD01122	PHIA
753 BRACKET			4	23.34	93.36	NG1107-Sub2	2AD01124A	PHIA
754 CONTROL VALVE, 1" X 300, F-F:157mm	IMP:216, SIGNAL:4,20mADC 0.21-1.03BAR	1000603001	1	7,535.77	7,535.77	NG1107-Sub2	2AD01123.5B	PHIA
755 COMPRESSOR AIR FILTER	HOUSING ASSEMBLY 120-SFA G1-1/2 DD	1002535319	4	2,291.74	9,166.96	NG1107-Sub2	2AD0328	PHIA
756 BALL,SS,1-1/2	68973 50080		1	122.77	122.77	NG1107-Sub2	2AD01125.5B	PHIA
757 ELEMENT FILTER	1000729769	1000360445	16	208.80	3,340.80	NG1107-Sub2	2AD0224	PHIA
758 ELEMENT BARRIER AIR FILTER		1000860746	4	88.86	355.44	NG1107-Sub2	2AD0330	PHIA
759 PKG , LUBE,LHD P300,SS,STD FOR LIQUID DISP	OSAL PUMP		9	2,032.00	18,288.00	NG1107-SUB2	2AD0320-2AD0319	PHIA
760 V-BELT		1000799659	13	50.02	650.26	NG1107-SUB2	2AD0130	PHIA
761 AIR FILTER ELEMENT				57.65	172.95	NG1107-SUB2	2AD0315.5	PHIA
762 CHECK VALVE, 2" X 600 DUAL PLATE	FIG NO:1480,ORD NO:75-6-69-37-MRN			211.76	423.52	NG1107-Sub2	2AD01125.5A	PHIA
763 V-BELT		4004303535	1	85.00	85.00	NG1107-SUB2	2AD0205A	PHIA
764 V-BELT	DODWARG CTEALARCH CEAT-II DTEE	1001283625	2	32.87	65.74	NG1107-SUB2	2AD0213.5B	PHIA
765 BALL VALVE,1-1/2" X 300 RF, F-F:192mm	BODY:316,STEM:316L,SEAT:H-PTFE	1000767714		145.23	290.46	NG1107-Sub2	2AD0119.5A	PHIA
766 FILTER 767 ELEMENT FILTER		1000767714	20	234.92 63.21	4,698.40 252.84	NG1107-SUB2	2AD0318 2AD0108	PHIA PHIA
		1000344005	4			NG1107-SUB2		PHIA
768 PACKAGE ASSEMBLY 769 ELEMENT FILTER	FG-312	1000344995 1000767714		5,928.99 234.92	5,928.99 2,819.04	NG1107-SUB2 NG1107-SUB2	2AD0211A 2AD0316	PHIA
770 ALARM SPEAKER DB3 & DB3L	TYPE: DB3 , 12-48VDC , 15WATTS MAX.	1000767714 1001277913(EXT)		550.00	550.00	NG1107-30B2	2AD0207.5	PHIA
771 HIGHT TORQUE DRIVE(HTD) SYCHRONOUS SI		1001277913(EXT)		494.81	2,968.86	NG1107-30B2	2AD0207.5 2AD0203.5B	PHIA
772 CONTROL BOARD	24V 20A	1001227037	1	2,065.63	2,065.63	NG1107-30B2	2AD0235	PHIA
773 GATE VALVE, 2" THREADED	B40 BAR, S35 2BAR, DRG NO:M20023		1	156.79	156.79	NG1107-3ub2	2AD01124B	PHIA
774 V-BELT	2 is a single state of the	1002245881	1	42.56	42.56	NG1107-SUB2	2AD0202A	PHIA
775 FILTER , D-PPPC-3 MICROKLEAN D 29.25				55.83	2,624.01	NG1107-30B2	2AD0202A	PHIA
776 FIRE EXTINGUISHER HOSE & NOZZLE ASSY	BLACK	1000066902		18.32	146.56	NG1107-Sub2	2AD0230	PHIA
777 2.1/2"LP FIRE HYDRANT CONTROL VALVE	BS 5041-1			343.23	686.46	NG1107-SUB2	2AD0203A	PHIA
778 REFRIGERANT COMPRESSOR	380-415V -460V , 3~50Hz , 3~60Hz , POWER INPUT: 1780 , REFRIGERANT: R-410A , OIL:1.20L , AP:4.15 , SP:15.0	1		500.01	500.01	NG1107-SUB2	2AD0210B	PHIA
779 PISTON				147.21	1,177.68	NG1107-SUB2	2AD0111	PHIA
						•	•	

780 COUPLING HUB GRID ASSY			12	42.34	508.08	NG1107-SUB2	2AD0104	PHIA
781 LIFTER (SHAFT)	FOR WAUKESHA ENGINE		6	271.56	1,629.36	NG1107-30B2 NG1107-Sub2	2AD0104 2AD0133	PHIA
782 FAN BLADE	3006		1	355.00	355.00	NG1107 SUB2	2AD0103B	PHIA
783 CONTROL PANEL	50/60Hz , 6AMP , 100-240AC		2	14.38	28.76	NG1107-SUB2	2AD0209B	PHIA
784 ELBOW 2" THD	20/2012/3/4411/2002/10/10	1000052103	10	6.75	67.50	NG1107-SUB2	2AD0211.5A	PHIA
785 PLIDCO CLAMP 3"	TEMP: 20/225F, MAOP: 1000PSI	1000378133	4		47,935.28	NG1107-SUB2	2AD0109.5B	PHIA
786 PLIDCO CLAMP 4"	TEMP: 20/225degF ,	1000378134	5	4,114.86	20,574.30	NG1107-SUB2	2AD0109.5B	PHIA
787 PLIDCO CLAMP 6"	TEMP:20/250degF , 1000PSI	1000378135	3	3,759.45	11,278.35	NG1107-SUB2	2AD0109	PHIA
788 BEAN CHOKE	12/64, 3"	1000336050	5	620.16	3,100.80	NG1107-Sub2	2AD0233B	PHIA
789 BEAN CHOKE	52/64, 4"	1000336115		627.14	1,881.42	NG1107-Sub2	2AD0233.5B	PHIA
790 BEAN CHOKE	44/64, 4"	1000336113	2		2,811.38	NG1107-Sub2	2AD0234A	PHIA
791 BEAN CHOKE	24/64 , 4"	1000385095	2	481.86	963.72	NG1107-Sub2	2AD0233.5A	PHIA
792 BEAN CHOKE	16/64, 3"	1000336052	1	1,852.49	1,852.49	NG1107-Sub2	2AD0234B	PHIA
793 BEAN CHOKE	32/64, 4"	1000336110	3	942.63	2,827.89	NG1107-Sub2	2AD0233.5C	PHIA
794 BEAN CHOKE	64/64, 4"	1001512807	2	627.14	1,254.28	NG1107-Sub2	2AD0233C	PHIA
795 BEAN CHOKE	48/64, 4"	1000336114	5	1,406.52	7,032.60	NG1107-Sub2	2AD0234C	PHIA
796 BEAN CHOKE	56/64, 4"	1000336116	4	948.33	3,793.32	NG1107-Sub2	2AD0233A	PHIA
797 WN FLANGE, 2" X 300, SCH 80	A105	1000056500	2	49.00	98.00	NG1107-SUB2	2AD0209A	PHIA
798 BALL VALVE, 2" X 1-1/2" X 600	BODY:A105, BALL/STEM: A105/4140-EMP, SEAT: MTFE, MOP PSIG: 1440, F-F:280mm		1	399.00	399.00	NG1107-Sub2	2AD01120C	PHIA
799 OIL FREE SCROLL COMPRESSOR	MOTOR: 3.7, TYPE: ATSL-1651C, MAX.P: 10	1002405717	2	982.00	1,964.00	NG1107-SUB2	2AD0215	PHIA
800 BALL VALVE,2" X 1-1/2 X 600	BODY: A105, SEAT: RTFE, DISC: A182 F316, STEM: A182 F316, F-F:280mm	1000059799		531.57	531.57	NG1107-Sub2	2AD01120A	PHIA
801 FLOW CONTROL VALVE, 2" X 300/600	VALVE TRIM: 1/2TL		10	114.99	1,149.90	NG1107-Sub2	2AD01123	PHIA
802 CHECK VALVE, 1-1/2" X 800	BODY: A105N, SEAT: HF, DISC: CR-13		1	80.50	80.50	NG1107-Sub2	2AD0221A	PHIA
803 CHECK VALVE, ENERGY, 2" X 150 RF CS	BODY: WCC, TEMP LIMIT: -30 +250, DISC: 13CR, F2F: 265mm		1	651.28	651.28	NG1107-Sub2	2AD01125A	PHIA
804 GATE VALVE, 2" X 150 RF CS	BODY: WCB, STEM: CR13, SEAT: CR13, DISC: CR13, TEMP: 285*F, F-F:176mm		1	148.80	148.80	NG1107-Sub2	2AD01125A	PHIA
805 BALL VALVE, 2" X 600,	BODY:A105,STEM:CR13, SEAT:CR13, F-F:288mm		5	399.00	1,995.00	NG1107-Sub2	2AD0119C	PHIA
806 PCV, 1" X 900	F-F:288mm, ANSE 900	1001002290	2	32,902.31	65,804.62	NG1107-Sub2	2AD01121.5	PHIA
807 GATE VALVE, 1" X 300 RF CS	F-F: 202mm		1	642.28	642.28	NG1107-Sub2	2AD01124B	PHIA
808 GLOBE VALVE,1" X 300, 2STG SUCTION SCRUB	42270598, 021000-014 STAINLESS STEEL		1	1,837.37	1,837.37	NG1107-Sub2	2AD01123.5B	PHIA
809 GATE VALVE, 3/4" X 1500 RF	BODY: A105N, SEAT/DISC: F316+STI, F-F:215mm	1000176222	1	261.14	261.14	NG1107-Sub2	2AD01123.5A	PHIA
810 BALL VALVE, 2"X2"X600 RF	BODY:LF2,STEM:17/4,SEAT:NYLON,MOP:1480@-20*F MAV		1	399.00	399.00	NG1107-Sub2	2AD01120B	PHIA
811 DIGITAL VALVE POSITIONER	30V , 40-20mA , 150PSI , -40-+80degC	1001248468	1	1,201.10	1,201.10	NG1107-Sub2	2AD0226B	PHIA
812 PRESSURE TRANSMITTER	10.5 - 42.4VDC , 0-621.6M BAR, MWP 720 PSI/49.6 BAR	1001883663	2	8,540.44	17,080.88	NG1107-Sub2	2AD0232	PHIA
813 CONCENTRIC REDUCER 8" X 4" SCH 40 X 40	WPB RR372		1	45.85	45.85	NG1107-SUB2	2AD0101A	PHIA
814 WN FLANGE 4" X 300 SCH 40		1000056486	2	194.08	388.16	NG1107-SUB2	2AD0209.5A	PHIA
815 DANIEL ORIFICE SEAL COVER(SQUARE)	4" X 150/1500, 316		5	57.32	286.60	NG1107-SUB2	2AD0219A	PHIA
816 TUBING, 1/4" X 0.049"	ASTM A269, COIL LENG:76mm-250m		5	890.73	4,453.65	NG1107-SUB2	2AD0101A-2AD0101B	PHIA
817 NIPPOLET 2 X 6 SCH 80 CS	A105 (threaded)		20	12.26	245.20	NG1107-Sub2	2AD0134	PHIA
818 BALL VALVE,2" X 600 RB RF	BODY WCB. F2F 280mm		1	399.00	399.00	NG1107-Sub2	2AD01120C	PHIA
819 EXTENDED FLANGE	RCS 2" ANSI 2500 LB RTJ, K03504-C5902-AW1124A		1	13.31	13.31	NG1107-Sub2	2AD01120B	PHIA
820 HIGH PRESSURE HIGH FLOW PUMP	MWP: 3150PSI, Max Capacity: 21l/min, Max Air Pressure: 100PSI		2		9,072.54	NG1107-Sub2	2AD01127	PHIA
821 PLUG VALVE 2" X 600	F2F: 280mm, STEM: 17-4PH, BODY: WCB	1000192940	1	1,564.07	1,564.07	NG1107-SUB2	2AD0105A	PHIA
822 CHECK VALVE, 2" X 300	F2F: 280mm, SWING	1000060131	1	373.19	373.19	NG1107-SUB2	2AD0105B	PHIA
823 CONTROL VALVE, 2" X 600	F2F: 280mm, BODY: A105N, ACTUATOR SUPPLY PRESSURE: 12BAR		1	6,242.75	6,242.75	NG1107-SUB2	2AD0106A	PHIA
824 BALL VALVE, 3" X 2" X 1500, RB	F2F: 460mm, STEM: A182, BODY: A105N, SEAT: NYLON PA12, DISC: A105N+ENP	1000078238	1	1,263.44	1,263.44	NG1107-SUB2	2AD0106B	PHIA
825 PLUG VALVE 3" X 600	F2F: 345mm, STEM: 17-4, BODY: WCB	1000192970	2	2,796.94	5,593.88	NG1107-SUB2	2AD0107	PHIA
826 VALVE HANDLE, 550mm				102.22	3,782.14	NG1107-SUB2	2AD0111.5	PHIA
827 VALVE HANDLE, 1000mm			19	145.43	2,763.17	NG1107-SUB2	2AD0112	PHIA
828 SLIPON FLNAGE,2"X150, 4HOLES			20	12.45	249.00	NG1107-SUB2	2AD0210A	PHIA
829 FLAME DETECTOR		1000836926	2		23,600.94	NG1107-SUB2	2AD0211B	PHIA
830 SOLENOID VALVE		1000371497	2		3,936.90	NG1107-SUB2	2AD0212B	PHIA
831 O-RING		1000269892		6.21	6.21	NG1107-SUB2	2AD0215.5B	PHIA
832 THERMOWELL 1/2"X900/1500 RF,SS	316SS AEC B16 A182, D00K/X				155.34	NG1107-SUB2	2AD0219.5A	PHIA
833 THERMOWELL 2"X150 RF,SS	316SS AEC B16 A182, KF00K/X		1	85.21	85.21	NG1107-SUB2	2AD0219.5A	PHIA
834 RING JOINT GASKET R47, OCT		1000109345	5	161.65	808.25	NG1107-SUB2	2AD0220A	PHIA
835 PULLEY	MAX RPM 3670 LP	1001533391	8	468.79	3,750.32	NG1107-SUB2	2AD0203B	PHIA
836 V-BELT, 55mm DIA	55mm DIA.		2	284.06	568.12	NG1107-SUB2	2AD0201.5B	PHIA
837 V-BELT, 85mm DIA	85mm DIA.		2	431.70	863.40	NG1107-SUB2	2AD0201B	PHIA
838 ROLLER BEARING			4	174.80	699.21	NG1107-SUB2	2AD0203.5A	PHIA
839 OPEN PATH INFRARED GAS DETECTOR		1000733139	4	4,458.18	17,832.72	NG1107-SUB2	2AD0208A	PHIA
840 OPEN PATH INFRARED GAS DETECTOR		1000733180	כ	9,348.70	46,743.48 1 467 888 58	NG1107-SUB2	2AD0208B	PHIA

1,467,888.58

1,520,450.06

515.18