

SARS-CoV-2 Antigen Test Kit (Colloidal Gold)



Introduction:

Rapid detection of antigen refers to the application of new coronavirus nucleocapsid protein-specific antibodies in the direct detection of pathogens in a sample, the result can be used as direct evidence of early identification of infection the pathogen or not, detecting a rapid (15min), convenient operation of the New coronavirus detection method. Applicable scenarios:

Weak nucleic acid detection capabilities, insufficient detection capabilities, and places where urgent results are needed. It has been widely used in Europe, America, Asia, Africa and other regions, and together with nucleic acid testing has become an important detection method for the prevention and control of the COVID-19 epidemic.


Advantage:

New Coronavirus antigen detection can directly detect whether the human body contains New Coronavirus, which can be detected at the early stage of virus infection. It is fast, accurate, and requires less equipment and personnel. Using double antibody sandwich method and using two antigen specific antibodies to identify and combine different epitopes of a target antigen, it can greatly reduce the number of cross reactions. So as to improve its specificity.


Features:

- * Independent packaging, more flexible.
- * The use of nasopharyngeal swab.
- * Rapid detection :15 minutes out of the results.
- * High accuracy.
- * Easy to use.

Sample Collection:



Sample Testing:




The Results of Judgment:

Positive: T-line and C-line present within 15-20 minutes after sample addition.

Negative: only C-line, no T-line, occurs within 15-20 minutes after dropping the sample.

Invalid: As long as there is no line C, this test card is invalid. Please use another test card to retest.



The results are summarized in the following table. The RT-PCR cycle threshold (Ct) is the relevant signal value. Lower Ct value indicate higher viral load. The sensitivity was calculated for the different Ct value range (Ct values33 and Ct values37).

SARS-CoV-2	RT-PCR (Ct values33)	Total
Antigen		
Positive	152	155
Negative	5	606
Total	157	761
Sensitivity (Ct≤33): 96.8% (152/157), (95%CI: 92.8%~98.6%)		
Specificity: 99.5% (601/604), (95%CI: 98.6%~99.7%)		
Accuracy: 98.9%((152+601)/761), (95%CI: 98.2%~99.5%)		

Technical Parameters

Product Name	Main Composition	Testing Time	Dimensions	Net Weight	Kit Size	Package Size	Gross Weight
SARS-CoV-2	Test card, Sample	15-20min	205*120*75mm	0.3kg	207/box	840*560*260mm	14kg
Antigen Test Kit (Colloidal Gold)	extraction buffer, Nasal swab or Throat swab				16 boxes /carton		