


UX Report

Tick & Taka: Android app for one person's day and money

Project	Tick & Taka (monorepo: apps/mobile, apps/api, packages/shared)
Date	2026-10-06
Commit	3b5438b (main)
Auditor role	UX Lead
Yardstick	PRODUCT.md, DESIGN.md, README.md, tick_taka_spec.pdf (text in _raw/spec.txt)
Mode	Read-only. Static review of code and screenshots; the app was not run on a device.



1. Executive summary

Overall UX score

64/100

The app's tone and structure fit the brief closely. Quick-add is one field and one button with a live preview. Overdue work is called "from earlier" and offered back with "No rush". Deletes and completions come with Undo, and the empty and offline states are well considered. The weak point is the promises in PRODUCT.md's "Accessibility & Inclusion" section. In the **light theme** (daylight at a shop counter is the main use case), the semantic colours fail WCAG AA as text: the mint safe-to-spend hero is 2.21:1 and coral expense amounts are 2.55:1. In dark mode the Undo snackbar action is 1.41:1. Expense amounts carry no minus sign, so colour is the only cue. Colour meaning has also drifted: Focus and unscheduled tasks are purple, which DESIGN.md reserves for habits. The one data-loss risk: **Sign out wipes queued offline changes** with no warning.

Severity	Critical	High	Medium	Low	Total
Findings	1	6	16	7	30

Top 5 issues to fix first

1. **UX-001** **Critical** Sign out deletes unsynced offline changes without asking (features/settings/account-section.tsx:38, lib/user-data.ts:20-23).
2. **UX-002** **High** In light mode the mint, coral, sky and grape text colours fail AA (2.09 to 3.16:1). Muted text is 4.24 to 4.47:1.
3. **UX-003** **High** The dark-mode snackbar "Undo" is mango on cream at 1.41:1. It is the only safeguard for deletes.
4. **UX-005** **High** Expense amounts have no sign, so colour alone separates spending from transfers and income (features/money/transaction-row.tsx:97-104).
5. **UX-006** **High** TalkBack never reads the safe-to-spend number: the card's accessibilityLabel replaces its content (features/today/safe-to-spend-card.tsx:25-29).

Score breakdown

Area	Weight	Score	Points
Fit to the 5 product principles (avg 3.2/5)	25	64%	16
Core task flows (taps, friction, undo)	20	80%	16
Nielsen heuristics (avg 3.6/5)	15	72%	11
Visual design and token consistency	10	60%	6
Accessibility (contrast, SR, scaling, motion)	15	40%	6
Mobile ergonomics (targets, reach, keyboard)	5	70%	3.5
Content, microcopy, feedback and delight	10	85%	8.5
Total	100		67 → 64 (−3 for the Critical data-loss risk)

2. Scope and method

What was reviewed

- **Product intent:** PRODUCT.md (users, purpose, 5 principles, accessibility commitments), DESIGN.md (tokens, type scale, layout, components, motion), README.md, and the spec text (`_raw/spec.txt`: interaction rules, Today layout, quick-add).
- **Screens:** all 23 screenshots in `docs/screenshots/*.png`, viewed one by one.
- **Code** (apps/mobile/src, 17,325 lines): every expo-router route in `app/`, all `components/ui` and `components/navigation`, `theme/colors.ts`, `global.css`, `tailwind.config.js`, `app.json`. Read in full: Today, quick-add, task sheet and row, swipe row, snackbar, money rows, focus, shutdown, weekly review, settings, the widget palette, and the shared `money.ts`, `tiki.ts` and `quick-add.ts`.

Commands and scripted checks (read-only)

- WCAG 2.x relative-luminance contrast for every DESIGN.md token pair in light and dark, plus the real fills used in code (Python, scratch file in `_ux_tmp/`, since deleted). Output: Appendix A.
- Parsed every `<Pressable>` opening tag (60 in 40 files) for `accessibilityRole`, `accessibilityLabel`, height/width classes and `hitSlop`. Output: Appendix B.
- `grep` counts: accessibility props, `useReducedMotion`, `allowFontScaling/maxFontSizeMultiplier`, hard-coded hex values, off-scale font sizes, guilt wording ("overdue", "missed", "failed", "behind"), and error strings.
- `git log` on the screenshots and the tab bar, to check that screenshots match the code.

What could not be verified

- No device or emulator was run. Runtime behaviour is marked **Unverified**: TalkBack output, layout at 200% font scale, keyboard overlap, and actual logging times.
- **Some screenshots are out of date.** They were last committed on 2026-10-05 (`1f25750`), but the tab bar changed on 2026-10-06 (`871e55b`). The screenshots show an active tab that grows into a labelled pill; the code (`components/navigation/tab-bar.tsx:26-31`) now draws four equal labelled tabs. Settings in the screenshot is one long page; the code splits it into sub-pages. Where they disagree, the code is treated as correct.

3. Fit to product principles

Principle (PRODUCT.md)	Score	Evidence
1. Today first, one glance	3/5	Safe-to-spend is above the fold (today.png). "What now?" is not: the greeting, Tiki and a 4-tile shortcut row push "Next up" to $y \approx 795$ of 960, so only its heading shows. The spec's order puts safe-to-spend second, with no shortcut row (spec.txt:266-272). UX-012.
2. Capture beats organise	4/5	Quick-add is one field and Save, with a live "what I understood" preview and a local parser that works offline (quick-add-sheet.tsx:113-152). Two things cost points: the 5 type chips are always visible, not only "when the parser needs help", and the task edit sheet is a wall of chips (task.png). UX-013, UX-015.
3. Big, calm, thumb-sized	3/5	Base components meet 48 dp: Button 52, Checkbox 48, Chip 40+4 slop, ListRow 60. But 10 call sites fall below (32–44 dp). The FAB is 48 dp against the 64 dp spec. 9 px and 11 px text exists. UX-010, UX-011, UX-025.
4. Colour means something	2/5	Focus is grape (purple, the habits colour) on Today and on the widget. Unscheduled tasks are grape bars. Users can colour habits sky, mint, mango or coral. A budget "running ahead" bar is mango, which is reserved for the main action. Focus and the running timer use large sky fills. Expense amounts are told apart by colour alone. UX-005, UX-007, UX-027.
5. Reward, never guilt	4/5	The copy is excellent. Overdue becomes "From earlier. Bring it into today?" (later-today.tsx:67-72). Overspending gets "No stress..." (shared/src/tiki.ts:41-43). Reminders say "A gentle reminder". Points lost for: "Daily goal: 0 days · best 0 days" shown prominently, "1/7 this week" bars on daily habits, a drooping plant ("The plant missed you"), and coral warning lines. UX-026.
Accessibility & Inclusion commitments	2/5	Reduce-motion is handled well (Amount count-up, confetti, Tiki, skeleton, plant, thinking indicator). Tabular digits are used for amounts. But AA contrast fails across light mode, colour is the only sign for expenses, and screen-reader coverage has gaps. UX-002 to UX-006, UX-008, UX-009.

4. Core task flows

Taps are counted from the app already open on Today. "Type" means one text entry. The target is "log in under five seconds" (PRODUCT.md). Timings are Unverified because nothing was run.

Flow	Steps	Taps	Friction, dead ends, undo
Log an expense	Expense tile → type "cha 20" → Save (or keyboard Done)	2 + type	Meets the target. Account and category are inferred. After saving there is only a generic "Saved" with no Undo , so fixing a misparse means finding the record (UX-015). From the widget, frequent items take 1 tap.
Log income	Income tile → "+45000 salary" → Save	2 + type	Same as above. Bangla digits ("৳৪৫০০০") are not parsed locally (UX-021).
Add a task	FAB → "call bank tomorrow 5pm" → Save	2 + type	Good. The day chips (Today/Tomorrow/Evening/Inbox/Someday) appear only for tasks.

Flow	Steps	Taps	Friction, dead ends, undo
Log time	FAB → "2h thesis" → Save	2 + type	Good. The Area picker opens by default for time entries.
Check safe-to-spend	Open the app	0	Visible above the fold, also on the widget. The number is hidden from TalkBack (UX-006) and fails contrast in light mode (UX-002).
Complete a task	Tap checkbox (or swipe right)	1	Spring pop, haptic, chime, and an Undo snackbar (<code>use-task-actions.ts:71-75</code>). A model for the rest of the app.
Check off a habit	Tap ring on Today	1 per count	"8 a day" takes 8 taps. Tapping once more at target silently resets to 0 with no Undo (UX-017).
Start focus	Focus tile → Start focus	2	Good. The Start button is white on sky at 3.16:1 (UX-004).
Pick top three	Pick → tick up to 3 → Done	5	Fine. An empty Top three shows a clear inline call to action.
Daily shutdown	Review tab → Shutdown → tick habits / tomorrow's tasks → Done	4+	Checkboxes never show as ticked (hard-coded <code>checked={false}</code> , no optimistic update), so taps look ignored (UX-014).
Delete a transaction	Swipe left → Delete	2 gestures	Undo in the snackbar, which is unreadable in dark mode (UX-003). Not reachable with TalkBack (UX-009).
Bring old tasks into today	Later → "Today"	1	Kind wording, but it is a bulk move with no preview and no Undo (UX-016).
Sign out	Review → Settings → Sign out	3	No confirmation. Queued offline writes are deleted (UX-001).

5. Heuristic review (Nielsen's 10)

Heuristic	Score	Evidence
1. Visibility of system status	4	The offline pill counts pending changes (<code>sync-status.tsx:22-37</code>). Skeletons on every async screen. A running-timer bar. But shutdown ticks never show (UX-014), and quick-add's "Saved" doesn't say what was saved.
2. Match with the real world	4	₹ on every amount, plain copy ("Safe to spend today"), Bangla and English input. Grouping uses Western thousands ("₹272,490") instead of lakh ("₹2,72,490"), and Bangla digits are not accepted (UX-021). Some errors talk about "the server" (UX-018).
3. User control and freedom	3	Undo for delete, complete and snooze. No Undo for quick-add saves, bulk moves or habit resets. Sign out cannot be undone and loses data.
4. Consistency and standards	3	Strong shared components. But colour meaning drifts (UX-007), the FAB and tab sizes differ from DESIGN.md (UX-011), and 18 of 60 Pressables lack a role.
5. Error prevention	3	The quick-add preview shows what will be saved before Save. Sign out has no guard. Habit over-tap resets. The bulk "Move" acts at once.
6. Recognition rather than recall	4	Labelled tabs, labelled shortcuts, and a quick-add placeholder that teaches the syntax ("lunch 250 · call bank tomorrow 5pm"). Swipe actions are discoverable only through hints.
7. Flexibility and efficiency	5	Natural-language capture, AI fallback, widget one-tap logging, launcher shortcuts, swipe gestures, voice chat.
8. Aesthetic and minimalist design	3	Today and Money are calm. The task sheet, transaction filters and settings use rows of chips, which PRODUCT.md lists as an anti-reference (UX-013).
9. Help users recover from errors	3	The ErrorState has a retry, and the offline message is reassuring. Mutation errors join a label with the raw <code>error.message</code> (<code>lib/query-client.ts:45</code>), which can be "Request failed (500)" or a long server-URL sentence cut to 2 lines (UX-018).
10. Help and documentation	4	No onboarding (the brief says "never onboarded"), but placeholders, empty states with one action, and the Tiki chat starter prompts (chat.png) do the teaching.

6. Findings

Paths are relative to `apps/mobile/src/` unless they start with `packages/` or `docs/`. Grouped by category and sorted by severity within each group.

6.1 Data safety and user control

UX-001 · Sign out silently discards unsynced offline changes

Critical · User control / data loss

Where	<code>features/settings/account-section.tsx:38; lib/auth.ts:103-109; lib/user-data.ts:20-23</code>
What's wrong	One tap on "Sign out" signs out at once, with no confirmation. <code>clearUserData()</code> clears the mutation cache, which is the offline outbox. Anything logged on a rickshaw with no signal and not yet synced is lost. The same path runs on any 401 (<code>auth.ts:111</code>). The button is the first control on the Settings screen.
Evidence	<pre>// user-data.ts await queryClient.cancelQueries(); queryClient.getMutationCache().clear(); // queued offline writes queryClient.clear(); // account-section.tsx:38 <Button label="Sign out" ... onPress={() => void signOut()} /></pre>
Why it matters	The product promises "Works offline... changes queue up, then sync". Losing expenses without a word breaks trust in the money numbers.
Recommendation	Check <code>usePendingWrites()</code> first. If it is above 0, show a sheet: "3 changes haven't synced yet. Sync now / Sign out anyway". Otherwise use a light confirmation, since sign-out also wipes the phone. Move Account to the bottom of Settings. For a 401, keep the outbox and re-authenticate instead of wiping.
Effort	S

UX-015 · Quick-add "Saved" has no detail and no Undo

Medium · User control / feedback

Where	features/quick-add/quick-add-sheet.tsx:98-105
What's wrong	After Save, the snackbar says only "Saved". The parser can guess wrong (a category, account or kind), and the sheet has already closed. Deletes, completions and snoozes all get "Deleted X · Undo".
Evidence	<pre>for (const request of requests) send(request); haptic.success(); playSound("pop"); notify("Saved"); router.back();</pre>
Why it matters	Capture speed depends on trusting the parser. Undo makes a misparse cheap to fix.
Recommendation	Use the preview text, e.g. <code>notify(`Saved: \${preview}`, { label: "Undo", onPress: () => send({ method: "DELETE", ... }) })</code> . Ids are made on the client, so the DELETE path is known.
Effort	S

UX-016 · Bulk "Move" and "Today" buttons act without preview or Undo

Medium · User control

Where	features/today/later-today.tsx:40-53 (move low-priority tasks to tomorrow), :75-88 (rescue overdue)
What's wrong	One small secondary button moves an unknown set of tasks. The server decides which ones, and the snackbar has no Undo. The confirmation is shown before the server responds.
Why it matters	Users can't predict the result and can't take it back. That makes the gentle feature feel risky.
Recommendation	Return the moved ids from the API. Name them in the snackbar ("Moved 3 tasks to tomorrow") with Undo that restores <code>doAt</code> . Or open a small sheet listing the tasks with checkboxes.
Effort	M

UX-017 · A habit ring resets to zero on one extra tap

Medium · Error prevention

Where	features/habits/habit-chips.tsx:212-218
What's wrong	When the count is at target, the next tap sets it to 0 (<code>habit.todayCount >= habit.targetCount ? 0 : +1</code>). A long press also resets. Neither offers Undo. For "Drink water, 8 a day", one stray tap erases a full day.
Why it matters	Losing progress to an accidental tap is the "broken streak" feeling the product wants to avoid.
Recommendation	Stop at target. Make reset a long press with a snackbar "Reset Drink water · Undo". Or keep the cycle but add Undo.
Effort	S

6.2 Accessibility

UX-002 · Light-mode semantic colours and muted text fail WCAG AA

High · Accessibility / contrast

Where

Tokens: theme/colors.ts:10-21, global.css:5-16. Uses as text: features/today/safe-to-spend-card.tsx:164-168 (hero amount in mint), features/money/transaction-row.tsx:97-104 (coral amounts), components/ui/section.tsx:54 (sky "Change / Full day / All" links), features/habits/habit-chips.tsx:158 (grape counts), features/tasks/task-row.tsx:74 (coral "Due"), components/ui/text-field.tsx:50-53 (coral error text)

What's wrong


Measured ratios in light mode (full table in Appendix A):

Text	on background #FFF8EE	on surface #FFFFFF	Needed
 mint #2EC4A0 (hero 44px)	2.09	2.21	3.0 (large)
 coral #FF7A6B (amounts 17px)	2.41	2.55	4.5
 sky #5B8CFF (links 15px bold)	3.00	3.16	4.5
 grape #A57BFF (13px counts)	2.90	3.05	4.5
 muted #7D7670 (all secondary text)	4.24	4.47	4.5

The safe-to-spend hero fails even the 3.0 large-text threshold. Every dark-mode pair passes (6.4 to 16:1).

Evidence

The widget already uses darker text-safe variants: features/widget/safe-to-spend-widget.tsx:16-24 (mint #1E9E80, coral #E8604F, sky #3F6FE0, grape #7B4FE0). theme/colors.ts:46 even says "Text never uses these colours" about the chart palette, yet the app uses the brighter tokens for text everywhere.



Why it matters

PRODUCT.md commits to "WCAG AA contrast in both light and dark themes". The main use is "one-handed in daylight at a shop counter", where low contrast hurts most. The single most important number on the home screen is the worst case.

Recommendation Add text tokens, used only by Text tones in light mode: mint-ink #13785F (5.41:1 on white), coral-ink #C8412F (4.94:1), sky-ink #2F5FD0 (5.72:1), grape-ink #6E44D6 (6.07:1). Keep the bright tokens for dots, rings and bars. Darken muted to #6E6862 (5.21:1 on #FFF8EE). Run the contrast script in CI.

Effort M

UX-003 · Dark-mode snackbar "Undo" is 1.41:1

High · Accessibility / contrast

Where components/ui/snackbar.tsx:146 (bg-ink), :162 (tone="mango")

What's wrong The snackbar background is ink, which flips to cream #F4F1EA in dark mode. The action text is mango, #FFC266 in dark. Result: 1.41:1, close to invisible. Light mode is fine (9.10:1).

Why it matters The spec swaps "Are you sure?" dialogs for an Undo snackbar (spec.txt:223). Every delete, completion and snooze depends on that one button. Dark mode is the "in bed at night doing the shutdown" scene.

Recommendation Use tone="background" plus bold or underline for the action, or a fixed #8A5A00 (the widget's mango text colour, 5.25:1 on cream) when the scheme is dark. Better still, give the snackbar a fixed dark surface in both themes.


Effort S

UX-004 · White text on sky and coral fills fails AA

High · Accessibility / contrast

Where components/ui/button.tsx:11 (time variant: Start focus, Focus, Log time); features/timer/running-timer-bar.tsx:38-44; components/ui/swipe-row.tsx:141-146 (Edit/Snooze/Delete tray labels, 13px); features/assistant/message-bubble.tsx:156-163 (Delete pill); features/plan/calendar-view.tsx:127-133 (selected day); components/ui/shortcut-row.tsx:43-45 (11px badge)

What's wrong White on sky is 3.16:1 in light and 2.49:1 in dark. White on coral is 2.55:1 in light and 2.15:1 in dark. The labels are 13–17px, so 4.5:1 is required.



Start focus: white on sky

Why it matters These are primary controls (start focus, stop timer, delete) and they are hard to read in sunlight.

Recommendation Use `on-mango` dark text on sky and coral fills (5.06 to 7.44:1 across both themes), as the `money` variant already does on mint. Or use the darker text tokens from UX-002 as fills. Also see UX-007: DESIGN.md says semantic colours should be small marks, not large fills.

Effort S

UX-005 · Expense amounts have no sign; colour is the only cue

High · Accessibility / colour meaning

Where `features/money/transaction-row.tsx:97-104`; seen on Money, Transactions and Today

What's wrong Income gets `signed` ("`+₦15,000`"). Expenses show "`₦62,000`" in coral, and outgoing transfers show "`₦...`" in ink. Spending and money moving between your own accounts look the same except for colour. PRODUCT.md: "Colour is never the only signal (amounts carry a sign...)".

Evidence

```
<Amount minor={amount} signed={incoming}
  tone={incoming ? "mint" : tx.type === "transfer" ? "ink" : "coral"} />
```



Why it matters Colour-blind users and people in bright light can't tell money in from money out. Coral already fails contrast (UX-002), so the sign is the only reliable cue.

Recommendation Pass a negative minor value for expenses so `formatAmount` prints "`-₦62,000`" (it already uses U+2212, `packages/shared/src/money.ts:70`). Show transfers with a `↔` glyph or "`→ bKash`".

Effort S

UX-006 · TalkBack never reads the safe-to-spend amount

High · Accessibility / screen reader

Where `features/today/safe-to-spend-card.tsx:25-29`; `components/ui/card.tsx:13-17`

What's wrong The card is a `Pressable` with `accessibilityLabel="Safe to spend today"`. On Android, a focusable element with a content description announces that label instead of its children's text. TalkBack users hear "Safe to spend today, button" without the amount, the amount spent, the days left or the pace alert. Unverified on a device, but this is standard RN/Android behaviour.

Evidence

```
<Card onPress={() => router.push("/money/budgets")}  
  accessibilityLabel="Safe to spend today" className="gap-3">
```

Why it matters It hides the answer to one of the app's two core questions ("can I afford it?").

Recommendation Build a full label: `Safe to spend today, \${formatAmount(left)}.
\${formatAmount(spent)} spent of \${formatAmount(daily)}, \${daysLeft} days
left` (or "Hidden" in privacy mode), with `accessibilityHint="Opens budgets"`.

Effort S

UX-008 · 18 of 60 Pressables have no `accessibilityRole`; form labels are not linked

Medium · Accessibility / screen reader

Where No role: `features/tasks/task-row.tsx:52` (every task row),
`features/plan/compact-task.tsx:18`, `features/plan/week-planner.tsx:57,64`,
`features/plan/calendar-view.tsx:81,88,127`, `features/money/budgets-`
`screen.tsx:62,69`, `features/money/money-calendar.tsx:68,75,106`,
`features/money/shopping-screen.tsx:174`, `features/timer/running-timer-`
`bar.tsx:47`, `features/routines/routine-runner.tsx:92,99`, `features/tasks/task-`
`sheet.tsx:501`, `components/ui/swipe-row.tsx:166`. Label: `components/ui/text-`
`field.tsx:22-36`

What's wrong Without a role, TalkBack doesn't say "button", so users can't tell the row is actionable. `TextField` draws its label as a separate `Text` and passes no `accessibilityLabel` to the `TextInput`, so fields are announced by placeholder or not at all. Errors are 13px coral (2.55:1) with no live region.

Evidence Totals: 60 Pressables, 57 `accessibilityRole`, 53 `accessibilityLabel`, 10 `accessibilityHint`, 5 `accessibilityLiveRegion`, 1 `accessibilityActions` (Appendix B).

Recommendation Add `accessibilityRole="button"` at these sites. In `TextField`, set `accessibilityLabel={label}` on the input and give the error `accessibilityLiveRegion="polite"`. A Biome or ESLint rule for role on Pressable keeps it fixed.

Effort S

UX-009 · Swipe actions and drag-to-schedule are out of reach for TalkBack

Medium · Accessibility / gestures **Unverified**

Where `components/ui/swipe-row.tsx:153-161`; `features/tasks/task-row.tsx:56`;
`features/money/transaction-row.tsx:68`; `features/plan/compact-task.tsx:21`

What's wrong `accessibilityActions` sits on the wrapping `Animated.View`, which is not focusable. TalkBack focuses the inner Pressable, which has no actions, so the "Actions" menu is probably empty. The hints tell screen-reader users to "Swipe right to complete, left for snooze and delete", which they can't do. Planner cards say "Long-press and drag to move" with no alternative action.

Recommendation Move `accessibilityActions` and `onAccessibilityAction` onto the focusable child (pass them through `SwipeRow` as props). Add "Complete" to the list. Rewrite hints as "Actions available". For planner cards, add "Schedule for..." actions that open the time picker.


UX-019 · The focus timer announces itself every second**Medium** · Accessibility / screen reader**Where** `features/focus/focus-screen.tsx:150`**What's wrong** The `mm:ss` text has `accessibilityLiveRegion="polite"` and changes every second, so TalkBack reads it out constantly during a 25-minute session.
Unverified on a device.**Recommendation** Drop the live region from the ticking text. Announce only phase changes and whole minutes (e.g. a hidden `Text` updated every 5 minutes).**Effort** S**UX-020 · No plan for large font sizes; fixed-height containers will clip****Medium** · Accessibility / dynamic type **Unverified****Where** `components/navigation/tab-bar.tsx:47,72` (h-12 tab holding a 22px icon and an 11px label); `features/plan/calendar-view.tsx:131` (h-14 cells) and `features/money/money-calendar.tsx:110` (h-16 cells); `20 × numberOfLines={1}`; hero 44px**What's wrong** There are zero uses of `allowFontScaling` or `maxFontSizeMultiplier`. Scaling is on by default (good), but containers are fixed-height. At 1.5–2× the tab labels and calendar numbers will overflow, and "b272,490" at 88px will wrap.**Recommendation** Set `maxFontSizeMultiplier` around 1.6 on chrome only (tab labels, calendar cells, badges). Change `h-*` to `min-h-*` on text containers. Use `adjustsFontSizeToFit` on hero amounts. Test at 200% on a device.**Effort** M**UX-030 · Input and secondary-button borders are 1.25:1****Low** · Accessibility / non-text contrast**Where** `components/ui/text-field.tsx:35` (border-line), `components/ui/button.tsx:13`**What's wrong** The `line` token on surface is 1.25:1 in light and 1.27:1 in dark. WCAG 1.4.11 asks for 3:1 for component boundaries. On the cream background, white inputs are barely outlined (task.png: Notes, Repeat).**Recommendation** Add a `line-strong` token (#968A7B light = 3.38:1 on surface, #757087 dark = 3.38:1) for input borders only. Keep hairlines for separators.**Effort** S**6.3 Visual design and colour meaning****UX-007 · Colour meaning has drifted from DESIGN.md****High** · Visual design / principle 4

Where

Focus as grape: `features/today/quick-actions.tsx:28-30`, `features/widget/safe-to-spend-widget.tsx:282`. Unscheduled tasks as grape: `features/plan/week-planner.tsx:87`, `features/plan/day-timeline.tsx:144`. "Timed task" dot as grape: `features/plan/calendar-view.tsx:146`. User-picked habit colours across the palette: `features/habits/habit-sheet.tsx:21`, `features/habits/habit-chips.tsx:134-146`. Large sky fills: `button.tsx:11`, `running-timer-bar.tsx:38`. Coral heat fill: `money-calendar.tsx:112-115`.

What's wrong

DESIGN.md: "blue for time... purple for habits... semantic colours appear as small marks, not as large fills; mango is reserved for the one primary action". In the app: Focus (time) is purple. Planner task bars are purple. Habit rings on Today come in sky, grape and mint (today2.png). The Budgets "running ahead" bar is mango (budgets.png). Start focus is a full-width sky slab.



Why it matters

"So I always know which half of the app I'm in at a glance" (spec.txt:185). Once purple means three things, it means nothing.

Recommendation

Focus, the timer and all planner bars use sky. Keep the habit ring colour fixed to grape and use the habit's emoji for identity. Show "running ahead" as a coral text mark, not a mango bar. Change the time button to secondary style with a sky icon.

Effort

S

UX-011 · Tab bar and FAB differ from the design spec

Medium · Visual design / ergonomics

Where

`components/navigation/tab-bar.tsx:47,67,72,104-114`

What's wrong

DESIGN.md: "centre mango FAB (64 dp)... Icons 26, labels 12". The code uses a FAB of h-12 w-12 (48 dp), icons of 22 and labels of 11px. The Tiki chat button (64 dp) sits left of the capsule, so the FAB is about 36 dp right of screen centre.

Why it matters

Capture is the product's main action. A smaller, off-centre FAB is easier to miss one-handed.

Recommendation

Bring the FAB back to 56–64 dp, raised slightly above the capsule and centred on the screen. Move the Tiki chat button to the Today header or into the FAB's long-press. Use 12px labels and 24–26 icons.

Effort

M

UX-013 · Edit sheets and filters are rows of chips (an anti-reference)


Medium · Visual design / minimalism

Where

features/tasks/task-sheet.tsx:275-441 (Do it ×7, deadline, top three, urgency, energy ×2, estimate ×6, area, project chips); Transactions filter (transactions.png); Settings (settings.png); quick-add kind row quick-add-sheet.tsx:159-168

What's wrong

PRODUCT.md lists "rows of colourful chips... competing for attention" and "form-like screens" as anti-references. DESIGN.md asks for a compact picker field ("Cash ▼") in sheets instead of rows of chips. The task sheet has about 25 chips across 5 groups, and quick-add's 5-chip kind row runs off the edge ("Time" is cut off in quickadd.png).



Recommendation The task sheet should show title, notes, a "When ▼" picker (Today, Tomorrow, Evening, Pick date, Someday) and an "Estimate ▼" picker. Hide priority, energy, urgency, area and project behind "More". In quick-add, show the kind chips only when confidence is low, and show the inferred kind as a single "Expense ▼" picker otherwise. Transactions: one "Filter ▼" picker.

Effort

M

UX-025 · Text sizes outside the type scale (9px, 11px)

Low · Typography

Where

features/money/money-calendar.tsx:122 and features/plan/calendar-view.tsx:150 (text-[9px]); tab-bar.tsx:72 and shortcut-row.tsx:44 (text-[11px]); segmented.tsx:28 (13px muted labels); text-field.tsx:35 (text-base 16 against body 17)

What's wrong

The smallest DESIGN.md step is Caption 13. A 9px spend figure in the money calendar can't be read on a rickshaw.

Recommendation

Use 13 as the floor. In the calendar, show spend only for the selected day, below the grid.

Effort

S

UX-022 · Accent themes don't reach useColors()

Low · Theming consistency

Where	<code>features/settings/reward-theme.ts:34-42; theme/colors.ts:41-43; components/navigation/tab-bar.tsx:84</code>
What's wrong	"Mint breeze" and "Grape dusk" override the CSS variables only. JS colours from <code>useColors()</code> stay Classic, so the tab-bar fade goes to <code>#FFF8EE</code> over a mint or lilac background, leaving a visible band. Muted text on those backgrounds drops to 4.16:1 and 4.03:1. Unverified visually.
Recommendation	Make <code>useColors()</code> merge the active reward theme, or draw the fade with a class-based background.
Effort	S

UX-027 · Money calendar uses large coral fills with a light-mode colour in both themes

Low · Visual design / dark parity

Where	<code>features/money/money-calendar.tsx:112-115</code>
What's wrong	<code>rgba(255,122,107, 0.12 + intensity*0.55)</code> is hard-coded light coral. Up to 67% coral fills on big-spend days read as an alarm, and the colour doesn't adapt to dark mode.
Recommendation	Use a small coral dot or bar scaled by intensity, with neutral cells and the token colour.
Effort	S

UX-028 · Area colour swatches are announced as hex codes

Low · Accessibility / content

Where	<code>features/plan/area-sheet.tsx:21,110-113; features/habits/habit-sheet.tsx:21</code>
What's wrong	TalkBack reads "Colour #5B8CFF". The swatches are light-mode hex values that never adapt to dark. Colour is the only identity on area chips.
Recommendation	Store token names ("sky", "grape"...), announce "Blue" or "Purple", and draw from the palette per scheme.
Effort	S

6.4 Layout, ergonomics and flows

UX-010 · Ten touch targets are below 48 dp

Medium · Mobile ergonomics

Where

Location	Size (dp)	hitSlop
features/routines/routine-runner.tsx:92,99 (Move up / Remove step)	32 wide	none
features/routines/routine-runner.tsx:37 (step timer)	40 tall	none
features/money/shopping-screen.tsx:174 (remove item)	40 wide	none
components/ui/segmented.tsx:25 (all segmented controls)	44 tall	none
features/assistant/message-bubble.tsx:150,160 (Keep / Delete)	44 tall	none
features/plan/area-sheet.tsx:110 (colour swatch)	44×44	none
features/review/subscriptions-screen.tsx:141	44 tall	none
features/plan/compact-task.tsx:20 (py-2.5, about 44)	~44	none
features/tasks/task-sheet.tsx:501 (Logbook link, py-2 + 13px)	~34	none
features/review/shutdown-flow.tsx:68-83,104-117 (row text beside checkbox isn't tappable)	48 box only	10

What's wrong PRODUCT.md and the spec both say every target is at least 48 dp. The shared components comply; these call sites don't.

Recommendation Use `min-h-12`, or add `hitSlop` to reach 48. Make the shutdown and pick rows fully pressable, as `TaskRow` is.


Effort S

UX-012 · Today's "what now?" sits below the fold

Medium · Information hierarchy / principle 1

Where app/(tabs)/index.tsx:46-52; today.png

What's wrong The order is: date line → 34px greeting with a 72px Tiki → 4 shortcut tiles (about 100 dp) → safe-to-spend card → Top three → Next up. On a 960px-tall screen, Next up's rows are hidden behind the tab bar. The shortcut tiles repeat the FAB and the quick-add kinds.



Next up cut off

Why it matters	Principle 1: answer "what now?" and "can I afford it?" before anything else. Right now a greeting and a launcher answer first.
Recommendation	Fold the greeting into one line beside Tiki ("Good evening · 1 of 5 done"). Turn the shortcuts into a single row of compact pills, or drop them (the FAB plus a kind picker covers them). Show the first Next-up item inside the hero area ("Next: Standup call, 8:00 pm").
Effort	M

UX-014 · Shutdown checkboxes don't respond to taps

Medium · Feedback / system status

Where	<code>features/review/shutdown-flow.tsx:68-79</code> (habits), <code>:104-114</code> (tomorrow's top three)
What's wrong	Both lists render <code><Checkbox checked={false} ...></code> . Habit ticks call <code>send()</code> with no optimistic cache update and no <code>label</code> . Top-three ticks patch only the Today cache, not the shutdown query. The box pops, but the row stays unticked until a refetch about 250 ms after the server confirms. Offline, it never ticks. Picking a 4th shows "Three is enough.", which is abrupt.
Recommendation	Keep the picked state locally or patch <code>keys.shutdown</code> . Move ticked habits into a "Done" group. Replace the toast with a disabled state and the caption "3 of 3 picked".
Effort	S

UX-023 · The running-timer bar covers the end of Today

Medium · Layout **Unverified**

Where	<code>components/ui/screen.tsx:65</code> (bottom padding $120 + \text{inset}$); <code>features/timer/running-timer-bar.tsx:32</code> (bottom = $\text{inset} + 12 + 64 + 8$, height about 56)
What's wrong	The bar's top edge is about $\text{inset} + 140$ dp, but the scroll padding is only $\text{inset} + 120$. The last ~20 dp of Today (the "Later" group) can't scroll clear of the bar while a timer runs.
Recommendation	Pass extra bottom padding to <code>Screen</code> when <code>running</code> is set (e.g. a <code>bottomInset</code> prop of 72).
Effort	S

UX-024 · Inputs outside sheets have no keyboard avoidance

Medium · Keyboard handling **Unverified**

Where	Only <code>components/ui/sheet.tsx:7-20,33</code> and <code>features/assistant/assistant-sheet.tsx:26</code> track the keyboard. In-screen inputs are not handled: <code>features/money/goals-screen.tsx:138</code> (Add money), <code>features/money/shopping-screen.tsx:119,197</code> , <code>features/review/payday-plan.tsx:91,104</code> , <code>features/routines/routine-runner.tsx:85-91</code> , the Transactions search.
--------------	---

What's wrong	With Android edge-to-edge (RN 0.86), <code>softwareKeyboardLayoutMode: "resize"</code> (<code>app.json</code>) may not resize the window. Fields low on a <code>Screen</code> <code>ScrollView</code> can end up under the keyboard. The Sheet's manual padding suggests the team has already run into this.
Recommendation	Move <code>useKeyboardHeight()</code> padding into <code>Screen</code> , or use <code>automaticallyAdjustKeyboardInsets</code> / <code>react-native-keyboard-controller</code> . Better still, move these inline inputs into sheets, as the spec's interaction rules ask ("Creating and editing happen in bottom sheets").
Effort	M


6.5 Content, microcopy and localisation

UX-018 · Error copy written for developers reaches the user

Medium · Microcopy / error recovery

Where `lib/http.ts:20-26; lib/query-client.ts:43-45; components/ui/snackbar.tsx:149 (numberOfLines={2}); lib/api.ts:34; app/login.tsx:126-131; components/ui/empty-state.tsx:92`

What's wrong A failed write shows "`<label>: Can't reach the server at https://...` Check that it's running and you're on the same network.", cut to 2 lines. Server errors fall back to "Request failed (500)". The sign-in screen footer shows the API host (login.png: "10.0.2.2:3000"). The `ErrorState` says "Check the connection to your server".



Dev host on sign-in

Why it matters	The brand voice is "short and friendly", and the user isn't meant to think about a server. Writes are queued and will retry, so the alarming message is also misleading.
Recommendation	Map error types to copy: unreachable → "Saved on this phone. It'll sync when you're back online". 5xx → "Something went wrong on our side. Your change is kept and will retry". Show the host only in a debug build or behind a long press on the version.
Effort	S

UX-021 · No Bangla digits and no lakh grouping for amounts


Medium · Localisation

- Where** packages/shared/src/money.ts:51-53 (thousands grouping), :79-80 (parseAmountToMinor regex is ASCII \d only); packages/shared/src/quick-add.ts:173,203 (ASCII digit patterns). No ০-৯ handling anywhere in the repo.
- What's wrong** README: "Bangla and English, typed or spoken, in quick-add". Typing "চাঁ ২০" or "+৪৫০০০ বেতন" isn't recognised locally, so it falls to the AI parser (not available offline or without a key). Amount fields reject Bangla digits. Totals show "৳272,490"; Bangladeshi convention is "৳2,72,490".
- Recommendation** Normalise [০-৯] to ASCII at the start of parseQuickAdd and parseAmountToMinor (one replace using a 10-entry map). Add a grouping: "lakh" | "intl" setting, defaulting to lakh for BDT.
- Effort** S

UX-026 · Small leftovers of guilt UI: zero streaks, over-plan bars, the drooping plant

Low · Microcopy / principle 5

- Where** features/review/review-home.tsx:97-98 ("Daily goal: 0 days · best 0 days"); features/habits/habit-list.tsx:107-111 ("1/7 this week" on a daily habit); features/review/weekly-review.tsx:94-101 ("11h of 1h planned" shows the same full bar as on-plan); features/focus/focus-screen.tsx:153-156 ("The plant missed you"); features/plan/week-planner.tsx:117 (coral over-capacity text)
- What's wrong** None of these scold, but each shows a shortfall first. review.png opens Streaks with "0 days" twice.



- Recommendation** Hide a streak at 0 or replace it with "Start a streak today". Show weekly habit progress as dots for days done. In weekly review, show over-plan in a different shade with "+10h". Change the plant line to "Back with it. The plant perks up".
- Effort** S

UX-029 · README screenshots are behind the code

Low · Documentation

Where	docs/screenshots/*.png (last commit 1f25750, 2026-10-05) against components/navigation/tab-bar.tsx (871e55b, 2026-10-06) and the split Settings pages
What's wrong	The screenshots show the old growing-pill tab bar and a single-page Settings. Reviewers, and Google OAuth verification, see a different app from the one that ships.
Recommendation	Re-shoot after the fixes in this report. Add a short checklist item: "UI change → refresh screenshots".
Effort	S

7. Top 10 quick wins

#	Change	Fixes	Effort
1	Guard Sign out: check pending writes, confirm, move to the bottom of Settings	UX-001	S
2	Snackbar action uses <code>tone="background"</code> + bold, not mango	UX-003	S
3	Pass negative amounts for expenses so "−₹" shows	UX-005	S
4	Full spoken label on the safe-to-spend card	UX-006	S
5	Add light-mode <code>*-ink</code> text tones and darken <code>muted</code> to #6E6862	UX-002	M
6	Dark <code>on-mango</code> text on sky and coral fills	UX-004	S
7	Focus, timer and planner bars use sky; habit rings always grape	UX-007	S
8	"Saved: Expense ₹850 · Food · Cash · Undo" after quick-add	UX-015	S
9	Add <code>accessibilityRole</code> to 18 Pressables, link TextField labels, remove the per-second live region	UX-008, UX-019	S
10	Normalise Bangla digits in the parsers; friendly copy for offline and 5xx errors; hide the host on sign-in	UX-021, UX-018	S

8. Three bigger redesign suggestions

R1. A Today header that answers both questions at once (UX-012, UX-011, UX-006)

Replace greeting + shortcut tiles + hero card with a single hero: a one-line greeting beside a small Tiki, then two stacked answers: **"Safe to spend today ₹434"** (mint-ink, 44px) and **"Next: Standup call · 8:00 pm"** with an inline check. Remove the 4 shortcut tiles. Instead, make the FAB a 64 dp centred button whose quick-add sheet opens on a single "Kind ▼" picker. Long-press on the FAB gives Expense, Income, Task and Focus. Today then shows "what now" and "can I afford it" within the first 400 dp, and capture stays one thumb-tap away.

R2. Split text colours from mark colours in the design tokens (UX-002, UX-004, UX-005, UX-007, UX-030)

The current tokens give each semantic colour one value, which has to work both as a bright ring and as readable text. It can't do both on a cream background. Formalise two tiers in `global.css`, `theme/colors.ts` and `DESIGN.md`: `mint` / `mint-ink` and so on, plus `line` / `line-strong`. Make the `Text` component's tones resolve to the `*-ink` tier. Add a unit test that runs the contrast check over every tone-and-background pair, so a token change can't regress AA. The widget already does this by hand (`safe-to-spend-widget.tsx:16-24`), so the values exist.

R3. Calm sheets: progressive disclosure for task and transaction editing (UX-013, UX-024, UX-010)

Rebuild the task sheet around the `DESIGN.md` "Cash ▼" picker pattern. Show title, "When ▼", "Estimate ▼" and Notes; put everything else in a "More" disclosure that remembers its state. Use the same pattern for transaction filters and the routine editor (moving the inline in-screen inputs into sheets, which also fixes keyboard overlap). Every row inside a sheet uses the 60 dp `ListRow`, so the small inline targets go away.

9. Strengths (keep these)

- **Gentle copy throughout.** Overdue becomes "From earlier... No rush. Bring them into today?" (`later-today.tsx:62-73`). Overspend lines read "No stress..." and "It happens..." (`shared/src/tiki.ts:41-43`). Reminders say "A small one for today" and "A gentle reminder" (`plan-notifications.ts:95,112`). A grep for "overdue/missed/failed/behind" in UI strings finds none shown to the user.
- **Undo instead of "Are you sure?"** for delete, complete and snooze (`lib/use-remove.ts`, `use-task-actions.ts:71-94`), with an 8-second window when there's an action (`snackbar.tsx:10-11`).
- **Quick-add design:** a single field, a live preview with an icon, a local parser first and AI only when needed, and the keyboard "done" key saves.
- **Reduce-motion respected** in Amount count-up, confetti, Tiki, skeleton, plant and thinking indicator (6 components use `useReducedMotion`). Reanimated 4's default `ReduceMotion.System` covers the checkbox spring.
- **Base components meet the spec:** Button 52 dp, Checkbox 48 dp + 10 slop, Chip 40 + 4 slop, ListRow 60 dp, tab 48 dp, back button 48 + slop. Type scale tokens match DESIGN.md exactly (`components/ui/text.tsx:4-15`). Tabular digits on all amounts and timers.
- **Empty, offline and error states** on every list: 44 `EmptyState` uses in 36 files, an offline pill with a pending count, and a calm `ErrorState` with retry. Most of the empty-state copy is warm ("Enjoy the room to breathe").
- **Dark mode** passes every token contrast pair (6.4 to 16:1) and uses warm charcoal, never pure black. Selected chips use inverted ink, which works in both themes.
- **Haptics and sounds** can each be turned off (`lib/haptics.ts`, `feedback-prefs.ts`). Celebrations are rare (all top three done, a goal reached, a routine finished), as the spec says.
- **Privacy toggle** on Today hides every amount, including screen-reader labels ("Amount hidden", `amount.tsx:50`).
- **The widget** already uses text-safe colours and gives one-tap logging.

10. Action plan

Order	ID	Title	Severity	Effort
1	UX-001	Guard Sign out against losing unsynced changes	Critical	S
2	UX-003	Dark snackbar Undo contrast	High	S
3	UX-005	Signed expense amounts	High	S
4	UX-006	Safe-to-spend screen-reader label	High	S
5	UX-004	Dark text on sky and coral fills	High	S
6	UX-002	Light-mode text tokens for AA	High	M
7	UX-007	Restore colour meaning	High	S
8	UX-008	Roles and linked field labels	Medium	S
9	UX-019	Remove the per-second timer announcement	Medium	S
10	UX-015	Quick-add Undo and detailed confirmation	Medium	S
11	UX-014	Shutdown checkboxes reflect state	Medium	S
12	UX-017	Habit over-tap reset	Medium	S
13	UX-018	Friendly error copy, hide host	Medium	S
14	UX-021	Bangla digits and lakh grouping	Medium	S
15	UX-010	Fix 10 small touch targets	Medium	S
16	UX-023	Timer bar padding on Today	Medium	S
17	UX-016	Undo or preview for bulk moves	Medium	M
18	UX-009	Accessibility actions on swipe rows and planners	Medium	M
19	UX-020	Font-scaling plan and 200% test	Medium	M
20	UX-024	Keyboard avoidance outside sheets	Medium	M
21	UX-012	Today hierarchy (see R1)	Medium	M
22	UX-011	FAB size and position (see R1)	Medium	M
23	UX-013	Chip walls → pickers (see R3)	Medium	M
24	UX-030	Stronger input borders	Low	S
25	UX-025	Remove 9 and 11px text	Low	S
26	UX-026	Soften zero-streak and over-plan visuals	Low	S
27	UX-027	Calendar heat fills	Low	S
28	UX-028	Named, theme-aware area and habit colours	Low	S
29	UX-022	Accent themes in <code>useColors()</code>	Low	S
30	UX-029	Refresh README screenshots	Low	S

30 findings. Planner drag-without-alternative is folded into UX-009. Order is impact over effort: the S items first, then the M items that the redesigns in section 8 cover.

Appendix A. WCAG contrast ratios (computed)

Method: WCAG 2.x relative luminance, $(L1+0.05)/(L2+0.05)$. Thresholds: 4.5 for normal text, 3.0 for large text (≥ 24 px, or ≥ 18.66 px bold) and UI components. Background = background token, surface = card token.

Mode	Foreground	Background	Hex pair	Ratio	AA text 4.5	AA large/UI 3.0
Light	ink	background	#23202B / #FFF8EE	15.17	PASS	PASS
Light	ink	surface	#23202B / #FFFFFF	15.99	PASS	PASS
Light	muted	background	#7D7670 / #FFF8EE	4.24	FAIL	PASS
Light	muted	surface	#7D7670 / #FFFFFF	4.47	FAIL	PASS
Light	sky	background	#5B8CFF / #FFF8EE	3.00	FAIL	FAIL*
Light	sky	surface	#5B8CFF / #FFFFFF	3.16	FAIL	PASS
Light	mint	background	#2EC4A0 / #FFF8EE	2.09	FAIL	FAIL
Light	mint	surface	#2EC4A0 / #FFFFFF	2.21	FAIL	FAIL
Light	coral	background	#FF7A6B / #FFF8EE	2.41	FAIL	FAIL
Light	coral	surface	#FF7A6B / #FFFFFF	2.55	FAIL	FAIL
Light	grape	background	#A57BFF / #FFF8EE	2.90	FAIL	FAIL
Light	grape	surface	#A57BFF / #FFFFFF	3.05	FAIL	PASS
Light	mango (as text)	surface	#FFB547 / #FFFFFF	1.76	FAIL	FAIL
Light	on-mango	mango	#23202B / #FFB547	9.10	PASS	PASS
Light	white	sky fill	#FFFFFF / #5B8CFF	3.16	FAIL	PASS
Light	white	coral fill	#FFFFFF / #FF7A6B	2.55	FAIL	FAIL
Light	on-mango	mint fill	#23202B / #2EC4A0	7.25	PASS	PASS
Light	line (border)	surface	#EEE5D8 / #FFFFFF	1.25	n/a	FAIL
Light	mango (Undo)	ink (snackbar)	#FFB547 / #23202B	9.10	PASS	PASS
Light	muted	mint-breeze bg	#7D7670 / #ECFAF5	4.16	FAIL	PASS
Light	muted	grape-dusk bg	#7D7670 / #F6F1FF	4.03	FAIL	PASS
Dark	ink	background	#F4F1EA / #16151C	16.07	PASS	PASS
Dark	ink	surface	#F4F1EA / #22202B	14.22	PASS	PASS
Dark	muted	background	#A09AA6 / #16151C	6.62	PASS	PASS
Dark	muted	surface	#A09AA6 / #22202B	5.86	PASS	PASS
Dark	sky	background / surface	#7AA2FF	7.29 / 6.44	PASS	PASS
Dark	mint	background / surface	#4FD8B5	10.21 / 9.03	PASS	PASS
Dark	coral	background / surface	#FF9385	8.43 / 7.46	PASS	PASS

Mode	Foreground	Background	Hex pair	Ratio	AA text 4.5	AA large/UI 3.0
Dark	grape	background / surface	#B996FF	7.66 / 6.77	PASS	PASS
Dark	mango	background / surface	#FFC266	11.36 / 10.05	PASS	PASS
Dark	on-mango	mango	#23202B / #FFC266	10.02	PASS	PASS
Dark	white	sky fill	#FFFFFF / #7AA2FF	2.49	FAIL	FAIL
Dark	white	coral fill	#FFFFFF / #FF9385	2.15	FAIL	FAIL
Dark	on-mango	mint fill	#23202B / #4FD8B5	9.00	PASS	PASS
Dark	line (border)	surface	#34313F / #22202B	1.27	n/a	FAIL
Dark	mango (Undo)	ink (snackbar)	#FFC266 / #F4F1EA	1.41	FAIL	FAIL
Widget	mint / coral / sky / grape text	white card	#1E9E80 / #E8604F / #3F6FE0 / #7B4FE0	3.36 / 3.38 / 4.60 / 5.20	sky, grape pass	all PASS

*Shown as 3.00 after rounding, but the exact value is 2.999, so it fails.

Appendix B. Accessibility and touch-target scan

```
grep counts in apps/mobile/src (*.tsx)
<Pressable                60    (in 40 files)
accessibilityRole          57    (18 Pressables have none, listed in UX-008)
accessibilityLabel        53
accessibilityHint         10
accessibilityLiveRegion    5
accessibilityActions       1    (swipe-row.tsx, on a non-focusable view)
hitSlop                   12
allowFontScaling / maxFontSizeMultiplier  0
adjustsFontSizeToFit      1
useReducedMotion          6 components (amount, confetti, tiki, skeleton, plant, thinking-indicator)
numberOfLines={1}         20
hard-coded hex outside theme/colors.ts: widget 37 (intended), tiki 12, area-sheet 6,
habit-sheet 6, plant 5, confetti 5, google-logo 4, icon 2, button 2
off-scale text: text-[9px] x2, text-[11px] x2
```

Appendix C. Requirement checklist (UX-relevant)

Requirement (source)	Status	Ref
Log anything in under 5 s (PRODUCT, spec:18)	Met by design (2 taps + typing)	§4
Quick-add: one field, one Save, preview before saving (spec:290-296)	Met	quick-add-sheet.tsx
Today order: greeting → safe-to-spend → top three → timeline → habits → timer → evening (spec:266-277)	Partial (shortcut row inserted; Next up below the fold)	UX-012

Requirement (source)	Status	Ref
Tab bar: 4 tabs + centre 64 dp mango FAB, icons 26, labels 12 (DESIGN)	Partial	UX-011
Targets $\geq$ 48 dp (PRODUCT, spec:220)	Partial (10 sites)	UX-010
WCAG AA in light and dark (PRODUCT)	Dark met; Light not met	UX-002/003/004
Dark text on mango (PRODUCT)	Met	button.tsx:10
Colour never the only signal; amounts carry a sign (PRODUCT)	Not met for expenses	UX-005
Reduce-motion respected (PRODUCT, spec:209)	Met	\$9
Tabular digits for amounts and timers (PRODUCT)	Met	text.tsx:54
Delete → Undo snackbar, not a dialog (spec:223)	Met (contrast issue in dark)	UX-003
Every empty state: Tiki + exactly one action (spec)	Partial (inline variant has no Tiki; some have no action)	empty-state.tsx:16-41
Creating and editing in bottom sheets (DESIGN, spec)	Mostly (inline inputs on goals, shopping, payday, routines)	UX-024
Pickers in sheets instead of chip rows (DESIGN)	Not met in the task sheet	UX-013
Section labels 13 SemiBold muted, sentence case (DESIGN)	Met (label variant)	text.tsx:14
Rows $\geq$ 60 dp (DESIGN)	Mostly (transaction rows <code>min-h-14</code> = 56)	transaction-row.tsx:66
Guilt-free UI: no red alarms, overdue alarms or broken-streak shame (PRODUCT)	Mostly	UX-026
Bangla and English input (README)	Partial (letters yes, digits no)	UX-021

Appendix D. Files reviewed (main)

apps/mobile/src/app/**	all 70 routes (most are 5–13 line wrappers)
apps/mobile/src/components/ui/*.tsx	text, button, checkbox, chip, list-row, amount, card,
section,	
	screen, sheet, snackbar, swipe-row, segmented, text-
field,	
	empty-state, progress-bar, privacy-toggle, sync-
status, shortcut-row	
apps/mobile/src/components/navigation/tab-bar.tsx	
apps/mobile/src/theme/colors.ts, global.css, tailwind.config.js, app.json	
apps/mobile/src/features/today/*	header, quick-actions, safe-to-spend-card, top-three,
later-today	
apps/mobile/src/features/quick-add/quick-add-sheet.tsx	
apps/mobile/src/features/tasks/task-row.tsx, task-sheet.tsx, use-task-actions.ts	
apps/mobile/src/features/habits/habit-chips.tsx, habit-list.tsx, habit-sheet.tsx	
apps/mobile/src/features/money/transaction-row.tsx, money-calendar.tsx, budgets-screen.tsx,	
shopping-screen.tsx	
apps/mobile/src/features/plan/week-planner.tsx, day-timeline.tsx, calendar-view.tsx, compact-	
task.tsx, area-sheet.tsx	
apps/mobile/src/features/focus/focus-screen.tsx; timer/running-timer-bar.tsx	
apps/mobile/src/features/review/shutdown-flow.tsx, weekly-review.tsx, review-home.tsx	
apps/mobile/src/features/settings/account-section.tsx, appearance-settings.tsx, themed-root.tsx,	
reward-theme.ts	
apps/mobile/src/features/widget/safe-to-spend-widget.tsx; assistant/*	
apps/mobile/src/lib/http.ts, query-client.ts, notify.ts, user-data.ts, auth.ts, haptics.ts,	
format.ts, use-remove.ts	
packages/shared/src/money.ts, tiki.ts, quick-add.ts	
docs/screenshots/*.png (23)	