

AUDIT REPORT 2 OF 3 · ROUND 3

UX Report — Tick & Taka (round 3)

Android app for one person's day and money · re-audit after 42 fix commits

Project	Tick & Taka (monorepo: <code>apps/mobile</code> , <code>apps/api</code> , <code>packages/shared</code>)
Date	2026-10-07
Commit	<code>7e2bfeb</code> (branch <code>fix/audit-2026-10-06</code>)
Previous audits	Round 1 at <code>3b5438b</code> : 64/100, 30 findings. Round 2 at <code>df29d67</code> : 83/100, 16 open findings (<code>docs/audit/2026-10-06-r2/UX_Report.html</code>).
Auditor role	UX Lead
Yardstick	<code>PRODUCT.md</code> (users, 5 principles, accessibility commitments) and <code>DESIGN.md</code> (tokens, type, layout, components), then general best practice
Mode	Read-only static review of the code. The app was not run: the only emulator image has no Google Play services and sign-in is Google-only. The screenshots in <code>docs/screenshots</code> predate every fix commit (last changed in <code>1f25750</code> , 2026-10-05).

1. Executive summary

89/100

Round 2: 83/100. Round 1: 64/100.

Round-2 findings: **12 Fixed, 3 Partially fixed, 1 Not fixed, 0 Regressed.**

Open findings now: 0 Critical, 0 High, 2 Medium, 9 Low.

Every round-2 item with real user impact was fixed, and fixed in the code rather than in the docs. The widget is now built from the app's tested tokens (`widget-colors.ts`), with 13 px text, 48 dp targets, the Numbers setting and a 10-minute Undo for quick-logs. The snackbar follows Android's "Time to take action" setting, stays put while TalkBack is on and says "Undo available". Paid, Received, Skip and planner moves all have Undo. Account deletion has its own page with export and a typed "DELETE". The colour-meaning work also holds up: purple now marks habits only, deadlines are ink with a flag, and a new test guards it.

What is left is small, with two exceptions. First, the Undo after an offline "Paid" lives only in memory, but the snackbar says "Took back Rent" straight away. If Android kills the app before the phone reconnects, the payment goes through anyway. Second, the widget now hides its quick-log row below 240 dp, which probably means it is hidden at the default 4x2 size (`Unverified`). The rest is polish. Five less-used sheets still have chip rows, nine chip rows still announce as buttons, the AI-cost screen uses purple, the chart labels are 10 px, and the README screenshots are still old.

Severity	Critical	High	Medium	Low	Total
Open findings (round 3)	0	0	2	9	11
Round 2, for comparison	0	1	5	10	16
Round 1, for comparison	1	6	16	7	30

Top 5 to fix first

Severity	Issue
Medium	UX-042 An offline "Paid"/"Received"/"Skip" Undo is held only in memory. The snackbar says "Took back ..." at once, but if the app restarts before the pay is sent, the payment still goes through (<code>features/money/recurring-pay.ts:41-60</code> , <code>features/today/next-up.tsx:48-60</code>).
Medium	UX-043 The widget's one-tap quick-log row needs ≥ 240 dp of height and is likely hidden at the default 4x2 size. At the 250 dp minimum width, the four action pills are about 52 dp wide, so " - Expense" clips (<code>Unverified</code>) (<code>features/widget/safe-to-spend-widget.tsx:27-29</code> , <code>153-155</code> ; <code>app.json:71-74</code>).
Low	UX-036 (carried) Nine single-choice chip rows still announce "button, selected". On/off chips are buttons, and the tab bar's tabs have no tablist (<code>components/ui/chip.tsx:24</code> default <code>choice="action"</code>).
Low	UX-013 (carried) Chip rows remain in the account, bill, goal, event and time-entry sheets. Commit <code>d50237a</code> says the recurring and category sheets were converted, but it only added labels and roles.
Low	UX-044 Colour drift outside the new test: purple bars on the AI cost screen, mango-tinted keypad operators, and a test regex that misses <code>className</code> , <code>colors.*</code> and ternaries.

How the score is built: see "Score breakdown" at the end of section 2. It is 89, not in the 90s, because the two Medium findings both touch the money-logging scene that `PRODUCT.md` is built around, and because several gains (TalkBack behaviour, widget layout) are still (`Unverified`) on a device.

2. Scope and method

What was reviewed

- **Intent:** `PRODUCT.md` (unchanged since round 2) and `DESIGN.md`. The two `DESIGN.md` changes since round 2 (`cd63193`, `c744628`) were each judged on whether they are explicit, reasoned decisions or quiet moves of the yardstick (section 4.1).
- **Round 2:** all 16 open findings in `docs/audit/2026-10-06-r2/UX_Report.html`, each checked against the code at `7e2bfeb` and against the commit that claims to fix it (`git log df29d67..HEAD`, 42 commits, of which 114 changed files are under `apps/mobile/src`).
- **Code read in full or in the changed regions:** `theme/palette.ts`, `global.css`, `tailwind.config.js`; `components/ui` (snackbar, button, chip, segmented, picker-field, checkbox, amount-keypad, sync-status, swipe-row, a11y-actions); `components/navigation/tab-bar.tsx`; the whole of `features/widget`; `features/today` (next-up, later-today, safe-to-spend card/label); `features/money` (recurring-pay, recurring-sheet, bills-screen, bill-status, money-calendar, money-home, account/goal/event sheets); `features/plan` (use-move-task, move-undo, week-planner, calendar-view, plan-home, area-sheet); `features/settings` (settings-screen, account-section, delete-account and its rules, planning, notification, appearance, setting-row, themed-root); `features/assistant` (assistant-sheet, clear-chat-warning); `features/review` (weekly-review, review-home, ai-usage, insights); `features/habits` (habit-chips, habit-sheet); `app/login.tsx`; `lib/` (auth delete/sign-in, error-copy, gentle-progress, snack-timing, notify, outbox + outbox-queue waiters).
- **Tests read for intent:** `test/contrast.test.ts`, `test/colour-meaning.test.ts`, `test/snack-timing.test.ts`.

Scripted checks (scratch in `_ux_tmp/`, deleted afterwards)

- **Contrast:** a Python script parsed `palette.ts` (including the accent themes), `global.css` and the `DESIGN.md` colour table. It rebuilt the widget palette exactly as `widget-colors.ts` does, then computed WCAG 2.x ratios for 244 pairs (Appendix A). Token diff: **0 mismatches in 70 comparisons** (17 tokens × 2 schemes × palette-vs-CSS and palette-vs-`DESIGN.md`, plus on-mango in both schemes).
- **Pressable scan:** all 71 `<Pressable>` / `<SwipeRowPressable>` opening tags in 44 files, checked for role, label, size classes and hitSlop, plus grep counts of accessibility props (Appendix B). A second scan listed every `<Chip>` and whether it passes a `choice` (UX-036).
- **Reused, not re-run** (from `_raw/`): Biome (523 files, exit 0), typecheck (3 workspaces, exit 0), tests (mobile 233, shared 247, api 209 pass, 0 fail).

What could not be verified

No device or emulator run, so the following are **Unverified**:

- What TalkBack reads: radio/checkbox states, the snackbar announcement and its "Dismiss" action, the swipe actions.
- Widget rendering at real launcher cell sizes (UX-043).
- Whether hitSlop on adjacent calendar cells changes hit testing (UX-040).
- Layout at 200% font size.
- Reanimated 4.5 springs and layout animations under the system reduce-motion setting. Its default is `ReduceMotion.System`, so they should be skipped.

- Snackbars raised while a formSheet is open.

Screenshots: `login.png` is embedded because the login screen is essentially unchanged; the only differences are the new "Account deleted" notice and the dev-only host line. `widget.png` is embedded only as the before state for UX-031. The others show pre-fix layouts and are not used as evidence.

Score breakdown

Area	Weight	R2	R3	Points	Main reason for the change
Fit to the 5 principles + accessibility commitments (avg 4.33/5)	25	80%	87%	21.7	Colour meaning and "never guilt" now hold; small residue remains (UX-044)
Core task flows (taps, friction, undo)	20	90%	93%	18.6	Undo on every one-tap write; offline pay-undo gap (UX-042), widget quick-log hidden by default (UX-043)
Nielsen heuristics (avg 4.5/5)	15	84%	90%	13.5	Control, prevention and recovery up; consistency still held back by chip rows
Visual design and token consistency	10	75%	85%	8.5	Widget on tokens; colour test; 10 px chart labels; DESIGN.md self-contradictions
Accessibility (contrast, SR, scaling, motion)	15	80%	88%	13.2	Widget AA, snackbar timing, sole-cue marks; radio semantics only partial
Mobile ergonomics (targets, reach, keyboard)	5	85%	88%	4.4	Widget 48 dp; FAB decision accepted; calendar cells unchanged in practice
Content, microcopy, feedback and delight	10	90%	95%	9.5	No zeros, no "Overdue", plurals and sign-in errors fixed
Total	100	83	—	89.4 → 89	No Critical or High, so no deduction

Confidence: the score rests on the code. If device testing shows TalkBack ignoring the radio states or the snackbar's Dismiss action, the accessibility row drops. If the widget's quick-log row does show at the default size, UX-043 becomes Low and the score rises by about one point.

3. Previous findings status (round 2 → round 3)

Each of the 16 open round-2 findings was checked against the code at `7e2bfeb`, not against the commit messages. "Fixed" means the problem described in round 2 is gone from the code. Device behaviour is still **Unverified** where noted. Paths are relative to `apps/mobile/src/`.

ID · R2 sev.	Round-2 finding	Status	Evidence now
UX-031 High	Widget missed the AA and 48 dp work	Fixed	<code>features/widget/widget-colors.ts:23-43</code> derives every colour from <code>palette</code> (words use <code>-text</code> , tints are flattened with <code>blend()</code>), and <code>test/contrast.test.ts:164-200</code> checks every widget pair. My script agrees: the lowest light pair is muted on the gradient end at 5.13, the lowest dark pair is sky-text on its tint at 4.92. <code>CAPTION = 13</code> , <code>TARGET = 48</code> (<code>safe-to-spend-widget.tsx:23-25</code> , 78). Amounts use <code>cache.numerals</code> . Quick-log has Undo for 10 minutes (<code>widget-quick-log.ts:4</code>), offline too (<code>widget-task-handler.tsx:56-82</code>). New side effect: UX-043.
UX-032 Medium	Undo snackbar fixed at 8 s	Fixed	<code>components/ui/snackbar.tsx:17-31</code> announces "...Undo available." and uses <code>getRecommendedTimeoutMillis</code> . With a screen reader on, <code>snackDuration</code> returns <code>null</code> (stays until used or replaced; <code>lib/snack-timing.ts:11-19</code> , tested). A "Dismiss" accessibility action closes it (:53). It is lifted over the running-timer bar (:45; <code>running-timer-bar.tsx:35-40</code>). TalkBack reading Unverified .
UX-033 Medium	One-tap money writes without Undo	Fixed	<code>Paid/Received on Today</code> (<code>features/today/next-up.tsx:48-60</code>) and <code>Paid/Received/Skip</code> in the bill sheet (<code>features/money/recurring-sheet.tsx:111-133</code>) offer Undo. It deletes the transaction and restores <code>previousDueAt</code> , which the API now returns (<code>apps/api/src/modules/recurring/service.ts:159-160</code>). Widget quick-log has Undo. Planner moves say "Moved to Thu 8 Oct · Undo" (<code>features/plan/use-move-task.ts:17-35</code>). Offline edge: UX-042.
UX-034 Medium	Delete account one alert away, top of Settings	Fixed	Account card is now last (<code>features/settings/settings-screen.tsx:141-142</code>). "Delete account..." opens its own page (<code>account-section.tsx:50-56</code> , <code>delete-account.tsx:40-77</code>): a summary that counts unsynced changes, "1. Keep a copy" with an inline export, then "2. Confirm" with typed DELETE. Errors go through <code>friendlyError</code> (<code>lib/auth.ts:149</code>). Login then says "Account deleted" (<code>app/login.tsx:110-116</code>).

ID · R2 sev.	Round-2 finding	Status	Evidence now
UX-035 Low	Non-text marks below 3:1 in light	Fixed	Unchecked rings use <code>border-*-text</code> (<code>components/ui/checkbox.tsx:19-24</code>). The habit arc uses <code>grapeText</code> (<code>habit-chips.tsx:35-38</code>), and the calendar bar is <code>bg-coral-text</code> (<code>money-calendar.tsx:130</code>). <code>SOLE_CUE_MARKS</code> (<code>theme/palette.ts:80</code>) is tested against every surface. The lowest sole-cue pair is 3.31 (line-strong on grape-dusk light).
UX-036 Low	Single-choice controls announce the wrong role	Partially fixed	Segmented is now a radiogroup of radios with <code>checked</code> , or a tablist for view switchers (<code>segmented.tsx</code>). Area swatches, the PickerField grid and 13 chip call sites pass <code>choice</code> . Still announced as "button, selected": 9 single-choice chip rows and 4 on/off chips. The tab bar's tabs have no tablist container. Carried as UX-036.
UX-037 Low	Bills say "Overdue" in coral	Fixed	<code>billStatusText</code> returns "Was due Mon 5 Oct" (<code>features/money/bill-status.ts:9-12</code>), used on Today (<code>next-up.tsx:34</code>) and in Bills (<code>bills-screen.tsx:76</code>). Bill amounts are ink. No "Overdue" string is left in <code>src</code> .
UX-038 Low	Developer strings, missing plurals	Fixed	Sign-in throws <code>ApiError</code> and login words it via <code>friendlyError(e, "signIn")</code> (<code>app/login.tsx:58-60</code> , <code>lib/error-copy.ts:14-28</code> , <code>65-66</code>). The stale-day line reads "...once you're back online". "1 day left" uses <code>plural</code> (<code>safe-to-spend-card.tsx:61</code>), as do the focus, quick-add and transaction hours copy.
UX-039 Low	"New chat" drops drafts and Undo rows	Fixed	<code>clearChatWarning</code> counts pending drafts, pending deletions and undoable actions. When any exist, "Start a new chat?" asks first (<code>features/assistant/assistant-sheet.tsx:66-74</code> ; <code>clear-chat-warning.ts</code> , tested).
UX-040 Low	Targets and rows under spec	Partially fixed	Week-planner header is <code>min-h-12</code> (<code>week-planner.tsx:129</code>), and transaction rows are <code>min-h-[60px]</code> . Calendar cells got <code>hitSlop={{left:3,right:3}}</code> (<code>money-calendar.tsx:115</code> , <code>calendar-view.tsx:137</code>), as round 2 suggested. But the cells touch each other, so each cell's slop overlaps its neighbour and the usable width per day stays about 43-46 dp Unverified . Carried as UX-040. The flaw was in my round-2 recommendation.
UX-041 Low	"Bangla digits" only on screen amounts	Fixed	Keypad display and keys go through <code>toBanglaDigits</code> when Numbers is Bangla (<code>components/ui/amount-keypad.tsx:30-32</code> , <code>57</code> , <code>76</code>). The widget gets <code>numerals</code> through its cache. The caption now states the scope: "... on screen, on the keypad and on the widget. Dates and times stay 0-9." (<code>appearance-settings.tsx:51</code>).

ID · R2 sev.	Round-2 finding	Status	Evidence now
UX-007 Medium	Purple, mango and coral mean several things	Fixed	Every location named in round 2 is now neutral, sky or money-coloured (commit <code>0a1de0f</code>): debts, goals, someday, settings rows and the review list are muted; deadlines and high priority are ink plus a flag (<code>task-row.tsx:75-87</code>). <code>test/colour-meaning.test.ts</code> limits grape to habit code and bans mango list icons. Residue outside the test's regex: UX-044 (Low).
UX-013 Medium	Chip rows in eight sheets and pages	Partially fixed	Habit sheet (emoji grid behind "Emoji ▼", "How often ▼", "Nudge me at ▼"), "Today and planning" (one picker per setting) and notification settings now use PickerField. Still chip rows: account type and currency, bill currency and "Remind me" (5 chips), goal/event/category/area emoji, and time-entry durations. Carried as UX-013, lowered to Low because the busiest sheets are done.
UX-011 Low	FAB off-centre when chat is on	Fixed	Closed as an explicit decision, as round 2 allowed ("Either accept it explicitly..."). <code>DESIGN.md:72</code> now gives the offset (36 dp on a 360 dp phone), the reason (one tap to Tiki from every tab), the commit that introduced it, and when the FAB moves (only if AI is switched on or off). Reasonable (section 4.1).
UX-026 Low	Weekly review leads with zeros	Fixed	<code>habitStreakText</code> → "A fresh start" / "🔥 3 days · best 5 days". <code>winLines</code> drops zero lines and falls back to "A quiet week. Next week is a fresh start." (<code>lib/gentle-progress.ts:20-49</code> ; <code>weekly-review.tsx:155, 163</code> ; tested).
UX-029 Low	Screenshots predate the fixes	Not fixed	<code>docs/screenshots/*.png</code> were last changed in <code>1f25750</code> (2026-10-05). The README still embeds all 23, with no note that they are out of date. Carried as UX-029.

Tally: 12 Fixed · 3 Partially fixed (UX-013, UX-036, UX-040) · 1 Not fixed (UX-029) · 0 Regressed. The partial and unfixed items continue in section 7 under their original IDs.

Commit-message accuracy. `d50237a` says the chip rows in the "habit, debt, recurring, shopping, project, category and time sheets" became picker fields. In the recurring, debt, shopping, project and category sheets it only added `label / choice` props, and the chip rows are still there. Read that commit as "roles fixed, pickers in habit, planning and notification screens only".

4. Fit to product principles


Principle (PRODUCT.md)	R2	R3	Evidence
1. Today first, one glance	5	5	Unchanged and still right: a header with "Next: ...", then safe-to-spend, Top three, Next up, habits, Later, with shortcuts last (<code>app/(tabs)/index.tsx</code>). The widget follows the same order: safe to spend, next up, progress.
2. Capture beats organise	4	4	Quick-add is unchanged: one field, Save, "Saved: ... · Undo". Widget quick-log works offline and can be undone, but by default it probably needs a resize to appear (UX-043). Pickers still show on every input rather than "only when the parser needs help", as noted in round 2.
3. Big, calm, thumb-sized	4	4	Widget targets are 48 dp, the week-planner header 48 dp, transaction rows 60 dp. Remaining: calendar cells about 43-46 dp wide (UX-040); time-tracking rows are <code>min-h-12</code> (48 dp, DESIGN says 60), which is a minor gap.
4. Colour means something	3	4	Grape now appears only on habit UI. The exceptions are the AI cost chart and progress bar (<code>ai-usage-screen.tsx:74, 113</code>), the thinking dots, and the user-chosen Purple area swatch, which is an explicit DESIGN.md rule. Mango is the FAB, primary buttons and the draft Save. It also tints the four keypad operator keys (<code>amount-keypad.tsx:73</code>) and the "on" track of switches. A test enforces the rule, but it can't see these cases (UX-044).
5. Reward, never guilt	4	5	No "0 days", no "0 of 3", no "Overdue". Late bills say "Was due Mon 5 Oct" in muted text, and overdue tasks say "No rush. Bring them into today?". The stuck-change card uses a coral icon but calm words.
Accessibility & Inclusion commitments	4	4	Every text pair passes AA in both themes, both accent themes and the widget. Sole-cue marks are $\geq 3:1$, and the snackbar honours WCAG 2.2.1. Not yet met: radio states on nine chip rows (UX-036), 10 px chart labels (UX-047) and calendar width (UX-040). All device behaviour is Unverified .

Average of the six rows: **4.33 / 5** (round 2: 4.0).

4.1 Decisions recorded in DESIGN.md: are they explicit, or a moved yardstick?

Decision	Where	Verdict	Why
Off-centre FAB beside Tiki's button	DESIGN.md:72 (<code>c744628</code>)	Accepted	It states the measured cost (36 dp right of centre), the benefit, the originating commit and the only condition under which the FAB moves. The FAB stays in the lower middle, which is well inside a right thumb's reach. A left-handed user loses a little. This is a decision, not a rewording.
Sole-cue marks use the <code>-text</code> tier or line-strong	DESIGN.md:42 (<code>cd63193</code>)	Accepted	This tightens the yardstick rather than loosening it. It is backed by <code>SOLE_CUE_MARKS</code> and a test.
Widget built from the same tokens	DESIGN.md:43	Accepted	Verified in code and test (Appendix A, "widget" rows).
Tab labels at 12 px	DESIGN.md:61, 72	Accepted	Unchanged since round 2. It is one named exception, capped at 1.3×, with muted text at 5.75:1.

Decision	Where	Verdict	Why
Dates and times stay 0-9 under Bangla numerals	In-app caption, <code>appearance-settings.tsx:51</code>	Accepted	The user is told plainly. It should also go into DESIGN.md so the next audit doesn't flag it.
Quick-log row only on a tall widget (≥ 240 dp)	Code only (<code>safe-to-spend-widget.tsx:28-29</code>)	Not recorded	This is a real trade-off (48 dp targets need height) but it is written down nowhere, and it changes default behaviour. Raised as UX-043.
"Secondary = surface with hairline border"; mango = "selected state"	DESIGN.md: 73, 21	Stale text	These contradict the same document's line-strong row and its rule that selected chips use ink. The code follows the newer rules. Raised as UX-048.



`docs/screenshots/login.png` , 2026-10-05, from before the round-2 and round-3 fixes. It still represents today's login screen: the same layout, the Habits line in grape, and Google sign-in in the lower half. The only differences are an "Account deleted" notice after a deletion (`app/login.tsx:110-116`) and the API host line, which release builds hide.

5. Core task flows

Taps are counted from Today, with the app already open. "Type" means one text entry. The target is "log in under five seconds". Times are **Unverified**.

Flow	Steps	Taps	Friction, dead ends, undo (round 3)
Log an expense	+ → "cha 20" → Save	2 + type	Meets the target. Unchanged: "Saved: Expense ₳20 · ..." with Undo, which works offline. The keypad now follows Bangla numerals.
Log income / task / time	+ → text → Save	2 + type	Unchanged; good.
Check safe-to-spend	Open the app, or glance at the widget	0	In-app hero 5.85:1. The widget hero is now mint-text at 5.22 to 9.03 (was 2.97). TalkBack label is unchanged and tested.
Quick-log from the widget	Tap "Cha ₳20"	1	Now 48 dp. Then "Logged Cha ₳20" with 48 dp Undo and Keep pills for 10 minutes. Offline, it says "Saved Cha ₳20, syncs later" and Undo just drops it from the waiting list. But the row only renders at ≥ 240 dp of height (UX-043) Unverified .
Pay a bill from Today	Next up → "Paid"	1	"Rent logged · Undo" deletes the transaction and moves the due date back. A foreign-currency bill opens the sheet to ask for the rate (pay - needs - rate . ts). Offline + restart gap: UX-042.
Reschedule in a planner	Drag card to a day/time	drag	"Moved to Thu 8 Oct, 9:00 am · Undo" restores the earlier doAt , status and reminder (use-move-task . ts , move-undo . ts , tested). The message doesn't name the task, which is fine for a single drag.
Delete a transaction	Swipe left → Delete	2	Undo snackbar: 8 s by default, longer if the Android setting asks, and no timeout while TalkBack is on. "... Undo available." is announced.
Complete a task / habit	Tap checkbox / ring	1	Unchanged; the unchecked ring now reaches 3:1.
Bring old tasks into today	Later → "Today"	1	Unchanged; names the tasks and offers Undo after the server answers.
Clear the chat	Broom	1-2	Asks only when something would be lost, otherwise clears at once.
A change the server keeps refusing	Card at top → Retry / Discard	1	New in this round: refused writes are set aside, and the rest keep syncing. Discard is one tap with no Undo (UX-046).
Sign out	Review → Settings → scroll → Sign out → confirm	4 + scroll	Now at the end of Settings. Widget writes still waiting are counted in the warning too (146861c).
Delete the account	Review → Settings → scroll → Delete account... → (Export) → type DELETE → Delete my account	4-5 + type	Real friction, as it should be for the only irreversible action. Export is inline. The summary names unsynced changes. After success, login says "Account deleted".

6. Heuristic review (Nielsen's 10)

Heuristic	R2	R3	Evidence
1. Visibility of system status	5	5	The sync line now separates offline, stalled and stuck states and counts each (<code>components/ui/sync-status.tsx:67-103</code>). The widget says whether a log is "Logged" or "syncs later". One false positive: "Took back Rent" before the undo is actually queued (UX-042).
2. Match with the real world	4	4	"Was due Mon 5 Oct", Bangla keypad, lakh grouping. Quiet hours and shutdown time are offered as "21:00" while the rest of the app says "9:00 pm" (UX-045).
3. User control and freedom	4	5	Undo now covers every one-tap write: complete, delete, snooze, quick-add, bulk move, habit reset, Paid/Received/Skip, widget quick-log, planner drag and AI changes. Edges: offline restart (UX-042) and Discard (UX-046).
4. Consistency and standards	4	4	PickerField is spreading (habit, planning, notifications), and <code>choiceA11y</code> gives one rule for roles. Chip rows remain in five sheets, and nine chip rows don't use the rule yet (UX-013, UX-036).
5. Error prevention	4	5	Typed DELETE with export first, a "New chat" warning, foreign-currency pay routed to the sheet, and pay/skip idempotent through <code>dueAt</code> .
6. Recognition rather than recall	4	4	Settings rows show current values. A picker whose stored value isn't in its preset list reads "Choose" instead of the value (UX-045).
7. Flexibility and efficiency	5	5	Unchanged: natural-language capture, AI, widget, launcher shortcuts, swipe.
8. Aesthetic and minimalist design	4	4	"Today and planning" is a calm list of fields. Account, bill, goal and event sheets are still chip-heavy.
9. Help users recover from errors	4	5	Sign-in and delete errors go through <code>error-copy.ts</code> . Stuck writes can be retried or discarded instead of blocking the queue. Export failures notify calmly.
10. Help and documentation	4	4	The Numbers caption now says exactly what it covers. The delete page explains what goes. README screenshots are out of date (UX-029).

Average **4.5 / 5** (round 2: 4.2).

7. Findings

Open findings at [7e2bfeb](#). New ones are numbered from UX-042. Round-2 findings that are only partly fixed keep their IDs, marked "carried". Paths are relative to `apps/mobile/src/` unless they start at the repo root. Findings are sorted by severity within each group.

7.1 User control and data trust

UX-042 · An offline "Paid" Undo can be lost, though the app already said "Took back"

Medium User control / visibility of status · New · code path verified, device run **Unverified**

Where

`features/money/recurring-pay.ts:41-60`; `features/today/next-up.tsx:48-60`;
`features/money/recurring-sheet.tsx:124-133`; `lib/outbox-queue.ts:69, 169-180`
(waiters are an in-memory Map)

What's wrong

The pay request goes into the persisted outbox, but its Undo waits on the in-memory promise `send.async(...)`. The DELETE and PATCH that reverse it are only queued once the pay's reply arrives. Offline, the user taps Paid, then Undo, and sees "Took back Rent" at once. If Android kills the app before the phone reconnects (common for a backgrounded app on a rickshaw ride), the waiter is gone. On the next launch the outbox sends the pay, nobody sends the undo, and the bill is paid with a transaction logged. Undo also does nothing if the pay is refused or set aside as stuck, while still saying "Took back". Quick-add and the widget avoid this because their Undo uses a client-made id that can be deleted later.

Evidence

```
const paid = send.async({ method: "POST", path:
  `/recurring/${item.id}/pay`, body, ... })
  .catch(() => null) as Promise<PayReply | null>;
return () => {
  void paid.then((reply) => {           // only after the reply, only in
    this process
    if (!reply) return;
    for (const request of undoPayRequests(item.id, item.name, reply))
      send(request);
  });
};
// next-up.tsx:56-59
onPress: () => { undo(); notify(`Took back ${item.name}`); } // said
immediately
```

Why it matters

A phantom payment changes safe-to-spend and moves the bill's next date. The user was told it didn't happen, so they won't look for it. That breaks trust in "can I afford it?", the question the app exists to answer.

Recommendation

Make the undo durable and say what is true:

- If the pay is still waiting in the outbox, remove it from the queue (an `outbox.cancel(entryId)`, as the widget does with its pending list) and say "Took back Rent".
- If it has been sent, queue the reversal with what the client already knows: DELETE `/transactions/{transactionId}` (the id is made on the phone) plus a PATCH to the `dueAt` it sent.
- If neither is possible, say "Rent will be taken back once it syncs".
- Add a test that persists the queue between "pay" and "undo".

Effort

M

UX-046 · "Discard" on a stuck change is one tap with no Undo

Low User control / error prevention · New


Where	<code>components/ui/sync-status.tsx:42-53</code> ; <code>lib/outbox.ts:59-64</code>
What's wrong	When the server keeps refusing a write, it is set aside in a card with "Retry" (secondary) and "Discard" (ghost) right next to each other. Discard throws the change away at once. Everywhere else the app offers Undo instead of "Are you sure?".
Why it matters	The card can hold a money write (for example "Couldn't log Rent"). A mis-tap loses something the user typed, with no way back. It happens rarely, but when it does the change is gone for good.
Recommendation	<code>notify("Discarded "Couldn't log Rent", { label: "Undo", onPress: () => outbox.restoreStuck(entry) })</code> , or keep discarded entries for a session. Put a gap between the two buttons, or put Discard behind "More".
Effort	S

7.2 Widget

UX-043 · The widget's quick-log row is probably hidden at the default size, and labels clip at minimum width

Medium Core flow / principle 2 · New (side effect of the UX-031 fix) · **Unverified**

Where	<code>features/widget/safe-to-spend-widget.tsx:27-29</code> (<code>COMPACT = 160</code> , <code>TALL = 240</code>), <code>:152-155</code> , <code>:281-295</code> , <code>:296-333</code> ; <code>apps/mobile/app.json:71-74</code> (<code>minWidth 250dp</code> , <code>minHeight 130dp</code> , <code>targetCellWidth 4</code> , <code>targetCellHeight 2</code>)
What's wrong	Making every widget target 48 dp was right, but the quick-log row ("Cha ₿20", "Rickshaw ₿60") now appears only when the widget is at least 240 dp tall. Before, the threshold was 170 dp (<code>git show df29d67:...safe-to-spend-widget.tsx:58</code>). A 2-row widget on common Android launchers is about 180-220 dp, so at the default 4×2 size the one-tap logs, the feature the widget description advertises, probably don't show, and nothing hints that resizing brings them back. At the 250 dp minimum width, the four action pills (<code>flex: 1</code> , 6 dp gaps, 12 dp padding) get about 52 dp each. " - Expense" in 13 px bold needs about 65 dp, and with <code>maxLines={1}</code> and no truncation it clips.
Evidence	<pre>/** At or above this height (dp) there's room for the quick-log row. */ const TALL = 240; ... const tall = height >= TALL; const showQuick = tall && !undo && cache.quick.length > 0;</pre>



docs/screenshots/widget.png (2026-10-05) shows the **pre-fix** widget: old palette, 36 dp pills, quick-log chips visible at the default height. It is the "before" state for UX-031 and for this trade-off. It is not what the current code renders.

Why it matters PRODUCT.md's money scene is "at a shop counter... log an expense in under five seconds". The widget's quick-log is the fastest path the app has (1 tap). If it hides by default, most users never find it.

Recommendation Check the real `widgetInfo.height` on a Pixel and a Samsung launcher at 4×2.

- If the row is hidden, let quick-log replace the four action pills in the normal size: two quick-logs plus "+ Task" and "- Expense" fit in one 48 dp row.
- Or drop the Next-up card's progress line in that size to make room.
- Use two-letter glyph labels (" + ", " - ", "►", "👉") with full `accessibilityLabels` below 300 dp width.
- Record the trade in DESIGN.md.

Effort M

7.3 Accessibility

UX-036 (carried) · Radio semantics reached only part of the chip rows

Low Accessibility / screen reader · Round 2: Low → partly fixed · **Unverified** on device

Where `components/ui/chip.tsx:24` (default choice = "action"). Still "button, selected": `features/money/account-sheet.tsx:156, 168`; `features/money/recurring-sheet.tsx:220, 251`; `features/money/goal-sheet.tsx:97`; `features/money/event-sheet.tsx:82`; `features/settings/category-sheet.tsx:124`; `features/plan/area-sheet.tsx:112`; `features/time/time-entry-sheet.tsx:117`. On/off as buttons: `time-entry-sheet.tsx:142`, `time/time-tracking.tsx:114` ("Billable"), `tasks/task-more-fields.tsx:52, 90`. Tabs without a tablist: `components/navigation/tab-bar.tsx:45, 105`.

What's wrong `choiceA11y` is a good single rule (radio/checkbox with `checked`, tab with `selected`), and Segmented, swatches, the picker grid and 13 chip call sites use it. Because Chip defaults to "action", every call site that wasn't touched still says "button, selected". Toggle chips such as "Billable" / "Not billable" change their label instead of reporting a state. The tab bar is the same "tab without tablist" pattern that round 2 flagged in Segmented.

Recommendation Make `choice` required on Chip, so the compiler lists every call site. Use `accessibilityRole="switch"` with `checked` and a fixed label ("Billable") for on/off chips. Give the tab-bar capsule `accessibilityRole="tablist"`.

Effort S

UX-047 · Report chart axis labels are 10 px

Low Accessibility / type scale · New (pre-existing, missed in round 2)

Where	<code>features/review/insights-screen.tsx:99-105</code> (<code>yAxisTextStyle / xAxisLabelTextStyle</code> <code>fontSize: 10</code>); <code>features/time/focus-stats.tsx</code> and <code>features/review/ai-usage-screen.tsx</code> leave the chart library's default size
What's wrong	DESIGN.md: "Caption (13) is the smallest text; nothing goes below it except tab labels (12)." The chart axes in Reports are 10 px muted text, drawn by the chart library, so they may not follow the system font size. Insights does list the monthly figures as text below the chart, which keeps the data accessible.
Recommendation	<code>fontSize: 13</code> for both axis styles. Fewer x labels if needed (every 2nd month, every 5th day, as the AI chart already does).
Effort	S

UX-040 (carried) · Calendar cells are still about 43-46 dp wide in practice

Low Mobile ergonomics · Round 2: Low → partly fixed · **Unverified**

Where	<code>features/money/money-calendar.tsx:115</code> (inside <code>Card p-2</code> : $(360 - 40 - 16) / 7 \approx 43$ dp); <code>features/plan/calendar-view.tsx:137</code> (≈ 46 dp)
What's wrong	The week-planner header and transaction rows are fixed. The calendar cells got <code>hitSlop={{ left: 3, right: 3 }}</code> , which is what round 2 suggested. But the cells touch each other, so each cell's slop lies on top of its neighbour. RN hit-testing checks later siblings first, so a touch in cell n 's rightmost 3 dp may go to cell $n+1$. The usable width per day doesn't grow. This is my round-2 recommendation's flaw, not the implementer's. Heights (56-64 dp) are fine, and WCAG 2.5.8 (24 px) passes.
Recommendation	Remove the slop. Let the money calendar drop the card's horizontal padding (<code>px-0</code>) or bleed to the screen edge, which gives about 46 dp. Or accept 46 dp × 64 dp explicitly in DESIGN.md for 7-column grids.
Effort	S

7.4 Visual design and consistency

UX-013 (carried) · Chip rows remain in five less-used sheets

Low Visual design / minimalism (anti-reference) · Round 2: Medium → partly fixed, lowered to Low

Where	<code>features/money/account-sheet.tsx:155-170</code> (5 type chips + currency chips); <code>features/money/recurring-sheet.tsx:216-258</code> (BDT/USD/EUR chips, "Next due" date chip, 5 "Remind me" chips); <code>features/money/goal-sheet.tsx:95-118</code> and <code>event-sheet.tsx:80-107</code> (emoji rows + date chips); <code>features/time/time-entry-sheet.tsx:113-147</code> (duration chips, "Started" chip, "Billable" chip); <code>features/settings/category-sheet.tsx:122-140</code> , <code>features/plan/area-sheet.tsx:110-114</code> (emoji rows)
What's wrong	The habit sheet shows the target pattern: emoji grid behind "Emoji ▼", "How often ▼", "Nudge me at ▼". "Today and planning" and notifications are now one field per setting. The other money and time sheets weren't converted, although commit <code>d50237a</code> says they were. Chips are neutral now, so the "colourful chips" problem is gone. What remains is the wall-of-options look in a few sheets that are opened rarely.
Recommendation	Same PickerField approach: <code>layout="grid"</code> for emoji, a list for currency, account type, reminder days and durations. Date chips can stay as "Next due Mon 5 Oct ▼"-style fields. Correct the commit history note in the PR description.
Effort	M

UX-044 · Colour drift outside the new colour-meaning test

Low Visual design / principle 4 · New

Where	<code>features/review/ai-usage-screen.tsx:74</code> (<code>frontColor: colors.grape</code>), <code>:113</code> (<code>tone={... ? "coral" : "grape"}</code>); <code>components/ui/amount-keypad.tsx:73</code> (<code>bg-mango/30 on ÷ × − +</code>); <code>features/assistant/thinking-indicator.tsx:19</code> (mango, sky, grape dots); <code>features/settings/setting-row.tsx:31</code> (switch "on" track mango); <code>apps/mobile/test/colour-meaning.test.ts:33, 40</code>
What's wrong	The test's pattern <code>/ (iconColor tone color) (= :) [" { } * " grape " /</code> only catches a literal right after the prop. It misses <code>className="bg-grape..."</code> , <code>colors.grape</code> and ternaries, which is how the AI cost screen's purple bars got through. Mango, "reserved for the one primary action per screen", also tints four keypad keys on the same screen as the mango Save button.
Recommendation	Make the AI cost bars and bar neutral (<code>muted</code> , or <code>coral</code> when over the cap). Make keypad operators <code>bg-line</code> . Widen the test to match <code>grape</code> in any form (<code>/ \bgrape\b bg-grape text-grape colors\.grape /</code>) with the same allow-list, and add an allow-list for mango (FAB, primary button, draft Save, Tiki).
Effort	S

UX-048 · DESIGN.md contradicts itself in two places

Low Design system / documentation · New

Where	<code>DESIGN.md:21</code> (mango role "Primary action, FAB, selected state") vs <code>:34</code> ("Selected chips use the ink colour inverted... mango is reserved for the one primary action"); <code>DESIGN.md:73</code> ("secondary = surface with hairline border") vs <code>:20</code> (line-strong: "Input, outlined-button and switch-track boundaries") and <code>components/ui/button.tsx:18</code> (<code>border-line-strong</code>)
What's wrong	The code follows the newer rules (ink selection, line-strong outlines), but the older sentences are still in the yardstick. A future change could follow the stale line and reintroduce a 1.25:1 button border or mango selection.
Recommendation	Change the mango role to "Primary action, FAB" and the secondary button to "surface with line-strong border". Also record the "dates stay 0-9" and widget quick-log decisions (UX-043) while editing.
Effort	S

7.5 Content and settings

UX-045 · Settings pickers say "Choose" for values set elsewhere, and show 24-hour times

Low Recognition / match with the real world · New

Where	<code>components/ui/picker-field.tsx:66-70</code> (falls back to <code>placeholder</code>); <code>features/settings/planning-settings.tsx:22-29, 55-88</code> (preset lists); <code>features/settings/notification-settings.tsx:10, 23-43</code> ; <code>features/habits/habit-sheet.tsx:21, 100-106</code> ; <code>apps/api/src/modules/ai/assistant/tools.ts:107</code> (<code>update_settings</code>)
What's wrong	The pickers offer fixed presets: daily goal 0/3/5/7/10, work 15/25/45/50/90 min, quiet hours 21:00-00:00 and 06:00-08:00, 10 habit emoji. The schema allows any goal from 0 to 50 and any work length from 5 to 120, and Tiki can set them ("set my daily goal to 4"). Habits made by the assistant can have any emoji. In those cases the field reads "Daily task goal: Choose", which looks unset. The event sheet already handles this ("Keep an emoji picked elsewhere selectable", <code>event-sheet.tsx:80</code>). Separately, the time options read "21:00" and "22:30" while every other time in the app is "9:00 pm" (<code>formatClock</code>).
Recommendation	In <code>PickerField</code> , when <code>value</code> isn't in <code>options</code> , prepend it as an option labelled with its own value. Label time options with <code>formatClock</code> and keep the "HH:mm" id.
Effort	S

7.6 Documentation

UX-029 (carried) · README screenshots predate every fix	
Low Documentation · Round 1 and 2: not fixed	
Where	docs/screenshots/*.png (23 files, last commit 1f25750 , 2026-10-05); README.md:11-13, 44-72
What's wrong	The README and any store or OAuth listing still show the old widget (2.84:1 "Expense" pill), unsigned coral expenses, the chip-wall task sheet and the old Today order. It is understandable that they couldn't be re-shot without Play services, but the README doesn't say they are out of date.
Recommendation	Re-shoot on a real device once UX-042 and UX-043 are settled. Until then, add one line under "Screenshots": "Taken 2026-10-05, before the accessibility and colour fixes."
Effort	S

8. Top 10 quick wins

#	Change	Fixes	Effort
1	Pay Undo: cancel the queued pay if it is still in the outbox, otherwise queue DELETE + PATCH from client-known ids. Say "will be taken back once it syncs" when neither is possible.	UX-042	M
2	Measure the widget at 4x2 on two launchers. If the row is hidden, swap two action pills for quick-logs at normal height.	UX-043	S-M
3	Make <code>choice</code> required on Chip; use <code>switch</code> for on/off chips; add a tablist on the tab-bar capsule.	UX-036	S
4	Widen the colour-meaning regex; neutral AI cost bars; <code>bg-line</code> keypad operators.	UX-044	S
5	PickerField: show an off-list stored value instead of "Choose"; format times with <code>formatClock</code> .	UX-045	S
6	Undo on "Discard" for stuck changes.	UX-046	S
7	Chart axis labels at 13 px.	UX-047	S
8	Fix the two stale DESIGN.md sentences; record "dates stay 0-9" and the widget height trade.	UX-048	S
9	Remove the overlapping calendar hitSlop; drop the card padding on the money calendar.	UX-040	S
10	One line under README › Screenshots saying when they were taken.	UX-029	S

9. Three bigger redesign suggestions

R1. One durable "reversible write" primitive (UX-042, UX-046)

The app now has four Undo mechanisms: client-id DELETE (quick-add, widget), the server's `before` state (bulk moves), the server's `previousDueAt` (pay), and local `previousFields` (planner moves). Only the first survives a restart. Put them behind one outbox call: `outbox.reversible(request, inverse)`. It stores the inverse next to the entry. Undo either cancels the queued entry or enqueues the stored inverse, and both are persisted. The snackbar copy then comes from the outcome ("Took back" or "Will be taken back once it syncs"), not from the tap.

R2. A widget layout per size class (UX-043)

Define three named layouts: compact (<160), normal (160-239) and tall (≥240). Write down what each must show, in this priority order: safe-to-spend, then one-tap logging, then Next up, then shortcuts. Add a pure `widgetLayout(height, width)` function with tests, as the colours already have. That makes the 48 dp versus content trade a recorded decision instead of a constant in the code.

R3. Finish the form vocabulary (UX-013, UX-036, UX-045)

Three field types cover every remaining chip row: `ChoiceField` (PickerField + radio semantics + off-list value), `ToggleField` (a switch row) and `DateField` ("Next due Mon 5 Oct ▼"). With those, Chip is

left for true actions and multi-select, and its `choice` prop can become required. Converting the account, bill, goal, event and time-entry sheets is then a mechanical change.

10. Strengths (keep these)

- **Tests that guard the design system.** `contrast.test.ts` covers text, tints, fills, sole-cue marks, both accent themes and the widget. `colour-meaning.test.ts` limits purple to habits. `snack-timing.test.ts` pins the WCAG 2.2.1 behaviour. My independent script found 0 token mismatches across `palette.ts`, `global.css` and `DESIGN.md`, and no text pair under 4.5:1 anywhere.
- **The widget fix went to the root cause.** Instead of new hex values, the widget derives its colours from the tested palette (`widget-colors.ts`), so it can't drift again. It also gained numerals, 48 dp targets and an offline-safe Undo with a "Keep" option.
- **Undo is now the rule, not the exception.** Paid, Received, Skip, planner drags, widget quick-logs, quick-add, bulk moves, deletes and AI changes can all be taken back, and the snackbar waits for TalkBack users.
- **Real friction exactly once.** Account deletion has its own page with export first, an unsynced-change count, typed DELETE, mapped errors, and a confirmation on login afterwards. Nothing else in the app asks "Are you sure?".
- **Copy is kind and specific:** "Was due Mon 5 Oct", "A fresh start", "A quiet week. Next week is a fresh start.", "2 changes are waiting for your answer.. A new chat drops them." Plurals come from one helper.
- **Honest scope statements:** the Numbers caption says what it covers, and the FAB trade-off is measured and recorded.
- **Sync status that informs without alarming:** offline, stalled and stuck are told apart, and a stuck write no longer blocks everything behind it.
- **Reduce motion, font scaling and roles** stay as solid as in round 2: 6 components check `useReducedMotion`, 0 uses of `allowFontScaling={false}`, and 84 `accessibilityRole` props.

11. Action plan

Order	ID	Title	Severity	Effort
1	UX-042	Durable, truthful Undo for offline Paid/Received/Skip	Medium	M
2	UX-043	Widget quick-log visible at the default size; no clipped pills	Medium	M
3	UX-036	Required choice on Chip; switches; tablist	Low	S
4	UX-044	Colour drift outside the test; widen the test	Low	S
5	UX-045	Off-list picker values; 12-hour time labels	Low	S
6	UX-046	Undo for Discard	Low	S
7	UX-047	13 px chart labels	Low	S
8	UX-048	DESIGN.md self-contradictions	Low	S
9	UX-040	Calendar cell width (remove overlapping slop)	Low	S
10	UX-013	Pickers in the account, bill, goal, event and time-entry sheets	Low	M
11	UX-029	Re-shoot screenshots (or date them)	Low	S

11 open findings. The order is impact over effort. UX-042 comes first because it is the only place the app can tell the user something about their money that isn't true.

Appendix A. WCAG contrast ratios (computed)

Method. WCAG 2.x relative luminance, $(L1 + 0.05) / (L2 + 0.05)$. A script parsed `theme/palette.ts` (base and accent themes), checked it equal to `global.css` and to the DESIGN.md table (0 mismatches in 70 comparisons), and rebuilt the widget palette with the same `blend()` as `widget-colors.ts`. Translucent fills are flattened onto the surface below. Thresholds: 4.5 for text, 3.0 for sole-cue marks and component boundaries. "Informative" rows show the bright marks where they sit beside a label or value (allowed by DESIGN.md), so a ratio under 3 there is *not* a failure. "n/a" marks decorative hairlines and fills where 1.4.11 does not apply. The ratios DESIGN.md quotes all reproduce (tokens unchanged since round 2).

light

Foreground	Background	Hex	Ratio	Needs	Result	Use
ink	background	#23202B / #FFF8EE	15.17	4.5	PASS	text
ink	card	#23202B / #FFFFFF	15.99	4.5	PASS	text
muted	background	#6B655F / #FFF8EE	5.45	4.5	PASS	text
muted	card	#6B655F / #FFFFFF	5.75	4.5	PASS	text
mangoText	background	#8A5A00 / #FFF8EE	5.62	4.5	PASS	text
mangoText	card	#8A5A00 / #FFFFFF	5.93	4.5	PASS	text
skyText	background	#2C5BCB / #FFF8EE	5.75	4.5	PASS	text
skyText	card	#2C5BCB / #FFFFFF	6.06	4.5	PASS	text
mintText	background	#11725D / #FFF8EE	5.55	4.5	PASS	text
mintText	card	#11725D / #FFFFFF	5.85	4.5	PASS	text
coralText	background	#B23A2A / #FFF8EE	5.64	4.5	PASS	text
coralText	card	#B23A2A / #FFFFFF	5.95	4.5	PASS	text
grapeText	background	#6E44D6 / #FFF8EE	5.75	4.5	PASS	text
grapeText	card	#6E44D6 / #FFFFFF	6.07	4.5	PASS	text
skyText	sky/15 over background	#2C5BCB / #E6E8F1	4.96	4.5	PASS	tinted chip / icon circle
skyText	sky/15 over card	#2C5BCB / #E6EEFF	5.20	4.5	PASS	tinted chip / icon circle
mintText	mint/15 over background	#11725D / #E0F0E2	4.94	4.5	PASS	tinted chip / icon circle
mintText	mint/15 over card	#11725D / #E0F6F1	5.19	4.5	PASS	tinted chip / icon circle

Foreground	Background	Hex	Ratio	Needs	Result	Use
coralText	coral/15 over background	#B23A2A / #FFE5DA	4.95	4.5	PASS	tinted chip / icon circle
coralText	coral/15 over card	#B23A2A / #FFEBE9	5.19	4.5	PASS	tinted chip / icon circle
grapeText	grape/15 over background	#6E44D6 / #F2E5F1	4.99	4.5	PASS	tinted chip / icon circle
grapeText	grape/15 over card	#6E44D6 / #F2EBFF	5.23	4.5	PASS	tinted chip / icon circle
muted	line/60 over background	#6B655F / #F5EDE1	4.95	4.5	PASS	segmented (unselected)
ink	card (segmented selected)	#23202B / #FFFFFF	15.99	4.5	PASS	segmented (selected)
on-mango	mango fill	#23202B / #FFB547	9.10	4.5	PASS	text/icon on fill
on-mango	sky fill	#23202B / #5B8CFF	5.06	4.5	PASS	text/icon on fill
on-mango	mint fill	#23202B / #2EC4A0	7.25	4.5	PASS	text/icon on fill
on-mango	coral fill	#23202B / #FF7A6B	6.28	4.5	PASS	text/icon on fill
on-mango	grape fill	#23202B / #A57BFF	5.24	4.5	PASS	text/icon on fill
background	ink	#FFF8EE / #23202B	15.17	4.5	PASS	selected chip, snackbar text
mangoInverse	ink	#FFB547 / #23202B	9.10	4.5	PASS	snackbar Undo
ink	mango/30 over background	#23202B / #FFE4BC	13.01	4.5	PASS	keypad operator key
ink	mango/30 over card	#23202B / #FFE9C8	13.51	4.5	PASS	keypad operator key
ink	coral/10 over card	#23202B / #FFF2F0	14.63	4.5	PASS	login error box
ink	sky/15 over card	#23202B / #E6EEFF	13.74	4.5	PASS	calendar today cell
ink	line (tab pill)	#23202B / #EEE5D8	12.82	4.5	PASS	active tab icon on pill
muted	card	#6B655F / #FFFFFF	5.75	4.5	PASS	inactive tab label 12px
skyText	background	#2C5BCB / #FFF8EE	5.75	3.0	PASS	sole-cue mark / boundary
skyText	card	#2C5BCB / #FFFFFF	6.06	3.0	PASS	sole-cue mark / boundary
mintText	background	#11725D / #FFF8EE	5.55	3.0	PASS	sole-cue mark / boundary
mintText	card	#11725D / #FFFFFF	5.85	3.0	PASS	sole-cue mark / boundary
coralText	background	#B23A2A / #FFF8EE	5.64	3.0	PASS	sole-cue mark / boundary
coralText	card	#B23A2A / #FFFFFF	5.95	3.0	PASS	sole-cue mark / boundary

Foreground	Background	Hex	Ratio	Needs	Result	Use
grapeText	background	#6E44D6 / #FFF8EE	5.75	3.0	PASS	sole-cue mark / boundary
grapeText	card	#6E44D6 / #FFFFFF	6.07	3.0	PASS	sole-cue mark / boundary
lineStrong	background	#8F8475 / #FFF8EE	3.48	3.0	PASS	sole-cue mark / boundary
lineStrong	card	#8F8475 / #FFFFFF	3.67	3.0	PASS	sole-cue mark / boundary
sky (bright)	background	#5B8CFF / #FFF8EE	2.999	3.0*	below 3 (informative)	bright mark beside a label (informative)
sky (bright)	card	#5B8CFF / #FFFFFF	3.16	3.0*	PASS	bright mark beside a label (informative)
mint (bright)	background	#2EC4A0 / #FFF8EE	2.09	3.0*	below 3 (informative)	bright mark beside a label (informative)
mint (bright)	card	#2EC4A0 / #FFFFFF	2.21	3.0*	below 3 (informative)	bright mark beside a label (informative)
coral (bright)	background	#FF7A6B / #FFF8EE	2.41	3.0*	below 3 (informative)	bright mark beside a label (informative)
coral (bright)	card	#FF7A6B / #FFFFFF	2.55	3.0*	below 3 (informative)	bright mark beside a label (informative)
grape (bright)	background	#A57BFF / #FFF8EE	2.90	3.0*	below 3 (informative)	bright mark beside a label (informative)
grape (bright)	card	#A57BFF / #FFFFFF	3.05	3.0*	PASS	bright mark beside a label (informative)
mango (bright)	background	#FFB547 / #FFF8EE	1.67	3.0*	below 3 (informative)	bright mark beside a label (informative)
mango (bright)	card	#FFB547 / #FFFFFF	1.76	3.0*	below 3 (informative)	bright mark beside a label (informative)
line	background	#EEE5D8 / #FFF8EE	1.18	—	n/a	hairline (decorative)
line	card	#EEE5D8 / #FFFFFF	1.25	—	n/a	hairline (decorative)

light / mint-breeze

Foreground	Background	Hex	Ratio	Needs	Result	Use
ink	background	#23202B / #ECFAF5	14.90	4.5	PASS	text
ink	card	#23202B / #FFFFFF	15.99	4.5	PASS	text
muted	background	#6B655F / #ECFAF5	5.36	4.5	PASS	text
muted	card	#6B655F / #FFFFFF	5.75	4.5	PASS	text
mangoText	background	#8A5A00 / #ECFAF5	5.52	4.5	PASS	text
mangoText	card	#8A5A00 / #FFFFFF	5.93	4.5	PASS	text
skyText	background	#2C5BCB / #ECFAF5	5.64	4.5	PASS	text
skyText	card	#2C5BCB / #FFFFFF	6.06	4.5	PASS	text
mintText	background	#11725D / #ECFAF5	5.45	4.5	PASS	text
mintText	card	#11725D / #FFFFFF	5.85	4.5	PASS	text
coralText	background	#B23A2A / #ECFAF5	5.54	4.5	PASS	text
coralText	card	#B23A2A / #FFFFFF	5.95	4.5	PASS	text
grapeText	background	#6E44D6 / #ECFAF5	5.65	4.5	PASS	text

Foreground	Background	Hex	Ratio	Needs	Result	Use
grapeText	card	#6E44D6 / #FFFFFF	6.07	4.5	PASS	text
skyText	background	#2C5BCB / #ECFAF5	5.64	3.0	PASS	sole-cue mark / boundary
skyText	card	#2C5BCB / #FFFFFF	6.06	3.0	PASS	sole-cue mark / boundary
mintText	background	#11725D / #ECFAF5	5.45	3.0	PASS	sole-cue mark / boundary
mintText	card	#11725D / #FFFFFF	5.85	3.0	PASS	sole-cue mark / boundary
coralText	background	#B23A2A / #ECFAF5	5.54	3.0	PASS	sole-cue mark / boundary
coralText	card	#B23A2A / #FFFFFF	5.95	3.0	PASS	sole-cue mark / boundary
grapeText	background	#6E44D6 / #ECFAF5	5.65	3.0	PASS	sole-cue mark / boundary
grapeText	card	#6E44D6 / #FFFFFF	6.07	3.0	PASS	sole-cue mark / boundary
lineStrong	background	#8F8475 / #ECFAF5	3.42	3.0	PASS	sole-cue mark / boundary
lineStrong	card	#8F8475 / #FFFFFF	3.67	3.0	PASS	sole-cue mark / boundary

light / grape-dusk

Foreground	Background	Hex	Ratio	Needs	Result	Use
ink	background	#23202B / #F6F1FF	14.43	4.5	PASS	text
ink	card	#23202B / #FFFFFF	15.99	4.5	PASS	text
muted	background	#6B655F / #F6F1FF	5.19	4.5	PASS	text
muted	card	#6B655F / #FFFFFF	5.75	4.5	PASS	text
mangoText	background	#8A5A00 / #F6F1FF	5.35	4.5	PASS	text
mangoText	card	#8A5A00 / #FFFFFF	5.93	4.5	PASS	text
skyText	background	#2C5BCB / #F6F1FF	5.47	4.5	PASS	text
skyText	card	#2C5BCB / #FFFFFF	6.06	4.5	PASS	text
mintText	background	#11725D / #F6F1FF	5.28	4.5	PASS	text
mintText	card	#11725D / #FFFFFF	5.85	4.5	PASS	text
coralText	background	#B23A2A / #F6F1FF	5.36	4.5	PASS	text
coralText	card	#B23A2A / #FFFFFF	5.95	4.5	PASS	text
grapeText	background	#6E44D6 / #F6F1FF	5.47	4.5	PASS	text
grapeText	card	#6E44D6 / #FFFFFF	6.07	4.5	PASS	text
skyText	background	#2C5BCB / #F6F1FF	5.47	3.0	PASS	sole-cue mark / boundary
skyText	card	#2C5BCB / #FFFFFF	6.06	3.0	PASS	sole-cue mark / boundary
mintText	background	#11725D / #F6F1FF	5.28	3.0	PASS	sole-cue mark / boundary
mintText	card	#11725D / #FFFFFF	5.85	3.0	PASS	sole-cue mark / boundary
coralText	background	#B23A2A / #F6F1FF	5.36	3.0	PASS	sole-cue mark / boundary
coralText	card	#B23A2A / #FFFFFF	5.95	3.0	PASS	sole-cue mark / boundary
grapeText	background	#6E44D6 / #F6F1FF	5.47	3.0	PASS	sole-cue mark / boundary
grapeText	card	#6E44D6 / #FFFFFF	6.07	3.0	PASS	sole-cue mark / boundary
lineStrong	background	#8F8475 / #F6F1FF	3.31	3.0	PASS	sole-cue mark / boundary
lineStrong	card	#8F8475 / #FFFFFF	3.67	3.0	PASS	sole-cue mark / boundary

dark

Foreground	Background	Hex	Ratio	Needs	Result	Use
ink	background	#F4F1EA / #16151C	16.07	4.5	PASS	text
ink	card	#F4F1EA / #22202B	14.22	4.5	PASS	text

Foreground	Background	Hex	Ratio	Needs	Result	Use
muted	background	#A09AA6 / #16151C	6.62	4.5	PASS	text
muted	card	#A09AA6 / #22202B	5.86	4.5	PASS	text
mangoText	background	#FFC266 / #16151C	11.36	4.5	PASS	text
mangoText	card	#FFC266 / #22202B	10.05	4.5	PASS	text
skyText	background	#7AA2FF / #16151C	7.29	4.5	PASS	text
skyText	card	#7AA2FF / #22202B	6.44	4.5	PASS	text
mintText	background	#4FD8B5 / #16151C	10.21	4.5	PASS	text
mintText	card	#4FD8B5 / #22202B	9.03	4.5	PASS	text
coralText	background	#FF9385 / #16151C	8.43	4.5	PASS	text
coralText	card	#FF9385 / #22202B	7.46	4.5	PASS	text
grapeText	background	#B996FF / #16151C	7.66	4.5	PASS	text
grapeText	card	#B996FF / #22202B	6.77	4.5	PASS	text
skyText	sky/15 over background	#7AA2FF / #252A3E	5.70	4.5	PASS	tinted chip / icon circle
skyText	sky/15 over card	#7AA2FF / #2F344B	4.92	4.5	PASS	tinted chip / icon circle
mintText	mint/15 over background	#4FD8B5 / #1F3233	7.57	4.5	PASS	tinted chip / icon circle
mintText	mint/15 over card	#4FD8B5 / #293C40	6.51	4.5	PASS	tinted chip / icon circle
coralText	coral/15 over background	#FF9385 / #39282C	6.45	4.5	PASS	tinted chip / icon circle
coralText	coral/15 over card	#FF9385 / #433138	5.63	4.5	PASS	tinted chip / icon circle
grapeText	grape/15 over background	#B996FF / #2E283E	5.96	4.5	PASS	tinted chip / icon circle
grapeText	grape/15 over card	#B996FF / #39324B	5.12	4.5	PASS	tinted chip / icon circle
muted	line/60 over background	#A09AA6 / #282631	5.43	4.5	PASS	segmented (unselected)
ink	card (segmented selected)	#F4F1EA / #22202B	14.22	4.5	PASS	segmented (selected)
on-mango	mango fill	#23202B / #FFC266	10.02	4.5	PASS	text/icon on fill
on-mango	sky fill	#23202B / #7AA2FF	6.43	4.5	PASS	text/icon on fill
on-mango	mint fill	#23202B / #4FD8B5	9.00	4.5	PASS	text/icon on fill

Foreground	Background	Hex	Ratio	Needs	Result	Use
on-mango	coral fill	#23202B / #FF9385	7.44	4.5	PASS	text/icon on fill
on-mango	grape fill	#23202B / #B996FF	6.76	4.5	PASS	text/icon on fill
background	ink	#16151C / #F4F1EA	16.07	4.5	PASS	selected chip, snackbar text
mangoInverse	ink	#8A5A00 / #F4F1EA	5.25	4.5	PASS	snackbar Undo
ink	mango/30 over background	#F4F1EA / #5C4932	7.59	4.5	PASS	keypad operator key
ink	mango/30 over card	#F4F1EA / #64513D	6.68	4.5	PASS	keypad operator key
ink	coral/10 over card	#F4F1EA / #382C34	11.80	4.5	PASS	login error box
ink	sky/15 over card	#F4F1EA / #2F344B	10.86	4.5	PASS	calendar today cell
ink	line (tab pill)	#F4F1EA / #34313F	11.23	4.5	PASS	active tab icon on pill
muted	card	#A09AA6 / #22202B	5.86	4.5	PASS	inactive tab label 12px
skyText	background	#7AA2FF / #16151C	7.29	3.0	PASS	sole-cue mark / boundary
skyText	card	#7AA2FF / #22202B	6.44	3.0	PASS	sole-cue mark / boundary
mintText	background	#4FD8B5 / #16151C	10.21	3.0	PASS	sole-cue mark / boundary
mintText	card	#4FD8B5 / #22202B	9.03	3.0	PASS	sole-cue mark / boundary
coralText	background	#FF9385 / #16151C	8.43	3.0	PASS	sole-cue mark / boundary
coralText	card	#FF9385 / #22202B	7.46	3.0	PASS	sole-cue mark / boundary
grapeText	background	#B996FF / #16151C	7.66	3.0	PASS	sole-cue mark / boundary
grapeText	card	#B996FF / #22202B	6.77	3.0	PASS	sole-cue mark / boundary
lineStrong	background	#7A748C / #16151C	4.06	3.0	PASS	sole-cue mark / boundary
lineStrong	card	#7A748C / #22202B	3.59	3.0	PASS	sole-cue mark / boundary
sky (bright)	background	#7AA2FF / #16151C	7.29	3.0*	PASS	bright mark beside a label (informative)
sky (bright)	card	#7AA2FF / #22202B	6.44	3.0*	PASS	bright mark beside a label (informative)
mint (bright)	background	#4FD8B5 / #16151C	10.21	3.0*	PASS	bright mark beside a label (informative)
mint (bright)	card	#4FD8B5 / #22202B	9.03	3.0*	PASS	bright mark beside a label (informative)
coral (bright)	background	#FF9385 / #16151C	8.43	3.0*	PASS	bright mark beside a label (informative)

Foreground	Background	Hex	Ratio	Needs	Result	Use
coral (bright)	card	#FF9385 / #22202B	7.46	3.0*	PASS	bright mark beside a label (informative)
grape (bright)	background	#B996FF / #16151C	7.66	3.0*	PASS	bright mark beside a label (informative)
grape (bright)	card	#B996FF / #22202B	6.77	3.0*	PASS	bright mark beside a label (informative)
mango (bright)	background	#FFC266 / #16151C	11.36	3.0*	PASS	bright mark beside a label (informative)
mango (bright)	card	#FFC266 / #22202B	10.05	3.0*	PASS	bright mark beside a label (informative)
line	background	#34313F / #16151C	1.43	—	n/a	hairline (decorative)
line	card	#34313F / #22202B	1.27	—	n/a	hairline (decorative)

dark / mint-breeze

Foreground	Background	Hex	Ratio	Needs	Result	Use
ink	background	#F4F1EA / #101C1A	15.47	4.5	PASS	text
ink	card	#F4F1EA / #1A2825	13.55	4.5	PASS	text
muted	background	#A09AA6 / #101C1A	6.37	4.5	PASS	text
muted	card	#A09AA6 / #1A2825	5.58	4.5	PASS	text
mangoText	background	#FFC266 / #101C1A	10.94	4.5	PASS	text
mangoText	card	#FFC266 / #1A2825	9.58	4.5	PASS	text
skyText	background	#7AA2FF / #101C1A	7.02	4.5	PASS	text
skyText	card	#7AA2FF / #1A2825	6.14	4.5	PASS	text
mintText	background	#4FD8B5 / #101C1A	9.83	4.5	PASS	text
mintText	card	#4FD8B5 / #1A2825	8.60	4.5	PASS	text
coralText	background	#FF9385 / #101C1A	8.12	4.5	PASS	text
coralText	card	#FF9385 / #1A2825	7.11	4.5	PASS	text
grapeText	background	#B996FF / #101C1A	7.37	4.5	PASS	text
grapeText	card	#B996FF / #1A2825	6.45	4.5	PASS	text
skyText	background	#7AA2FF / #101C1A	7.02	3.0	PASS	sole-cue mark / boundary
skyText	card	#7AA2FF / #1A2825	6.14	3.0	PASS	sole-cue mark / boundary
mintText	background	#4FD8B5 / #101C1A	9.83	3.0	PASS	sole-cue mark / boundary
mintText	card	#4FD8B5 / #1A2825	8.60	3.0	PASS	sole-cue mark / boundary
coralText	background	#FF9385 / #101C1A	8.12	3.0	PASS	sole-cue mark / boundary
coralText	card	#FF9385 / #1A2825	7.11	3.0	PASS	sole-cue mark / boundary
grapeText	background	#B996FF / #101C1A	7.37	3.0	PASS	sole-cue mark / boundary
grapeText	card	#B996FF / #1A2825	6.45	3.0	PASS	sole-cue mark / boundary
lineStrong	background	#7A748C / #101C1A	3.91	3.0	PASS	sole-cue mark / boundary
lineStrong	card	#7A748C / #1A2825	3.42	3.0	PASS	sole-cue mark / boundary

dark / grape-dusk

Foreground	Background	Hex	Ratio	Needs	Result	Use
ink	background	#F4F1EA / #181424	15.99	4.5	PASS	text
ink	card	#F4F1EA / #241E34	14.21	4.5	PASS	text

Foreground	Background	Hex	Ratio	Needs	Result	Use
muted	background	#A09AA6 / #181424	6.59	4.5	PASS	text
muted	card	#A09AA6 / #241E34	5.85	4.5	PASS	text
mangoText	background	#FFC266 / #181424	11.30	4.5	PASS	text
mangoText	card	#FFC266 / #241E34	10.04	4.5	PASS	text
skyText	background	#7AA2FF / #181424	7.25	4.5	PASS	text
skyText	card	#7AA2FF / #241E34	6.44	4.5	PASS	text
mintText	background	#4FD8B5 / #181424	10.15	4.5	PASS	text
mintText	card	#4FD8B5 / #241E34	9.02	4.5	PASS	text
coralText	background	#FF9385 / #181424	8.39	4.5	PASS	text
coralText	card	#FF9385 / #241E34	7.45	4.5	PASS	text
grapeText	background	#B996FF / #181424	7.62	4.5	PASS	text
grapeText	card	#B996FF / #241E34	6.77	4.5	PASS	text
skyText	background	#7AA2FF / #181424	7.25	3.0	PASS	sole-cue mark / boundary
skyText	card	#7AA2FF / #241E34	6.44	3.0	PASS	sole-cue mark / boundary
mintText	background	#4FD8B5 / #181424	10.15	3.0	PASS	sole-cue mark / boundary
mintText	card	#4FD8B5 / #241E34	9.02	3.0	PASS	sole-cue mark / boundary
coralText	background	#FF9385 / #181424	8.39	3.0	PASS	sole-cue mark / boundary
coralText	card	#FF9385 / #241E34	7.45	3.0	PASS	sole-cue mark / boundary
grapeText	background	#B996FF / #181424	7.62	3.0	PASS	sole-cue mark / boundary
grapeText	card	#B996FF / #241E34	6.77	3.0	PASS	sole-cue mark / boundary
lineStrong	background	#7A748C / #181424	4.04	3.0	PASS	sole-cue mark / boundary
lineStrong	card	#7A748C / #241E34	3.59	3.0	PASS	sole-cue mark / boundary

widget light

Foreground	Background	Hex	Ratio	Needs	Result	Use
muted 13px	from	#6B655F / #FFF8EE	5.45	4.5	PASS	label
mintText 26 bold	from	#11725D / #FFF8EE	5.55	4.5	PASS	hero
coralText 26 bold	from	#B23A2A / #FFF8EE	5.64	4.5	PASS	hero (over)
ink 13px	from	#23202B / #FFF8EE	15.17	4.5	PASS	Undo-row status line
muted 13px	to	#6B655F / #FFF0DA	5.13	4.5	PASS	label
mintText 26 bold	to	#11725D / #FFF0DA	5.22	4.5	PASS	hero
coralText 26 bold	to	#B23A2A / #FFF0DA	5.30	4.5	PASS	hero (over)
ink 13px	to	#23202B / #FFF0DA	14.26	4.5	PASS	Undo-row status line
ink	card	#23202B / #FFFFFF	15.99	4.5	PASS	next-up title, quick-log, Undo, Tiki pills
muted	card	#6B655F / #FFFFFF	5.75	4.5	PASS	Next up label, Keep pill
skyText 13 bold	card	#2C5BCB / #FFFFFF	6.06	4.5	PASS	next-up time
skyText 13 bold	skyTint	#2C5BCB / #E6EEFF	5.20	4.5	PASS	Task / Focus pills
coralText 13 bold	coralTint	#B23A2A / #FFEBE9	5.19	4.5	PASS	Expense pill
mint bar	track	#2EC4A0 / #EEE5D8	1.77	—	n/a	spend bar (beside text)
card pill	to	#FFFFFF / #FFF0DA	1.12	—	n/a	pill boundary (label identifies it)

widget dark

Foreground	Background	Hex	Ratio	Needs	Result	Use
muted 13px	from	#A09AA6 / #22202B	5.86	4.5	PASS	label

Foreground	Background	Hex	Ratio	Needs	Result	Use
mintText 26 bold	from	#4FD8B5 / #22202B	9.03	4.5	PASS	hero
coralText 26 bold	from	#FF9385 / #22202B	7.46	4.5	PASS	hero (over)
ink 13px	from	#F4F1EA / #22202B	14.22	4.5	PASS	Undo-row status line
muted 13px	to	#A09AA6 / #16151C	6.62	4.5	PASS	label
mintText 26 bold	to	#4FD8B5 / #16151C	10.21	4.5	PASS	hero
coralText 26 bold	to	#FF9385 / #16151C	8.43	4.5	PASS	hero (over)
ink 13px	to	#F4F1EA / #16151C	16.07	4.5	PASS	Undo-row status line
ink	card	#F4F1EA / #2A2833	12.84	4.5	PASS	next-up title, quick-log, Undo, Tiki pills
muted	card	#A09AA6 / #2A2833	5.29	4.5	PASS	Next up label, Keep pill
skyText 13 bold	card	#7AA2FF / #2A2833	5.82	4.5	PASS	next-up time
skyText 13 bold	skyTint	#7AA2FF / #2F344B	4.92	4.5	PASS	Task / Focus pills
coralText 13 bold	coralTint	#FF9385 / #433138	5.63	4.5	PASS	Expense pill
mint bar	track	#4FD8B5 / #34313F	7.13	—	n/a	spend bar (beside text)
card pill	to	#2A2833 / #16151C	1.25	—	n/a	pill boundary (label identifies it)

Summary. 244 pairs. Real failures: 0. Every text pair passes 4.5:1 in light, dark, both accent themes (including the dark accent cards #1A2825 and #241E34) and the widget. The lowest is 4.92, dark sky-text on its own 15% tint. Every sole-cue mark and boundary passes 3:1; the lowest is 3.31, line-strong on the grape-dusk light background. The rows marked "below 3 (informative)" are the bright light-mode marks. DESIGN.md allows them only beside a label or value, and the sole-cue cases now use the -text tier (UX-035 fixed). Light sky on the background is 2.999 before rounding. *Needs 3.0 only if it is the only cue.

Appendix B. Accessibility and touch-target scan

Check (grep / parse over apps/mobile/src)	R2	R3	Note
<Pressable> + <SwipeRowPressable> tags	70	71 (44 files)	
Tags without an explicit role	4	4	The parser sees 11, but 7 are <code>SwipeRowPressable</code> , which sets <code>accessibilityRole="button"</code> itself (<code>swipe-row.tsx:222-224</code>). The 4 real ones are the <code>accessible={false}</code> shutdown rows, by design.
<code>accessibilityRole</code> / <code>accessibilityLabel</code>	76 / 76	84 / 92	
<code>choiceA11y(users · "radio" · radiogroup</code>	0 · 1 · 0	3 · 3 · 4	Chip, Segmented, a11y-actions; swatches, picker grid
<code>"tab" roles · tablist</code>	—	5 · 1	Segmented tabs have a tablist; the tab bar doesn't (UX-036)
Chips with <code>choice</code> / without	—	13 / 28	Of the 28, 9 are single-choice rows and 4 are on/off (UX-036). The rest are real actions or date fields.
<code>announceForAccessibility</code> · <code>getRecommendedTimeoutMill</code> <code>is</code> · <code>isScreenReaderEnabled</code>	— · 0 · —	2 · 1 · 1	Snackbar (UX-032 fixed)
<code>accessibilityLiveRegion</code> · <code>accessibilityHint</code>	7 · 14	7 · 14	
<code>hitSlop</code>	12	14	+2 calendar cells (UX-040)
<code>maxFontSizeMultiplier</code> · <code>adjustsFontSizeToFit</code> · <code>allowFontScaling={false}</code>	11 · 4 · 0	12 · 4 · 0	+1 picker emoji grid
<code>useReducedMotion</code> (components)	6	6 (14 calls)	Reanimated 4.5.1 springs and layout animations default to <code>ReduceMotion.System</code> Unverified
Text below 13 px (excluding the 12 px tab label)	widget 10-12	2	Chart axes, <code>insights-screen.tsx:102-103</code> (UX-047). Widget now uses 13 as its floor.
<code>Alert.alert</code>	—	4	Sign-out (2), New chat, account action. The delete-account alert is gone.

Targets after this round

Location	Size (dp)	Status
Widget pills, quick-log chips, Undo / Keep (<code>safe-to-spend-widget.tsx:78</code>)	48 tall	OK (were 36 / ~28). Width at 250 dp minimum is about 52 per pill (UX-043)
Week-planner day header (<code>week-planner.tsx:129</code>)	≥ 48	Fixed
Transaction rows (<code>transaction-row.tsx:59</code>)	≥ 60	Fixed

Location	Size (dp)	Status
Calendar cells (<code>money-calendar.tsx:115</code> , <code>calendar-view.tsx:137</code>)	~43-46 × 56-64	Slop overlaps neighbours (UX-040)
Small buttons (<code>button.tsx:52</code> , <code>57: min-h-11</code> + 4 slop)	52	OK (Paid/Received, Retry/Discard, Move, Today)
Tabs with chat on, 360 dp phone	≈ 48 wide × 64	OK
Snackbar action (<code>snackbar.tsx:59-62</code>)	40 + 12 slop	OK

Appendix C. Requirement checklist (UX-relevant)

Requirement (source)	R2	R3	Ref
Log anything in under 5 s (PRODUCT, spec)	Met by design	Met by design; widget quick-log may need a resize	\$5, UX-043
Targets ≥ 48 dp (PRODUCT)	Mostly	Met except calendar width	UX-040
WCAG AA in light and dark (PRODUCT)	App only; widget failed	Met in app, accent themes and widget; tested	App. A
Dark text on mango and every fill	Met	Met	App. A
Colour never the only signal	Met (marks < 3:1)	Met; sole-cue marks ≥ 3:1	UX-035 fixed
Colour means something (PRODUCT, DESIGN)	Partial	Met, with small residue	UX-044
Reduce motion respected	Met	Met (device Unverified)	App. B
Tabular digits for amounts and timers	Met	Met (keypad <code>numeric</code>)	<code>amount-keypad.tsx:55</code>
Delete → Undo snackbar, not a dialog (spec)	Met; time limit fixed	Met; adjustable, held for TalkBack	UX-032 fixed
Pickers in sheets instead of chip rows (DESIGN)	Partial	Partial (5 sheets left)	UX-013
Caption 13 is the smallest text (DESIGN)	App met; widget below	Met except chart axes	UX-047
Rows ≥ 60 dp (DESIGN)	Mostly	Mostly (time-tracking rows 48)	—
Guilt-free UI (PRODUCT)	Mostly	Met	UX-026, UX-037 fixed
Bangla and English (README)	Met; keypad gap	Met; scope stated	UX-041 fixed
Offline: changes queue up, then sync (README)	Met	Met; stuck writes set aside; pay-undo gap	UX-042
Tab bar per DESIGN.md	Met as amended	Met; FAB trade accepted	UX-011 fixed

Appendix D. Files reviewed and commands

```
git log --oneline df29d67..HEAD; git diff --stat df29d67..HEAD -- apps/mobile/src DESIGN.md
README.md
git show d50237a 0a1de0f cd63193 eb45efa c744628 (--stat and diffs); git show df29d67:../safe-to-
spend-widget.tsx
git blame apps/mobile/src/features/review/insights-screen.tsx; git log -- docs/screenshots
python3 -I _ux_tmp/contrast.py → 244 pairs, 0 token mismatches / 70, 0 text pairs < 4.5
python3 -I _ux_tmp/scan.py → 71 pressables, role/label/size/hitSlop, prop counts
grep: Chip call sites with/without choice; grape/mango uses; "Overdue"; "server" in user copy;
fontSize < 13; Alert.alert; previousDueAt in apps/api
Reused from _raw/: lint.txt (Biome 523 files, exit 0), typecheck.txt (exit 0),
test.txt (shared 247, mobile 233, api 209 pass; 0 fail)
```

Read: theme/palette.ts, global.css, tailwind.config.js, components/ui/{snackbar, button, chip, segmented, picker-field, checkbox, amount-keypad, sync-status, swipe-row, ally-actions}, components/navigation/tab-bar.tsx, features/widget/*, features/today/{next-up, later-today, safe-to-spend-card, pay-needs-rate}, features/money/{recurring-pay, recurring-sheet, bills-screen, bill-status, money-home, money-calendar, account-sheet, goal-sheet, event-sheet}, features/plan/{use-move-task, move-undo, week-planner, calendar-view, plan-home, area-sheet}, features/settings/{settings-screen, account-section, delete-account, delete-account-rules, use-export-data, planning-settings, notification-settings, setting-row, themed-root}, features/assistant/{assistant-sheet, clear-chat-warning}, features/review/{weekly-review, review-home, ai-usage-screen, insights-screen}, features/habits/{habit-chips, habit-sheet}, features/tasks/task-row, features/time/time-entry-sheet, app/login.tsx, app/(tabs)/index.tsx, lib/{auth, error-copy, gentle-progress, snack-timing, notify, outbox, outbox-queue}, test/{contrast, colour-meaning, snack-timing}.test.ts, apps/mobile/app.json, apps/api/src/modules/recurring/service.ts (pay reply), PRODUCT.md, DESIGN.md, README.md