


sub-A00040524 ses-DS2

Quality Control Report



CONFIGURABLE PIPELINE FOR
THE ANALYSIS OF CONNECTOMES

Created on: 2025-05-20 10:31:11

CPAC Team

Contents

anat

desc-head_T1w
desc-brain_mask
desc-preproc_T1w
label-GM_probseg
label-WM_probseg
label-CSF_probseg
label-GM_mask
label-GM_desc-preproc_mask
label-WM_mask
label-WM_desc-preproc_mask
label-CSF_mask
label-CSF_desc-preproc_mask
space-MNI152NLin6ASym_desc-head_T1w
space-MNI152NLin6ASym_label-CSF_mask
space-MNI152NLin6ASym_label-GM_mask
space-MNI152NLin6ASym_desc-brain_mask
space-MNI152NLin6ASym_label-WM_mask
space-MNI152NLin6ASym_desc-preproc_T1w

func

task-BREATHHOLD_acq-1400
desc-mean_bold
sbref
desc-brain_mask
space-MNI152NLin6ASym_sbref
space-T1w_sbref
space-MNI152NLin6ASym_reg-default_desc-preproc_bold
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-preproc_bold
reg-default_desc-zstd_reho
space-MNI152NLin6ASym_reg-default_desc-zstd_reho
space-MNI152NLin6ASym_reg-default_desc-smZstd_dcw
reg-default_desc-preproc_bold
space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdb
space-MNI152NLin6ASym_reg-default_desc-zstd_alff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcb
space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdw
space-MNI152NLin6ASym_desc-bold_mask
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcw
space-MNI152NLin6ASym_reg-default_desc-smZstd_ecw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdb
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_reho
space-MNI152NLin6ASym_reg-default_desc-zstd_ecw

space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdb
space-MNI152NLin6ASym_res-3mm_desc-bold_mask
space-MNI152NLin6ASym_reg-default_desc-smZstd_alff
reg-default_desc-zstd_falff
reg-defaultNoGSR_desc-smZstd_alff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_falff
space-MNI152NLin6ASym_reg-default_desc-smZstd_falff
reg-defaultNoGSR_desc-preproc_bold
space-MNI152NLin6ASym_reg-default_desc-zstd_dcw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcw
reg-default_desc-smZstd_reho
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_ecw
reg-default_desc-smZstd_alff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_alff
reg-defaultNoGSR_desc-zstd_reho
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_alff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcb
reg-defaultNoGSR_desc-zstd_alff
reg-defaultNoGSR_desc-zstd_falff
space-MNI152NLin6ASym_reg-default_desc-smZstd_dcb
reg-default_vmhc
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_falff
space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdb
reg-defaultNoGSR_desc-smZstd_reho
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_reho
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_ecw
space-MNI152NLin6ASym_reg-default_desc-zstd_falff
space-MNI152NLin6ASym_reg-default_desc-zstd_dcb
reg-defaultNoGSR_vmhc
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdw
space-MNI152NLin6ASym_reg-default_desc-smZstd_reho
reg-defaultNoGSR_desc-smZstd_falff
reg-default_desc-smZstd_falff
reg-default_desc-zstd_alff
space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdw

task-CHECKERBOARD_acq-1400

desc-mean_bold
sbref
desc-brain_mask
space-T1w_sbref
space-MNI152NLin6ASym_sbref
space-MNI152NLin6ASym_reg-default_desc-preproc_bold
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-preproc_bold
reg-defaultNoGSR_desc-smZstd_reho
space-MNI152NLin6ASym_desc-bold_mask
reg-defaultNoGSR_desc-smZstd_alff
reg-default_desc-zstd_falff
reg-default_desc-preproc_bold
reg-defaultNoGSR_desc-preproc_bold
space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdb
reg-default_desc-zstd_reho
space-MNI152NLin6ASym_reg-default_desc-zstd_falff

space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_reho
space-MNI152NLin6ASym_reg-default_desc-smZstd_reho
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_alff
reg-default_vmhc
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_falff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_ecw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcb
space-MNI152NLin6ASym_res-3mm_desc-bold_mask
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdb
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcw
reg-default_desc-smZstd_falff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_ecw
reg-defaultNoGSR_desc-zstd_reho
space-MNI152NLin6ASym_reg-default_desc-smZstd_dcb
space-MNI152NLin6ASym_reg-default_desc-smZstd_ecw
space-MNI152NLin6ASym_reg-default_desc-zstd_alff
reg-default_desc-smZstd_alff
reg-default_desc-zstd_alff
space-MNI152NLin6ASym_reg-default_desc-smZstd_dcw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdw
space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdb
space-MNI152NLin6ASym_reg-default_desc-smZstd_alff
reg-defaultNoGSR_desc-smZstd_falff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_falff
reg-defaultNoGSR_desc-zstd_falff
reg-defaultNoGSR_vmhc
space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdw
space-MNI152NLin6ASym_reg-default_desc-smZstd_falff
space-MNI152NLin6ASym_reg-default_desc-zstd_ecw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdb
space-MNI152NLin6ASym_reg-default_desc-zstd_reho
reg-default_desc-smZstd_reho
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_reho
space-MNI152NLin6ASym_reg-default_desc-zstd_dcw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcb
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_alff
reg-defaultNoGSR_desc-zstd_alff
space-MNI152NLin6ASym_reg-default_desc-zstd_dcb
space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdw

task-CHECKERBOARD_acq-645

desc-mean_bold
sbref
desc-brain_mask
space-T1w_sbref
space-MNI152NLin6ASym_sbref
space-MNI152NLin6ASym_reg-default_desc-preproc_bold
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-preproc_bold
space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdb
space-MNI152NLin6ASym_reg-default_desc-smZstd_alff
space-MNI152NLin6ASym_reg-default_desc-smZstd_reho
space-MNI152NLin6ASym_res-3mm_desc-bold_mask

space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_ecw
reg-default_desc-smZstd_falff
space-MNI152NLin6ASym_desc-bold_mask
reg-default_vmhc
reg-defaultNoGSR_desc-zstd_alff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdb
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcb
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcw
space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdb
reg-defaultNoGSR_desc-smZstd_falff
reg-default_desc-zstd_reho
reg-defaultNoGSR_desc-preproc_bold
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_falff
space-MNI152NLin6ASym_reg-default_desc-zstd_alff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_ecw
space-MNI152NLin6ASym_reg-default_desc-zstd_reho
reg-default_desc-smZstd_reho
space-MNI152NLin6ASym_reg-default_desc-smZstd_falff
reg-default_desc-zstd_alff
space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_alff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdw
reg-defaultNoGSR_desc-zstd_reho
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_reho
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_falff
reg-defaultNoGSR_desc-smZstd_alff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_alff
space-MNI152NLin6ASym_reg-default_desc-zstd_ecw
reg-default_desc-preproc_bold
space-MNI152NLin6ASym_reg-default_desc-zstd_dcw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcb
reg-defaultNoGSR_desc-zstd_falff
space-MNI152NLin6ASym_reg-default_desc-zstd_dcb
reg-default_desc-smZstd_alff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdb
space-MNI152NLin6ASym_reg-default_desc-smZstd_ecw
reg-defaultNoGSR_vmhc
reg-defaultNoGSR_desc-smZstd_reho
space-MNI152NLin6ASym_reg-default_desc-smZstd_dcb
reg-default_desc-zstd_falff
space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdw
space-MNI152NLin6ASym_reg-default_desc-smZstd_dcw
space-MNI152NLin6ASym_reg-default_desc-zstd_falff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_reho

task-rest_acq-1400

desc-mean_bold
sbref
desc-brain_mask
space-T1w_sbref
space-MNI152NLin6ASym_sbref
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-preproc_bold

space-MNI152NLin6ASym_reg-default_desc-preproc_bold
reg-default_desc-smZstd_alff
reg-default_desc-zstd_falff
reg-default_desc-preproc_bold
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_ecw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_reho
space-MNI152NLin6ASym_reg-default_desc-zstd_dcb
reg-default_desc-zstd_alff
space-MNI152NLin6ASym_reg-default_desc-smZstd_dcb
reg-defaultNoGSR_desc-zstd_alff
reg-defaultNoGSR_desc-smZstd_alff
space-MNI152NLin6ASym_reg-default_desc-zstd_alff
reg-defaultNoGSR_desc-zstd_reho
space-MNI152NLin6ASym_reg-default_desc-zstd_falff
space-MNI152NLin6ASym_reg-default_desc-smZstd_alff
reg-defaultNoGSR_vmhc
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_falff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_alff
space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdw
space-MNI152NLin6ASym_reg-default_desc-zstd_reho
space-MNI152NLin6ASym_reg-default_desc-smZstd_falff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_falff
space-MNI152NLin6ASym_reg-default_desc-smZstd_ecw
reg-default_vmhc
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdb
reg-defaultNoGSR_desc-smZstd_reho
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_ecw
space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdw
reg-defaultNoGSR_desc-preproc_bold
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_alff
space-MNI152NLin6ASym_reg-default_desc-smZstd_reho
reg-default_desc-smZstd_falff
reg-default_desc-zstd_reho
space-MNI152NLin6ASym_desc-bold_mask
reg-default_desc-smZstd_reho
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdb
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_reho
space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdb
space-MNI152NLin6ASym_reg-default_desc-zstd_ecw
space-MNI152NLin6ASym_reg-default_desc-smZstd_dcw
space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdb
reg-defaultNoGSR_desc-smZstd_falff
space-MNI152NLin6ASym_res-3mm_desc-bold_mask
space-MNI152NLin6ASym_reg-default_desc-zstd_dcw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcb
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcb
reg-defaultNoGSR_desc-zstd_falff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcw

task-rest_acq-645
desc-mean_bold

sbref
desc-brain_mask
space-T1w_sbref
space-MNI152NLin6ASym_sbref
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-preproc_bold
space-MNI152NLin6ASym_reg-default_desc-preproc_bold
space-MNI152NLin6ASym_reg-default_desc-smZstd_ecw
reg-default_desc-smZstd_falff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcw
space-MNI152NLin6ASym_reg-default_desc-zstd_falff
reg-defaultNoGSR_desc-smZstd_reho
space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_falff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcb
space-MNI152NLin6ASym_reg-default_desc-smZstd_dcw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdb
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdb
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_ecw
reg-default_desc-smZstd_alff
reg-default_desc-preproc_bold
space-MNI152NLin6ASym_reg-default_desc-zstd_dcb
space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdb
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_reho
space-MNI152NLin6ASym_reg-default_desc-smZstd_falff
space-MNI152NLin6ASym_reg-default_desc-zstd_alff
space-MNI152NLin6ASym_desc-bold_mask
reg-defaultNoGSR_desc-zstd_falff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_alff
reg-defaultNoGSR_desc-smZstd_alff
reg-default_desc-zstd_alff
reg-defaultNoGSR_desc-smZstd_falff
reg-defaultNoGSR_desc-zstd_reho
space-MNI152NLin6ASym_reg-default_desc-smZstd_dcb
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcw
reg-default_vmh
reg-default_desc-smZstd_reho
space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdw
space-MNI152NLin6ASym_reg-default_desc-zstd_ecw
space-MNI152NLin6ASym_res-3mm_desc-bold_mask
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcb
space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdb
space-MNI152NLin6ASym_reg-default_desc-smZstd_reho
reg-default_desc-zstd_reho
reg-defaultNoGSR_desc-zstd_alff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_alff
reg-defaultNoGSR_desc-preproc_bold
space-MNI152NLin6ASym_reg-default_desc-zstd_dcw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_reho
space-MNI152NLin6ASym_reg-default_desc-smZstd_alff
reg-defaultNoGSR_vmh
reg-default_desc-zstd_falff
space-MNI152NLin6ASym_reg-default_desc-zstd_reho

space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_ecw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_falff

task-rest_acq-CAP

desc-mean_bold
sbref
desc-brain_mask
space-MNI152NLin6ASym_sbref
space-T1w_sbref
space-MNI152NLin6ASym_reg-default_desc-preproc_bold
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-preproc_bold
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdb
space-MNI152NLin6ASym_reg-default_desc-zstd_falff
space-MNI152NLin6ASym_reg-default_desc-smZstd_dcb
space-MNI152NLin6ASym_reg-default_desc-smZstd_reho
reg-default_desc-preproc_bold
space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdb
reg-defaultNoGSR_desc-preproc_bold
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_alff
space-MNI152NLin6ASym_res-3mm_desc-bold_mask
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_reho
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdb
space-MNI152NLin6ASym_reg-default_desc-smZstd_alff
space-MNI152NLin6ASym_reg-default_desc-smZstd_ecw
reg-defaultNoGSR_vmhc
space-MNI152NLin6ASym_desc-bold_mask
space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdb
space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdb
space-MNI152NLin6ASym_reg-default_desc-zstd_alff
reg-defaultNoGSR_desc-smZstd_reho
reg-default_desc-smZstd_alff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcb
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_ecw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_reho
reg-defaultNoGSR_desc-zstd_alff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_falff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdb
reg-default_vmhc
reg-defaultNoGSR_desc-smZstd_falff
space-MNI152NLin6ASym_reg-default_desc-zstd_dcb
reg-default_desc-zstd_falff
reg-default_desc-smZstd_reho
reg-default_desc-smZstd_falff
space-MNI152NLin6ASym_reg-default_desc-zstd_ecw
reg-defaultNoGSR_desc-smZstd_alff
space-MNI152NLin6ASym_reg-default_desc-smZstd_falff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_ecw
space-MNI152NLin6ASym_reg-default_desc-smZstd_dcw
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_alff
reg-default_desc-zstd_reho
space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdb
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcb
space-MNI152NLin6ASym_reg-default_desc-zstd_dcw

space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdw
reg-defaultNoGSR_desc-zstd_reho
reg-defaultNoGSR_desc-zstd_falff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_falff
reg-default_desc-zstd_alff
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcw
space-MNI152NLin6ASym_reg-default_desc-zstd_reho

anat

desc-head_T1w




Image:	sub-A00040524_ses-DS2_desc-head_T1w
Orientation:	LAS @nibabel
Dimensions:	176 x 256 x 256
Resolution:	1.0 x 0.98 x 0.98

Json Field	Value
SkullStripped	False
Sources	desc-head_T1w, desc-preproc_T1w, space-T1w_desc-brain_mask

Chapter : anat/
desc-brain_mask




Image:	sub-A00040524_ses-DS2__desc-brain_mask overlaid on desc-head_T1w
Orientation:	LAS @nibabel
Dimensions:	176 x 256 x 256
Resolution:	1.0 x 0.98 x 0.98

Json Field	Value
RawSources	T1w
Sources	desc-preproc_T1w

Chapter : anat/
desc-preproc_T1w




Image:	sub-A00040524_ses-DS2_desc-preproc_T1w
Orientation:	LAS @nibabel
Dimensions:	176 x 256 x 256
Resolution:	1.0 x 0.98 x 0.98

Json Field	Value
SkullStripped	True
Sources	desc-head_T1w, desc-preproc_T1w, space-T1w_desc-brain_mask




Image:	sub-A00040524_ses-DS2_label-GM_probseg
Orientation:	LAS @nibabel
Dimensions:	176 x 256 x 256
Resolution:	1.0 x 0.98 x 0.98

Json Field	Value
Sources	desc-brain_T1w, space-T1w_desc-brain_mask, from-template_to-T1w_mode-image_desc-linear_xfm, CSF-path, GM-path, WM-path

label-WM_probseg




Image:	sub-A00040524_ses-DS2_label-WM_probseg
Orientation:	LAS @nibabel
Dimensions:	176 x 256 x 256
Resolution:	1.0 x 0.98 x 0.98

Json Field	Value
Sources	desc-brain_T1w, space-T1w_desc-brain_mask, from-template_to-T1w_mode-image_desc-linear_xfm, CSF-path, GM-path, WM-path

Chapter : anat/
label-CSF_probseg




Image:	sub-A00040524_ses-DS2_label-CSF_probseg
Orientation:	LAS @nibabel
Dimensions:	176 x 256 x 256
Resolution:	1.0 x 0.98 x 0.98

Json Field	Value
Sources	desc-brain_T1w, space-T1w_desc-brain_mask, from-template_to-T1w_mode-image_desc-linear_xfm, CSF-path, GM-path, WM-path

Chapter : anat/
label-GM_mask




Image:	sub-A00040524_ses-DS2_label-GM_mask overlaid on desc-preproc_T1w
Orientation:	LAS @nibabel
Dimensions:	176 x 256 x 256
Resolution:	1.0 x 0.98 x 0.98

Json Field	Value
Sources	desc-brain_T1w, space-T1w_desc-brain_mask, from-template_to-T1w_mode-image_desc-linear_xfm, CSF-path, GM-path, WM-path

Chapter : anat/
label-GM_desc-preproc_mask




Image:	sub-A00040524_ses-DS2_label-GM_desc-preproc_mask overlaid on desc-preproc_T1w
Orientation:	LAS @nibabel
Dimensions:	176 x 256 x 256
Resolution:	1.0 x 0.98 x 0.98

Json Field	Value
Sources	desc-brain_T1w, space-T1w_desc-brain_mask, from-template_to-T1w_mode-image_desc-linear_xfm, CSF-path, GM-path, WM-path

Chapter : anat/
label-WM_mask




Image:	sub-A00040524_ses-DS2_label-WM_mask overlaid on desc-preproc_T1w
Orientation:	LAS @nibabel
Dimensions:	176 x 256 x 256
Resolution:	1.0 x 0.98 x 0.98

Json Field	Value
Sources	desc-brain_T1w, space-T1w_desc-brain_mask, from-template_to-T1w_mode-image_desc-linear_xfm, CSF-path, GM-path, WM-path




Image:	sub-A00040524_ses-DS2_label-WM_desc-preproc_mask overlaid on desc-preproc_T1w
Orientation:	LAS @nibabel
Dimensions:	176 x 256 x 256
Resolution:	1.0 x 0.98 x 0.98

Json Field	Value
Sources	desc-brain_T1w, space-T1w_desc-brain_mask, from-template_to-T1w_mode-image_desc-linear_xfm, CSF-path, GM-path, WM-path

Chapter : anat/
label-CSF_mask




Image:	sub-A00040524_ses-DS2_label-CSF_mask overlaid on desc-preproc_T1w
Orientation:	LAS @nibabel
Dimensions:	176 x 256 x 256
Resolution:	1.0 x 0.98 x 0.98

Json Field	Value
Sources	desc-brain_T1w, space-T1w_desc-brain_mask, from-template_to-T1w_mode-image_desc-linear_xfm, CSF-path, GM-path, WM-path

label-CSF_desc-preproc_mask




Image:	sub-A00040524_ses-DS2_label-CSF_desc-preproc_mask overlaid on desc-preproc_T1w
Orientation:	LAS @nibabel
Dimensions:	176 x 256 x 256
Resolution:	1.0 x 0.98 x 0.98

Json Field	Value
Sources	desc-brain_T1w, space-T1w_desc-brain_mask, from-template_to-T1w_mode-image_desc-linear_xfm, CSF-path, GM-path, WM-path

Chapter : anat/

space-MNI152NLin6ASym_desc-head_T1w




Image:	sub-A00040524_ses-DS2__space-MNI152NLin6ASym_desc-head_T1w
Orientation:	LAS @nibabel
Dimensions:	91 x 109 x 91
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
Resolution	2mm
SkullStripped	False
Sources	desc-head_T1w, from-T1w_to-template_mode-image_xfm, T1w-template
Template	MNI152NLin6ASym - T1w-based whole-head template - /usr/share/fsl/6.0/data/standard/MNI152_T1_2mm.nii.gz




Image:	sub-A00040524_ses-DS2_space-MNI152NLin6ASym_label-CSF_mask overlaid on space-MNI152NLin6ASym_desc-head_T1w
Orientation:	LAS @nibabel
Dimensions:	91 x 109 x 91
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
Resolution	2mm
Sources	label-CSF_mask, label-WM_mask, label-GM_mask, from-T1w_to-template_mode-image_xfm, T1w-template
Template	MNI152NLin6ASym - T1w-based whole-head template - /usr/share/fsl/6.0/data/standard/MNI152_T1_2mm.nii.gz




Image:	sub-A00040524_ses-DS2_space-MNI152NLin6ASym_label-GM_mask overlaid on space-MNI152NLin6ASym_desc-head_T1w
Orientation:	LAS @nibabel
Dimensions:	91 x 109 x 91
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
Resolution	2mm
Sources	label-CSF_mask, label-WM_mask, label-GM_mask, from-T1w_to-template_mode-image_xfm, T1w-template
Template	MNI152NLin6ASym - T1w-based whole-head template - /usr/share/fsl/6.0/data/standard/MNI152_T1_2mm.nii.gz




Image:	sub-A00040524_ses-DS2_space-MNI152NLin6ASym_desc-brain_mask overlaid on space-MNI152NLin6ASym_desc-head_T1w
Orientation:	LAS @nibabel
Dimensions:	91 x 109 x 91
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
Resolution	2mm
Sources	space-T1w_desc-brain_mask, from-T1w_to-template_mode-image_xfm, T1w-template
Template	MNI152NLin6ASym - T1w-based whole-head template - /usr/share/fsl/6.0/data/standard/MNI152_T1_2mm.nii.gz




Image:	sub-A00040524_ses-DS2__space-MNI152NLin6ASym_label-WM_mask overlaid on space-MNI152NLin6ASym_desc-head_T1w
Orientation:	LAS @nibabel
Dimensions:	91 x 109 x 91
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
Resolution	2mm
Sources	label-CSF_mask, label-WM_mask, label-GM_mask, from-T1w_to-template_mode-image_xfm, T1w-template
Template	MNI152NLin6ASym - T1w-based whole-head template - /usr/share/fsl/6.0/data/standard/MNI152_T1_2mm.nii.gz




Image:	sub-A00040524_ses-DS2__space-MNI152NLin6ASym_desc-preproc_T1w
Orientation:	LAS @nibabel
Dimensions:	91 x 109 x 91
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
Description	The preprocessed T1w brain transformed to template space.
Resolution	2mm
SkullStripped	False
Sources	desc-preproc_T1w, space-T1w_desc-brain_mask, desc-head_T1w, T1w-template, T1w-brain-template, T1w-brain-template-mask
Template	MNI152NLin6ASym - T1w-based whole-head template - /usr/share/fsl/6.0/data/standard/MNI152_T1_2mm.nii.gz

func

func - task-BREATHHOLD_acq-1400

desc-mean_bold




Image:	sub-A00040524_ses-DS2_task-BREATHOLD_acq-1400_desc-mean_bold
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
Sources	desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_sbref
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
Sources	desc-mean_bold

desc-brain_mask




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_desc-brain_mask
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
Description	Binary brain mask of the BOLD functional time-series created by AFNI 3dAutomask.
Sources	desc-preproc_bold

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_sbref




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_sbref
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
Description	Single-volume sbref of the BOLD time-series transformed to template space.
Resolution	3mm
Sources	sbref, from-bold_to-template_mode-image_xfm, T1w-brain-template-funcreg
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
space-T1w_sbref




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-T1w_sbref
Orientation:	LAS @nibabel
Dimensions:	176 x 256 x 256
Resolution:	1.0 x 0.98 x 0.98

Json Field	Value
Sources	sbref, desc-motion_bold, pe-direction, desc-preproc_T1w, label-WM_probseg, label-WM_pveseg, desc-head_T1w

Chapter : func/task-BREATHHOLD_acq-1400
 space-MNI152NLin6ASym_reg-default_desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-preproc_bold
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61 x 186
Resolution:	3.0 x 3.0 x 3.0 x 1.4
TR:	1.4
No of TRs:	186

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
SkullStripped	True
Sources	desc-preproc_bold, from-bold_to-template_mode-image_xfm, T1w-brain-template-funcreg
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
 space-MNI152NLin6ASym_reg-defaultNoGSR_desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-preproc_bold
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61 x 186
Resolution:	3.0 x 3.0 x 3.0 x 1.4
TR:	1.4
No of TRs:	186

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
SkullStripped	True
Sources	desc-preproc_bold, from-bold_to-template_mode-image_xfm, T1w-brain-template-funcreg
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_reg-default_desc-zstd_reho
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-preproc_bold, space-bold_desc-brain_mask

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-zstd_reho




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-zstd_reho
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-preproc_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-smZstd_dcw




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-smZstd_dcw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
reg-default_desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_reg-default_desc-preproc_bold
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64 x 186
Resolution:	2.0 x 2.0 x 2.0 x 1.4
TR:	1.4
No of TRs:	186

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_bilp_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
SkullStripped	True
Sources	sbref, desc-preproc_bold, desc-stc_bold, bold, from-bold_to-template_mode-image_xfm

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdb




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-zstd_alff




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-zstd_alff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcb




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdw




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_desc-bold_mask




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_desc-bold_mask
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
Resolution	3mm
Sources	space-bold_desc-brain_mask, from-bold_to-template_mode-image_xfm, T1w-brain-template-funcreg
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcw




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-smZstd_ecw




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-smZstd_ecw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdb




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_reho




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_reho
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-preproc_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-zstd_ecw




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-zstd_ecw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdb




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_res-3mm_desc-bold_mask




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_res-3mm_desc-bold_mask
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
Resolution	3mm
Sources	space-bold_desc-brain_mask, from-bold_to-template_mode-image_xfm, T1w-brain-template-deriv
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-smZstd_alff




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-smZstd_alff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_reg-default_desc-zstd_falff
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-BREATHHOLD_acq-1400
reg-defaultNoGSR_desc-smZstd_alff




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_reg-defaultNoGSR_desc-smZstd_alff
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_falff




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_falff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-smZstd_falff




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-smZstd_falff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
reg-defaultNoGSR_desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_reg-defaultNoGSR_desc-preproc_bold
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64 x 186
Resolution:	2.0 x 2.0 x 2.0 x 1.4
TR:	1.4
No of TRs:	186

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
SkullStripped	True
Sources	sbref, desc-preproc_bold, desc-stc_bold, bold, from-bold_to-template_mode-image_xfm

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-zstd_dcw




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-zstd_dcw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcw




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_reg-default_desc-smZstd_reho
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-preproc_bold, space-bold_desc-brain_mask

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_ecw




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_ecw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
reg-default_desc-smZstd_alff




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_reg-default_desc-smZstd_alff
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_alff




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_alff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
reg-defaultNoGSR_desc-zstd_reho




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_reg-defaultNoGSR_desc-zstd_reho
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-preproc_bold, space-bold_desc-brain_mask

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_alff




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_alff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcb




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
reg-defaultNoGSR_desc-zstd_alff




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_reg-defaultNoGSR_desc-zstd_alff
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-BREATHHOLD_acq-1400
reg-defaultNoGSR_desc-zstd_falff




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_reg-defaultNoGSR_desc-zstd_falff
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-smZstd_dcb




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-smZstd_dcb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_reg-default_vmh
Orientation:	LAS @nibabel
Dimensions:	91 x 109 x 91
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-ti meseries	nuisance_regressors_generation_T1w_default
SkullStripped	True
Sources	space-symtemplate_desc-sm_bold

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_falff




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_falff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdb




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
reg-defaultNoGSR_desc-smZstd_reho




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_reg-defaultNoGSR_desc-smZstd_reho
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-preproc_bold, space-bold_desc-brain_mask

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_reho




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_reho
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-preproc_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_ecw




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_ecw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-zstd_falff




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-zstd_falff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-zstd_dcb




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-zstd_dc b
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-b old	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-s pace-template _bold	transform_timeseries_to_T1template
CpacVariant-ti meseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_reg-defaultNoGSR_vmh
Orientation:	LAS @nibabel
Dimensions:	91 x 109 x 91
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
SkullStripped	True
Sources	space-symtemplate_desc-sm_bold

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdw




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-smZstd_reho




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-smZstd_reho
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-preproc_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
reg-defaultNoGSR_desc-smZstd_falff




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_reg-defaultNoGSR_desc-smZstd_falff
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_reg-default_desc-smZstd_falff
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_reg-default_desc-zstd_alff
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-zstd_lfc




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-zstd_lfc dw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-BREATHHOLD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdw




Image:	sub-A00040524_ses-DS2_task-BREATHHOLD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

func - task-CHECKERBOARD_acq-1400

desc-mean_bold




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_desc-mean_bold
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
Sources	desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_sbref
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
Sources	desc-mean_bold

desc-brain_mask




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_desc-brain_mask
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
Description	Binary brain mask of the BOLD functional time-series created by AFNI 3dAutomask.
Sources	desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-T1w_sbref
Orientation:	LAS @nibabel
Dimensions:	176 x 256 x 256
Resolution:	1.0 x 0.98 x 0.98

Json Field	Value
Sources	sbref, desc-motion_bold, pe-direction, desc-preproc_T1w, label-WM_probseg, label-WM_pveseg, desc-head_T1w

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_sbref




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_sbref
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
Description	Single-volume sbref of the BOLD time-series transformed to template space.
Resolution	3mm
Sources	sbref, from-bold_to-template_mode-image_xfm, T1w-brain-template-funcreg
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
 space-MNI152NLin6ASym_reg-default_desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-preproc_bold
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61 x 98
Resolution:	3.0 x 3.0 x 3.0 x 1.4
TR:	1.4
No of TRs:	98

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
SkullStripped	True
Sources	desc-preproc_bold, from-bold_to-template_mode-image_xfm, T1w-brain-template-funcreg
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
 space-MNI152NLin6ASym_reg-defaultNoGSR_desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-preproc_bold
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61 x 98
Resolution:	3.0 x 3.0 x 3.0 x 1.4
TR:	1.4
No of TRs:	98

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
SkullStripped	True
Sources	desc-preproc_bold, from-bold_to-template_mode-image_xfm, T1w-brain-template-funcreg
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
reg-defaultNoGSR_desc-smZstd_reho




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_reg-defaultNoGSR_desc-smZstd_reho
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blink_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-preproc_bold, space-bold_desc-brain_mask

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_desc-bold_mask




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_desc-bold_mask
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
Resolution	3mm
Sources	space-bold_desc-brain_mask, from-bold_to-template_mode-image_xfm, T1w-brain-template-funcreg
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_reg-defaultNoGSR_desc-smZstd_alff
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_reg-default_desc-zstd_falff
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

reg-default_desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_reg-default_desc-preproc_bold
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64 x 98
Resolution:	2.0 x 2.0 x 2.0 x 1.4
TR:	1.4
No of TRs:	98

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_bilp_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
SkullStripped	True
Sources	sbref, desc-preproc_bold, desc-stc_bold, bold, from-bold_to-template_mode-image_xfm

Chapter : func/task-CHECKERBOARD_acq-1400
reg-defaultNoGSR_desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_reg-defaultNoGSR_desc-preproc_bold
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64 x 98
Resolution:	2.0 x 2.0 x 2.0 x 1.4
TR:	1.4
No of TRs:	98

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_bilp_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
SkullStripped	True
Sources	sbref, desc-preproc_bold, desc-stc_bold, bold, from-bold_to-template_mode-image_xfm

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdb




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_reg-default_desc-zstd_reho
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-preproc_bold, space-bold_desc-brain_mask

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-zstd_falff




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-zstd_falff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_reho




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_reho
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-preproc_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-smZstd_reho




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-smZstd_reho
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-preproc_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_alff




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_alff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_reg-default_vmhc
Orientation:	LAS @nibabel
Dimensions:	91 x 109 x 91
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
SkullStripped	True
Sources	space-symtemplate_desc-sm_bold

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_falff




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_falff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_ecw




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_ecw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcb




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_res-3mm_desc-bold_mask




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_res-3mm_desc-bold_mask
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
Resolution	3mm
Sources	space-bold_desc-brain_mask, from-bold_to-template_mode-image_xfm, T1w-brain-template-deriv
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdb




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcw




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_reg-default_desc-smZstd_falff
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_ecw




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_ecw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_reg-defaultNoGSR_desc-zstd_reho
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-preproc_bold, space-bold_desc-brain_mask

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-smZstd_dcb




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-smZstd_dcb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-smZstd_ecw




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-smZstd_ecw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-zstd_alff




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-zstd_alff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_reg-default_desc-smZstd_alff
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_reg-default_desc-zstd_alff
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-smZstd_dcw




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-smZstd_dcw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdw




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdb




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-smZstd_alff




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-smZstd_alff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_reg-defaultNoGSR_desc-smZstd_falff
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_falff




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_falff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_reg-defaultNoGSR_desc-zstd_falff
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_reg-defaultNoGSR_vmh
Orientation:	LAS @nibabel
Dimensions:	91 x 109 x 91
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
SkullStripped	True
Sources	space-symtemplate_desc-sm_bold

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdw




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-smZstd_falff




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-smZstd_falff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-zstd_ecw




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-zstd_ecw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcw




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdb




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-zstd_reho




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-zstd_reho
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-preproc_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_reg-default_desc-smZstd_reho
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-preproc_bold, space-bold_desc-brain_mask

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_reho




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_reho
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-preproc_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-zstd_dcw




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-zstd_dcw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcb




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_alff




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_alff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_reg-defaultNoGSR_desc-zstd_alff
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-zstd_dcb




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-zstd_dcb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdw




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdw




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

func - task-CHECKERBOARD_acq-645

desc-mean_bold




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_desc-mean_bold
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
Sources	desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_sbref
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
Sources	desc-mean_bold

desc-brain_mask




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_desc-brain_mask
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
Description	Binary brain mask of the BOLD functional time-series created by AFNI 3dAutomask.
Sources	desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-T1w_sbref
Orientation:	LAS @nibabel
Dimensions:	176 x 256 x 256
Resolution:	1.0 x 0.98 x 0.98

Json Field	Value
Sources	sbref, desc-motion_bold, pe-direction, desc-preproc_T1w, label-WM_probseg, label-WM_pveseg, desc-head_T1w

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_sbref




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_sbref
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
Description	Single-volume sbref of the BOLD time-series transformed to template space.
Resolution	3mm
Sources	sbref, from-bold_to-template_mode-image_xfm, T1w-brain-template-funcreg
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-default_desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-default_desc-preproc_bold
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61 x 240
Resolution:	3.0 x 3.0 x 3.0 x 0.64
TR:	0.64
No of TRs:	240

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
SkullStripped	True
Sources	desc-preproc_bold, from-bold_to-template_mode-image_xfm, T1w-brain-template-funcreg
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-preproc_bold
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61 x 240
Resolution:	3.0 x 3.0 x 3.0 x 0.64
TR:	0.64
No of TRs:	240

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
SkullStripped	True
Sources	desc-preproc_bold, from-bold_to-template_mode-image_xfm, T1w-brain-template-funcreg
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdb




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-default_desc-smZstd_alff




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-default_desc-smZs_td_alff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-default_desc-smZstd_reho




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-default_desc-smZs_td_reho
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-preproc_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_res-3mm_desc-bold_mask




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_res-3mm_desc-bold_mask
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
Resolution	3mm
Sources	space-bold_desc-brain_mask, from-bold_to-template_mode-image_xfm, T1w-brain-template-deriv
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_ecw




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_ecw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_reg-default_desc-smZstd_falff
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_desc-bold_mask




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_desc-bold_mask
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
Resolution	3mm
Sources	space-bold_desc-brain_mask, from-bold_to-template_mode-image_xfm, T1w-brain-template-funcreg
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_reg-default_vmh
Orientation:	LAS @nibabel
Dimensions:	91 x 109 x 91
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
SkullStripped	True
Sources	space-symtemplate_desc-sm_bold




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_reg-defaultNoGSR_desc-zstd_alff
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdb




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcb




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcw




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdb




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_reg-defaultNoGSR_desc-smZstd_falff
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_reg-default_desc-zstd_reho
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-preproc_bold, space-bold_desc-brain_mask

Chapter : func/task-CHECKERBOARD_acq-645
reg-defaultNoGSR_desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_reg-defaultNoGSR_desc-preproc_bold
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40 x 240
Resolution:	3.0 x 3.0 x 3.0 x 0.64
TR:	0.64
No of TRs:	240

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
SkullStripped	True
Sources	sbref, desc-preproc_bold, desc-stc_bold, bold, from-bold_to-template_mode-image_xfm

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_falff




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_falff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-default_desc-zstd_alff




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-default_desc-zstd_alff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_ecw




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_ecw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-default_desc-zstd_reho




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-default_desc-zstd_reho
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-preproc_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_reg-default_desc-smZstd_reho
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-preproc_bold, space-bold_desc-brain_mask

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-default_desc-smZstd_falff




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-default_desc-smZs_td_falff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_reg-default_desc-zstd_alff
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdw




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_alff




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_alff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdw




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_reg-defaultNoGSR_desc-zstd_reho
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-preproc_bold, space-bold_desc-brain_mask

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdw




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_reho




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_reho
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-preproc_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_falff




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_falff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_reg-defaultNoGSR_desc-smZstd_alff
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_alff




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_alff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-default_desc-zstd_ecw




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-default_desc-zstd_ecw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_reg-default_desc-preproc_bold
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40 x 240
Resolution:	3.0 x 3.0 x 3.0 x 0.64
TR:	0.64
No of TRs:	240

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
SkullStripped	True
Sources	sbref, desc-preproc_bold, desc-stc_bold, bold, from-bold_to-template_mode-image_xfm

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-default_desc-zstd_dcw




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-default_desc-zstd_dcw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcb




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_reg-defaultNoGSR_desc-zstd_falff
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-default_desc-zstd_dcb




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-default_desc-zstd_dcb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_reg-default_desc-smZstd_alff
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcw




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdb




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-default_desc-smZstd_ecw




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-default_desc-smZs_td_ecw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_reg-defaultNoGSR_vmh
Orientation:	LAS @nibabel
Dimensions:	91 x 109 x 91
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
SkullStripped	True
Sources	space-symtemplate_desc-sm_bold

Chapter : func/task-CHECKERBOARD_acq-645
reg-defaultNoGSR_desc-smZstd_reho




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_reg-defaultNoGSR_desc-smZstd_reho
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blink_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-preproc_bold, space-bold_desc-brain_mask

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-default_desc-smZstd_dcb




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-default_desc-smZs_td_dcb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_reg-default_desc-zstd_falff
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdw




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-default_desc-smZs_td_lfcdw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-default_desc-smZstd_dcw




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-default_desc-smZs_td_dcw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-default_desc-zstd_falff




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-default_desc-zstd_falff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-CHECKERBOARD_acq-645
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_reho




Image:	sub-A00040524_ses-DS2_task-CHECKERBOARD_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_reho
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-preproc_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

func - task-rest_acq-1400

desc-mean_bold




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_desc-mean_bold
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
Sources	desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_sbref
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
Sources	desc-mean_bold

desc-brain_mask




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_desc-brain_mask
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
Description	Binary brain mask of the BOLD functional time-series created by AFNI 3dAutomask.
Sources	desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-T1w_sbref
Orientation:	LAS @nibabel
Dimensions:	176 x 256 x 256
Resolution:	1.0 x 0.98 x 0.98

Json Field	Value
Sources	sbref, desc-motion_bold, pe-direction, desc-preproc_T1w, label-WM_probseg, label-WM_pveseg, desc-head_T1w

Chapter : func/task-rest_acq-1400
space-MNI152NLin6ASym_sbref




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_sbref
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
Description	Single-volume sbref of the BOLD time-series transformed to template space.
Resolution	3mm
Sources	sbref, from-bold_to-template_mode-image_xfm, T1w-brain-template-funcreg
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-preproc_bold
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61 x 404
Resolution:	3.0 x 3.0 x 3.0 x 1.4
TR:	1.4
No of TRs:	404

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
SkullStripped	True
Sources	desc-preproc_bold, from-bold_to-template_mode-image_xfm, T1w-brain-template-funcreg
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-1400
space-MNI152NLin6ASym_reg-default_desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-default_desc-preproc_bold
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61 x 404
Resolution:	3.0 x 3.0 x 3.0 x 1.4
TR:	1.4
No of TRs:	404

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
SkullStripped	True
Sources	desc-preproc_bold, from-bold_to-template_mode-image_xfm, T1w-brain-template-funcreg
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-1400
reg-default_desc-smZstd_alff




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_reg-default_desc-smZstd_alff
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_reg-default_desc-zstd_falff
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-rest_acq-1400
reg-default_desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_reg-default_desc-preproc_bold
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64 x 404
Resolution:	2.0 x 2.0 x 2.0 x 1.4
TR:	1.4
No of TRs:	404

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_bilp_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
SkullStripped	True
Sources	sbref, desc-preproc_bold, desc-stc_bold, bold, from-bold_to-template_mode-image_xfm




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_ecw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_reho
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-preproc_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-1400
space-MNI152NLin6ASym_reg-default_desc-zstd_dcb




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-default_desc-zstd_dcb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-1400
reg-default_desc-zstd_alff




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_reg-default_desc-zstd_alff
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-default_desc-smZstd_dcb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-1400
reg-defaultNoGSR_desc-zstd_alff




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_reg-defaultNoGSR_desc-zstd_alff
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-rest_acq-1400
reg-defaultNoGSR_desc-smZstd_alff




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_reg-defaultNoGSR_desc-smZstd_alff
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-rest_acq-1400
space-MNI152NLin6ASym_reg-default_desc-zstd_alff




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-default_desc-zstd_alff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-1400
reg-defaultNoGSR_desc-zstd_reho




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_reg-defaultNoGSR_desc-zstd_reho
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-preproc_bold, space-bold_desc-brain_mask

Chapter : func/task-rest_acq-1400
space-MNI152NLin6ASym_reg-default_desc-zstd_falff




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-default_desc-zstd_falff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-1400
space-MNI152NLin6ASym_reg-default_desc-smZstd_alff




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-default_desc-smZstd_alff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_reg-defaultNoGSR_vmh
Orientation:	LAS @nibabel
Dimensions:	91 x 109 x 91
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
SkullStripped	True
Sources	space-symtemplate_desc-sm_bold




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_falff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_alff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-1400
space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdw




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-1400
space-MNI152NLin6ASym_reg-default_desc-zstd_reho




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-default_desc-zstd_reho
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-preproc_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-1400
space-MNI152NLin6ASym_reg-default_desc-smZstd_falff




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-default_desc-smZstd_falff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-1400

space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_falff




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_falff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-default_desc-smZstd_ecw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

reg-default_vmh




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_reg-default_vmh
Orientation:	LAS @nibabel
Dimensions:	91 x 109 x 91
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
SkullStripped	True
Sources	space-symtemplate_desc-sm_bold

Chapter : func/task-rest_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdb




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-1400
reg-defaultNoGSR_desc-smZstd_reho




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_reg-defaultNoGSR_desc-smZstd_reho
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_bilp_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-preproc_bold, space-bold_desc-brain_mask




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_ecw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-1400
space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdw




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-1400
reg-defaultNoGSR_desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_reg-defaultNoGSR_desc-preproc_bold
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64 x 404
Resolution:	2.0 x 2.0 x 2.0 x 1.4
TR:	1.4
No of TRs:	404

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
SkullStripped	True
Sources	sbref, desc-preproc_bold, desc-stc_bold, bold, from-bold_to-template_mode-image_xfm




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfc dw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-1400
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_alff




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_alff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-1400
space-MNI152NLin6ASym_reg-default_desc-smZstd_reho




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-default_desc-smZstd_reho
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-preproc_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-1400
reg-default_desc-smZstd_falff




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_reg-default_desc-smZstd_falff
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_reg-default_desc-zstd_reho
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-preproc_bold, space-bold_desc-brain_mask

Chapter : func/task-rest_acq-1400
space-MNI152NLin6ASym_desc-bold_mask




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_desc-bold_mask
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
Resolution	3mm
Sources	space-bold_desc-brain_mask, from-bold_to-template_mode-image_xfm, T1w-brain-template-funcreg
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-1400
reg-default_desc-smZstd_reho




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_reg-default_desc-smZstd_reho
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-preproc_bold, space-bold_desc-brain_mask




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_reho
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-preproc_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-1400
space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdb




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-1400
space-MNI152NLin6ASym_reg-default_desc-zstd_ecw




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-default_desc-zstd_ecw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-1400
space-MNI152NLin6ASym_reg-default_desc-smZstd_dcw




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-default_desc-smZstd_dcw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-1400
space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdb




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-1400
reg-defaultNoGSR_desc-smZstd_falff




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_reg-defaultNoGSR_desc-smZstd_falff
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-rest_acq-1400
space-MNI152NLin6ASym_res-3mm_desc-bold_mask




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_res-3mm_desc-bold_mask
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
Resolution	3mm
Sources	space-bold_desc-brain_mask, from-bold_to-template_mode-image_xfm, T1w-brain-template-deriv
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-default_desc-zstd_dcw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dc b
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-b old	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-s pace-template _bold	transform_timeseries_to_T1template
CpacVariant-ti meseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-1400
reg-defaultNoGSR_desc-zstd_falff




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_reg-defaultNoGSR_desc-zstd_falff
Orientation:	LAS @nibabel
Dimensions:	112 x 112 x 64
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask




Image:	sub-A00040524_ses-DS2_task-rest_acq-1400_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

func - task-rest_acq-645

desc-mean_bold




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_desc-mean_bold
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
Sources	desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_sbref
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
Sources	desc-mean_bold

desc-brain_mask




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_desc-brain_mask
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
Description	Binary brain mask of the BOLD functional time-series created by AFNI 3dAutomask.
Sources	desc-preproc_bold

Chapter : func/task-rest_acq-645
space-T1w_sbref




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-T1w_sbref
Orientation:	LAS @nibabel
Dimensions:	176 x 256 x 256
Resolution:	1.0 x 0.98 x 0.98

Json Field	Value
Sources	sbref, desc-motion_bold, pe-direction, desc-preproc_T1w, label-WM_probseg, label-WM_pveseg, desc-head_T1w

Chapter : func/task-rest_acq-645
space-MNI152NLin6ASym_sbref




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_sbref
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
Description	Single-volume sbref of the BOLD time-series transformed to template space.
Resolution	3mm
Sources	sbref, from-bold_to-template_mode-image_xfm, T1w-brain-template-funcreg
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-645

space-MNI152NLin6ASym_reg-defaultNoGSR_desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-preproc_bold
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61 x 900
Resolution:	3.0 x 3.0 x 3.0 x 0.64
TR:	0.64
No of TRs:	900

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
SkullStripped	True
Sources	desc-preproc_bold, from-bold_to-template_mode-image_xfm, T1w-brain-template-funcreg
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-default_desc-preproc_bold
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61 x 900
Resolution:	3.0 x 3.0 x 3.0 x 0.64
TR:	0.64
No of TRs:	900

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
SkullStripped	True
Sources	desc-preproc_bold, from-bold_to-template_mode-image_xfm, T1w-brain-template-funcreg
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-default_desc-smZstd_ecw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-645
reg-default_desc-smZstd_falff




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_reg-default_desc-smZstd_falff
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-645

space-MNI152NLin6ASym_reg-default_desc-zstd_falff




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-default_desc-zstd_falff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-645
reg-defaultNoGSR_desc-smZstd_reho




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_reg-defaultNoGSR_desc-smZstd_reho
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_bilp_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-preproc_bold, space-bold_desc-brain_mask

Chapter : func/task-rest_acq-645
space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdw




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-645

space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_falff




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_falff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-default_desc-smZstd_dcw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-645
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdb




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_ecw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-645
reg-default_desc-smZstd_alff




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_reg-default_desc-smZstd_alff
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-rest_acq-645
reg-default_desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_reg-default_desc-preproc_bold
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40 x 900
Resolution:	3.0 x 3.0 x 3.0 x 0.64
TR:	0.64
No of TRs:	900

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_bilp_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
SkullStripped	True
Sources	sbref, desc-preproc_bold, desc-stc_bold, bold, from-bold_to-template_mode-image_xfm

Chapter : func/task-rest_acq-645
space-MNI152NLin6ASym_reg-default_desc-zstd_dcb




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-default_desc-zstd_dcb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-645
space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdb




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_reho
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-preproc_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-default_desc-smZstd_falff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-645
space-MNI152NLin6ASym_reg-default_desc-zstd_alff




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-default_desc-zstd_alff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-645
space-MNI152NLin6ASym_desc-bold_mask




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_desc-bold_mask
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
Resolution	3mm
Sources	space-bold_desc-brain_mask, from-bold_to-template_mode-image_xfm, T1w-brain-template-funcreg
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-645
reg-defaultNoGSR_desc-zstd_falff




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_reg-defaultNoGSR_desc-zstd_falff
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_alff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-645
reg-defaultNoGSR_desc-smZstd_alff




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_reg-defaultNoGSR_desc-smZstd_alff
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-rest_acq-645
reg-default_desc-zstd_alff




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_reg-default_desc-zstd_alff
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-rest_acq-645
reg-defaultNoGSR_desc-smZstd_falff




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_reg-defaultNoGSR_desc-smZstd_falff
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-rest_acq-645
reg-defaultNoGSR_desc-zstd_reho




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_reg-defaultNoGSR_desc-zstd_reho
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_bilp_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-preproc_bold, space-bold_desc-brain_mask

Chapter : func/task-rest_acq-645
space-MNI152NLin6ASym_reg-default_desc-smZstd_dcb




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-default_desc-smZstd_dcb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_reg-default_vmhc
Orientation:	LAS @nibabel
Dimensions:	91 x 109 x 91
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
SkullStripped	True
Sources	space-symtemplate_desc-sm_bold

Chapter : func/task-rest_acq-645
reg-default_desc-smZstd_reho




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_reg-default_desc-smZstd_reho
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-preproc_bold, space-bold_desc-brain_mask

Chapter : func/task-rest_acq-645
space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdw




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-default_desc-zstd_ecw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-645

space-MNI152NLin6ASym_res-3mm_desc-bold_mask




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_res-3mm_desc-bold_mask
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
Resolution	3mm
Sources	space-bold_desc-brain_mask, from-bold_to-template_mode-image_xfm, T1w-brain-template-deriv
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-645

space-MNI152NLin6ASym_reg-default_desc-smZstd_reho




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-default_desc-smZstd_reho
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-preproc_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_reg-default_desc-zstd_reho
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-preproc_bold, space-bold_desc-brain_mask

Chapter : func/task-rest_acq-645
reg-defaultNoGSR_desc-zstd_alff




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_reg-defaultNoGSR_desc-zstd_alff
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-rest_acq-645
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdw




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-645

space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_alff




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_alff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-645
reg-defaultNoGSR_desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_reg-defaultNoGSR_desc-preproc_bold
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40 x 900
Resolution:	3.0 x 3.0 x 3.0 x 0.64
TR:	0.64
No of TRs:	900

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_bilp_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
SkullStripped	True
Sources	sbref, desc-preproc_bold, desc-stc_bold, bold, from-bold_to-template_mode-image_xfm




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-default_desc-zstd_dcw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_reho
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-preproc_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-645
space-MNI152NLin6ASym_reg-default_desc-smZstd_alff




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-default_desc-smZstd_alff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_reg-defaultNoGSR_vmh
Orientation:	LAS @nibabel
Dimensions:	91 x 109 x 91
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
SkullStripped	True
Sources	space-symtemplate_desc-sm_bold




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_reg-default_desc-zstd_falff
Orientation:	LAS @nibabel
Dimensions:	74 x 74 x 40
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-default_desc-zstd_reho
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-preproc_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_ecw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-645_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_falff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

func - task-rest_acq-CAP

desc-mean_bold




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_desc-mean_bold
Orientation:	LAS @nibabel
Dimensions:	72 x 72 x 38
Resolution:	3.0 x 3.0 x 3.33

Json Field	Value
Sources	desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_sbref
Orientation:	LAS @nibabel
Dimensions:	72 x 72 x 38
Resolution:	3.0 x 3.0 x 3.33

Json Field	Value
Sources	desc-mean_bold




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_desc-brain_mask
Orientation:	LAS @nibabel
Dimensions:	72 x 72 x 38
Resolution:	3.0 x 3.0 x 3.33

Json Field	Value
Description	Binary brain mask of the BOLD functional time-series created by AFNI 3dAutomask.
Sources	desc-preproc_bold

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_sbref




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_sbref
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
Description	Single-volume sbref of the BOLD time-series transformed to template space.
Resolution	3mm
Sources	sbref, from-bold_to-template_mode-image_xfm, T1w-brain-template-funcreg
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-T1w_sbref
Orientation:	LAS @nibabel
Dimensions:	176 x 256 x 256
Resolution:	1.0 x 0.98 x 0.98

Json Field	Value
Sources	sbref, desc-motion_bold, pe-direction, desc-preproc_T1w, label-WM_probseg, label-WM_pveseg, desc-head_T1w

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_reg-default_desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-default_desc-preproc_bold
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61 x 120
Resolution:	3.0 x 3.0 x 3.0 x 2.5
TR:	2.5
No of TRs:	120

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
SkullStripped	True
Sources	desc-preproc_bold, from-bold_to-template_mode-image_xfm, T1w-brain-template-funcreg
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-preproc_bold
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61 x 120
Resolution:	3.0 x 3.0 x 3.0 x 2.5
TR:	2.5
No of TRs:	120

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
SkullStripped	True
Sources	desc-preproc_bold, from-bold_to-template_mode-image_xfm, T1w-brain-template-funcreg
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdw




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_reg-default_desc-zstd_falff




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-default_desc-zstd_falff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_reg-default_desc-smZstd_dcb




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-default_desc-smZstd_dcb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_reg-default_desc-smZstd_reho




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-default_desc-smZstd_reho
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-preproc_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-CAP
reg-default_desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_reg-default_desc-preproc_bold
Orientation:	LAS @nibabel
Dimensions:	72 x 72 x 38 x 120
Resolution:	3.0 x 3.0 x 3.33 x 2.5
TR:	2.5
No of TRs:	120

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
SkullStripped	True
Sources	sbref, desc-preproc_bold, desc-stc_bold, bold, from-bold_to-template_mode-image_xfm

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdb




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-CAP
reg-defaultNoGSR_desc-preproc_bold




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_reg-defaultNoGSR_desc-preproc_bold
Orientation:	LAS @nibabel
Dimensions:	72 x 72 x 38 x 120
Resolution:	3.0 x 3.0 x 3.33 x 2.5
TR:	2.5
No of TRs:	120

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
SkullStripped	True
Sources	sbref, desc-preproc_bold, desc-stc_bold, bold, from-bold_to-template_mode-image_xfm




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_alff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_res-3mm_desc-bold_mask




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_res-3mm_desc-bold_mask
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
Resolution	3mm
Sources	space-bold_desc-brain_mask, from-bold_to-template_mode-image_xfm, T1w-brain-template-deriv
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_reho




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_reho
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-preproc_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_reg-default_desc-smZstd_alff




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-default_desc-smZstd_alff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_reg-default_desc-smZstd_ecw




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-default_desc-smZstd_ecw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_reg-defaultNoGSR_vmh
Orientation:	LAS @nibabel
Dimensions:	91 x 109 x 91
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
SkullStripped	True
Sources	space-symtemplate_desc-sm_bold

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_desc-bold_mask




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_desc-bold_mask
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
Resolution	3mm
Sources	space-bold_desc-brain_mask, from-bold_to-template_mode-image_xfm, T1w-brain-template-funcreg
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdw




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-default_desc-zstd_lfcdw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdw




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_reg-default_desc-zstd_alff




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-default_desc-zstd_alff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-CAP
reg-defaultNoGSR_desc-smZstd_reho




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_reg-defaultNoGSR_desc-smZstd_reho
Orientation:	LAS @nibabel
Dimensions:	72 x 72 x 38
Resolution:	3.0 x 3.0 x 3.33

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_bilp_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-preproc_bold, space-bold_desc-brain_mask




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_reg-default_desc-smZstd_alff
Orientation:	LAS @nibabel
Dimensions:	72 x 72 x 38
Resolution:	3.0 x 3.0 x 3.33

Json Field	Value
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_ecw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_reho
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-preproc_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-CAP
reg-defaultNoGSR_desc-zstd_alff




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_reg-defaultNoGSR_desc-zstd_alff
Orientation:	LAS @nibabel
Dimensions:	72 x 72 x 38
Resolution:	3.0 x 3.0 x 3.33

Json Field	Value
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_falff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdb




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_lfcdb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-CAP
reg-default_vmh




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_reg-default_vmh
Orientation:	LAS @nibabel
Dimensions:	91 x 109 x 91
Resolution:	2.0 x 2.0 x 2.0

Json Field	Value
CpacVariant-ti meseries	nuisance_regressors_generation_T1w_default
SkullStripped	True
Sources	space-symtemplate_desc-sm_bold




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_reg-defaultNoGSR_desc-smZstd_falff
Orientation:	LAS @nibabel
Dimensions:	72 x 72 x 38
Resolution:	3.0 x 3.0 x 3.33

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_reg-default_desc-zstd_dcb




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-default_desc-zstd_dcb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_reg-default_desc-zstd_falff
Orientation:	LAS @nibabel
Dimensions:	72 x 72 x 38
Resolution:	3.0 x 3.0 x 3.33

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-rest_acq-CAP
reg-default_desc-smZstd_reho




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_reg-default_desc-smZstd_reho
Orientation:	LAS @nibabel
Dimensions:	72 x 72 x 38
Resolution:	3.0 x 3.0 x 3.33

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-preproc_bold, space-bold_desc-brain_mask

Chapter : func/task-rest_acq-CAP
reg-default_desc-smZstd_falff




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_reg-default_desc-smZstd_falff
Orientation:	LAS @nibabel
Dimensions:	72 x 72 x 38
Resolution:	3.0 x 3.0 x 3.33

Json Field	Value
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_reg-default_desc-zstd_ecw




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-default_desc-zstd_ecw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-CAP
reg-defaultNoGSR_desc-smZstd_alff




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_reg-defaultNoGSR_desc-smZstd_alff
Orientation:	LAS @nibabel
Dimensions:	72 x 72 x 38
Resolution:	3.0 x 3.0 x 3.33

Json Field	Value
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_reg-default_desc-smZstd_falff




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-default_desc-smZstd_falff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_ecw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_reg-default_desc-smZstd_dcw




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-default_desc-smZstd_dcw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_alff




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_alff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-CAP
reg-default_desc-zstd_reho




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_reg-default_desc-zstd_reho
Orientation:	LAS @nibabel
Dimensions:	72 x 72 x 38
Resolution:	3.0 x 3.0 x 3.33

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-preproc_bold, space-bold_desc-brain_mask

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdb




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-default_desc-smZstd_lfcdb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_dcb
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_reg-default_desc-zstd_dcw




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-default_desc-zstd_dcw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-smZstd_lfcdw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-CAP
reg-defaultNoGSR_desc-zstd_reho




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_reg-defaultNoGSR_desc-zstd_reho
Orientation:	LAS @nibabel
Dimensions:	72 x 72 x 38
Resolution:	3.0 x 3.0 x 3.33

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-preproc_bold, space-bold_desc-brain_mask




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_reg-defaultNoGSR_desc-zstd_falff
Orientation:	LAS @nibabel
Dimensions:	72 x 72 x 38
Resolution:	3.0 x 3.0 x 3.33

Json Field	Value
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_falff




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_falff
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-timseries	nuisance_regressors_generation_T1w_defaultNoGSR
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-CAP
reg-default_desc-zstd_alff




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_reg-default_desc-zstd_alff
Orientation:	LAS @nibabel
Dimensions:	72 x 72 x 38
Resolution:	3.0 x 3.0 x 3.33

Json Field	Value
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-denoisedNofilt_bold, space-bold_desc-brain_mask

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcw




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-defaultNoGSR_desc-zstd_dcw
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-space-template_bold	transform_timeseries_to_T1template
CpacVariant-timeseries	nuisance_regressors_generation_T1w_defaultNoGSR
Resolution	3mm
Sources	space-template_desc-preproc_bold, T1w-brain-template-funcreg, template-specification-file
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired preprocessed-functional resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Chapter : func/task-rest_acq-CAP
space-MNI152NLin6ASym_reg-default_desc-zstd_reho




Image:	sub-A00040524_ses-DS2_task-rest_acq-CAP_space-MNI152NLin6ASym_reg-default_desc-zstd_reho
Orientation:	LAS @nibabel
Dimensions:	61 x 73 x 61
Resolution:	3.0 x 3.0 x 3.0

Json Field	Value
CpacVariant-bold	apply_phasediff_to_timeseries_separately_default, apply_blip_to_timeseries_separately_default
CpacVariant-timeseries	nuisance_regressors_generation_T1w_default
Sources	desc-preproc_bold, space-bold_desc-brain_mask
Template	MNI152NLin6ASym - T1w-based skull-stripped template resampled to the desired functional derivative resolution - /usr/share/fsl/6.0/data/standard/MNI152_T1_3mm_brain.nii.gz

Missing Files

label-GM_desc-eroded_mask
label-WM_desc-eroded_mask
label-CSF_desc-eroded_mask
desc-eroded_mask
desc-eroded_mask
desc-preproc_bold
space-*_desc-brain_mask

End of Report