

birdnetTools: An R package for working with BirdNET output

Sunny Tseng¹ and Stefan Kahl^{2,3}

¹ Natural Resources and Environmental Studies, University of Northern British Columbia, Prince George, BC, Canada ² K. Lisa Yang Center for Conservation Bioacoustics, Cornell Lab of Ornithology, Cornell University, Ithaca, NY, USA ³ Chemnitz University of Technology, Chemnitz, Germany ¶ Corresponding author

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- Review [↗](#)
- Repository [↗](#)
- Archive [↗](#)

Editor: [Open Journals](#) [↗](#)

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

birdnetTools is an R package for post-processing outputs from BirdNET, an open-source neural network developed by the Cornell Lab of Ornithology and Chemnitz University of Technology for detecting and identifying bird species from audio recordings (Kahl et al., 2021). The birdnetTools package streamlines workflows for cleaning and combining multiple BirdNET selection tables, filtering detections by species, confidence, or date/time, visualizing temporal and spatial patterns, and validating results using an interactive Shiny app. It also supports species-specific and universal confidence thresholds, enabling reproducible threshold-setting workflows.

Statement of need

Automated acoustic monitoring is increasingly used in ecology and conservation (Pérez-Granados, 2023), with BirdNET being one of the most widely adopted tools for bird sound identification (e.g., Funosas et al. (2024), McGinn et al. (2023), and Bota et al. (2023)). Although BirdNET was developed in Python, most of its primary users are ecologists who conduct analyses primarily in R. This language difference can limit accessibility for some research teams. While the birdnetR package (Günther & BirdNET Team, 2025) enables R users to run BirdNET classifications, there is no dedicated framework in R for post-processing these outputs.

The birdnetTools R package fills this gap by providing functions built on workflows commonly used in published studies (e.g., Tseng et al. (2024)) and by incorporating threshold-setting and validation methods developed in recent research (i.e., Tseng et al. (2025); Wood & Kahl (2024)). By consolidating these tools, birdnetTools streamlines analysis and lowers barriers for ecologists and conservation practitioners adopting BirdNET in large-scale monitoring projects (Figure 1).




Figure 1: Integration of BirdNET R packages. birdnetR produces species detections from audio recordings, while birdnetTools provides tools for post-processing, data cleaning, and validation.

State of the field

Several tools currently exist for processing the raw detection outputs generated by BirdNET. These include the BirdNET Graphical User Interface (GUI), developed by the core BirdNET team to support clip segmentation, validation, and confidence threshold calculation; and the NSNSDAcoustics R package, which provides functions and tutorials for gathering results, verifying detections, and generating visualizations such as heatmaps and barcharts. While this tool is effective for its intended use within National Park Service monitoring protocols, birdnetTools is designed to be more generic and applicable for independent research projects.

We chose to develop birdnetTools as a standalone R package, rather than contributing to existing projects, for three strategic reasons:

- Official Alignment:** By developing this package in close coordination with the core BirdNET team, we ensure that the software's functionality directly aligns with the underlying algorithm's evolution and the specific requirements of both ecologists and BirdNET developers.
- R Ecosystem Integration:** A significant majority of ecologists rely on the R environment for data management, wrangling, and statistical analysis. birdnetTools provides a universal interface in R that functions regardless of the user's chosen classification environment. Whether researchers utilize the BirdNET-Analyzer Python module (Kahl et al., 2021), the birdnetR package (Günther & BirdNET Team, 2025), the BirdNET GUI, or specialized software like Raven Pro, birdnetTools accepts outputs from these diverse platforms as standardized input for downstream post-processing in R.
- Bridge Between BirdNET Outputs and Ecological Insights:** While existing tools focus primarily on basic data wrangling, birdnetTools integrates formal, peer-reviewed BirdNET validation protocols (e.g., Tseng et al. (2025); Wood & Kahl (2024)). Furthermore, the package is architected to support future expansions, and serve as a bridge to downstream statistical modeling, such as occupancy modeling via other established R packages, providing a more comprehensive, end-to-end pipeline for acoustic research.

Software design

The design of birdnetTools follows the natural analytical workflow used by ecologists: data import, data exploration, and detection validation. The package architecture is highly integrated, with functions designed to pass information seamlessly from one stage of the pipeline to the next. While the package provides a structured end-to-end framework, its design is also modular; ecologists can incorporate individual functions, such as birdnet_combine(), into their existing custom R scripts to integrate BirdNET data into broader analytical pipelines.

In summary, functions in birdnetTools fall into three categories: data import, data exploration, and detection validation (Figure 2).

- Data import:** birdnet_combine() integrates BirdNET outputs into R, supporting formats from the BirdNET GUI, Raven Pro, and the birdnetR package.
- Data exploration:** birdnet_filter() enables filtering by species, threshold, or date/time; birdnet_add_time() extracts temporal metadata; and birdnet_heatmap() visualizes activity patterns.
- Detection validation:** an R ShinyApp was developed, implementing threshold-setting approaches, including the precision-based method of Tseng et al. (2025) and the probability-based method of Wood & Kahl (2024).

birdnetTools::work flow




Figure 2: Workflow of the birdnetTools R package.

Research impact statement

The software's research utility and active community adoption are demonstrated across three distinct tiers of evidence:

- Direct Research Integration:** `birdnetTools` serves as the core computational and data-verification pipeline for studies investigating avian bioacoustic workflows, with analytical code archived publicly on GitHub (e.g., see the [Analysis Repository](#) and [Workflow Deployment](#)).
- Academic Citation:** The package is recognized in emerging literature ([Malerba et al., 2026](#)) as a key solution for streamlining post-processing validation protocols and reducing software bottlenecks in large-scale PAM workflows.
- Community Traction:** The open-science impact is supported by an active user base, reflected in 16 GitHub stars, 4 forks (as of June 2026), and ongoing community-led discussions within the repository's issue tracker.

AI usage disclosure

AI tools, specifically ChatGPT (v5.3) and Gemini (v3), were used for the editorial correction of this manuscript and the associated function documentation. All AI-edited content was reviewed and verified by the authors, who take full responsibility for the final text.

Acknowledgements

The birdnetTools project was supported by the Michael Smith Foreign Study Supplements, funded by the Natural Sciences and Engineering Research Council of Canada (NSERC). We thank all members of the BirdNET team for their valuable contributions, and we are grateful to Connor M. Wood and Trey Ursillo for their insightful feedback in improving the package.

The development of BirdNET is supported by the German Federal Ministry of Research, Technology and Space (FKZ 01|S22072), the German Federal Ministry for the Environment, Climate Action, Nature Conservation and Nuclear Safety (FKZ 67KI31040E), the German Federal Ministry of Economic Affairs and Energy (FKZ 16KN095550), the Deutsche Bundesstiftung Umwelt (project 39263/01) and the European Social Fund.

References

- Bota, G., Manzano-Rubio, R., Catalán, L., Gómez-Catasús, J., & Pérez-Granados, C. (2023). Hearing to the unseen: AudioMoth and BirdNET as a cheap and easy method for monitoring cryptic bird species. *Sensors*, 23(16), 7176. <https://doi.org/10.3390/s23167176>
- Funosas, D., Barbaro, L., Schillé, L., Elger, A., Castagneyrol, B., & Cauchoix, M. (2024). Assessing the potential of BirdNET to infer european bird species from acoustic data. *Ecological Informatics*, 164(112146). <https://doi.org/10.1016/j.ecolind.2024.112146>
- Günther, F., & BirdNET Team. (2025). birdnetR: Deep learning for automated (bird) sound identification. In *Github repository*. GitHub. <https://doi.org/10.32614/CRAN.package.birdnetR>
- Kahl, S., Wood, C. M., Eibl, M., & Klinck, H. (2021). BirdNET: A deep learning solution for avian diversity monitoring. *Ecological Informatics*, 61. <https://doi.org/10.1016/j.ecoinf.2021.101236>
- Malerba, M. E., Granados, C. P., Bell, K., Palacios, M. M., Bellisario, K. M., Desjonquères, C., Márquez-Rodríguez, A., Mendoza, I., Meyer, C. F. J., Ramesh, V., Raick, X., Rhinehart, T. A., Wood, C. M., Ziegenhorn, M. A., Buscaino, G., Campos-Cerqueira, M., Duarte, M. H. L., Gasc, A., Hanf-Dressler, T., ... Vieira, M. (2026). Overcoming software bottlenecks for scalable passive acoustic monitoring: Insights from a global expert assessment. *bioRxiv*. <https://doi.org/10.64898/2026.03.30.715176>
- McGinn, K., Kahl, S., Peery, M. Z., Klinck, H., & Wood, C. M. (2023). Feature embeddings from the BirdNET algorithm provide within-species classification of acoustic events. *Ecological Informatics*, 74(101995). <https://doi.org/10.1016/j.ecoinf.2023.101995>
- Pérez-Granados, C. (2023). BirdNET: Applications, performance, pitfalls and future opportunities. *Ibis*, 165(3), 1068–1075. <https://doi.org/10.1111/ibi.13193>
- Tseng, S., Hodder, D. P., & Otter, K. (2024). Using autonomous recording units for vocal individuality: Insights from barred owl identification. *Avian Conservation and Ecology*, 19. <https://doi.org/10.5751/ACE-02680-190123>
- Tseng, S., Hodder, D. P., & Otter, K. A. (2025). Setting BirdNET confidence thresholds: Species-specific vs. Universal approaches. *Journal of Ornithology*, 166. <https://doi.org/10.1007/s10336-025-02260-w>
- Wood, C. M., & Kahl, S. (2024). Guidelines for appropriate use of BirdNET scores and other detector outputs. *Journal of Ornithology*, 165. <https://doi.org/10.1007/s10336-024-02144-5>