DELIVRY – Dokumentacija

Martin Birišić, 22/21

Contents

Uvod	3
Korišćeni programski jezici:	3
Opis funkcionalnosti:	3
Template:	
Organizacija	5
Šema:	5
Sitemap:	6
Slike stranica i opisi funkcionalnosti:	8
Kodovi	16
HTML	16
CSS	63
IAVASCRIDT	106

Uvod

Korišćeni programski jezici:

- HTML5
- CSS3
 - o BOOTSTRAP5
- JAVASCRIPT
 - o AJAX
 - o JSON
 - JQUERY
 - OWL CAROUSEL LIBRARY

Opis funkcionalnosti:

Sajt predstavlja rešenje za online dostavu hrane. Na njemu su prikazani svi pretplaćeni restorani koji vrše dostavu, kao i sva njihova dostupna hrana. Svaki restoran ima zasebnu stranicu i preko nje se vrši kupovina.

Sajt poseduje: dinamički ispis navigacije, dohvatanje AJAX-om i čuvanje svih neophodnih podataka u localStorage-u, dinamički ispis različitih proizvoda za svaki restoran, dinamički ispis glavnog sadržaja u zavisnosti od stranice, uvezenu biblioteku za slajder, validaciju formi regularnim izrazima...

Od naprednih funkcionalnosti:

Filtriranje preko više stranica po kategoriji hrane (index.html -> restorani.html), filtriranje po raznim kriterijumima kao što su kategorije (checkbox), max cena (input type range), search, cena dostave (radio).

Sortiranje po popularnosti, ceni dostave, vremenu dostave, imenima opadajućim i rastućim, cenama opadajućim i rastućim.


Template:

Preuzet sa: https://w3layouts.com (mada izmenjan dosta)



Organizacija

Šema:



Sitemap:

```
<?xml version="1.0" encoding="UTF-8"?>
<urlset
      xmlns="http://www.sitemaps.org/schemas/sitemap/0.9"
      xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
      xsi:schemaLocation="http://www.sitemaps.org/schemas/sitemap/0.9"
            http://www.sitemaps.org/schemas/sitemap/0.9/sitemap.xsd">
<url>
  <loc>https://kanibalkorps.github.io/delivry/index.html</loc>
  <lastmod>2023-03-08T22:18:12+00:00</lastmod>
  <priority>1.00</priority>
</url>
<url>
  <loc>https://kanibalkorps.github.io/delivry/restaurants.html</loc>
  <lastmod>2023-03-08T22:18:12+00:00</lastmod>
  <changefreq>weekly</changefreq>
  <priority>0.95</priority>
</url>
<url>
  <loc>https://kanibalkorps.github.io/delivry/restaurants.html</loc>
  <lastmod>2023-03-08T22:18:12+00:00</lastmod>
  <changefreq>weekly</changefreq>
  <priority>0.90</priority>
</url>
<url>
  <loc>https://kanibalkorps.github.io/delivry/restaurant1.html</loc>
  <lastmod>2023-03-08T22:18:12+00:00</lastmod>
  <changefreq>weekly</changefreq>
  <priority>0.85</priority>
</url>
<url>
  <loc>https://kanibalkorps.github.io/delivry/restaurant2.html</loc>
  <lastmod>2023-03-08T22:18:12+00:00</lastmod>
  <changefreq>weekly</changefreq>
  <priority>0.85</priority>
</url>
<url>
  <loc>https://kanibalkorps.github.io/delivry/restaurant3.html</loc>
```

```
<lastmod>2023-03-08T22:18:12+00:00</lastmod>
 <changefreq>weekly</changefreq>
  <priority>0.85</priority>
</url>
<url>
 <loc>https://kanibalkorps.github.io/delivry/restaurant11.html</loc>
 <lastmod>2023-03-08T22:18:12+00:00</lastmod>
 <changefreq>weekly</changefreq>
 <priority>0.85</priority>
</url>
<url>
 <loc>https://kanibalkorps.github.io/delivry/restaurant12.html</loc>
 <lastmod>2023-03-08T22:18:12+00:00</lastmod>
 <changefreq>weekly</changefreq>
 <priority>0.85</priority>
</ur>
<url>
  <loc>https://kanibalkorps.github.io/delivry/cart.html</loc>
 <lastmod>2023-03-08T22:18:12+00:00</lastmod>
 <changefreq>monthly</changefreq>
  <priority>0.80</priority>
</url>
<url>
 <loc>https://kanibalkorps.github.io/delivry/checkout.html</loc>
 <lastmod>2023-03-08T22:18:12+00:00</lastmod>
 <changefreq>monthly</changefreq>
 <priority>0.75</priority>
</url>
<url>
 <loc>https://kanibalkorps.github.io/delivry/favorites.html</loc>
 <lastmod>2023-03-08T22:18:12+00:00</lastmod>
 <changefreq>monthly</changefreq>
  <priority>0.70</priority>
</url>
</urlset>
```

Slike stranica i opisi funkcionalnosti:

INDEX.HTML



Categories











Dinamički ispisana navigacija

Crvenom bordurom označen preuzet deo iz templejta. Originalni kod i prikaz su modifikovani. Ovo je header deo stranice.

Dinamički izlistane kategorije u vidu Owl carousela (jQuery library) preko kojih korisnik može da odradi filter na stranici restorani.html.

Toggle read more/less

Dinamički ipisani najpopularniji restorani

Call to action dugme koje vodi do cart.html

RESTAURANTS.HTML



Search filter

All Restaurants

Filter/Sort by





















Dinamički ispisani filteri i sortovi u

vidu modala za restorane

Dinamički ispisani restorani u odnosu na odgovarajuće filtere i sortove, svaki vodi na svoju stranicu.





Chexbox filteri

Radio filteri


Radio sortovi

AUTHOR.HTML





Martin Birišić Internet tehnologije Web programiranje 2 22/21



CART.HTML



Dinamička promena broja hrane u korpi


	Food	Ammount	Unit price	Total price	Remove
	Vegetarijana	1	650 RSD	650 RSD	Remove
	Rib eye steak	3	720 RSD	2160 RSD	Remove
· Aller	Pileći batak 200g	2	320 RSD	640 RSD	Remove
	Mamurluk	3	710 RSD	2130 RSD	Remove
	Čoko-banana hleb V	1	420 RSD	420 RSD	Remove

Dinamičko dodavanje u korpu; izračunavanje ukupne cene na osnovu količine; mogućnost brisanja iz korpe (kao i iz localStorage-a)

Poruka koja se ispisuje ako je korpa prazna


Receipt: 6000 RSD

Ukupan račun




Dugme koje vodi do checkout.html (forma)

CHECKOUT.HTML



Forma proverena regularnim izrazima; osluškuju se događaji blur i change

RESTAURANT.HTML (1-12)




Search filter

Dinamički izlistane informacije o restoranu; dodaj u favorite dugme

Dinamički izlistani filter i sortovi

Dinamički izlistana hrana koju taj specifični restoran dostavlja



Dinamički prikazana hrana u vidu modala; dugmići za dodavanje u cart i izlazak, kao i količina koja se dodaje

Kodovi

HTML

INDEX.HTML

```
clink href="css/style.css" rel="stylesheet" type="text/css"/>
clink href="css/style.css" rel="stylesheet" type="text/css"/>
clitle>Delivry - Order and eat within minutes!c/title>

c/head>
chody)

cav class="navbar navbar-expand-lg navbar-dark bg-dark">
cdiv class="navbar navbar-expand-lg navbar-dark bg-dark">
cdiv class="navbar ms-lg.5 ms-2">
clits class="navbar navbar-expand-lg navbar-dark bg-dark">
cdiv class="navbar-toggler ms-2" type="button" data-bs-toggle="collapse" data-bs-target="mnavbarHav" aria-expanded="false" aria-label="toggle navigation">
clits class="navbar-toggler-icon">c/span>
clits class="navbar-toggler-icon">c/span>
clits class="navbar-toggler-icon">c/syana class="navbar-toggler-icon">c/syana class="navbar-toggler-icon">c/syana class="navbar-toggler-icon">c/syana class="navbar-toggler-icon">c/syana class="navbar-nav ms-auto" id="mb-navbar-ul">
cdiv class="navbar-nav ms-auto" id="mb-navb
```

```
<div class="img-text">
        <img src="images/t3.jpg" alt="restaurant-eployee" class="img-fluid"/>
     <div class="team-text">
        <div class="clt-syas-agile">
           <h5>Clark Kent</h5>
           <span class="text-muted">Crni Dorđe</span>
           The driver that always delivers on time
<div class="col-lg-3 col-md-6 col-sm-6 item-clents">
  <div class="gap-four">
     <div class="img-text">
       <img src="images/t4.jpg" alt="restaurant-eployee" class="img-fluid"/>
     <div class="team-text">
<div class="col-lg-3 col-md-6 col-sm-6 item-clents">
  <div class="gap-five">
     <div class="img-text">
        <img src="images/t1.jpg" alt="restaurant-eployee" class="img-fluid"/>
     <div class="team-text">
           <h5>Willy West</h5>
           <span class="text-muted">Milky</span>
           Everybody's favorite Waiter
```

```
cscript src="https://cdn.jsdelivr.net/npm/bootstrap@s.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcM62MY12cLA8N1"
inttUfF8sA7MsxSp1Uy]odpdYLEUNSfAP+JCKn/tWtTaxXDM" crossorigin="anonymous"></script>
cscript src="https://code.jquery.com/jquery-3.6.3.min.js" integrity="sha256-pvP0+upLPUjgMXY0G+800XUF+/Tm1MZjXxxgOcBQBXU="
crossorigin="anonymous"x/script>
cscript src="js/easy-responsive-tabs.js"></script>
cscripts src="js/easy-responsive-tabs.js"></script>
cscripts src="js/easy-responsive-tabs.js"></script>
cscripts src="js/easy-responsive-tabs.js"></script>
cscripts src="js/easy-responsive-tabs.js"></script>
cscripts src="js/easy-responsive-tabs.js"></script>
cscripts src="is/easy-responsive-tabs.js"></script>
cscripts src="is/easy-responsive-tabs.js"></script>
cscripts src="is/easy-responsive-tabs.js"></script>
cscripts src="is/easy-responsive-tabs.js"></script>
cscripts src="is/easy-responsive-tabs.js"></script>
cscripts src="is/easy-responsive-tabs.js"></script>
cscripts src="is/easy-responsive-tabs.js"></scripts src="is/eas
```

```
$(function(){
       $("ul#ticker01").liScroll();
   });
</script>
<script src="js/move-top.js"></script>
<script src="js/easing.js"></script>
<script>
   jQuery(document).ready(function ($) {
      $(".scroll").click(function (event) {
         event.preventDefault();
         $('html,body').animate({
            scrollTop: $(this.hash).offset().top
         }, 900);
      });
   });
</script>
<script>
  $(document).ready(function () {
      var defaults = {
         containerHoverID: 'toTopHover', // fading element hover id
         scrollSpeed: 1200,
         easingType: 'linear'
      $().UItoTop({
         easingType: 'easeOutQuart'
      });
```

CART.HTML

```
<!DOCTYPE html>
<html lang="en">
        <meta charset="UTF-8"/>
        <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
        <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0"/>
        <meta name="keywords" content="Delivry Responsive web template,</pre>
Bootstrap Web Templates, Flat Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG,
SonyEricsson, Motorola web design" />
        <meta name="description" content="Delivry is a wide-spread online food</pre>
delivery service, known for it's long and rich history of serving customers
only the best food around! As a successfull online business, Delivry is most
proud of it's low-complaint ratings and positive feedback from happy
customers."/>
        <meta name="author" content="Martin Birišić"/>
        klink
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous"/>
        <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.3.0/css/all.min.css" integrity="sha512-
SzlrxWUlpfuzQ+pcUCosxcglQRNAq/DZjVsC01E40xsADsfeQoEypE+enwc0iGjk/bSuGGKHEyjSoQ
1zVisanQ==" crossorigin="anonymous" referrerpolicy="no-referrer" />
        <link rel="preconnect" href="https://fonts.googleapis.com"/>
        <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin/>
        k
href="https://fonts.googleapis.com/css2?family=PT+Sans+Caption&display=swap"
rel="stylesheet"/>
        <link rel="stylesheet" href="owl-carousel/owl.carousel.css"/>
        <link rel="stylesheet" href="owl-carousel/owl.theme.css"/>
        <link rel="apple-touch-icon" sizes="180x180" href="images/apple-touch-</pre>
icon.png"/>
```

```
<link rel="icon" type="image/png" sizes="32x32" href="images/favicon-</pre>
32x32.png"/>
       <link rel="icon" type="image/png" sizes="16x16" href="images/favicon-</pre>
16x16.png"/>
       <link rel="manifest" href="images/site.webmanifest"/>
       <link href="css/style.css" rel="stylesheet" type="text/css"/>
       <title>Delivry - Your Cart</title>
    </head>
   <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
       <div class="container-fluid">
          <div class="header-bar ms-lg-5 ms-2">
             <h1><a href="index.html">Delivry</a></h1>
          </div>
         <button class="navbar-toggler me-2" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
expanded="false" aria-label="Toggle navigation">
           <span class="navbar-toggler-icon"></span>
         </button>
         <div class="collapse navbar-collapse" id="navbarNav">
           </div>
       </div>
   </nav>
    <div class="header-main" id="home">
       <div class="slider">
          <div class="callbacks container">
             <div class="three-img">
                     <div class="container">
                        <div class="slider-info mb-header-spacing">
                           <h5 class="pb-5" id="mb-order-restaurant-
name">Your order</h5>
                        </div>
                     </div>
                   </div>
                <div class="clearfix"></div>
       </div>
   </div>
```

```
<h2 id="mb-order-message" class="d-none text-center">Your items</h2>
   <div class="table-responsive-lg mx-5">
      <table class="table table-bordered table-striped table-hover border
rounded" id="mb-cart-table">
         <thead>
             >
                Food
                Ammount
                Unit price
                Total price
                Remove
                </thead>
         </div>
   <section class="container my-5">
      <div class="row">
          <div class="col-lg-4 col-md-6 col-9 ms-auto me-0 pe-md-3 pe-5">
             <h3 class="border p-2 text-center" id="mb-receipt-</pre>
header">Receipt: <span id="mb-order-recepit" class="text-warning fw-
bold">0</span> RSD</h3>
         </div>
      </div>
   </section>
   <section class="subscribe-footer">
      <h2 class="text-center text-white pt-5 pb-3">Proceed to checkout</h2>
```

```
<div class="container-fluid">
           <div class="row">
              <div class="col-12 d-flex justify-content-center align-items-</pre>
center">
                 <a href="checkout.html" class="btn btn-warning mt-5 mb-5 fs-3</pre>
text-white">Checkout</a>
           </div>
       </div>
       </section>
       <section class="buttom-footer py-lg-4 py-md-3 py-sm-3 py-3">
       <div class="container pt-lg-5 pt-md-5 pt-sm-4 pt-4">
           <div class="row footer-agile-grids">
                   <div class="col-lg-3 col-md-6 col-12 footer-header pl-0">
                      <h4><a href="index.html" class="text-warning fw-
bold">Delivry</a></h4>
                      Enjoy your every meal.
                   </div>
                   <div class="col-lg-3 col-md-6 col-12 footer-para">
                       <h4 class="pb-lg-3 pb-3 text-warning fw-bold">Contact
Us</h4>
                      Belgrade, Serbia<br/>Cetinjska 3
                      +381 062318723
                      <a href="mailto:birisicmartin02@gmail.com"
class="text-warning">birisicmartin02@gmail.com</a>
                   </div>
                   <div class="col-lg-3 col-12 my-lg-0 my-3 wthree-left-</pre>
right">
                      <h4 class="pb-lg-3 pb-3">About Us</h4>
                      <div class="address-para">
                         We are a dedicated team of professionals who
believe in making the delivery process of food simple, fast, and reliable.
                      </div>
                   </div>
                   <div class="col-lg-3 col-12 wthree-left-right">
                      <h4 class="pb-lg-3 pb-3">Follow us</h4>
                      <div class="icons">
                         <l
                            <a href="https://www.facebook.com"</a>
target="_blank"><i class="fa-brands fa-square-facebook"></i></a>
                            <a href="mailto:birisicmartin02@gmail.com"</pre>
target=" blank"><i class="fa-regular fa-envelope"></i></a>
                            <a href="https://www.instagram.com"</a>
target="_blank"><i class="fa-brands fa-instagram"></i></a>
                            <a href="sitemap.xml" target="_blank"><i</a>
class="fa-solid fa-sitemap"></i></a>
                            <a href="documentation.pdf"</li>
target=" blank"><i class="fa-solid fa-book"></i></a>
```

```
</div>
                   </div>
                </div>
          </div>
       </div>
       </section>
       <footer>
           ©2023 Delivry. All
Rights Reserved | Design by <a href="http://www.W3Layouts.com" target="_blank"
class="text-muted">W3Layouts</a>
       </footer>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
    <script src="https://code.jquery.com/jquery-3.6.3.min.js"</pre>
integrity="sha256-pvPw+upLPUjgMXY0G+800xUf+/Im1MZjXxxgOcBQBXU="
crossorigin="anonymous"></script>
    <script src="js/easy-responsive-tabs.js"></script>
    <script>
      $(document).ready(function () {
      $('#horizontalTab').easyResponsiveTabs({
      type: 'default', //Types: default, vertical, accordion
      width: 'auto', //auto or any width like 600px
      closed: 'accordion', // Start closed if in accordion view
      activate: function(event) { // Callback function if tab is switched
      var $tab = $(this);
      var $info = $('#tabInfo');
      var $name = $('span', $info);
      $name.text($tab.text());
      $info.show();
      });
      });
    </script>
    <script>
      jQuery.fn.liScroll = function(settings) {
          settings = jQuery.extend({
              travelocity: 0.01
```

```
}, settings);
               return this.each(function(){
                       var $strip = jQuery(this);
                       $strip.addClass("newsticker")
                       var stripHeight = 1;
                       $strip.find("li").each(function(i){
                           stripHeight += jQuery(this, i).outerHeight(true);
                       });
                       var $mask = $strip.wrap("<div class='mask'></div>");
                       var $tickercontainer = $strip.parent().wrap("<div</pre>
class='tickercontainer'></div>");
                       var containerHeight =
$strip.parent().parent().height(); //a.k.a. 'mask' width
                       $strip.height(stripHeight);
                       var totalTravel = stripHeight;
                       var defTiming = totalTravel/settings.travelocity;
                       function scrollnews(spazio, tempo){
                       $strip.animate({top: '-='+ spazio}, tempo, "linear",
function(){$strip.css("top", containerHeight); scrollnews(totalTravel,
defTiming);});
                       scrollnews(totalTravel, defTiming);
                       $strip.hover(function(){
                       jQuery(this).stop();
                       },
                       function(){
                       var offset = jQuery(this).offset();
                       var residualSpace = offset.top + stripHeight;
                       var residualTime = residualSpace/settings.travelocity;
                       scrollnews(residualSpace, residualTime);
                       });
               });
       };
       $(function(){
           $("ul#ticker01").liScroll();
       });
    </script>
    <script src="js/move-top.js"></script>
    <script src="js/easing.js"></script>
    <script>
       jQuery(document).ready(function ($) {
```

```
$(".scroll").click(function (event) {
               event.preventDefault();
               $('html,body').animate({
                   scrollTop: $(this.hash).offset().top
               }, 900);
           });
       });
    </script>
    <script>
       $(document).ready(function () {
           var defaults = {
               containerID: 'toTop', // fading element id
               containerHoverID: 'toTopHover', // fading element hover id
               scrollSpeed: 1200,
           $().UItoTop({
               easingType: 'easeOutQuart'
           });
       });
    <script src="js/main.js"></script>
</html>
```

RESTAURANTS.HTML

```
<!DOCTYPE html>
<html lang="en">
      <meta charset="UTF-8"/>
        <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
        <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0"/>
        <meta name="keywords" content="Delivry Responsive web template,</pre>
Bootstrap Web Templates, Flat Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG,
SonyEricsson, Motorola web design" />
        <meta name="description" content="Delivry is a wide-spread online food</pre>
delivery service, known for it's long and rich history of serving customers
only the best food around! As a successfull online business, Delivry is most
proud of it's low-complaint ratings and positive feedback from happy
customers."/>
        <meta name="author" content="Martin Birišić"/>
      k
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous"/>
      <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.3.0/css/all.min.css" integrity="sha512-
SzlrxWUlpfuzQ+pcUCosxcglQRNAq/DZjVsC01E40xsADsfeQoEypE+enwc0iGjk/bSuGGKHEyjSoQ
1zVisanQ==" crossorigin="anonymous" referrerpolicy="no-referrer" />
      <link rel="preconnect" href="https://fonts.googleapis.com"/>
      <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin/>
      k
href="https://fonts.googleapis.com/css2?family=PT+Sans+Caption&display=swap"
rel="stylesheet"/>
      <link rel="stylesheet" href="owl-carousel/owl.carousel.css"/>
      <link rel="stylesheet" href="owl-carousel/owl.theme.css"/>
      <link rel="apple-touch-icon" sizes="180x180" href="images/apple-touch-</pre>
icon.png"/>
```

```
<link rel="icon" type="image/png" sizes="32x32" href="images/favicon-</pre>
32x32.png"/>
      <link rel="icon" type="image/png" sizes="16x16" href="images/favicon-</pre>
16x16.png"/>
     <link rel="manifest" href="images/site.webmanifest"/>
      <link href="css/style.css" rel="stylesheet" type="text/css"/>
      <title>Delivry - Order Best Restaurants!</title>
   </head>
    <body>
       <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
           <div class="container-fluid">
              <div class="header-bar ms-lg-5 ms-2">
                 <h1><a href="index.html">Delivry</a></h1>
              </div>
             <button class="navbar-toggler me-2" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
expanded="false" aria-label="Toggle navigation">
               <span class="navbar-toggler-icon"></span>
             </button>
             <div class="collapse navbar-collapse" id="navbarNav">
               </div>
           </div>
       </nav>
        <div class="header-main" id="home">
           <div class="slider">
              <div class="callbacks container">
                 <div class="slider-img two-img">
                          <div class="container">
                             <div class="slider-info">
                                <h5>Enjoy the best <span class="mb-
span">food</span> from the best<span class="mb-span"> restaurants</span>.</h5>
                                <div class="bottom-info">
                                   <h4 >Delivry - food delivery services</h4>
                                </div>
                                <form class="d-flex pt-3 mx-md-0 mx-auto pb-</pre>
5" action="" method="get" id="mb-search">
                                   <input class="form-control" type="search"</pre>
name="inputSearch" id="input-search" placeholder="Search restaurants" aria-
label="Search"/>
```

```
</form>
                               </div>
                            </div>
                         </div>
                     </div>
               <div class="clearfix"></div>
            </div>
        </div>
        <section class="py-lg-4 py-md-3 py-sm-3 py-3">
            <div class="container-fluid py-lg-1 py-md-1 py-sm-1">
               <div class="row">
                  <div class="col-12">
                     <h2 class="text-lg-start text-center text-dark text-</pre>
capitalize jst-wthree-text mb-lg-3 mb-md-4 mb-sm-4 mb-4 ms-lg-5 ps-lg-5">All
restaurants</h2>
                  </div>
               </div>
               <div class="row mb-lg-4 mb-3">
                  <div class="col-12 d-flex justify-content-start align-items-</pre>
center">
                     <div id="mb-restaurants-filter-sort">
                         <h5 class="ms-lg-5" ps-lg-5">Filter/Sort by <button
type="button" class="btn p-0" data-bs-toggle="modal" data-bs-
target="#exampleModal"><i class="fa-solid fa-filter btn btn-warning text-</pre>
white"></i></button></h5>
                         <div class="modal fade" id="exampleModal" tabindex="-</pre>
1" aria-labelledby="exampleModalLabel" aria-hidden="true">
                           <div class="modal-dialog">
                            <div class="modal-content">
                               <div class="modal-header">
                                  <h4 class="modal-title fw-bold"
id="exampleModalLabel">Filter</h4>
                                  <button type="button" class="btn-close" data-</pre>
bs-dismiss="modal" aria-label="Close"></button>
                               </div>
                               <div class="modal-body">
                                  <h5>Categories</h5>
                                  <hr/>
                                  <div class="px-3" id="mb-filter-categories">
                                     <form action="" method="GET" id="mb-</pre>
filter-form" class="d-flex justify-content-center align-items-center flex-
wrap">
```

```
</form>
                                   </div>
                                </div>
                                <div class="modal-body">
                                   <h5>Delivery</h5>
                                   <hr/>
                                   <div class="px-3" id="mb-filter-categories">
                                      <form action="" method="GET" id=""</pre>
class="d-flex justify-content-start align-items-center flex-wrap">
                                         <input class="mb-filter-radio mb-width-</pre>
0" type="radio" name="filterRadio" id="rbFilter1" value="0"/>
                                         <label for="rbFilter1" class="mb-</pre>
filter-delivery-label mb-filter-delivery-active text-warning rounded-pill m-
2">Free</label>
                                         <input class="mb-filter-radio mb-width-</pre>
0" type="radio" name="filterRadio" id="rbFilter2" value="1"/>
                                         <label for="rbFilter2" class="mb-</pre>
filter-delivery-label text-warning rounded-pill m-2">Paid</label>
                                      </form>
                                   </div>
                                </div>
                                <div class="modal-header">
                                   <h4 class="modal-title fw-bold"
id="exampleModalLabel">Sort</h4>
                                   <hr/>
                               </div>
                                <div class="modal-body">
                                   <div class="px-3">
                                      <form action="" method="GET" id=""</pre>
class="d-flex justify-content-center align-items-center flex-wrap">
                                         <input type="radio" name="sortRadio"</pre>
id="rbSort1" class="mb-sort-radio mb-width-0" value="0"/>
                                         <label for="rbSort1" class="mb-sort-</pre>
label mb-sort-active text-warning rounded-pill m-2">Najpopularniji</label>
                                         <input type="radio" name="sortRadio"</pre>
id="rbSort2" class="mb-sort-radio mb-width-0" value="1"/>
                                         <label for="rbSort2" class="mb-sort-</pre>
label text-warning rounded-pill m-2">Cena dostave opadajuća</label>
                                         <input type="radio" name="sortRadio"</pre>
id="rbSort3" class="mb-sort-radio mb-width-0" value="2"/>
                                         <label for="rbSort3" class="mb-sort-</pre>
label text-warning rounded-pill m-2">Najbrža dostava</label>
                                      </form>
                                   </div>
                                </div>
                                <div class="modal-footer">
                                   <button type="button" class="btn border"</pre>
data-bs-dismiss="modal">Close</button>
```

```
<button type="button" class="btn btn-warning</pre>
text-white" data-bs-toggle="modal" data-bs-target="#exampleModal"
id="btnApply">Apply changes</button>
                           </div>
                           </div>
                        </div>
                     </div>
                  </div>
               </div>
               <div class="row pt-lg-3 px-lg-3 d-flex justify-content-center"</pre>
align-items-center flex-wrap" id="mb-restaurants">
               </div>
            </div>
         </section>
        <section class="subscribe-footer">
         <h2 class="text-center text-white pt-5 pb-3">Review your orders</h2>
         <div class="container-fluid">
            <div class="row">
               <div class="col-12 d-flex justify-content-center align-items-</pre>
center">
                  <a href="cart.html" class="btn btn-warning mt-5 mb-5 fs-3</pre>
text-white">Go to your cart</a>
               </div>
            </div>
         </div>
        </section>
        <section class="buttom-footer py-lg-4 py-md-3 py-sm-3 py-3">
        <div class="container pt-lg-5 pt-md-5 pt-sm-4 pt-4">
           <div class="row footer-agile-grids">
                    <div class="col-lg-3 col-md-6 col-12 footer-header pl-0">
                       <h4><a href="index.html" class="text-warning fw-
bold">Delivry</a></h4>
                       Enjoy your every meal.
                    </div>
                    <div class="col-lg-3 col-md-6 col-12 footer-para">
                        <h4 class="pb-lg-3 pb-3 text-warning fw-bold">Contact
Us</h4>
                       Belgrade, Serbia<br/>Cetinjska 3
                       +381 062318723
                       <a href="mailto:birisicmartin02@gmail.com"
class="text-warning">birisicmartin02@gmail.com</a>
                    </div>
                    <div class="col-lg-3 col-12 my-lg-0 my-3 wthree-left-</pre>
right">
                       <h4 class="pb-lg-3 pb-3">About Us</h4>
```

```
<div class="address-para">
                         We are a dedicated team of professionals who
believe in making the delivery process of food simple, fast, and reliable.
                      </div>
                   </div>
                   <div class="col-lg-3 col-12 wthree-left-right">
                      <h4 class="pb-lg-3 pb-3">Follow us</h4>
                      <div class="icons">
                         <111>
                            <a href="https://www.facebook.com"</a>
target="_blank"><i class="fa-brands fa-square-facebook"></i></a>
                            <a href="mailto:birisicmartin02@gmail.com"</pre>
target=" blank"><i class="fa-regular fa-envelope"></i></a>
                            <a href="https://www.instagram.com"</a>
target=" blank"><i class="fa-brands fa-instagram"></i></a>
                            <a href="sitemap.xml" target=" blank"><i</pre>
class="fa-solid fa-sitemap"></i></a>
                           <a href="documentation.pdf"</pre>
target=" blank"><i class="fa-solid fa-book"></i></a>
                         </div>
                   </div>
                </div>
          </div>
       </div>
       </section>
       <footer>
           ©2023 Delivry. All
Rights Reserved | Design by <a href="http://www.W3Layouts.com" target=" blank"
class="text-muted">W3Layouts</a>
       </footer>
     <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
     <script src="https://code.jquery.com/jquery-3.6.3.min.js"</pre>
integrity="sha256-pvPw+upLPUjgMXY0G+800xUf+/Im1MZjXxxg0cBQBXU="
crossorigin="anonymous"></script>
    <script src="js/easy-responsive-tabs.js"></script>
    <script>
       $(document).ready(function () {
       $('#horizontalTab').easyResponsiveTabs({
       type: 'default', //Types: default, vertical, accordion
       width: 'auto', //auto or any width like 600px
```

```
fit: true, // 100% fit in a container
        closed: 'accordion', // Start closed if in accordion view
        activate: function(event) { // Callback function if tab is switched
        var $tab = $(this);
        var $info = $('#tabInfo');
        var $name = $('span', $info);
        $name.text($tab.text());
        $info.show();
        });
        });
     </script>
     <script>
        jQuery.fn.liScroll = function(settings) {
            settings = jQuery.extend({
                travelocity: 0.01
                }, settings);
                return this.each(function(){
                        var $strip = jQuery(this);
                        $strip.addClass("newsticker")
                        var stripHeight = 1;
                        $strip.find("li").each(function(i){
                            stripHeight += jQuery(this, i).outerHeight(true);
                        var $mask = $strip.wrap("<div class='mask'></div>");
                        var $tickercontainer = $strip.parent().wrap("<div</pre>
class='tickercontainer'></div>");
                        var containerHeight =
$strip.parent().parent().height(); //a.k.a. 'mask' width
                        $strip.height(stripHeight);
                        var totalTravel = stripHeight;
                        var defTiming = totalTravel/settings.travelocity; //
                        function scrollnews(spazio, tempo){
                        $strip.animate({top: '-='+ spazio}, tempo, "linear",
function(){$strip.css("top", containerHeight); scrollnews(totalTravel,
defTiming);});
                        scrollnews(totalTravel, defTiming);
                        $strip.hover(function(){
                        jQuery(this).stop();
                        function(){
                        var offset = jQuery(this).offset();
```

```
var residualSpace = offset.top + stripHeight;
                   var residualTime = residualSpace/settings.travelocity;
                   scrollnews(residualSpace, residualTime);
                   });
           });
  $(function(){
       $("ul#ticker01").liScroll();
  });
</script>
<script src="js/move-top.js"></script>
<script src="js/easing.js"></script>
<script>
  jQuery(document).ready(function ($) {
       $(".scroll").click(function (event) {
           event.preventDefault();
           $('html,body').animate({
               scrollTop: $(this.hash).offset().top
           }, 900);
      });
  });
</script>
<script>
  $(document).ready(function () {
       var defaults = {
           containerID: 'toTop', // fading element id
           containerHoverID: 'toTopHover', // fading element hover id
           scrollSpeed: 1200,
           easingType: 'linear'
       };
       $().UItoTop({
           easingType: 'easeOutQuart'
      });
  });
</script>
```

```
<script src="js/main.js"></script>
  </body>
</html>
```

AUTHOR.HTML

```
<!DOCTYPE html>
<html lang="en">
        <meta charset="UTF-8"/>
        <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
        <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0"/>
        <meta name="keywords" content="Delivry Responsive web template,</pre>
Bootstrap Web Templates, Flat Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG,
SonyEricsson, Motorola web design" />
        <meta name="description" content="Delivry is a wide-spread online food</pre>
delivery service, known for it's long and rich history of serving customers
only the best food around! As a successfull online business, Delivry is most
proud of it's low-complaint ratings and positive feedback from happy
customers."/>
        <meta name="author" content="Martin Birišić"/>
        klink
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous"/>
        <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.3.0/css/all.min.css" integrity="sha512-
SzlrxWUlpfuzQ+pcUCosxcglQRNAq/DZjVsC01E40xsADsfeQoEypE+enwc0iGjk/bSuGGKHEyjSoQ
1zVisanQ==" crossorigin="anonymous" referrerpolicy="no-referrer" />
        <link rel="preconnect" href="https://fonts.googleapis.com"/>
        <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin/>
        k
href="https://fonts.googleapis.com/css2?family=PT+Sans+Caption&display=swap"
rel="stylesheet"/>
        <link rel="stylesheet" href="owl-carousel/owl.carousel.css"/>
        <link rel="stylesheet" href="owl-carousel/owl.theme.css"/>
        <link rel="apple-touch-icon" sizes="180x180" href="images/apple-touch-</pre>
icon.png"/>
```

```
<link rel="icon" type="image/png" sizes="32x32" href="images/favicon-</pre>
32x32.png"/>
       <link rel="icon" type="image/png" sizes="16x16" href="images/favicon-</pre>
16x16.png"/>
       <link rel="manifest" href="images/site.webmanifest"/>
       <link href="css/style.css" rel="stylesheet" type="text/css"/>
       <title>Delivry - Order Best Restaurants!</title>
    </head>
   <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
       <div class="container-fluid">
          <div class="header-bar ms-lg-5 ms-2">
             <h1><a href="index.html">Delivry</a></h1>
          </div>
         <button class="navbar-toggler me-2" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
expanded="false" aria-label="Toggle navigation">
           <span class="navbar-toggler-icon"></span>
         </button>
         <div class="collapse navbar-collapse" id="navbarNav">
           </div>
       </div>
   </nav>
    <div class="header-main" id="home">
       <div class="slider">
          <div class="callbacks container">
             <div class="three-img">
                     <div class="container">
                        <div class="slider-info mb-header-spacing">
                           <h5 id="mb-restaurant-title">Author</h5>
                        </div>
                     </div>
                   </div>
                <div class="clearfix"></div>
       </div>
     </div>
```

```
<section class="container mb-5">
         <div class="row justify-content-center">
            <div class="col-md-5 col-12">
               <div id="mb-author" class="w-75 d-flex justify-content-center</pre>
align-items-center">
                  <img src="images/2-cropped.jpg" class="img-fluid"</pre>
alt="author ima ge"/>
               </div>
            </div>
            <div class="col-md-4 col-12 d-flex align-items-center flex-wrap">
               <div id="mb-author-text">
                  <h2 class="py-2">Martin Birišić</h2>
                  <h3 class="py-2">Internet tehnologije</h3>
                  <h3 class="py-2">Web programiranje 2</h3>
                  <h3 class="py-2">22/21</h3>
               </div>
            </div>
         </div>
      </section>
    <section class="subscribe-footer">
        <h2 class="text-center text-white pt-5 pb-3">Review your orders</h2>
        <div class="container-fluid ">
           <div class="row">
              <div class="col-12 d-flex justify-content-center align-items-</pre>
center">
                 <a href="cart.html" class="btn btn-warning mt-5 mb-5 fs-3</pre>
text-white">Go to your cart</a>
              </div>
           </div>
        </div>
       </section>
       <section class="buttom-footer py-lg-4 py-md-3 py-sm-3 py-3">
       <div class="container pt-lg-5 pt-md-5 pt-sm-4 pt-4">
          <div class="row footer-agile-grids">
                   <div class="col-lg-3 col-md-6 col-12 footer-header pl-0">
                      <h4><a href="index.html" class="text-warning fw-
bold">Delivry</a></h4>
                      Enjoy your every meal.
                   <div class="col-lg-3 col-md-6 col-12 footer-para">
                       <h4 class="pb-lg-3 pb-3 text-warning fw-bold">Contact
Us</h4>
                      Belgrade, Serbia<br/>Cetinjska 3
                      +381 062318723
```

```
<a href="mailto:birisicmartin02@gmail.com"
class="text-warning">birisicmartin02@gmail.com</a>
                  </div>
                  <div class="col-lg-3 col-12 my-lg-0 my-3 wthree-left-</pre>
right">
                     <h4 class="pb-lg-3 pb-3">About Us</h4>
                     <div class="address-para">
                        We are a dedicated team of professionals who
believe in making the delivery process of food simple, fast, and reliable.
                     </div>
                  </div>
                  <div class="col-lg-3 col-12 wthree-left-right">
                     <h4 class="pb-lg-3 pb-3">Follow us</h4>
                     <div class="icons">
                        <l
                           <a href="https://www.facebook.com"</a>
target=" blank"><i class="fa-brands fa-square-facebook"></i></a>
                           <a href="mailto:birisicmartin02@gmail.com"</pre>
target="_blank"><i class="fa-regular fa-envelope"></i></a>
                           <a href="https://www.instagram.com"</a>
target="_blank"><i class="fa-brands fa-instagram"></i></a>
                           <a href="sitemap.xml" target=" blank"><i</pre>
class="fa-solid fa-sitemap"></i></a>
                           <a href="documentation.pdf" target="_blank"><i</pre>
class="fa-solid fa-book"></i></a>
                        </div>
                  </div>
               </div>
         </div>
      </div>
       </section>
       <footer>
          ©2023 Delivry. All Rights
Reserved | Design by <a href="http://www.W3Layouts.com" target="_blank"</pre>
class="text-muted">W3Layouts</a>
      </footer>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
    <script src="https://code.jquery.com/jquery-3.6.3.min.js"</pre>
integrity="sha256-pvPw+upLPUjgMXY0G+800xUf+/Im1MZjXxxgOcBQBXU="
crossorigin="anonymous"></script>
```

```
<script src="js/easy-responsive-tabs.js"></script>
    <script>
       $(document).ready(function () {
       $('#horizontalTab').easyResponsiveTabs({
       type: 'default', //Types: default, vertical, accordion
       fit: true, // 100% fit in a container
       closed: 'accordion', // Start closed if in accordion view
       activate: function(event) { // Callback function if tab is switched
       var $tab = $(this);
       var $info = $('#tabInfo');
       var $name = $('span', $info);
       $name.text($tab.text());
       $info.show();
       });
       });
    </script>
    <script>
       jQuery.fn.liScroll = function(settings) {
           settings = jQuery.extend({
               travelocity: 0.01
               }, settings);
               return this.each(function(){
                       var $strip = jQuery(this);
                       $strip.addClass("newsticker")
                       var stripHeight = 1;
                       $strip.find("li").each(function(i){
                           stripHeight += jQuery(this, i).outerHeight(true);
                       });
                       var $mask = $strip.wrap("<div class='mask'></div>");
                       var $tickercontainer = $strip.parent().wrap("<div</pre>
class='tickercontainer'></div>");
                       var containerHeight =
$strip.parent().parent().height(); //a.k.a. 'mask' width
                       $strip.height(stripHeight);
                       var totalTravel = stripHeight;
                       var defTiming = totalTravel/settings.travelocity;
                       function scrollnews(spazio, tempo){
                       $strip.animate({top: '-='+ spazio}, tempo, "linear",
function(){$strip.css("top", containerHeight); scrollnews(totalTravel,
defTiming);});
```

```
scrollnews(totalTravel, defTiming);
                   $strip.hover(function(){
                   jQuery(this).stop();
                   },
                   function(){
                   var offset = jQuery(this).offset();
                   var residualSpace = offset.top + stripHeight;
                   var residualTime = residualSpace/settings.travelocity;
                   scrollnews(residualSpace, residualTime);
                   });
           });
   };
   $(function(){
       $("ul#ticker01").liScroll();
  });
</script>
<script src="js/move-top.js"></script>
<script src="js/easing.js"></script>
<script>
  jQuery(document).ready(function ($) {
       $(".scroll").click(function (event) {
           event.preventDefault();
           $('html,body').animate({
               scrollTop: $(this.hash).offset().top
           }, 900);
       });
   });
</script>
<script>
   $(document).ready(function () {
       var defaults = {
           containerID: 'toTop', // fading element id
           containerHoverID: 'toTopHover', // fading element hover id
           scrollSpeed: 1200,
           easingType: 'linear'
       $().UItoTop({
           easingType: 'easeOutQuart'
```

CHECKOUT.HTML

```
<!DOCTYPE html>
<html lang="en">
        <meta charset="UTF-8"/>
        <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
        <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0"/>
        <meta name="keywords" content="Delivry Responsive web template,</pre>
Bootstrap Web Templates, Flat Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG,
SonyEricsson, Motorola web design" />
        <meta name="description" content="Delivry is a wide-spread online food</pre>
delivery service, known for it's long and rich history of serving customers
only the best food around! As a successfull online business, Delivry is most
proud of it's low-complaint ratings and positive feedback from happy
customers."/>
        <meta name="author" content="Martin Birišić"/>
        klink
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous"/>
        <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.3.0/css/all.min.css" integrity="sha512-
SzlrxWUlpfuzQ+pcUCosxcglQRNAq/DZjVsC01E40xsADsfeQoEypE+enwc0iGjk/bSuGGKHEyjSoQ
1zVisanQ==" crossorigin="anonymous" referrerpolicy="no-referrer" />
        <link rel="preconnect" href="https://fonts.googleapis.com"/>
        <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin/>
        k
href="https://fonts.googleapis.com/css2?family=PT+Sans+Caption&display=swap"
rel="stylesheet"/>
        <link rel="stylesheet" href="owl-carousel/owl.carousel.css"/>
        <link rel="stylesheet" href="owl-carousel/owl.theme.css"/>
        <link rel="apple-touch-icon" sizes="180x180" href="images/apple-touch-</pre>
icon.png"/>
```

```
<link rel="icon" type="image/png" sizes="32x32" href="images/favicon-</pre>
32x32.png"/>
       <link rel="icon" type="image/png" sizes="16x16" href="images/favicon-</pre>
16x16.png"/>
       <link rel="manifest" href="images/site.webmanifest"/>
       <link href="css/style.css" rel="stylesheet" type="text/css"/>
       <title>Delivry - Your Cart</title>
    </head>
   <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
       <div class="container-fluid">
          <div class="header-bar ms-lg-5 ms-2">
             <h1><a href="index.html">Delivry</a></h1>
          </div>
         <button class="navbar-toggler me-2" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
expanded="false" aria-label="Toggle navigation">
           <span class="navbar-toggler-icon"></span>
         </button>
         <div class="collapse navbar-collapse" id="navbarNav">
           </div>
       </div>
   </nav>
   <section class="subscribe-footer py-lg-5 py-md-3 py-sm-3 py-3">
       <h2 class="text-center text-white mb-padding-top">Your
information</h2>
       <div class="container mt-3">
          <div class="row mx-auto px-0">
              <div class="col-12 px-0 mx-auto">
                  <form action="" id="mb-form-shopping" name="form-shopping">
                      <div class="mb-3">
                                         <label for="user-name" class="form-</pre>
label">Name</label><span class="d-none mb-shopping-required px-1">*</span>
                                         <input type="text" class="form-</pre>
control" id="user-name" placeholder="Pera"/>
                                         <span class="d-none mb-span-danger</pre>
text-danger"></span>
```

```
</div>
                                   <div class="mb-3">
                                           <label for="user-lastname"</pre>
class="form-label">Last name</label><span class="d-none mb-shopping-required")</pre>
px-1">*</span>
                                           <input type="text" class="form-</pre>
control" id="user-lastname" placeholder="Perić"/>
                                           <span class="d-none mb-span-danger</pre>
text-danger"></span>
                                       </div>
                                   <div class="mb-3">
                                           <label for="user-address"</pre>
class="form-label">Address</label><span class="d-none mb-shopping-required px-</pre>
1">*</span>
                                           <input type="text" class="form-</pre>
control" id="user-address" placeholder="Trg republike 3"/>
                                           <span class="d-none mb-span-danger-</pre>
large text-danger"></span>
                                       </div>
                                   <div class="mb-3">
                                           <label for="user-city" class="form-</pre>
label">City</label><span class="d-none mb-shopping-required px-1">*</span>
                                           <input type="text" class="form-</pre>
control" id="user-city" placeholder="Beograd 11000"/>
                                           <span class="d-none mb-span-danger-</pre>
large text-danger"></span>
                                       </div>
                               <div class="mb-3">
                                           <label for="user-phone"</pre>
class="form-label">Phone number</label><span class="d-none mb-shopping-</pre>
required px-1">*</span>
                                           <input type="tel" class="form-</pre>
control" id="user-phone" placeholder="06..."/>
```

```
<span class="d-none mb-span-danger-</pre>
large text-danger"></span>
                                      </div>
                                  <div class="mb-3">
                                          <label for="user-email"</pre>
class="form-label">Email</label><span class="d-none mb-shopping-required px-</pre>
1">*</span>
                                          <input type="email" class="form-</pre>
control" id="user-email" placeholder="peraperic@gmail.com"/>
                                          <span class="d-none mb-span-danger-</pre>
large text-danger"></span>
                                      </div>
                                  <div class="mb-3">
                                          <label for="fizicko-lice-radio"</pre>
class="form-label">Pay with card</label>
                                          <input type="radio" name="orderer"</pre>
value="fizicko-lice" id="fizicko-lice-radio" class="me-3" checked="checked"/>
                                          <label for="preduzece-radio"</pre>
class="form-label">Pay with cash</label>
                                          <input type="radio" name="orderer"</pre>
value="preduzece" id="preduzece-radio" class="me-3"/>
                                      </div>
                                      <span class="d-none mb-span-danger-</pre>
large text-danger"></span>
                                  <div class="mb-3 text-center">
                                          <input type="checkbox"</pre>
value="TermsOfService" name="terms" id="terms"/>
                                          <label for="terms" class="form-</pre>
label">I have read and I fully agree with the<button type="button" class="mb-
contact-modal-btn" id="mb-modal-btn" data-bs-toggle="modal" data-bs-
target="#exampleModal2">
                                              Terms of Service
                                            </button><span class="mb-
shopping-required px-1 d-none">*</span>
```

```
<div class="modal fade"</pre>
id="exampleModal2" tabindex="-1" aria-labelledby="exampleModalLabel2" aria-
hidden="true">
                                              <div class="modal-dialog">
                                                <div class="modal-content">
                                                  <div class="modal-header">
                                                    <h5 class="modal-title"
id="exampleModalLabel2">Terms of Service</h5>
                                                    <button type="button"</pre>
class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
                                                  </div>
                                                  <div class="modal-body">
                                                    Terms of Service say
that you, the customer, are fully obligated to pay the costs of delivery.
                                                  </div>
                                                  <div class="modal-footer">
                                                    <button type="button"</pre>
class="btn btn-warning text-white" data-bs-dismiss="modal">Accept</button>
                                                 </div>
                                                </div>
                                              </div>
                                            </div>
                                          </label>
                                          <span class="d-none mb-span-danger-</pre>
large text-danger"></span>
                                      </div>
                                  <div class="mb-3 text-center">
                                          <input type="button" value="Order"</pre>
id="btn-order" name="btn-order" class="btn btn-warning text-white"/>
                                      </div>
                                  </form>
              </div>
          </div>
       </div>
       </section>
       <section class="buttom-footer py-lg-4 py-md-3 py-sm-3 py-3">
       <div class="container pt-lg-5 pt-md-5 pt-sm-4 pt-4">
          <div class="row footer-agile-grids">
                   <div class="col-lg-3 col-md-6 col-12 footer-header pl-0">
```

```
<h4><a href="index.html" class="text-warning fw-
bold">Delivry</a></h4>
                     Enjoy your every meal.
                  </div>
                  <div class="col-lg-3 col-md-6 col-12 footer-para">
                      <h4 class="pb-lg-3 pb-3 text-warning fw-bold">Contact
Us</h4>
                     Belgrade, Serbia<br/>Cetinjska 3
                     >+381 062318723
                     <a href="mailto:birisicmartin02@gmail.com"
class="text-warning">birisicmartin02@gmail.com</a>
                  </div>
                  <div class="col-lg-3 col-12 my-lg-0 my-3 wthree-left-</pre>
right">
                     <h4 class="pb-lg-3 pb-3">About Us</h4>
                     <div class="address-para">
                        We are a dedicated team of professionals who
believe in making the delivery process of food simple, fast, and reliable.
                     </div>
                  </div>
                  <div class="col-lg-3 col-12 wthree-left-right">
                     <h4 class="pb-lg-3 pb-3">Follow us</h4>
                     <div class="icons">
                        <l
                           <a href="https://www.facebook.com"</a>
target="_blank"><i class="fa-brands fa-square-facebook"></i></a>
                           <a href="mailto:birisicmartin02@gmail.com"</pre>
target="_blank"><i class="fa-regular fa-envelope"></i></a>
                           <a href="https://www.instagram.com"</li>
target="_blank"><i class="fa-brands fa-instagram"></i></a>
                           <a href="sitemap.xml" target="_blank"><i</a>
class="fa-solid fa-sitemap"></i></a>
                           <a href="documentation.pdf"</li>
target="_blank"><i class="fa-solid fa-book"></i></a>
                        </div>
                  </div>
                </div>
          </div>
       </div>
       </section>
       <footer>
           ©2023 Delivry. All
Rights Reserved | Design by <a href="http://www.W3Layouts.com" target="_blank"
class="text-muted">W3Layouts</a>
       </footer>
```

```
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
    <script src="https://code.jquery.com/jquery-3.6.3.min.js"</pre>
integrity="sha256-pvPw+upLPUjgMXY0G+800xUf+/Im1MZjXxxg0cBQBXU="
crossorigin="anonymous"></script>
    <script src="js/easy-responsive-tabs.js"></script>
    <script>
       $(document).ready(function () {
       $('#horizontalTab').easyResponsiveTabs({
       type: 'default', //Types: default, vertical, accordion
       width: 'auto', //auto or any width like 600px
       fit: true, // 100% fit in a container
       closed: 'accordion', // Start closed if in accordion view
       activate: function(event) { // Callback function if tab is switched
       var $tab = $(this);
       var $info = $('#tabInfo');
       var $name = $('span', $info);
       $name.text($tab.text());
       $info.show();
       });
       });
    </script>
    <script>
       jQuery.fn.liScroll = function(settings) {
           settings = jQuery.extend({
               travelocity: 0.01
               }, settings);
               return this.each(function(){
                       var $strip = jQuery(this);
                       $strip.addClass("newsticker")
                       var stripHeight = 1;
                       $strip.find("li").each(function(i){
                           stripHeight += jQuery(this, i).outerHeight(true);
                       });
                       var $mask = $strip.wrap("<div class='mask'></div>");
                       var $tickercontainer = $strip.parent().wrap("<div</pre>
class='tickercontainer'></div>");
```

```
var containerHeight =
$strip.parent().parent().height(); //a.k.a. 'mask' width
                       $strip.height(stripHeight);
                       var totalTravel = stripHeight;
                       var defTiming = totalTravel/settings.travelocity;
                       function scrollnews(spazio, tempo){
                       $strip.animate({top: '-='+ spazio}, tempo, "linear",
function(){$strip.css("top", containerHeight); scrollnews(totalTravel,
defTiming);});
                       scrollnews(totalTravel, defTiming);
                       $strip.hover(function(){
                       jQuery(this).stop();
                       },
                       function(){
                       var offset = jQuery(this).offset();
                       var residualSpace = offset.top + stripHeight;
                       var residualTime = residualSpace/settings.travelocity;
                       scrollnews(residualSpace, residualTime);
                       });
               });
       };
       $(function(){
           $("ul#ticker01").liScroll();
       });
    </script>
    <script src="js/move-top.js"></script>
    <script src="js/easing.js"></script>
    <script>
       jQuery(document).ready(function ($) {
           $(".scroll").click(function (event) {
               event.preventDefault();
               $('html,body').animate({
                   scrollTop: $(this.hash).offset().top
               }, 900);
           });
       });
    </script>
    <script>
       $(document).ready(function () {
```

RESTAURANT1.HTML

```
<!DOCTYPE html>
<html lang="en">
        <meta charset="UTF-8"/>
        <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
        <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0"/>
        <meta name="keywords" content="Delivry Responsive web template,</pre>
Bootstrap Web Templates, Flat Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG,
SonyEricsson, Motorola web design" />
        <meta name="description" content="Delivry is a wide-spread online food</pre>
delivery service, known for it's long and rich history of serving customers
only the best food around! As a successfull online business, Delivry is most
proud of it's low-complaint ratings and positive feedback from happy
customers."/>
        <meta name="author" content="Martin Birišić"/>
        klink
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous"/>
        <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.3.0/css/all.min.css" integrity="sha512-
SzlrxWUlpfuzQ+pcUCosxcglQRNAq/DZjVsC01E40xsADsfeQoEypE+enwc0iGjk/bSuGGKHEyjSoQ
1zVisanQ==" crossorigin="anonymous" referrerpolicy="no-referrer" />
        <link rel="preconnect" href="https://fonts.googleapis.com"/>
        <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin/>
        k
href="https://fonts.googleapis.com/css2?family=PT+Sans+Caption&display=swap"
rel="stylesheet"/>
        <link rel="stylesheet" href="owl-carousel/owl.carousel.css"/>
        <link rel="stylesheet" href="owl-carousel/owl.theme.css"/>
        <link rel="apple-touch-icon" sizes="180x180" href="images/apple-touch-</pre>
icon.png"/>
```

```
<link rel="icon" type="image/png" sizes="32x32" href="images/favicon-</pre>
32x32.png"/>
       <link rel="icon" type="image/png" sizes="16x16" href="images/favicon-</pre>
16x16.png"/>
       <link rel="manifest" href="images/site.webmanifest"/>
        <link href="css/style.css" rel="stylesheet" type="text/css"/>
        <title>Delivry - Order Best Restaurants!</title>
    </head>
    <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
       <div class="container-fluid">
          <div class="header-bar ms-lg-5 ms-2">
             <h1><a href="index.html">Delivry</a></h1>
          </div>
         <button class="navbar-toggler me-2" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
expanded="false" aria-label="Toggle navigation">
           <span class="navbar-toggler-icon"></span>
         </button>
         <div class="collapse navbar-collapse" id="navbarNav">
           </div>
       </div>
    </nav>
    <div class="header-main" id="home">
       <div class="slider">
          <div class="callbacks container">
             <div class="three-img">
                      <div class="container">
                         <div class="slider-info mb-header-spacing">
                            <h5 id="mb-restaurant-title"></h5>
                            <form class="d-flex pt-3 mx-md-0 mx-auto pb-5"</pre>
action="" method="get" id="mb-search">
                              <input class="form-control mb-5" type="search"</pre>
name="inputSearch" id="restaurant-input-search" placeholder="Search
restaurant" aria-label="Search"/>
                             </form>
                         </div>
                      </div>
                   </div>
```

```
</div>
           <div class="clearfix"></div>
        </div>
    </div>
    <section id="mb-restaurant-info" class="container-fluid mb-4">
        <div class="row d-flex justify-content-center">
            <div class="col-12 d-flex justify-content-center align-items-</pre>
center flex-wrap">
                 <div class="mb-restaurant-info-text d-flex justify-content-</pre>
center align-items-center">
                     <span id="mb-restaurant-working-time" class="px-3 text-</pre>
center"></span>
                     <span id="mb-restaurant-more-info" class="px-3 text-</pre>
center"><button type="button" class="mb-contact-modal-btn text-warning text-
decoration-none" id="mb-modal-btn" data-bs-toggle="modal" data-bs-
target="#exampleModalInfo">
                         More info
                       </button>
                     <div class="modal fade" id="exampleModal3" tabindex="-1"</pre>
aria-labelledby="exampleModalLabelInfo" aria-hidden="true">
                         <div class="modal-dialog">
                           <div class="modal-content">
                             <div class="modal-header">
                               <h5 class="modal-title"
id="exampleModalLabelInfo">Information about restaurant</h5>
                               <button type="button" class="btn-close" data-bs-</pre>
dismiss="modal" aria-label="Close"></button>
                             <div class="modal-body">
                               <span id="moreInfoWorkingHours"></span>
                               <span id="moreInfoAddress"></span>
                               <span id="moreInfoDeliveryTime"></span>
                               <span id="moreInfoMinimalDeliveryPrice"></span>
                               <span id="moreInfoEmail"></span>
                             </div>
                           </div>
                         </div>
                       </div>
                     </span>
                 </div>
                <div class="mb-restaurant-info-icons d-flex justify-content-</pre>
center align-items-center pt-md-0 pt-3">
                     <span id="mb-restaurant-rating" class="px-3 text-</pre>
center"><i class="fa-solid fa-star text-warning"></i></span>
```

```
<span id="mb-restaurant-add-favorites" class="px-3 fs-4</pre>
text-center"><i class='fa-solid fa-heart'></i></span>
                </div>
            </div>
        </div>
    </section>
    <section id="mb-restaurant-filters-sorts" class="container-fluid mb-5 pt-3</pre>
border-top">
        <div class="row d-flex justify-content-center align-items-center">
            <div class="col-md-4">
                <div id="mb-restaurant-categories-title">
                     <h5 class="text-center">Filter by category</h5>
                </div>
                <form id="mb-restaurant-categories-spans" class="d-flex</pre>
justify-content-center align-items-center flex-wrap mt-2">
                </form>
            </div>
            <div class="col-md-4 mt-md-0 mt-4">
                <form action="">
                     <div class="">
                         <div class="mb-range-text d-flex justify-content-</pre>
center align-items-center">
                           <label for="mb-range" class="fs-5">Max price:
</label>
                             <output class="fs-5" id="mb-range-output"> 1500
RSD</output>
                         </div>
                         <input id="mb-range" class="form-range d-block mx-</pre>
auto" type="range" value="1500" min="500" max="1500" step="100"
oninput="this.previousElementSibling.lastElementChild.value = this.value + '
RSD'">
                     </div>
                </form>
            </div>
            <div class="col-md-4 mt-md-0 mt-4">
                <div id="mb-restaurant-sorts-title">
                     <h5 class="text-center">Sort by:</h5>
                <div id="mb-restaurant-sorts-dropdown" class="d-flex justify-</pre>
content-center align-items-center flex-wrap mt-2">
                     <select name="restaurantSortsSelect" id="mb-restaurant-</pre>
sorts-select" class="form-select w-50">
                   </select>
```

```
</div>
            </div>
        </div>
    </section>
    <section id="mb-restaurant-food" class="container-fluid">
        <div class="row justify-content-around align-items-center" id="mb-</pre>
restaurant-food-row">
        </div>
    </section>
    <section class="subscribe-footer">
        <h2 class="text-center text-white pt-5 pb-3">Review your orders</h2>
        <div class="container-fluid ">
           <div class="row">
              <div class="col-12 d-flex justify-content-center align-items-</pre>
center">
                 <a href="cart.html" class="btn btn-warning mt-5 mb-5 fs-3</pre>
text-white">Go to your cart</a>
              </div>
           </div>
        </div>
       </section>
       <section class="buttom-footer py-lg-4 py-md-3 py-sm-3 py-3">
       <div class="container pt-lg-5 pt-md-5 pt-sm-4 pt-4">
          <div class="row footer-agile-grids">
                   <div class="col-lg-3 col-md-6 col-12 footer-header pl-0">
                      <h4><a href="index.html" class="text-warning fw-
bold">Delivry</a></h4>
                      Enjoy your every meal.
                   </div>
                   <div class="col-lg-3 col-md-6 col-12 footer-para">
                       <h4 class="pb-lg-3 pb-3 text-warning fw-bold">Contact
Us</h4>
                      Belgrade, Serbia<br/>Cetinjska 3
                      +381 062318723
                      <a href="mailto:birisicmartin02@gmail.com"
class="text-warning">birisicmartin02@gmail.com</a>
                   <div class="col-lg-3 col-12 my-lg-0 my-3 wthree-left-</pre>
right">
                      <h4 class="pb-lg-3 pb-3">About Us</h4>
                      <div class="address-para">
                         >We are a dedicated team of professionals who
believe in making the delivery process of food simple, fast, and reliable.
```

```
</div>
                  </div>
                  <div class="col-lg-3 col-12 wthree-left-right">
                     <h4 class="pb-lg-3 pb-3">Follow us</h4>
                     <div class="icons">
                        <l
                           <a href="https://www.facebook.com"</a>
target="_blank"><i class="fa-brands fa-square-facebook"></i></a>
                           <a href="mailto:birisicmartin02@gmail.com"</a>
target="_blank"><i class="fa-regular fa-envelope"></i></a>
                           <a href="https://www.instagram.com"</a>
target=" blank"><i class="fa-brands fa-instagram"></i></a>
                           <a href="sitemap.xml" target=" blank"><i</a>
class="fa-solid fa-sitemap"></i></a>
                           <a href="documentation.pdf" target=" blank"><i</pre>
class="fa-solid fa-book"></i></a>
                        </div>
                  </div>
               </div>
         </div>
      </section>
      <footer>
          ©2023 Delivry. All Rights
Reserved | Design by <a href="http://www.W3Layouts.com" target="_blank"
class="text-muted">W3Layouts</a>
      </footer>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.js" integrity="sha384-
MrcW6ZMFYlzcLA8N1+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
    <script src="https://code.jquery.com/jquery-3.6.3.min.js"</pre>
integrity="sha256-pvPw+upLPUjgMXY0G+800xUf+/Im1MZjXxxgOcBQBXU="
crossorigin="anonymous"></script>
    <script src="js/easy-responsive-tabs.js"></script>
    <script>
      $(document).ready(function () {
      $('#horizontalTab').easyResponsiveTabs({
      type: 'default', //Types: default, vertical, accordion
      width: 'auto', //auto or any width like 600px
      fit: true, // 100% fit in a container
      closed: 'accordion', // Start closed if in accordion view
      activate: function(event) { // Callback function if tab is switched
      var $tab = $(this);
```

```
var $info = $('#tabInfo');
       var $name = $('span', $info);
       $name.text($tab.text());
       $info.show();
       });
       });
    </script>
    <script>
       jQuery.fn.liScroll = function(settings) {
           settings = jQuery.extend({
               travelocity: 0.01
               }, settings);
               return this.each(function(){
                       var $strip = jQuery(this);
                       $strip.addClass("newsticker")
                       var stripHeight = 1;
                       $strip.find("li").each(function(i){
                           stripHeight += jQuery(this, i).outerHeight(true);
                       });
                       var $mask = $strip.wrap("<div class='mask'></div>");
                       var $tickercontainer = $strip.parent().wrap("<div</pre>
class='tickercontainer'></div>");
                       var containerHeight =
$strip.parent().parent().height(); //a.k.a. 'mask' width
                       $strip.height(stripHeight);
                       var totalTravel = stripHeight;
                       var defTiming = totalTravel/settings.travelocity;
                       function scrollnews(spazio, tempo){
                       $strip.animate({top: '-='+ spazio}, tempo, "linear",
function(){$strip.css("top", containerHeight); scrollnews(totalTravel,
defTiming);});
                       scrollnews(totalTravel, defTiming);
                       $strip.hover(function(){
                       jQuery(this).stop();
                       },
                       function(){
                       var offset = jQuery(this).offset();
                       var residualSpace = offset.top + stripHeight;
                       var residualTime = residualSpace/settings.travelocity;
                       scrollnews(residualSpace, residualTime);
```

```
});
       };
       $(function(){
           $("ul#ticker01").liScroll();
       });
    </script>
    <script src="js/move-top.js"></script>
    <script src="js/easing.js"></script>
    <script>
       jQuery(document).ready(function ($) {
           $(".scroll").click(function (event) {
               event.preventDefault();
               $('html,body').animate({
                   scrollTop: $(this.hash).offset().top
               }, 900);
           });
       });
    </script>
    <script>
       $(document).ready(function () {
           var defaults = {
               containerID: 'toTop', // fading element id
               containerHoverID: 'toTopHover', // fading element hover id
               scrollSpeed: 1200,
               easingType: 'linear'
           $().UItoTop({
               easingType: 'easeOutQuart'
           });
      });
    </script>
    <script src="js/main.js"></script>
</body>
</html>
```

```
Author URL: http://w3layouts.com
:root {
 --yellow: #ffbf00;
html,
body {
padding: 0;
margin: 0;
background: #fff;
color: #222 !important;
letter-spacing: 1px;
font-family: 'PT Sans Caption', sans-serif;
body a {
outline: none;
color: #fff !important;
text-decoration: none;
body a:hover {
text-decoration: none;
body a:focus,
a:hover {
text-decoration: none;
input[type="button"],
input[type="submit"] {
transition: 0.5s all;
-webkit-transition: 0.5s all;
-moz-transition: 0.5s all;
-o-transition: 0.5s all;
-ms-transition: 0.5s all;
letter-spacing: 1px;
```

```
select,input[type="email"],input[type="text"],input[type=password],
input[type="button"],input[type="submit"],textarea{
transition:0.5s all;
-webkit-transition:0.5s all;
-moz-transition:0.5s all;
-o-transition:0.5s all;
-ms-transition:0.5s all;
letter-spacing: 1px;
h1,
h2,
h4,
h6 {
margin: 0;
padding: 0;
letter-spacing: 1px;
p {
margin: 0;
padding: 0;
letter-spacing: 1px;
ul {
margin: 0;
padding: 0;
list-style-type: none;
.title {
font-size: 50px;
color: #000;
letter-spacing: 3px;
font-weight: 600;
text-transform: uppercase;
.clr {
color: #fff;
.lft{
       text-align: left;}
.rigt{ text-align: right;}
 padding: 0px 0 !important;
```

```
.opacity-full {
  opacity: 1 !important;
.navbar {
 position: fixed !important;
 top: 0 !important;
 z-index: 1000;
 opacity: 0.9;
 width: 100%;
 transition: 0.4s;
 padding: 1rem 0;
.header-main{
position: relative;
.header-bar h1 a{
color: #fff;
font-size: 45px;
letter-spacing: 3px;
text-transform: uppercase;
font-weight: 400;
#menuToggle {
background:#ffbf00;
display: block;
position: fixed;
height: 40px;
right:3%;
top: 33px;
width: 46px;
z-index:9999;
border-radius: 5px;
#menuToggle span {
background: white;
display: block;
height:6%;
left: 20%;
position: absolute;
top: 45%;
width: 60%;
#menuToggle span:before,
#menuToggle span:after {
```

```
background: white;
content: '';
display: block;
height: 100%;
position: absolute;
top: -250%;
-moz-transform: rotate(0deg);
-ms-transform: rotate(0deg);
-webkit-transform: rotate(0deg);
transform: rotate(0deg);
width: 100%;
#menuToggle span:after { top: 250%; }
nav a {
color: #fff;
display: block;
font-size: 1.3em;
font-weight: 300;
letter-spacing: 1px;
nav a:after {
background:#ffbf00;
content: '';
display: block;
height: 2px;
-moz-transition: width 0.5s;
-o-transition: width 0.5s;
-webkit-transition: width 0.5s;
transition: width 0.5s;
width: 0;
margin-top: 0.2em;
nav a:hover:after { width: 100%; }
color:#ffbf00;
.open nav {
right: 0;
.open #menuToggle span {
background: transparent;
left: 20%;
top: 45%;
.open #menuToggle span:before,
.open #menuToggle span:after {
background: white;
top: 0;
```

```
-moz-transform: rotate(45deg);
-ms-transform: rotate(45deg);
-webkit-transform: rotate(45deg);
transform: rotate(45deg);
.open #menuToggle span:after {
-moz-transform: rotate(-45deg);
-ms-transform: rotate(-45deg);
-webkit-transform: rotate(-45deg);
transform: rotate(-45deg);
#menuToggle .navClosed {
-moz-transition: background 0.1s linear;
-o-transition: background 0.1s linear;
-webkit-transition: background 0.1s linear;
transition: background 0.1s linear;
#menuToggle .navClosed:before,
#menuToggle .navClosed:after {
-moz-transition: top 0.2s linear 0.1s, -moz-transform 0.2s linear 0.1s;
-o-transition: top 0.2s linear 0.1s, -o-transform 0.2s linear 0.1s;
-webkit-transition: top 0.2s linear, -webkit-transform 0.2s linear;
-webkit-transition-delay: 0.1s, 0.1s;
transition: top 0.2s linear 0.1s, transform 0.2s linear 0.1s;
#menuToggle .navOpen {
-moz-transition: background 0.1s linear 0.2s;
-o-transition: background 0.1s linear 0.2s;
-webkit-transition: background 0.1s linear;
-webkit-transition-delay: 0.2s;
transition: background 0.1s linear 0.2s;
#menuToggle .navOpen:before,
#menuToggle .navOpen:after {
-moz-transition: top 0.2s linear, -moz-transform 0.2s linear;
-o-transition: top 0.2s linear, -o-transform 0.2s linear;
-webkit-transition: top 0.2s linear, -webkit-transform 0.2s linear;
transition: top 0.2s linear, transform 0.2s linear;
.inner_page-banner {
text-align: center;
background: url(../images/b1.jpg) no-repeat center;
background-size: cover;
-webkit-background-size: cover;
-moz-background-size: cover;
```

```
-o-background-size: cover;
-ms-background-size: cover;
min-height: 300px;
ul.short_ls li a {
color: #ffffff;
text-decoration: none;
ul.short_ls li {
list-style: none;
display: inline-block;
letter-spacing: 1px;
font-size: 14px;
.using-border {
width: 100%;
border: none;
background:#ffbf00;
text-align: center;
.one-img{ background: url(../images/food-background1-dark_50.png)no-repeat
center;}
.two-img{ background: url(../images/food-background2-dark.jpg)no-repeat
center;}
.three-img{ background: url(../images/restaurant-bg-img2-dark.png)no-repeat
center;}
.slider-img{ background-size: cover;
min-height: 800px;}
.rslides {
position: relative;
list-style: none;
overflow: hidden;
width: 100%;
padding: 0;
margin: 0;
.rslides li {
-webkit-backface-visibility: hidden;
position: absolute;
display: none;
width: 100%;
left: ∅;
top: 0;
.rslides li:first-child {
position: relative;
```

```
display: block;
float: left;
.rslides img {
display: block;
height: auto;
float: left;
width: 100%;
border: 0;
.rslides {
margin: 0 auto 40px;
#slider2,
#slider3 {
box-shadow: none;
-moz-box-shadow: none;
-webkit-box-shadow: none;
margin: 0 auto;
.rslides_tabs {
list-style: none;
padding: 0;
background: rgba(0,0,0,.25);
box-shadow: 0 0 1px rgba(255,255,255,.3), inset 0 0 5px rgba(0,0,0,1.0);
-moz-box-shadow: 0 0 1px rgba(255,255,255,.3), inset 0 0 5px rgba(0,0,0,1.0);
-webkit-box-shadow: 0 0 1px rgba(255,255,255,.3), inset 0 0 5px
rgba(0,0,0,1.0);
font-size: 18px;
list-style: none;
margin: 0 auto 50px;
max-width: 540px;
padding: 10px 0;
text-align: center;
width: 100%;
.rslides_tabs li {
display: inline;
float: none;
margin-right: 1px;
.rslides_tabs a {
width: auto;
line-height: 20px;
padding: 9px 20px;
height: auto;
background: transparent;
```

```
display: inline;
.rslides_tabs li:first-child {
margin-left: 0;
.rslides_tabs .rslides_here a {
background: rgba(255,255,255,.1);
color: #fff;
font-weight: bold;
a {
color: #fff;
text-decoration: none;
.callbacks container {
position: relative;
float: left;
width: 100%;
.callbacks {
position: relative;
list-style: none;
overflow: hidden;
width: 100%;
padding: 0;
margin: 0;
.callbacks li {
position: absolute;
width: 100%;
left: 0;
top: 0;
.callbacks img {
display: block;
position: relative;
z-index: 1;
height: auto;
width: 100%;
border: 0;
.callbacks .caption {
display: block;
position: absolute;
```

```
z-index: 2;
font-size: 20px;
text-shadow: none;
color: #fff;
background: #000;
background: rgba(0,0,0, .8);
left: ∅;
right: 0;
bottom: 0;
padding: 10px 20px;
margin: 0;
max-width: none;
.slider-info {
padding: 22em 0 0;
.slider-info h5 {
font-size: 55px;
color: #ffffff;
font-weight: 600;
letter-spacing: 3px;
margin-bottom: 11px;
text-shadow: 1px 1px 7px #151212;
.slider-info h4 {
color: #d8d8d8;
font-size: 22px;
letter-spacing: 5px;
font-weight: 600;
text-shadow: 2px 2px 8px #000;
.callbacks_nav {
position: absolute;
-webkit-tap-highlight-color: rgba(0,0,0,0);
top:53%;
left: 0;
opacity: 0.7;
z-index: 3;
text-indent: -9999px;
overflow: hidden;
text-decoration: none;
height: 53px;
width: 53px;
background:rgba(230, 230, 230, 0) url("../images/left-arrow.png") no-repeat
left top;
margin-top: -45px;
.callbacks nav:active {
```

```
opacity: 1.0;
.callbacks nav.next {
left: auto;
background:rgba(230, 230, 230, 0) url("../images/right-arrow.png") no-repeat
0px 0px;
background-position: right top;
right: 0;
.callbacks_nav ,
.callbacks_nav.next {
background-size:40px;
.jst-wthree-text h2,.shopping-degine h4,.about-inner-mid h4 {
font-size:37px;
line-height: 67px;
font-weight: bold;
.outs_more-buttn a, .w3layouts-jewel-shop a {
font-size: 14px;
color: #000;
text-decoration: none;
display: inline-block;
letter-spacing: 2px;
background-color: transparent;
outline: none;
padding: 12px 28px;
border: 1px solid #000000;
margin-top: 28px;
border-radius: 10px;
.info-sub-w3 p,
.clt-syas-agile p,
.contact-list-grid p,
.shopping-degine p,
.about-inner-mid p,
.left-side-w3layouts p,
.blog-agile-text-middle p{
font-size: 14px;
line-height: 28px;
.jst-wthree-text p{
font-size: 18px;
letter-spacing: 2px;
line-height: 28px;
```

```
.abt-inner-w3layouts-img img {
border: 2px solid #f00;
padding: 5px;
.agile-img-design-left {
background: url(../images/dd1.jpg)no-repeat center;
.agile-img-design-right{
background: url(../images/dd2.jpg)no-repeat center;
.agile-img-design-right,
.agile-img-design-left {
background-size: cover;
height: 673px;
.shopping-degine {
padding: 4em 5em;
background:rgba(255, 255, 255, 0.6);
margin-top: 10em;
.service-inner-wthree-img_3{
background: url(../images/s3.jpg)no-repeat center;
.service-inner-wthree-img_2{
background: url(../images/s2.jpg)no-repeat center;
.service-inner-wthree-img_1{
background: url(../images/s1.jpg)no-repeat center;
.service-inner-wthree-img_1,
.service-inner-wthree-img_2,
.service-inner-wthree-img_3
{height: 578px;}
.service-inner-text {
background: #000;
.service-list-inner-wthree span {
font-size: 48px;
color: #fff;
.service-list-inner-wthree {
```

```
padding: 13em 5em;
.service-list-inner-wthree h4 {
font-size: 24px;
text-transform: uppercase;
color:#e80909;
font-family: 'Shadows Into Light', cursive;
.left-side-w3layouts h5 {
font-size: 15px;
color: #000;
.progress.my-bar {
height: 3px;
.tabs-menu-grid{
display: -webkit-flex;
display: -webkit-box;
display: -moz-flex;
display: -moz-box;
display: -ms-flexbox;
display: flex;
.grid-hover {
flex:1;
.our-menu{background: url(../images/b4.jpg) no-repeat 0px 0px;
background-size: cover;
-webkit-background-size: cover;
-o-background-size: cover;
-moz-background-size: cover;
ul.resp-tabs-list {
width:43%;
margin: 0px auto;
.resp-tabs-list li {
font-weight: 600;
font-size: 16px;
display: inline-block;
padding: 13px 20px;
margin: 0px 5px 31px;
list-style: none;
cursor: pointer;
float: left;
```

```
background: #e80909;
.resp-tabs-container {
padding: 0px;
background-color: #fff;
clear: left;
h2.resp-accordion {
text-align:center;
cursor: pointer;
padding: 5px;
display: none;
font-size: 14px;
border: 1px solid;
background: #e80909;
.resp-tab-content {
display: none;
margin-top:15px;
.resp-tab-active {
border: 1px solid #c1c1c1;
border-bottom: none;
margin-bottom: -1px !important;
.resp-tab-active {
border: none;
background: #fff;
color:#fff;
.resp-content-active,
.resp-accordion-active { display: block; }
.resp-tab-content { border:none; }
h2.resp-accordion {
font-size: 14px;
border: 1px solid #c1c1c1;
border-top: 0px solid #c1c1c1;
margin: 0px;
padding: 10px 15px;
color: #000;
h2.resp-tab-active {
border-bottom: Opx solid #c1c1c1 !important;
margin-bottom: 0px !important;
padding: 10px 15px !important;
font-size: 14px;
h2.resp-tab-title:last-child {
```

```
border-bottom: 12px solid #c1c1c1 !important;
background: blue;
h2.resp-tab-active {
background: #fff!important;
.resp-easy-accordion h2.resp-accordion { display: block; }
.resp-easy-accordion .resp-tab-content { border: 1px solid #c1c1c1; }
.resp-easy-accordion .resp-tab-content:last-child { border-bottom: 1px solid
#c1c1c1 !important; }
.resp-jfit {
width: 100%;
margin: 0px;
.resp-tab-content-active { display: block; }
h2.resp-accordion:first-child { border-top: 1px solid #c1c1c1 !important; }
@media only screen and (max-width: 768px) {
ul.resp-tabs-list { display: none; }
h2.resp-accordion { display: block; }
.resp-vtabs .resp-tab-content { border: 1px solid #C1C1C1; }
border: none;
float: none;
width: 100%;
min-height: initial;
clear: none;
.resp-accordion-closed { display: none !important; }
.resp-vtabs .resp-tab-content:last-child { border-bottom: 1px solid #c1c1c1
!important; }
.blog-jewel-agile-left h4 {
font-size: 37px;
color: #caaa71;
text-transform: uppercase;
text-shadow: 1px -1px 3px black;
.column{
position: relative;
position: absolute;
top: 50%;
```

```
left: 50%;
transform: translate(-50%, -50%);
z-index: 10;
opacity: 0;
transition: all 0.8s ease;
margin: 0;
color: white;
background:rgba(0, 0, 0, 0.6);
padding: 16px;
font-size: 15px;
.column:hover .text {
opacity: 1;
.column:hover img {
-webkit-filter: sepia(90%);
.gap-one {
margin-top: 135px;
.gap-four, .gap-two {
margin-top: 61px;
.gap-six {
margin-top: -66px;
padding: 2em;
-webkit-box-shadow: -1px -2px 25px -4px rgba(0,0,0,0.57);
-moz-box-shadow: -1px - 2px 25px - 4px rgba(0,0,0,0.57);
box-shadow: -1px -2px 25px -4px rgba(0,0,0,0.57);
.clt-syas-agile h5 {
font-size: 24px;
color:#ffbf00;
.scrolling-menu{background: url(../images/b2.jpg) no-repeat @px @px;
background-size: cover;
-webkit-background-size: cover;
-o-background-size: cover;
-moz-background-size: cover;}
```

```
.holder {
background-color:#fff;
width:60%;
margin:0px auto;
height:250px;
overflow:hidden;
padding:10px;
.holder .mask {
position: relative;
left:20px;
top: 10px;
width:100%;
height:240px;
overflow: hidden;
.holder ul {
list-style:none;
margin:0;
padding:0;
position: relative;
.holder ul li {
padding:10px 0px;
.holder ul li a h5 {
color:#e80909;
text-decoration:none;
font-size:25px;
font-family: 'Shadows Into Light', cursive;
ul li .scroll-list h6{
font-size:20px;
font-weight:600;
color:#ffbf00;
ul li .scroll-list p{font-size:13px;
color:#000;}
.stats-grid {
text-align: center;
margin: 0 auto;
.counter {
font-size: 44px;
color:#ffbf00;
font-weight: 500;
```

```
letter-spacing: 1px;
border: none;
border-bottom: 1px solid#000;
.stat-info h4 {
font-size: 31px;
color: #000;
letter-spacing: 1px;
font-family: 'Lobster', cursive;
.blog-agile-text-middle h4 {
font-size: 25px;
color:#ffbf00;
font-family: 'Lobster', cursive;
.blog-agile-text-middle {
padding: 2em 5em;
background: #efefef;
.news-date ul li a {
color: #222;
text-decoration: none;
font-weight:600;
font-size:13px;
.news-date ul li span {
color: #e80909;
padding-right: 10px;
.news-date ul li {
list-style: none;
display: inline-block;
margin-right: 10px;
h3.typo-main-heading {
font-size: 2.7em;
font-weight: 600;
letter-spacing: 2px;
border-bottom: 2px solid #e2e1e1;
display: inline-block;
color:#e80909;
h4.typo-sub-heading {
color: #000;
```

```
font-size: 26px;
letter-spacing: 1px;
text-transform: capitalize;
font-weight: 500;
@media(max-width:1080px) {
h4.typo-sub-heading {
font-size: 24px;
h3.typo-main-heading {
font-size: 2.5em;
@media(max-width:800px) {
h4.typo-sub-heading {
font-size: 22px;
h3.typo-main-heading {
font-size: 2.3em;
@media(max-width:640px) {
h3.typo-main-heading {
font-size: 2em;
.address_mail_footer_grids iframe {
width: 100%;
height:21.5em;
border:none;
.contact-forms input, .contact-forms textarea {
font-size: 14px;
color: #000;
padding: .9em .7em;
background: transparent;
outline: none;
border: none;
border-bottom: 1px solid #000;
border-radius: 0px;
outline:none !important;
.contact-forms textarea {
resize: none;
height: 9em;
```

```
.sent-butnn {
font-size: 17px;
padding: 11px 0px;
color: #fff;
margin-top: 1em;
background:#d24055;
.footer_grid_left p a {color:#000;}
.footer grid left ul li span {
font-size: 21px;
color: #e80909;
.footer_grid_left ul li p {
font-size: 14px;
color: #000;
display: inline-block;
padding-left: 15px;
line-height: 40px;
.contact-list-grid h4 {
font-size: 28px;
margin-bottom: 20px;
color: #000;
font-weight: 600;
.upper-footer{position:relative;}
.wls-hours-list ul li ,.addres-up ul li{
font-size: 14px;
color: #fff;
border-bottom: 1px dotted;
line-height: 28px;
.addres-up ul li a{color: #fff;
font-size: 14px;}
.book-here a {
border: 2px solid #fff;
padding: 8px 0px;
border-radius: 220px;
margin-top: 13px;
width: 55%;
display: inline-block;
color:#fff;
background:transparent;
font-size: 17px;
```

```
.book-here a:hover{color:#000;
background:#fff;}
.middle-mid-grid {
background:#e80909;
padding: 2em 2em;
position: absolute;
top: -88px;
left:0px;
.subscribe-footer{
background: url(../images/b1-dark 50.png)no-repeat center;
background-size: cover;
-webkit-background-size: cover;
-o-background-size: cover;
-moz-background-size: cover;
.contact-call h4{
font-size:49px;
color:#e80909;
font-weight:600;
text-transform: uppercase;
font-family: 'Shadows Into Light', cursive;
.contact-call p{font-size:20px;
color:#fff;}
.subcribe-right h4 {
font-size: 44px;
color: #fff;
padding-top: 53px;
.buttom-footer,.footer-reservation{background-image: linear-
gradient(#131212,#020202);}
.fill-all-form input[type="email"] {
width: 100%;
border: none;
padding: .8em .7em;
border-radius: 10px;
outline: none !important;
font-size: 14px;
.click-me, button[type=submit] {
color: #fff;
text-decoration: none;
text-transform: uppercase;
display: inline-block;
letter-spacing: 2px;
background-color:#ffbf00;
```

```
outline: none;
padding: 10px 30px;
border: 1px solid #ffbf00;
font-size: 16px;
font-weight: bold;
margin-left: 5px;
.address-para,.footer-header p,.footer-para p,
.footer-para p a,.book-here p,.service-list-inner-wthree
{font-size:14px ;
line-height:28px;
color:#fff;
.footer-para p a:hover{color:#000;}
.footer-header{
border: none;
border-right: 1px solid #fff;
.footer-header h5 a {
font-size: 31px;
color:#e80909;
.icons ul li,.icons-social ul li{
display: inline-block;
color: #fff;
transition: color 0.2s ease-in-out;
font-size: 20px;
padding: 5px;
.icons ul li a i:hover{
  color: var(--yellow);
.icons ul li a span,.icons-social ul li a span{
font-size: 15px;
border: 1px solid #fff;
letter-spacing: 0px;
width: 37px;
height: 37px;
line-height: 35px;
text-align: center;
margin: 0px 5px;
color:#e80909;
transition: 0.5s all;
-webkit-transition: 0.5s all;
transition: 0.5s all;
-moz-transition: 0.5s all;
```

```
.icons ul li a span:hover {
color: #000;
background:#fff;
.icons-social ul li span {color:#000;}
.nav-link {
font-size: 14px;
color: #fff !important;
margin-left: 2rem !important;
font-weight: bold;
.wthree-left-right h4{
font-size: 28px;
color:#ffbf00;
font-weight: 600;
letter-spacing: 2px;
footer{background:#020202;}
footer p {
padding: 0.8em 0;
text-align: center;
font-size: 14px;
color: #fff;
letter-spacing: 2.5px;
footer p a {
color:#ffbf00;
color:#fff;
.blockquote-footer{background:transparent;}
#toTop {
display: none;
text-decoration: none;
position: fixed;
bottom: 20px;
right: 2%;
overflow: hidden;
z-index: 999;
width: 46px;
height: 36px;
border: none;
text-indent: 100%;
background: url(../images/move-top.png) no-repeat 0px 0px;
```

```
#toTopHover {
width: 32px;
height: 32px;
display: block;
overflow: hidden;
float: right;
opacity: 0;
-moz-opacity: 0;
filter: alpha(opacity=∅);
@media(max-width:1920px){
@media(max-width:1680px){
@media(max-width:1600px){
@media(max-width:1440px){
.header-bar h1 a {
font-size: 41px;
letter-spacing: 2px;
.slider-img {
min-height: 680px;
.slider-info h5 {
font-size: 52px;
letter-spacing: 2px;
.slider-info {
padding: 19em 0 0;
.gap-one {
margin-top: 102px;
.gap-four, .gap-two {
margin-top: 52px;
.holder ul li a h5 {
font-size:22px;
.counter {
font-size: 41px;
.stat-info h4 {
font-size:29px;
```

```
.middle-mid-grid {
top: -80px;
.contact-call h4 {
font-size: 45px;
.subcribe-right h4 {
font-size: 42px;
.footer-header h5 a {
font-size: 29px;
.service-list-inner-wthree {
padding: 11em 3em;
.contact-list-grid h4 {
font-size: 26px;
.contact-forms textarea {
height: 7em;
@media(max-width:1366px){
nav a {
.jst-wthree-text h2, .shopping-degine h4, .about-inner-mid h4 {
font-size: 35px;
line-height: 60px;
.outs_more-buttn a, .w3layouts-jewel-shop a {
padding: 12px 23px;
margin-top: 25px;
.click-me, button[type=submit] {
.title {
font-size: 47px;
.contact-forms input, .contact-forms textarea {
padding: .8em .7em;
@media(max-width:1280px){
font-size: 15px;
```

```
padding: 13px 18px;
margin: 0px 5px 27px;
padding: 14px;
.team-text {
padding: 1.6em;
.clt-syas-agile h5 {
font-size: 21px;
.holder ul li a h5 {
font-size:23px;
.counter {
font-size: 39px;
.contact-call p {
font-size: 18px;
.icons ul li a span, .icons-social ul li a span {
font-size: 14px;
width: 35px;
height: 35px;
line-height: 32px;
.shopping-degine {
padding: 4em 4em;
margin-top: 8em;
.agile-img-design-right, .agile-img-design-left {
height: 626px;
.service-list-inner-wthree span {
font-size: 43px;
.service-list-inner-wthree h4 {
font-size: 22px;
.service-inner-wthree-img_1, .service-inner-wthree-img_2, .service-inner-
wthree-img_3 {
height: 531px;
.service-list-inner-wthree {
padding: 10em 1em;
```

```
@media(max-width:1080px){
.slider-img {
min-height:594px;
.callbacks_nav, .callbacks_nav.next {
background-size: 33px;
.slider-info h5 {
font-size: 49px;
.slider-info {
padding: 16em 0 0;
.jst-wthree-text p {
font-size: 17px;
ul.resp-tabs-list {
width: 51%;
.gap-one {
margin-top: 76px;
.gap-four, .gap-two {
margin-top: 33px;
.gap-six {
margin-top: -37px;
.wthree-left-right h4 {
font-size: 26px;
.contact-call h4 {
font-size: 42px;
.shopping-degine {
padding: 4em 3em;
.service-inner-wthree-img_1, .service-inner-wthree-img_2, .service-inner-
wthree-img_3 {
height: 484px;
.service-list-inner-wthree {
padding: 9em 1em;
h3.typo-main-heading {
font-size: 2.5em;
h4.typo-sub-heading {
```

```
font-size: 24px;
@media(max-width:1050px){
font-size: 1.2em;
.header-bar h1 a {
font-size: 38px;
.title {
font-size: 44px;
.team-text {
padding: 1.3em;
ul li .scroll-list h6{
font-size:18px;
.agile-img-design-right, .agile-img-design-left {
height: 579px;
.shopping-degine {
margin-top: 6.5em;
@media(max-width:1024px){
.jst-wthree-text h2, .shopping-degine h4, .about-inner-mid h4 {
font-size: 33px;
.counter{font-size:36px;
.stat-info h4 {
font-size: 26px;
.middle-mid-grid {
top: -65px;
.service-list-inner-wthree span {
font-size: 40px;
.service-inner-wthree-img_1, .service-inner-wthree-img_2, .service-inner-
wthree-img_3 {
height: 460px;
.service-list-inner-wthree {
padding: 8em 1em;
```

```
@media(max-width:991px){
.slider-img {
min-height: 556px;
.slider-info {
padding: 15em 0 0;
.callbacks_nav, .callbacks_nav.next {
background-size: 28px;
.slider-info h5 {
font-size: 45px;
.jst-wthree-text h2, .shopping-degine h4, .about-inner-mid h4 {
font-size: 26px;
.outs_more-buttn a, .w3layouts-jewel-shop a {
padding: 10px 20px;
margin-top: 22px;
letter-spacing: 1px;
ul.resp-tabs-list {
width: 65%;
.resp-tabs-list li {
font-size: 14px;
padding: 11px 17px;
margin: 0px 5px 24px;
.gap-one,.gap-four,.gap-two,.gap-six {
margin-top: 0px;
.item-clents:nth-child(3),.item-clents:nth-child(4),.upper-footer,.wthree-
left-right:nth-child(2) {
margin: 30px 0px;
.holder{width:73%;}
.middle-mid-grid {
position: inherit;
top:0px;
.counter {
font-size: 33px;
.stat-info h4 {
font-size: 24px;
```

```
.wthree-left-right h4 {
font-size: 24px;
.subcribe-right h4 {
font-size: 34px;
.contact-call h4 {
font-size: 38px;
.contact-call p {
font-size: 17px;
.click-me, button[type=submit] {
.footer-header h5 a {
font-size: 26px;
.footer-agile-grids {
text-align: center;
letter-spacing: 1px;
.shopping-degine {
padding: 3em 3em;
.agile-img-design-right, .agile-img-design-left {
height: 534px;
.service-inner-wthree-img_1, .service-inner-wthree-img_2, .service-inner-
wthree-img_3 {
height: 411px;
.service-list-inner-wthree span {
font-size: 35px;
.left-side-w3layouts {
margin-top: 28px;
.blog-agile-text-middle {
padding: 2em 3em;
.footer_grid_left ul li p {
font-size: 13px;
padding-left: 7px;
```

```
.address_mail_footer_grids iframe {
height: 18em;
.inner_page-banner {
min-height: 280px;
@media(max-width:900px){
.header-bar h1 a {
font-size: 35px;
.title {
font-size: 41px;
.resp-tabs-list li {
padding: 9px 15px;
.clt-syas-agile h5 {
font-size: 18px;
padding: 1em;
.holder ul li a h5 {
font-size:20px;
@media(max-width:800px){
.slider-img {
min-height: 500px;
.slider-info h5 {
font-size: 43px;
.slider-info {
padding: 13em 0 0;
.shopping-degine {
padding: 2em 1.5em;
margin-top: 5em;
.agile-img-design-right, .agile-img-design-left {
height: 478px;
.service-list-inner-wthree {
padding: 7em 1em;
h3.typo-main-heading {
```

```
font-size: 2.3em;
h4.typo-sub-heading {
font-size: 22px;
.contact-forms input, .contact-forms textarea {
padding: .7em .7em;
@media(max-width:768px){
.slider-info h5 {
font-size: 41px;
.title {
font-size: 38px;
.resp-tab-content {
margin-top:0px;
.counter {
font-size: 30px;
.middle-mid-grid {
padding: 1.5em 1.5em;
.item-clents:nth-child(3), .item-clents:nth-child(4), .upper-footer, .wthree-
left-right:nth-child(2) {
margin: 26px 0px;
.inner_page-banner {
min-height: 255px;
@media(max-width:767px){
.subcribe-right h4 {
padding-top: 37px;
.holder .mask {
left:0px;
top: 2px;
.holder{width:94%;}
.jst-wthree-text h2{margin-top:20px;}
.outs_more-buttn a, .w3layouts-jewel-shop a {
margin-top: 16px;
.footer-header {
border-right: none;
```

```
border-bottom: 1px solid #fff;
margin-bottom: 6px;
.item-clents:nth-child(3),
.item-clents:nth-child(4),
.upper-footer,
.wthree-left-right:nth-child(2) {
margin: 20px 0px;
.agile-img-design-right, .agile-img-design-left {
height: 412px;
.about-inner-mid {
margin-top: 20px;
.blog-agile-text-middle {
padding: 2em 1em;
@media(max-width:736px){
.slider-img {
min-height: 469px;
.slider-info {
padding: 12em 0 0;
.header-bar h1 a {
font-size: 32px;
nav a {
font-size: 1em;
.slider-info h4 {
font-size: 19px;
letter-spacing: 4px;
.title {
font-size: 35px;
.service-inner-wthree-img_1, .service-inner-wthree-img_2, .service-inner-
wthree-img_3 {
height: 381px;
.service-list-inner-wthree {
padding: 6em 1em;
.inner_page-banner {
```

```
text-align: center;
background: url(../images/b1.jpg) no-repeat center;
background-size: cover;
-webkit-background-size: cover;
-moz-background-size: cover;
-o-background-size: cover;
-ms-background-size: cover;
min-height: 209px;
@media(max-width:667px){
.clt-syas-agile h5 {
font-size: 17px;
.counter {
font-size: 27px;
.contact-call h4 {
font-size: 36px;
.subcribe-right h4 {
font-size: 32px;
.wthree-left-right h4 {
font-size: 22px;
.blog-agile-text-middle h4 {
font-size: 22px;
@media(max-width:640px){
.book-here a {
margin-top:10px;
width: 50%;
font-size: 15px;
.contact-call h4 {
font-size: 33px;
.footer-header h5 a {
font-size: 24px;
padding:9px;
font-size: 14px;
.service-list-inner-wthree {
padding: 5em 1em;
```

```
h3.typo-main-heading {
font-size:1.7em;
@media(max-width:600px){
.slider-img {
min-height: 434px;
.slider-info h5 {
font-size: 38px;
.slider-info {
padding: 11em 0 0;
.jst-wthree-text h2, .shopping-degine h4, .about-inner-mid h4 {
font-size: 25px;
.shopping-degine {
margin-top: 4em;
.agile-img-design-right, .agile-img-design-left {
height: 387px;
.service-inner-wthree-img_1, .service-inner-wthree-img_2, .service-inner-
wthree-img_3 {
height: 351px;
.service-list-inner-wthree {
padding: 4em 1em;
.abt-inner-w3layouts-img,.contact-list-grid {
margin-top: 20px;
.address_mail_footer_grids iframe {
height: 15em;
.footer_grid_left ul li span {
font-size: 18px;
color: #e80909;
@media(max-width:568px){
.item-clents:nth-child(3),.item-clents:nth-child(4),
.item-clents:nth-child(1), .item-clents:nth-child(2),.item-clents:nth-
child(5),.item-clents:nth-child(6){
width: 67%;
margin: 20px auto;
```

```
.holder{width:100%;}
footer p {
font-size: 13px;
.service-inner-wthree-img_1, .service-inner-wthree-img_2, .service-inner-
wthree-img_3 {
height: 324px;
.service-inner-wthree-img_1, .service-inner-wthree-img_2, .service-inner-
wthree-img_3 {
height: 324px;
.blog-agile-text-middle {
padding: 1.5em 1em;
.contact-list-grid h4 {
font-size: 25px;
@media(max-width:480px){
.slider-info {
padding: 10em 0 0;
text-align: center;
.slider-img {
min-height: 390px;
.callbacks_nav {
top: 57%;
.slider-info h4 {
font-size: 18px;
letter-spacing: 2px;
.slider-info h5 {
font-size: 36px;
letter-spacing: 1px;
.counter {
font-size: 25px;
.stat-info h4 {
font-size: 22px;
.middle-mid-grid {
padding: 1.5em 1.2em;
```

```
.subcribe-right h4 {
font-size: 30px;
padding-top: 22px;
.icons ul li a span, .icons-social ul li a span {
font-size: 14px;
width: 32px;
height: 32px;
line-height: 30px;
@media(max-width:440px){
.header-bar h1 a {
font-size: 30px;
.jst-wthree-text h2 {
margin-top: 15px;
.tabs-menu-grid {
flex-direction: column;
width: 64%;
margin: 0px auto;
.item-clents:nth-child(3), .item-clents:nth-child(4),.item-clents:nth-
child(1),.item-clents:nth-child(2), .item-clents:nth-child(5), .item-
clents:nth-child(6) {
width: 75%;
margin: 16px auto;
.title {
font-size: 33px;
letter-spacing: 2px;
line-height: 28px;
.shopping-degine {
margin-top: 3em;
.agile-img-design-right, .agile-img-design-left {
height: 375px;
.contact-forms input, .contact-forms textarea {
padding: .6em .7em;
@media(max-width:414px){
.jst-wthree-text p {
```

```
font-size: 16px;
.tabs-menu-grid {
width: 75%;
.subcribe-right h4 {
font-size: 27px;
.contact-call h4 {
font-size: 31px;
.fill-all-form input[type="email"] {
padding: .7em .7em;
.news-date ul li a {
line-height: 28px;
@media(max-width:384px){
.slider-img {
min-height: 363px;
.slider-info h5 {
font-size: 30px;
.jst-wthree-text h2, .shopping-degine h4, .about-inner-mid h4 {
font-size: 24px;
.tabs-menu-grid {
width: 85%;
.item-clents:nth-child(3), .item-clents:nth-child(4), .item-clents:nth-
child(1), .item-clents:nth-child(2), .item-clents:nth-child(5), .item-
clents:nth-child(6) {
width: 85%;
.holder ul li a h5 {
font-size:18px;
.shopping-degine {
margin-top: 2em;
.service-list-inner-wthree {
padding: 3em 1em;
.service-inner-wthree-img_1, .service-inner-wthree-img_2, .service-inner-
wthree-img_3 {
height: 284px;
```

```
@media(max-width:375px){
.wthree-left-right h4 {
font-size: 20px;
.click-me, button[type=submit] {
@media(max-width:320px){
.slider-info h5 {
font-size: 26px;
.slider-img {
min-height: 342px;
.callbacks_nav {
top:63%;
height: 32px;
width: 36px;
.jst-wthree-text h2, .shopping-degine h4, .about-inner-mid h4 {
font-size: 20px;
line-height: 35px;
.tabs-menu-grid {
width: 100%;
.item-clents:nth-child(3), .item-clents:nth-child(4), .item-clents:nth-
child(1), .item-clents:nth-child(2), .item-clents:nth-child(5), .item-
clents:nth-child(6) {
width: 100%;
.shopping-degine {
padding: 2em 1em;
figure.effect-lexi p {
padding: 0 1em 1em 0;
.grid figure figcaption {
padding: 1em;
.blog-agile-text-middle h4 {
font-size: 20px;
```

```
.owl-item {
 display: flex;
 justify-content: center;
 align-items: center;
.mb-span {
 color: var(--yellow);
.mb-restaurant-a {
 transition: transform .3s ease-out;
 display: inline-block;
.mb-restaurant-a:hover {
 transform: scale(1.03);
.mb-restaurant-card {
 width: 100%;
 height: 100%;
 background: linear-gradient(rgba(0, 0, 0, 0) 0%, rgba(0, 0, 0, 0.008) 8.1%,
rgba(0, 0, 0.024) 15.5%, rgba(0, 0, 0.05) 22.5%, rgba(0, 0, 0.086)
29%, rgba(0, 0, 0, 0.125) 35.3%, rgba(0, 0, 0, 0.173) 41.2%, rgba(0, 0, 0,
0.22) 47.1%, rgba(0, 0, 0, 0.27) 52.9%, rgba(0, 0, 0, 0.318) 58.8%, rgba(0, 0,
0, 0.365) 64.7%, rgba(0, 0, 0, 0.404) 71%, rgba(0, 0, 0, 0.44) 77.5%, rgba(0,
0, 0, 0.467) 84.5%, rgba(0, 0, 0.482) 91.9%, rgba(0, 0, 0.49) 100%);
.mb-restaurant-bottom {
 position: absolute;
 bottom: 0;
.mb-restaurant-text {
 font-size: 1.7vw !important;
 text-transform: capitalize;
.mb-restaurant-tag {
 opacity: 0.8;
  font-size: 1.3vw !important;
.mb-restaurant-delivery {
 position: absolute;
 top: 0px;
 right: 20px;
```

```
padding: 5px 8px;
  font-size: 1.1vw !important;
  background-color: var(--yellow);
.mb-restaurant-spans span, .mb-restaurant-spans span i{
 font-size: 1.1vw !important;
#mb-search {
 width: 35%;
.mb-filter-category-label {
 padding: 5px 10px;
 background-color: rgb(240, 240, 192);
 color: #ffc107;
 cursor: pointer;
  transition: all 0.2s ease-in-out;
.mb-filter-delivery-label {
  padding: 5px 10px;
 background-color: rgb(240, 240, 192);
 color: #ffc107;
 cursor: pointer;
  transition: all 0.2s ease-in-out;
.mb-sort-label {
 padding: 5px 10px;
 background-color: rgb(240, 240, 192);
 color: #ffc107;
 cursor: pointer;
  transition: all 0.2s ease-in-out;
.mb-width-0 {
  width: 0 !important;
.mb-filter-delivery-active {
  color: #fff !important;
 background-color: #ffc107 !important;
  font-weight: bold !important;
.mb-filter-active {
 color: #fff !important;
 background-color: #ffc107 !important;
 font-weight: bold !important;
.mb-sort-active {
```

```
color: #fff !important;
  background-color: #ffc107 !important;
  font-weight: bold !important;
#mb-form-shopping table {
 margin: ∅ auto !important;
#mb-form-shopping table tbody tr td {
  padding: 0px 20px;
#mb-form-shopping table tbody tr td .mb-shopping-required {
 color: rgb(255, 0, 0);
 font-weight: bold;
 font-size: 18px;
#mb-form-shopping table tbody tr td label {
  color: #fff;
.mb-span-danger {
 max-width: 220px;
.mb-span-danger-large {
 max-width: 466px;
.mb-contact-modal-btn {
 text-decoration: underline;
 color: #fff;
 background: none;
 border: none;
  transition: color 0.1s ease-in;
.mb-contact-modal-btn:hover {
  color: #f8c90c;
#exampleModalLabel2, #exampleModal2 .modal-dialog .modal-content .modal-body
p{
  color: #000;
.mb-show-number {
 font-size: 12px;
 padding: 0px 6px;
  border-radius: 50%;
```

```
.mb-footer-copy {
  font-size: 12px;
.mb-header-spacing {
 padding-top: 150px;
.mb-food-col {
 transition: transform 0.2s ease-in-out;
.mb-food-col:hover {
 transform: scale(1.03);
#mb-range {
 width: 50%;
#mb-table-container {
 overflow-x: auto;
.mb-padding-top {
  padding-top: 150px;
#mb-cart-table thead tr th, #mb-cart-table tbody tr td {
 text-align: start;
  vertical-align: middle;
@media screen and (max-width: 769px) {
  #mb-search {
   width: 70%;
   font-size: 3vh !important;
  .mb-restaurant-tag {
   font-size: 3vh !important;
  .mb-restaurant-delivery {
   font-size: 2.1vh !important;
  .mb-restaurant-spans span, .mb-restaurant-spans span i{ }
   font-size: 2.1vh !important;
```

```
}
}

@media screen and (max-width: 426px) {

#mb-search {
    width: 90%;
    }
}
```

JAVASCRIPT

```
const BASE_IMG = "images/";
const BASE_DATA = "data/";
var objName, objLastName, objAddress, objCity, objPhone, objEmail,
objOrderDdl, arrOrderRadio, arrOrderCheck;
var submitBtn = document.getElementById("btn-order");
var reFullName = /^([A-ZŠČĆĐŽ][a-zščćđž]{2,14}){1,3}$/;
var reAddress = /^(([A-ZŠĐČĆŽ][a-zšđžčć]{1,15}(\.)?)|([1-9][0-c])
9]{0,2}(\.)?) [a-zA-Z0-9\s\/\-]+$/;
var\ reEmail = /^[a-zA-Z0-9.!#$%&'*+/=?^_`{|}~-]+@[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-2-]+(?:\.[a-zA-Z0-2-]+(
]+)*$/;
var reCity = /^[A-ZŠČĆĐŽ][a-zščćđž]{2,14}\s[1-9][0-9]{4}$/;
var rePhone = /^(\+381)?(\s|-)?06(([0-6]|[8-9])\d{6,8}|(77|78)\d{7}){1}$/;
if (!localStorage.getItem("categories-food.json")) {
          ajaxCallback("categories-food.json", saveToLocalStorage);
if (!localStorage.getItem("navigation.json")) {
          ajaxCallback("navigation.json", saveToLocalStorage);
if (!localStorage.getItem("restaurants.json")) {
          ajaxCallback("restaurants.json", saveToLocalStorage);
if (!localStorage.getItem("food.json")) {
          ajaxCallback("food.json", saveToLocalStorage);
var foodCategories = JSON.parse(localStorage.getItem("categories-food.json"));
var restaurants = JSON.parse(localStorage.getItem("restaurants.json"));
var food = JSON.parse(localStorage.getItem("food.json"));
var newRestaurants = [];
var initialCategories = [1,2,3,4,5,6,7,8,9,10,11,12];
```

```
var initialDelivery = 0;
var initialSearch = "";
var initialSort = "0";
var selectedFiltersCategories = [];
var selectedFilterDelivery = 0;
var selectedSearchInput = "";
var selectedSort = "0";
var queryStringCategory = "";
var queryStringCategoryParams = "";
var categoryID = 0;
var popularRestaurants = document.querySelector("#mb-popular-restaurants-
row");
var restaurantH1 = document.querySelector("#mb-restaurant-title");
var workingHoursSpan = document.querySelector("#mb-restaurant-working-time");
var recommendationsSpan = document.querySelector("#mb-restaurant-rating");
var moreInfoModalTitle = document.querySelector("#exampleModalLabelInfo");
var moreInfoWorkingHours = document.querySelector("#moreInfoWorkingHours");
var moreInfoAddress = document.querySelector("#moreInfoAddress");
var moreInfoDeliveryTime = document.querySelector("#moreInfoDeliveryTime");
var moreInfoMinimalDeliveryPrice =
document.querySelector("#moreInfoMinimalDeliveryPrice");
var moreInfoPhone = document.querySelector("#moreInfoPhone");
var filteredFood = [];
var arrFood = [];
var inputRangeValue = 1500;
var restaurantName = "";
var arr0rders = [];
var arr0rder = [];
var arrFoodIdOrder = [];
localStorage.setItem("Orders", arrOrders);
$(document).ready(function(){
   createNavbar();
```

```
navbarShrinkOnScroll();
    if (window.location.pathname == "/index.html" || window.location.pathname
        foodCategoriesOwlCarouselPrint();
        $("#owl-example").owlCarousel();
        readMoreOrLess();
        let arrRestaurantsSorted = restaurants.sort(function(a,b){
        });
        for (let i = 0; i < 3; i++) {
            popularRestaurants.innerHTML += `<div class="col-lg-4 col-md-6"</pre>
col-12 mb-5 d-flex justify-content-center align-items-center">
            <a href="restaurant${arrRestaurantsSorted[i].id}.html" class="mb-</pre>
restaurant-a">
               <div class="card border-0 rounded">
                  <img
src="${BASE_IMG}${arrRestaurantsSorted[i].image.alt}${arrRestaurantsSorted[i].
image.src}" alt="${arrRestaurantsSorted[i].image.alt}" class="card-img mb-
restaurant-img"/>
                  <div class="card-body p-0 mb-restaurant-card position-</pre>
absolute rounded">
                     <span class="mb-restaurant-delivery rounded-</pre>
bottom">${arrRestaurantsSorted[i].deliveryTime}min <i class="fa-regular fa-
clock"></i></span>
                        <div class="row w-100 m-0 mb-restaurant-bottom d-flex</pre>
justify-content-between align-items-end">
                           <div class="mb-restaurant-title col-md-7 col-6">
                              <span class="mb-restaurant-tag text-white fw-</pre>
bold pb-0 ps-1">${arrRestaurantsSorted[i].tag}</span>
                              white pb-3 ps-1 pb-xl-3 fw-bold">${arrRestaurantsSorted[i].name}
                           </div>
                           <div class="mb-restaurant-spans col-md-5 col-6 d-</pre>
flex justify-content-end align-items-center py-3 px-1">
                              <span class="bg-warning p-1 rounded"><i</pre>
class="fa-solid fa-
```

```
bicycle"></i>${arrRestaurantsSorted[i].delivery.price==0?arrRestaurantsSorted[
i].delivery.type.toUpperCase():arrRestaurantsSorted[i].delivery.price+"RSD"}/
span>
                              <span class="text-capitalize"><i class="fa-solid")</pre>
fa-star"></i>(${arrRestaurantsSorted[i].recommendations})</span>
                           </div>
                        </div>
                  </div>
               </div>
            </a>
         </div>
    if (window.location.pathname == "/restaurants.html") {
        queryStringCategory = window.location.search;
        queryStringCategoryParams = new URLSearchParams(queryStringCategory);
        categoryID = parseInt(queryStringCategoryParams.get("categoryID"));
        if (categoryID) {
            selectedFiltersCategories.push(categoryID);
        if (categoryID) {
            printRestaurants(selectedFiltersCategories, initialDelivery,
initialSort, initialSearch);
        else {
            printRestaurants(initialCategories, initialDelivery, initialSort,
initialSearch);
        createCategoryFilters();
        showClickedFilters();
        showClickedRadioFilter();
        showClickedRadioSort();
```

```
getSearchInput();
        $(document).on("click","button#btnApply", function(){
            printRestaurants(selectedFiltersCategories,
selectedFilterDelivery, selectedSort, selectedSearchInput);
        })
    if (window.location.pathname == "/checkout.html") {
        objName = document.querySelector("#user-name");
        objLastName = document.querySelector("#user-lastname");
        objAddress = document.querySelector("#user-address");
        objCity = document.querySelector("#user-city");
        objPhone = document.querySelector("#user-phone");
        objEmail = document.querySelector("#user-email");
        arrOrderRadio = document.getElementsByName("orderer");
        arrOrderCheck = document.getElementsByName("terms");
        objName.addEventListener("blur",function(){
            regexValidation(reFullName, objName);
        });
        objLastName.addEventListener("blur",function(){
            regexValidation(reFullName, objLastName);
        });
        objAddress.addEventListener("blur",function(){
            regexValidation(reAddress, objAddress);
        });
        objCity.addEventListener("blur",function(){
            regexValidation(reCity, objCity);
        });
        objPhone.addEventListener("blur",function(){
            regexValidation(rePhone, objPhone);
        });
        objEmail.addEventListener("blur",function(){
            regexValidation(reEmail, objEmail);
        });
        submitBtn.addEventListener("click",formValidationOnSubmit);
```

```
for (let i = 0; i < restaurants.length; i++) {</pre>
       createRestaurantPage(restaurants[i]);
   if (window.location.pathname == "/cart.html") {// /delivry/cart.html
       printCart();
})
function printCart() {
   JSON.parse(localStorage.getItem("Order")) != null ? arrOrder =
JSON.parse(localStorage.getItem("Order")) : arrOrder = [];
   arrOrder.forEach(foodElement => {
       let elementImg = `<img class="rounded" height="120"</pre>
src='${foodElement.image.src}' alt='${foodElement.image.alt}'/>`;
       let elementName = `${foodElement.name}`;
       let elementQuantity = `${foodElement.quantity}`;
       let elementPrice = `${foodElement.price}`;
       let elementRemoveBtn = `<button type='button' class='btn btn-danger</pre>
mb-order-remove-item' data-id="${foodElement.foodID}">Remove</button>`
       let tableRow = `
                          ${elementImg}
                          ${elementName}
                          ${elementQuantity}
                          ${elementPrice} RSD
                          ${elementPrice * elementQuantity} RSD
                          ${elementRemoveBtn}
                          `
       $("#mb-cart-table tbody").append(tableRow);
       receipt += elementPrice * elementQuantity;
       $("#mb-order-recepit").text(receipt);
```

```
});
    if ($("#mb-cart-table tbody").children().length == 0) {
        $("#mb-cart-table").remove();
        $("#mb-order-message").removeClass("d-none");
        $("#mb-order-message").addClass("d-block");
        $("#mb-order-message").text("Your cart is empty.");
        $("#mb-receipt-header").removeClass("d-block");
        $("#mb-receipt-header").addClass("d-none");
    else {
        $("#mb-order-message").removeClass("d-block");
        $("#mb-order-message").addClass("d-none");
        $("#mb-receipt-header").removeClass("d-none");
        $("#mb-receipt-header").addClass("d-block");
    $(".mb-order-remove-item").click(function() {
        $("#mb-cart-table tbody").empty();
        let filteredItems = arrOrder.filter(x => x.foodID !=
$(this).data("id"));
        if (filteredItems.length == 0) localStorage.clear;//AKO JE SAMO TAJ
        localStorage.setItem("Order", JSON.stringify(filteredItems));
        receipt = 0;
        $("#mb-order-recepit").text(receipt);
        $(".mb-show-number").first().text(filteredItems.length);
        printCart();
   });
function createRestaurantPage(restaurant){
    if (window.location.pathname == `/restaurant${restaurant.id}.html`) {
        restaurantH1.textContent = restaurant.name;
        moreInfoModalTitle.textContent = restaurant.name;
```

```
workingHoursSpan.textContent = restaurant.workingHours + " Mon-Fri";
       moreInfoWorkingHours.textContent = restaurant.workingHours + " Mon-
Fri";
       if (restaurant.workingHoursWeekend != restaurant.workingHours) {
           restaurant.workingHoursWeekend + " Sat-Sun)";
           restaurant.workingHoursWeekend + " Sat-Sun)";
       moreInfoAddress.innerHTML = "<br/>Address: " +
restaurant.address[0].street + ", " + restaurant.address[0].city.name;
       moreInfoDeliveryTime.innerHTML = "<br/>Average delivery time: " +
restaurant.deliveryTime + "min";
       moreInfoMinimalDeliveryPrice.innerHTML = "<br/>>Minimal delivery price:
" + restaurant.minimalOrderPrice.price + "RSD";
       moreInfoEmail.innerHTML = "<br/>>Email: " + restaurant.email;
       recommendationsSpan.innerHTML += "(" + restaurant.recommendations +
       printRestaurantSortOptions();
       printCategoriesRestaurant(restaurant);
       $(".mb-filter-category-label").click(function() {
           let labelForAttr = this.getAttribute("for");
(!selectedFiltersCategories.includes(parseInt(this.previousElementSibling.id))
              selectedFiltersCategories.push(parseInt(this.previousElementSi
bling.id));
```

```
let currentCategory =
selectedFiltersCategories.indexOf(parseInt(this.previousElementSibling.id));
                                          selectedFiltersCategories.splice(currentCategory,1);
                               $\(\)\land\(\)\land\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rangle\(\)\rang
                               filteredFood = [];
                               filterAndPrintFood(restaurant, selectedFiltersCategories,
inputRangeValue, selectedSearchInput, selectedSort);
                     });
                     $("#mb-range").on("change", function() {
                                inputRangeValue = parseInt($("#mb-range").val());
                               filterAndPrintFood(restaurant, selectedFiltersCategories,
inputRangeValue, selectedSearchInput, selectedSort);
                     });
                     $("#restaurant-input-search").keyup(function(){
                                selectedSearchInput = $("#restaurant-input-search").val();
                                selectedSearchInput == "" || null ? selectedSearchInput =
initialSearch : $("#restaurant-input-search").val();
                               filterAndPrintFood(restaurant, selectedFiltersCategories,
inputRangeValue, selectedSearchInput, selectedSort);
                     });
                     $("#mb-restaurant-sorts-select").on("change", function() {
                                selectedSort = $(this).val();
                               filterAndPrintFood(restaurant, selectedFiltersCategories,
inputRangeValue, selectedSearchInput, selectedSort);
                     });
                     filterAndPrintFood(restaurant, selectedFiltersCategories,
inputRangeValue, selectedSearchInput, selectedSort);
```

```
function foodSortBy(sortInput) {
    let arrSorted = [];
    switch(sortInput){
        case "0":
                                    arrSorted = arrFood.sort(function(a,b){
                                         return b.name.localeCompare(a.name,
'en', { sensitivity: 'base' });
                                     });
                                     return arrSorted;
        case "1":
                                     arrSorted = arrFood.sort(function(a,b){
                                         return a.name.localeCompare(b.name,
'en', { sensitivity: 'base' });
                                     });
                                     return arrSorted;
                                     arrSorted = arrFood.sort(function(a,b){
        case "2":
                                         return a.price.newPrice -
b.price.newPrice;
                                     });
                                     return arrSorted;
        case "3":
                                    arrSorted = arrFood.sort(function(a,b){
                                         return b.price.newPrice -
a.price.newPrice;
                                     });
                                    return arrSorted;
        default:
                                    arrSorted = arrFood;
                                     return arrSorted;
function foodFilterSearch(selectedSearchInput) {
    if (selectedSearchInput == initialSearch || selectedSearchInput == null) {
        return arrFood;
    return arrFood.filter(x =>
x.name.toLowerCase().includes(selectedSearchInput.toLowerCase().trim()));
function foodFilterRange(inputRangeValue) {
   return arrFood.filter(x => x.price.newPrice <= inputRangeValue);</pre>
```

```
function foodFilterCategories(arr) {
        if (arr.length) {
            return arrFood.filter(x => arr.includes(x.categoryID));
           return arrFood;
function printRestaurantFood(restaurant, selectedFiltersCategories,
inputRangeValue, selectedSearchInput, sortInput){
    let foodSectionRow = document.querySelector("#mb-restaurant-food-row");
    let foodIngredients = "";
    let printFood = "";
    arrFood = foodFilterCategories(selectedFiltersCategories);
    arrFood = foodFilterRange(inputRangeValue);
    arrFood = foodFilterSearch(selectedSearchInput);
    arrFood = foodSortBy(sortInput);
    for (let objFilteredFood of arrFood) {
        if (objFilteredFood.ingredients != null &&
objFilteredFood.ingredients.length) {
            foodIngredients = objFilteredFood.ingredients;
        printFood += `<div class="col-lg-5 col-md-11 col-12 mx-md-2 px-md-3</pre>
my-3 border rounded mb-food-col">
        <a href="#" class="mb-food-a" data-bs-toggle="modal" data-bs-</pre>
target="#exampleModal${objFilteredFood.id}">
            <div class="mb-food container-fluid p-0">
                <div class="row justify-content-between align-items-start">
                    <div class="col-6 p-2">
                        <div class="mb-food-text">
                            <div class="mb-food-info">
                               <h6 class="text-dark text-
truncate">${objFilteredFood.name}</h6>
                               ${foodIngredients.length
50?foodIngredients.slice(0,50)+"…":foodIngredients}${objFilteredFood.in
gredients == null?"":""}
                            </div>
                           <div class="mb-food-price-tag">
```

```
<span class="text-</pre>
warning">${objFilteredFood.price.newPrice} RSD</span>
                                 <s class="text-
dark">${objFilteredFood.price.oldPrice!=null?objFilteredFood.price.oldPrice +
" RSD":""}</s>
                                 <span class="btn-warning text-white</pre>
rounded">${objFilteredFood.popularTag?"<span class='p-2 text-</pre>
capitalize'>popular</span>":""}</span>
                         </div>
                     </div>
                     <div class="col-6 p-2">
                         <div class="mb-food-img">
                             <img class="img-fluid rounded"</pre>
src="${BASE IMG}${objFilteredFood.image.alt}${objFilteredFood.image.src}"
alt="${objFilteredFood.image.alt}"/>
                         </div>
                     </div>
                </div>
            </div>
        </a>
        </div>
        <!-- Modal -->
            <div class="modal fade" id="exampleModal${objFilteredFood.id}"</pre>
tabindex="-1" aria-labelledby="exampleModalLabel${objFilteredFood.id}" aria-
hidden="true">
            <div class="modal-dialog">
                 <div class="modal-content">
                <div class="modal-header">
                     <button type="button" class="btn-close" data-bs-</pre>
dismiss="modal" aria-label="Close"></button>
                 </div>
                <div class="modal-body">
                     <div class="mb-food-img">
                         <img class="img-fluid rounded"</pre>
src="${BASE_IMG}${objFilteredFood.image.alt}${objFilteredFood.image.src}"
alt="${objFilteredFood.image.alt}"/>
                     </div>
                     <div class="mb-food-text pt-4">
                                 <div class="mb-food-info">
                                     <h4 class="text-
dark">${objFilteredFood.name}</h4>
                                     2">${objFilteredFood.ingredients!=null?objFilteredFood.ingredients:""}
                                 </div>
                                 <div class="mb-food-price-tag">
                                     <span class="text-</pre>
warning">${objFilteredFood.price.newPrice} RSD</span>
```

```
<s class="text-
dark">${objFilteredFood.price.oldPrice!=null?objFilteredFood.price.oldPrice +
" RSD":""}</s>
                                     <span class="btn-warning text-white</pre>
rounded">${objFilteredFood.popularTag?"<span class='p-2 text-</pre>
capitalize'>popular</span>":""}</span>
                             </div>
                </div>
                <div class="modal-footer">
                    <button type="button" class="btn btn-white ms-0 me-auto</pre>
border rounded" data-bs-dismiss="modal">Close</button>
                    <form action="">
                             <input type="number" class="form-control w-50 me-0</pre>
ms-auto" name="foodAmountInput" id="mb-food-amount-input"
placeholder="Ammount"/>
                    <input type="button" data-id="${objFilteredFood.id}" data-</pre>
bs-dismiss="modal" class="btn btn-warning text-white mb-btn-add-to-cart"
value="Add to cart" name="btnAddToCart"/>
                </div>
                </div>
            </div>
            </div>`
            foodIngredients = "";
    foodSectionRow.innerHTML = printFood;
    printFood = "";
    $(".mb-btn-add-to-cart").on("click", function(){
        let hasFoodID = false;
        if (arrOrder.length > 0) {
            for (let objFoodFromOrder of arrOrder) {
                if (objFoodFromOrder.foodID == $(this).data("id")) {
                    hasFoodID = true;
                    break;
        if (!hasFoodID) {
            arrOrder.push({
                "foodID": $(this).data("id"),
```

```
"name": $(this).parent().parent().prev().children(".mb-food-
text").children(".mb-food-info").children("h4").text(),
                "quantity":
$(this).prev().val()==""?1:parseInt($(this).prev().val()),
parseInt($(this).parent().parent().prev().children(".mb-food-
text").children(".mb-food-price-tag").children(".mb-current-price").text()),
                "image": {
                    "src": $(this).parent().parent().prev().children(".mb-
food-img").children("img").attr("src"),
                    "alt": $(this).parent().parent().prev().children(".mb-
food-img").children("img").attr("alt")
            });
            localStorage.setItem("Order", JSON.stringify(arrOrder));
        $(".mb-show-number").first().text(arrOrder.length);
   })
function filterAndPrintFood(restaurant, selectedFiltersCategories,
inputRangeValue, selectedSearchInput, sortInput) {
    for (let restaurantCategoryID of restaurant.categoriesID) {
        for (let foodCategory of foodCategories) {
            if (restaurantCategoryID == foodCategory.id) {// &&
                filteredFood = food.filter(x => x.categoryID ==
foodCategory.id);
                for (let objFood of filteredFood) {
                    if (!arrFood.includes(objFood)) {
                        arrFood.push(objFood);//add food globally
                printRestaurantFood(restaurant, selectedFiltersCategories,
inputRangeValue, selectedSearchInput, sortInput);
function printCategoriesRestaurant(restaurant) {
    let categoriesDiv = document.querySelector("#mb-restaurant-categories-
spans");
    let printCategoriesFilters = "";
    for (let restaurantCategoryID of restaurant.categoriesID) {
        for (let foodCategory of foodCategories) {
```

```
if (restaurantCategoryID == foodCategory.id) {
                printCategoriesFilters += `<input type="checkbox"</pre>
name="restaurantPageCategoryFilter" id="${foodCategory.id}"
value="${foodCategory.id}" class="mb-width-0"/><label for="${foodCategory.id}"</pre>
class="mb-filter-category-label text-warning rounded-pill m-
2">${foodCategory.name}</label>`;
                break;
    categoriesDiv.innerHTML += printCategoriesFilters;
function printRestaurantSortOptions() {
    let sortSelect = document.querySelector("#mb-restaurant-sorts-select");
    let sortsNames = ['Name asc.','Name desc.','Price asc.','Price desc.'];
    let print = "";
    for (let i = 0; i < sortsNames.length; i++) {</pre>
        print += `<option value="${i}">${sortsNames[i]}</option>`
    sortSelect.innerHTML = print;
function formValidationOnSubmit(){
    regexValidation(reFullName, objName);
    regexValidation(reFullName, objLastName);
    regexValidation(reAddress, objAddress);
    regexValidation(reCity, objCity);
    regexValidation(rePhone, objPhone);
    regexValidation(reEmail, objEmail);
    let chbTerms = document.getElementsByName("terms");
    try {
        if (!chbTerms[0].checked) {
            chbTerms[0].nextElementSibling.nextElementSibling.classList.remove
("d-none");
            chbTerms[0].nextElementSibling.nextElementSibling.classList.add("d
-block");
            throw ("Niste pročitali uslove korišćenja.");
        else {
```

```
chbTerms[0].nextElementSibling.nextElementSibling.classList.add("d
            chbTerms[0].nextElementSibling.nextElementSibling.classList.remove
("d-block");
            chbTerms[0].nextElementSibling.nextElementSibling.innerHTML = "";
    catch (error) {
        chbTerms[0].nextElementSibling.nextElementSibling.innerHTML = error;
function regexValidation(re, obj){
   try {
        if (!re.test(obj.value)) {
            obj.nextElementSibling.classList.remove("d-none");
            obj.nextElementSibling.classList.add("d-block");
            if (obj == objName || obj == objLastName) {
                throw("Mora sadržati bar jedno veliko slovo i maksimum 15
malih.")
            else if (obj == objAddress) {
                throw("Adresa nije u dobrom formatu. Primer: Kralja Petra I
44, Sarajevska 14b...")
            else if (obj == objCity) {
                throw("Grad nije u dobrom formatu. Primer: Zaječar 19000...");
            else if (obj == objPhone) {
                throw("Telefon mora da započne sa 06 ili +381 i da nema preko
8 cifara.");
            else if (obj == objEmail) {
                throw("Email nije u dobrom formatu. Primer:
username@gmail.com...");
        else {
            obj.previousElementSibling.classList.remove("d-inline");
            obj.previousElementSibling.classList.add("d-none");
            obj.nextElementSibling.classList.remove("d-block");
            obj.nextElementSibling.classList.add("d-none");
            obj.nextElementSibling.innerHTML = "";
```

```
catch (err) {
        obj.previousElementSibling.classList.remove("d-none");
        obj.previousElementSibling.classList.add("d-inline");
        obj.nextElementSibling.innerHTML = err;
function printRestaurants(categoriesIDs, deliveryInputValue, sortInput,
searchInput) {
    let restaurantsRow = document.getElementById("mb-restaurants");
    let print = "";
    if (categoriesIDs == null) {
        categoriesIDs = initialCategories;
    newRestaurants = filterCategories(categoriesIDs);
    newRestaurants = filterDelivery(deliveryInputValue);
    newRestaurants = filterSearch(searchInput)
    newRestaurants = sortBy(sortInput);
    newRestaurants.forEach(restaurant => {
        print += `<div class="col-lg-4 col-md-6 col-12 mb-5 d-flex justify-</pre>
content-center align-items-center">
        <a href="restaurant${restaurant.id}.html" class="mb-restaurant-a">
           <div class="card border-0 rounded">
              <img
src="${BASE_IMG}${restaurant.image.alt}${restaurant.image.src}"
alt="${restaurant.image.alt}" class="card-img mb-restaurant-img"/>
              <div class="card-body p-0 mb-restaurant-card position-absolute"</pre>
rounded">
                 <span class="mb-restaurant-delivery rounded-</pre>
bottom">${restaurant.deliveryTime}min <i class="fa-regular fa-</pre>
clock"></i></span>
                    <div class="row w-100 m-0 mb-restaurant-bottom d-flex</pre>
justify-content-between align-items-end">
                       <div class="mb-restaurant-title col-md-7 col-6">
                          <span class="mb-restaurant-tag text-white fw-bold</pre>
pb-0 ps-1">${restaurant.tag}</span>
                          pb-3 ps-1 pb-xl-3 fw-bold">${restaurant.name}
                       </div>
                       <div class="mb-restaurant-spans col-md-5 col-6 d-flex</pre>
justify-content-end align-items-center py-3 px-1">
                          <span class="bg-warning p-1 rounded"><i class="fa-</pre>
solid fa-
```

```
bicycle"></i>${restaurant.delivery.price==0?restaurant.delivery.type.toUpperCa
se():restaurant.delivery.price+"RSD"}</span>
                          <span class="text-capitalize"><i class="fa-solid fa-</pre>
star"></i>(${restaurant.recommendations})</span>
                       </div>
                    </div>
              </div>
           </div>
        </a>
     </div>`
    });
    restaurantsRow.innerHTML = print;
function sortBy(sortInput) {
   let arrSorted = [];
    switch(sortInput){
        case "0":
                                    arrSorted =
newRestaurants.sort(function(a,b){
                                        return b.recommendations -
a.recommendations;
                                    });
                                    return arrSorted;
        case "1":
                                    arrSorted =
newRestaurants.sort(function(a,b){
                                        return a.delivery.price -
b.delivery.price;
                                    });
                                    return arrSorted;
                                    arrSorted =
        case "2":
newRestaurants.sort(function(a,b){
                                        return a.deliveryTime -
b.deliveryTime;
                                    });
                                    return arrSorted;
        default:
                                    arrSorted = newRestaurants;
                                    return arrSorted;
```

```
function filterSearch(searchInput) {
    if (searchInput == initialSearch || searchInput == null) {
        return newRestaurants;
    return newRestaurants.filter(x =>
x.name.toLowerCase().includes(searchInput.toLowerCase().trim()));
function filterDelivery(deliveryInputValue) {
    let parsedDelivery = parseInt(deliveryInputValue);
    if (parsedDelivery) {
        return newRestaurants.filter(x => x.delivery.type=="paid");
   else {
        return newRestaurants.filter(x => x.delivery.type=="free");
function filterCategories(arrCategoriesIDs) {
    if (arrCategoriesIDs.length) {
        return restaurants.filter(x => x.categoriesID.some(id =>
arrCategoriesIDs.includes(id)));
    else {
        return restaurants.filter(x => x.categoriesID.some(id =>
initialCategories.includes(id)));
function ajaxCallback(file,callback) {
    $.ajax({
        url: BASE_DATA + file,
        method: "get",
        dataType: "json",
        success: function(result){
            console.log(file, " saved");
            setTimeout(callback(file, result), 0);
        error: function(xhr, status, exception){
            console.log(xhr, status, message);
            var message = "";
            if (status === 0) {
                message = "Not connected.\n Verify your network.";
            }else if (status == 404) {
                message = "Requested page not found. [404]";
```

```
}else if (status == 500) {
               message = "Internal Server Error. [500]"
           }else if (exception === "parsererror") {
               message = "Requested JSON parse failed.";
           }else if (exception === "timeout") {
               message = "Timeout error.";
           }else if (exception === "abort") {
               message = "Ajax request aborted.";
           }else {
               message = "Uncaught error.\n" + xhr.responseText;
           alert(message);
   });
function createNavbar() {
   let navbarUl = document.getElementById("mb-navbar-ul");
    let navLinks = JSON.parse(localStorage.getItem("navigation.json"));
    let links = [];
    let linksNames = [];
    for (let navLink of navLinks) {
        links.push(navLink["link"]);
        linksNames.push(navLink["text"]);
    let print = "";
    for (let i = 0; i < linksNames.length; i++) {</pre>
       print += `
       <a class="nav-link ${linksNames[i]=="<i class='fa-solid fa-</pre>
heart'></i>"?"me-5":""}" href="${links[i]}">${linksNames[i]=="<i class='fa-
solid fa-cart-shopping'></i>" || linksNames[i] == "<i class='fa-solid fa-</pre>
heart'></i>"?linksNames[i] + "<span class='mb-show-number btn btn-warning
text-white'>0</span>":linksNames[i]}</a>
     navbarUl.innerHTML = print;
function navbarShrinkOnScroll() {
    $(document).on("scroll",function(){
        if ($(document).scrollTop() > 350) {
          $(".navbar").addClass("shrink");
```

```
$(".navbar").addClass("opacity-full");
        else $(".navbar").removeClass("shrink"),
$(".navbar").removeClass("opacity-full");
    })
function readMoreOrLess() {
    $(".mb-text-hide").hide();
    $(".show_hide").on("click", function () {
        let txt = $(".mb-text-hide").is(':visible') ? 'Read more' : 'Read
less';
        $(".show hide").text(txt);
        $('.mb-text-hide').slideToggle(200);
    });
}
function saveToLocalStorage(key, value) {
    localStorage.setItem(key, JSON.stringify(value));
function foodCategoriesOwlCarouselPrint() {
    let owlCarouselDiv = document.querySelector("#owl-example");
    let print = "";
    let cloneFoodCategories = JSON.parse(JSON.stringify(foodCategories));
    cloneFoodCategories.forEach(category => {
        print += `<div class="card" style="width: 18rem;">
                    <a href="restaurants.html?categoryID=${category.id}"</pre>
class="mb-category-anchor">
                    <img src="${BASE_IMG}food-category${category.id}.jpg"</pre>
class="card-img-top img-fluid" alt="food"/>
                    <div class="card-body">
                        <h6 class="card-subtitle mb-2 text-muted text-</pre>
center">${category.name}</h6>
                    </div>
                    </a>
                </div>`
    });
    owlCarouselDiv.innerHTML = print;
function createCategoryFilters() {
    let categoriesFilterForm = document.getElementById("mb-filter-form");
```

```
let print = "";
    for (let category of foodCategories) {
        print += `<input type="checkbox" name="filterCheck"</pre>
id="${category.id}" class="mb-width-0" value="${category.name}"/>
        <label for="${category.id}" class="mb-filter-category-label text-</pre>
warning rounded-pill m-2">${category.name}</label>`
    categoriesFilterForm.innerHTML += print;
function showClickedFilters() {
    $(".mb-filter-category-label").click(function() {
        let labelForAttr = this.getAttribute("for");
(!selectedFiltersCategories.includes(parseInt(this.previousElementSibling.id))
            selectedFiltersCategories.push(parseInt(this.previousElementSiblin
g.id));
        else {
            let currentCategory =
selectedFiltersCategories.indexOf(parseInt(this.previousElementSibling.id));
            selectedFiltersCategories.splice(currentCategory,1);
        $(`label[for='${labelForAttr}']`).toggleClass("mb-filter-active");
   });
function showClickedRadioFilter() {
    $(document).on("click", 'input.mb-filter-radio', function () {
        if ($(this).is(":checked")) {
            selectedFilterDelivery = $(this).val();
          $('label.mb-filter-delivery-active').removeClass('mb-filter-
delivery-active');
          $(this).next("label.mb-filter-delivery-label").addClass("mb-filter-
delivery-active");
      });
function showClickedRadioSort() {
    $(document).on("click", 'input.mb-sort-radio', function () {
        if ($(this).is(":checked")) {
            selectedSort = $(this).val();
```

```
$('label.mb-sort-active').removeClass('mb-sort-active');
    $(this).next("label.mb-sort-label").addClass("mb-sort-active");
}
});

function getSearchInput() {
    $("#input-search").keyup(function(){
        selectedSearchInput = $("#input-search").val();
        selectedSearchInput == "" || null ? selectedSearchInput =
initialSearch : $("#input-search").val();
        printRestaurants(initialCategories, selectedFilterDelivery,
selectedSort, selectedSearchInput);
    });
}
```