

EliteShoppy

An E-Commerce website
for clothing

Autor: **Martin Birišić**

Predmet: **Web programiranje PHP1**

Smer: **Internet Tehnologije**

Godina: **II**

Index: **22/21**

2023-5-12

Contents

Uvod.....	3
Korisceni programski jezici i biblioteke:.....	3
Opis funkcionalnosti:	3
Template:	4
Šema baze:	4
Slike stranica i opisi funkcionalnosti:	4
INDEX.PHP -> modal za registraciju	4
INDEX.PHP -> modal za logovanje.....	5
INDEX.PHP?page=home.....	6
INDEX.PHP?page=shop	7
INDEX.PHP?page=about.....	8
INDEX.PHP?page=contact	9
INDEX.PHP?page=profile.....	10
INDEX.PHP?page=admin_panel	11
INDEX.PHP?page= insert-articles_genders	12
INDEX.PHP?page= edit-articles&id=3	13
Kodovi:	13
PHP	13
JAVASCRIPT	121
CSS.....	136

Uvod

Korisceni programski jezici i biblioteke:

- HTML
- CSS
- BOOTSTRAP
- JAVASCRIPT
- JQUERY
- PHP
- MYSQL


Opis funkcionalnosti:

- Sajt demonstrira rad online prodavnice odece
- Ostvaren je u vidu Single Page aplikacije
- Koristi se MVC struktura foldera
- Na index strani sadrzi sistem rutiranja u zavisnosti od postavljene stranice koju dobija iz query stringa URL adrese
- Sadrzi sistem registracije i logovanja korisnika
- Dinamicki meni sa linkovima ka stranicama odredjenim ulogom korisnika
- Kontakt forma preko koje korisnik salje poruku adminu na mail
- Svaka forma (login, register, kontakt) ima validaciju podataka I putem AJAX-a omogucava slanje HTTP zahteva ka serveru i odgovore sa istog u vidu response kodova i custom poruka
- Forme, kao i druge privilegovane stranice, sadrže zastitu od neovlasćenog pristupa i pristupa preko URL adrese
- Forme za register i login se onemogucavaju ako je korisnik ulogovan
- Shop stranicu na kojoj može da pretražuje, filtrira i sortira dostupne artikle
- Dinamicki generisane stranice sa detaljnijim informacijama o izabranom artiklu
- Sadrzi Admin panel stranicu isključivo za administratora sajta
- Panel omogucava korisnicima koji nisu programeri da administriraju sajtom kroz jednostavan korisnicki interfejs
- U njemu se mogu raditi CRUD operacije nad svim ključnim tabelama u bazi podataka

Template:

<https://w3layouts.com/template/elite-shoppy-ecommerce-category-bootstrap-responsive-web-template/>

Šema baze:



Slike stranica i opisi funkcionalnosti:

INDEX.PHP -> modal za registraciju

SIGN UP NOW

First name

Last name

Email

Password

Confirm password


SIGN UP

Ime i prezime moraju sadržati bar jedno veliko slovo i maksimum 15 malih.
Email nije u dobrom formatu. Primer: username@gmail.com...
Lozinka mora sadržati 8-20 karaktera i to samo slova i brojeve.

Forma za registraciju novih korisnika; po defaultu dobijaju rolu "buyer"

Sekcija za ispis poruka o greskama ili uspesnom unosu

INDEX.PHP -> modal za logovanje



SIGN IN NOW

Email

Password

SIGN IN


Email nije u dobrom formatu. Primer:
username@gmail.com...

Lozinka mora sadržati 8-20 karaktera i to
samo slova i brojeve.

f t i in


Slican princip kao I registracija
koja, u sustini, po unosu u
bazu takodje odradi I login

INDEX.PHP?page=home



Pocetna stranica

INDEX.PHP?page=shop



Search filter

Dinamicki meni

Paleta sa filterima i sortovima

Dinamicki ispisani proizvodi

Dinamicki meni

INDEX.PHP?page=about

[Sign In](#)
[Sign Up](#)
[Call : 01234567898](#)
[info@example.com](#)

[Share On :](#)
[f](#)
[t](#)
[i](#)
[in](#)

[Home](#)
[Shop](#)
[About](#)
[Contact](#)

MARTIN BIRIŠIĆ 22/21

Smer: Internet tehnologije

Godina: II

Index: 22/21

Predmet: Web programiranje PHP 1

FREE SHIPPING

Lorem ipsum dolor sit amet, consectetur

24/7 SUPPORT

Lorem ipsum dolor sit amet, consectetur

MONEY BACK GUARANTEE

Lorem ipsum dolor sit amet, consectetur

FREE GIFT COUPONS

Lorem ipsum dolor sit amet, consectetur

OUR INFORMATION

[Home](#)
[Shop](#)
[About](#)
[Contact](#)

[f](#)
[t](#)
[i](#)
[in](#)

STORE INFORMATION

Phone Number

+1 234 567 8901

Email Address

Email : [mail@example.com](#)

Location


Broome St, NY 10002, California, USA.

SIGN UP FOR NEWSLETTER !


© 2017 Elite shoppy. All rights reserved | Design by W3layouts

Stranica o autoru

INDEX.PHP?page=contact



FOR MORE INFORMATION



CONTACT FORM

Name


Email

Subject

Message

SEND

Forma koja se proverava I na klijentu I na serveru I salje poruku na mail



INDEX.PHP?page=profile

Share On :

HomeShop ▾AboutYour profileContact

Welcome,Mika!

Your name is Mika Mikic and your email is mikamikic@gmail.com

Logout

Prikaz korisnickih informacija I Logout opcija

FREE SHIPPING
Lorem ipsum dolor sit amet, consectetur

24/7 SUPPORT
Lorem ipsum dolor sit amet, consectetur

MONEY BACK GUARANTEE
Lorem ipsum dolor sit amet, consectetur

FREE GIFT COUPONS
Lorem ipsum dolor sit amet, consectetur

Elite Shoppy

Lorem ipsum quia dolor sit amet, consectetur, adipisci velit, sed quia non numquam eius modi tempora.

OUR INFORMATION

HomeShop ▾AboutYour profileContact

STORE INFORMATION

Phone Number
+1 234 567 8901

Email Address
Email : mail@example.com

Location
Broome St, NY 10002,California, USA.

SIGN UP FOR NEWSLETTER !

SUBMIT

© 2017 Elite shoppy. All rights reserved | Design by W3layouts

WEB PROGRAMIRANJE PHP 1

INDEX.PHP?page=admin_panel

Search here...

E

lite Shoppy

Share On : [f](#) [t](#) [@](#) [in](#)

[Home](#) [Shop](#) [About](#) [Admin panel](#) [Contact](#)

Welcome, Pera!
You're currently viewing the **USERS** table

Insert row

Logout

Choose a table
Display **Users** Table
Display **Articles** Table
Display **Genders** Table
Display **Categories** Table
Display **Articles_genders** Table

id	first_name	last_name	email	password	role	date_added	Modify	Delete
5	Zika	Zikic	zikazikic@gmail.com	045def4ae9bac9fb7cab947b3df67b	buyer	2023-03-16 16:23:17	<div>Edit</div>	<div>Delete</div>
11	Sima	Strahota	simastrahota@gmail.com	fd1f0adc06d233ca8e7833882eae6ba1	buyer	2023-03-17 13:27:28	<div>Edit</div>	<div>Delete</div>
13	Pera	Peric	peraperic@gmail.com	e570e0552ee41e9fca954cbc16c1b20a	admin	2023-04-27 21:35:14	<div>Edit</div>	<div>Delete</div>
63	Mika	Mikic	mikamikic@gmail.com	46eca2b6dd356284d8d88bfefa3a6b3a	buyer	2023-05-11 23:04:28	<div>Edit</div>	<div>Delete</div>

FREE SHIPPING
Lorem ipsum dolor sit amet,
consectetur

24/7 SUPPORT
Lorem ipsum dolor sit amet,
consectetur

MONEY BACK GUARANTEE
Lorem ipsum dolor sit amet,
consectetur

FREE GIFT COUPONS
Lorem ipsum dolor sit amet,
consectetur

E

lite Shoppy

Lorem ipsum quia dolor sit amet,
consectetur, adipisci velit, sed quia
non numquam eius modi tempora.

[f](#) [t](#) [@](#) [in](#)

OUR INFORMATION

[Home](#)
[Shop](#)
[About](#)
[Admin panel](#)
[Contact](#)

STORE INFORMATION

Phone Number
+1 234 567 8901

Email Address
Email : [mail@example.com](#)

Location
Broome St, NY 10002,California, USA.

SIGN UP FOR NEWSLETTER !

Enter your email...

SUBMIT


© 2017 Elite shoppy. All rights reserved | Design by W3layouts


Opcije za logout I dodavanje novog zapisa





Sidebar sa izborom svih esencijalnih tabela

Prikaz i mogucnost brisanja zapisa iz tabele, kao i menjanja postojećih zapisa


INDEX.PHP?page=insert-articles_genders





Share On :    

HomeShop ▾AboutAdmin panelContact



Insert Articles_genders Page

Choose an Article

Formal Blue Shirt ▾

Choose a Gender

M ▾

Active price


Old price (optional)


Description


Image path


Add Article Data


Here you can add additional article data into the database.





 **FREE SHIPPING**
Lorem ipsum dolor sit amet, consectetur

 **24/7 SUPPORT**
Lorem ipsum dolor sit amet, consectetur

 **MONEY BACK GUARANTEE**
Lorem ipsum dolor sit amet, consectetur

 **FREE GIFT COUPONS**
Lorem ipsum dolor sit amet, consectetur


Lorem ipsum quia dolor sit amet, consectetur, adipisci velit, sed quia non numquam eius modi tempora.

OUR INFORMATION

Home


Shop ▾


About


Admin panel

Contact

STORE INFORMATION

 **Phone Number**
+1 234 567 8901

 **Email Address**
Email : mail@example.com

 **Location**
Broome St, NY 10002, California, USA.

SIGN UP FOR NEWSLETTER !

SUBMIT

© 2017 Elite shoppy. All rights reserved | Design by W3layouts

Primer stranice za unos novih zapisa

WEB PROGRAMIRANJE PHP 1

INDEX.PHP?page= edit-articles&id=3

Share On :

[Home](#) [Shop](#) [About](#) [Admin panel](#) [Contact](#)

Edit Articles Page

Article: Formal Blue Shirt

Article name

Article Tag

Choose a Category

Clothing

[Edit Article](#)

Here you can modify an existing article from the database.

FREE SHIPPING
Lorem ipsum dolor sit amet, consectetur

24/7 SUPPORT
Lorem ipsum dolor sit amet, consectetur

MONEY BACK GUARANTEE
Lorem ipsum dolor sit amet, consectetur

FREE GIFT COUPONS
Lorem ipsum dolor sit amet, consectetur

Lorem ipsum quia dolor sit amet, consectetur, adipisci velit, sed quia non numquam eius modi tempora.

Documentation

OUR INFORMATION

[Home](#)
[Shop](#)
[About](#)
[Admin panel](#)
[Contact](#)

STORE INFORMATION

Phone Number
+1 234 567 8901

Email Address
Email : [mail@example.com](#)

Location
Broome St, NY 10002, California, USA.

SIGN UP FOR NEWSLETTER !

[SUBMIT](#)

© 2017 Elite shoppy. All rights reserved | Design by W3layouts

Primer stranice za menjanje postojećih zapisa u bazi

Kodovi:

PHP

Index.php

```
<?php
    session_start();
    include "config/conn.php";
    include "models/utility.php";

    include_once "views/fixed/head.php";
```

```

include_once "views/fixed/header.php";

#RUTIRANJE
isset($_GET['page']) ? $page = $_GET['page'] : $page = "";
if ($page) {
    if ($page=="profile") {
        if (isset($_SESSION['user']) &&
$_SESSION['user']->role!="admin"){//admin doesn't have a
profile page
            include_once "views/pages/${page}.php";
        }
        else {
            include_once "views/pages/home.php";
        }
    }
    else if ($page=="admin_panel" || $page=="insert-
articles" || $page=="insert-users" || $page=="insert-
categories" ||
        $page=="insert-articles_genders" ||
$page=="edit-users" || $page=="edit-articles" || $page=="edit-
categories" || $page=="edit-articles_genders"){
        if (isset($_SESSION['user']) &&
$_SESSION['user']->role=="admin") {
            include_once "views/pages/${page}.php";
        }
        else {
//
redirect("https://www.youtube.com/watch?v=E8nOJ4LGhIM");
            include_once "views/pages/home.php";
        }
    }
    else {
        include_once "views/pages/${page}.php";
    }
}
else {
    include_once "views/pages/home.php";
}

include_once "views/fixed/footer.php";
?>

```

Views/pages/edit-articles.php

```

<?php
isset($_GET['page']) ? $page = $_GET['page'] : $page = "";
isset($_GET['id']) ? $id = $_GET['id'] : $id = "";

$words = explode("-", $page);
$article = findRecord($words[1], $id);

```

```

$categories = getAll("categories");
?>
<div class="container">
    <div class="row">
        <div class="col-12">
            <h1 class="text-capitalize text-center mb-
h1"><?=$words[0] . " " . $words[1]?> page</h1>
            <h2 class="text-capitalize text-center mb-h1 text-
muted">Article: <?=$article->name?></h2>
        </div>
    </div>
</div>
<div class="container">
    <div class="row mb-d-flex-center">
        <div class="col-xs-12 col-sm-6">
            <form>
                <div class="form-group">
                    <label for="article-name">Article
name</label>
                    <input type="text" class="form-control"
id="article-name" name="article-name" value="<?= $article-
>name?>" placeholder="Example: Running shoes..."/>
                </div>
                <div class="form-group">
                    <label for="article-tag">Article
Tag</label>
                    <input type="text" class="form-control"
id="article-tag" name="article-tag" value="<?= $article-
>tag?>" placeholder="Example: New..."/>
                </div>
                <div class="form-check">
                    <label for="article-name">Choose a
Category</label>
                    <select class="form-control"
name="article-category-select" id="article-category-select">
                        <?php
                        foreach ($categories as $category) :
                            ?>
                            <option value="<?= $category-
>id?>" <?= $article->IDcat == $category->id ?
"selected='selected'" : ""?><?= $category->name ?></option>
                        <?php endforeach;?>
                    </select>
                </div>
                <div class="form-group mb-d-flex-center">
                    <input type="submit" class="btn mb-btn-
action" value="Edit Article" name="btn-edit" id="btn-edit"/>
                </div>
                <div class="form-group mb-d-flex-center">
                    <p class="alert alert-info text-center"
id="mb-edit-info">Here you can modify an existing article from

```

```

the database.</p>
        </div>
    </form>
</div>
</div>
</div>

```

Views/pages/edit-articles_genders.php

```

<?php
isset($_GET['page']) ? $page = $_GET['page'] : $page = "";
isset($_GET['id']) ? $id = $_GET['id'] : $id = "";

$words = explode("-", $page);
$article_gender = findRecord($words[1], $id);

$categories = getAll("categories");
$articles = getAll("articles");
$genders = getAll("genders");
?>
<div class="container">
    <div class="row">
        <div class="col-12">
            <h1 class="text-capitalize text-center mb-h1"><?=$words[0] . " " . $words[1]?> page</h1>
            <h2 class="text-capitalize text-center mb-h1 text-muted">Additional info for article:
                <?php
                    foreach ($articles as $article) :
                        ?>
                            <?=$article->id == $article_gender->IDArticle ? $article->name : ""?>
                        <?php endforeach;?>
                    </h2>
                </div>
            </div>
        </div>
    </div>
<div class="container">
    <div class="row mb-d-flex-center">
        <div class="col-xs-12 col-sm-6">
            <form>
                <div class="form-check">
                    <label for="ag-article">Choose an
Article</label>
                    <select class="form-control" name="ag-article" id="ag-article">
                        <?php
                            foreach ($articles as $article) :
                                ?>
                                    <option value="<?=$article->id?>"
<?=$article->id == $article_gender->IDArticle ?

```



```

"selected='selected'" : ""?><?= $article->name ?></option>
    <?php endforeach;?>
</select>
</div>
<div class="form-check">
    <label for="ag-gender">Choose a
Gender</label>
    <select class="form-control" name="ag-
gender" id="ag-gender">
        <?php
        foreach ($genders as $gender) :
            ?>
            <option value="<?= $gender->id?>"
<?= $gender->id == $article_gender->IDgender ?
"selected='selected'" : ""?><?= $gender->name ?></option>
            <?php endforeach;?>
        </select>
    </div>
<div class="form-group">
    <label for="ag-new-price">Active
price</label>
    <input type="number" class="form-control"
min="0" id="ag-new-price" name="ag-new-price" value="<?=
$article_gender->priceNew?>"/>
</div>
<div class="form-group">
    <label for="ag-old-price">Old price
(optional)</label>
    <input type="number" class="form-control"
min="0" id="ag-old-price" name="ag-old-price" value="<?=
$article_gender->priceOld?>"/>
</div>
<div class="form-group">
    <label for="ag-desc">Description</label>
    <textarea class="form-control" name="ag-
desc" id="ag-desc" cols="30" rows="10"><?= $article_gender-
>description ?></textarea>
</div>
<div class="form-group">
    <label for="ag-img">Image path</label>
    <textarea class="form-control" name="ag-
img" id="ag-img" cols="30" rows="5"><?= $article_gender-
>image?></textarea>
</div>
<div class="form-group mb-d-flex-center">
    <input type="submit" class="btn mb-btn-
action" value="Edit Article Data" name="btn-edit" id="btn-
edit"/>
</div>
<div class="form-group mb-d-flex-center">
    <p class="alert alert-info text-center"

```

```

id="mb-edit-info">Here you can modify additional article data
from the database.</p>
    </div>
    </form>
  </div>
</div>
</div>

```

Views/pages/edit-categories.php

```

<?php
isset($_GET['page']) ? $page = $_GET['page'] : $page = "";
isset($_GET['id']) ? $id = $_GET['id'] : $id = "";

$words = explode("-", $page);
$category = findRecord($words[1], $id);
?>
<div class="container">
    <div class="row">
        <div class="col-12">
            <h1 class="text-capitalize text-center mb-
h1"><?=$words[0] . " " . $words[1]?> page</h1>
            <h2 class="text-capitalize text-center mb-h1 text-
muted">Category: <?=$category->name?></h2>
        </div>
    </div>
</div>
<div class="container">
    <div class="row mb-d-flex-center">
        <div class="col-xs-12 col-sm-6">
            <form>
                <div class="form-group">
                    <label for="category-name">Category
name</label>
                    <input type="text" class="form-control"
id="category-name" name="category-name" value="<?=$category-
>name?>" />
                </div>
                <div class="form-group mb-d-flex-center">
                    <input type="submit" class="btn mb-btn-
action" value="Edit Category" name="btn-edit" id="btn-edit"/>
                </div>
                <div class="form-group mb-d-flex-center">
                    <p class="alert alert-info text-center"
id="mb-edit-info">Here you can modify an existing category
from the database.</p>
                </div>
            </form>
        </div>
    </div>
</div>

```

Views/pages/edit-users.php

```
<?php
isset($_GET['page']) ? $page = $_GET['page'] : $page = "";
isset($_GET['id']) ? $id = $_GET['id'] : $id = "";

$words = explode("-", $page);
$user = findRecord($words[1], $id);
?>

<div class="container">
    <div class="row">
        <div class="col-12">
            <h1 class="text-capitalize text-center mb-
h1"><?=$words[0] . " " . $words[1]?> page</h1>
            <h2 class="text-capitalize text-center mb-h1 text-
muted">User: <?=$user->first_name . " " . $user-
>last_name?></h2>
        </div>
    </div>
</div>
<div class="container">
    <div class="row mb-d-flex-center">
        <div class="col-xs-12 col-sm-6">
            <form>
                <div class="form-group">
                    <label for="first-name">First Name</label>
                    <input type="text" class="form-control"
id="user-first-name" name="first-name" value="<?= $user-
>first_name ?>" placeholder="Example: Mika"/>
                </div>
                <div class="form-group">
                    <label for="last-name">Last Name</label>
                    <input type="text" class="form-control"
id="user-last-name" name="last-name" value="<?= $user-
>last_name ?>" placeholder="Example: Mikic"/>
                </div>
                <div class="form-group">
                    <label for="email">Email</label>
                    <input type="email" class="form-control"
id="user-email" name="email" value="<?= $user->email ?>"
placeholder="Example: example@gmail.com"/>
                </div>
                <div class="form-group">
                    <label for="password">Password</label>
                    <input type="password" class="form-
control" name="password" id="user-password"/>
                </div>
                <div class="form-group">
```

```

        <label for="password">Confirm
Password</label>
        <input type="password" class="form-
control" name="passwordConfirm" id="user-passwordConfirm"/>
    </div>
    <div class="form-group mb-d-flex-center">
        <input type="submit" class="btn mb-btn-
action" value="Edit User" name="btn-edit" id="btn-edit"/>
    </div>
    <div class="form-group mb-d-flex-center">
        <p class="alert alert-info text-center"
id="mb-edit-info">Here you can modify an existing user from
the database.</p>
    </div>
</form>
</div>
</div>
</div>

```

Models/get-articles.php

```

<?php
session_start();
include "utility.php";
include "../config/conn.php";
include "functions.php";

if ($_SERVER['REQUEST_METHOD'] == 'GET') {
    $inputSearch = isset($_GET['inputSearch']) ?
$_GET['inputSearch'] : '';
    $inputPrice = isset($_GET['inputPrice']) ?
$_GET['inputPrice'] : '';
    $inputSort = isset($_GET['inputSort']) ?
$_GET['inputSort'] : '1';
    $inputCategory = isset($_GET['inputCategory']) ?
$_GET['inputCategory'] : '';
    $inputGender = isset($_GET['inputGender']) ?
$_GET['inputGender'] : '';

    $errors = [];
    // ag.id
    $sql = "SELECT a.id, a.name AS 'article_name', a.IDcat,
a.tag, g.id AS 'IDgender', g.name AS 'gender', CONCAT('$',
ag.priceNew) AS 'active_price',
        CONCAT('$', ag.priceOld) AS 'old_price',
ag.description, ag.image
        FROM articles_genders ag
        JOIN articles a ON ag.IDarticle = a.id
        JOIN genders g ON ag.IDgender = g.id
        WHERE 1=1";

```

```

$params = [];

if (!empty($inputSearch)) {
    $sql .= " AND a.name LIKE :inputSearch";
    $params[':inputSearch'] = '%' . $inputSearch . '%';
}

if (!empty($inputGender)) {
    $sql .= " AND g.id = :inputGender";
    $params[':inputGender'] = $inputGender;
}

if (!empty($inputCategory)) {
    $sql .= " AND a.IDcat = :inputCategory";
    $params[':inputCategory'] = $inputCategory;
}

if (!empty($inputPrice)) {
    $sql .= " AND ag.priceNew <= :inputPrice";
    $params[':inputPrice'] = $inputPrice;
}

if ($inputSort === '1') {
    $sql .= " ORDER BY a.name ASC";
}
else if ($inputSort === '2') {
    $sql .= " ORDER BY a.name DESC";
}
else if ($inputSort === '3') {
    $sql .= " ORDER BY ag.priceNew DESC";
}
else {
    $sql .= " ORDER BY ag.priceNew ASC";
}

$query = $conn->prepare($sql);

foreach ($params as $param=> $value) { //&
    $query->bindParam($param, $value);
}

$query->execute();

if ($query->rowCount() > 0) {
    $result = $query->fetchAll();
    http_response_code(202);
    echo json_encode($result);
} else {
    $errors[] = "Nijedan artikal nije pronadjen.";
    $result = ["message" => "Ima grešaka.",
               "errors" => $errors];
}

```

```

        http_response_code(404);
        echo json_encode($result);
    }
}
else {
    redirect("../index.php?page=about");
}
?>

```

Models/edit-articles.php

```

<?php
session_start();
include "utility.php";
include "../config/conn.php";
include "functions.php";

#URL PROTECTION
if (!isset($_SESSION['user']) || $_SESSION['user']->role !=
"admin") {
    redirect("../index.php?page=profile");
}

header("Content-type: application/json");
if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    $id = $_POST['id'];
    $name = $_POST['name'];
    $tag = $_POST['tag'];
    $IDcat = $_POST['IDcat'];

    $errors = [];

    if (empty($name)) {
        $errors[] = "Naziv ne sme biti prazan!";
    }
    if (empty($tag)) {
        $tag = NULL;
    }

    if ($conn) {
        if(count($errors) > 0){
            http_response_code(401); //unauthorized
            $result = ["message" => "Ima grešaka u unosu
podataka.",
                    "errors" => $errors];
            echo json_encode($result);
            die;
        }
        else {
            $sql = "UPDATE articles SET name = :name, tag =
:tag, IDcat = :IDcat

```

```

        WHERE id = :id;";

        $query = $conn->prepare($sql);
        $query->bindParam(":id", $id);
        $query->bindParam(":name", $name);
        $query->bindParam(":tag", $tag);
        $query->bindParam(":IDcat", $IDcat);

        $result = $query->execute();

        http_response_code(200);
        $result = ["message" => "Uspešna promena u
bazi."];

        echo json_encode($result);
    }
}
else {
    echo $result = ["message" => "Nema konekcije sa
bazom."];
}
} else {
    redirect("../index.php?page=about");
}
?>

```

Models/edit-articles_genders.php

```

<?php

session_start();
include "utility.php";
include "../config/conn.php";
include "functions.php";

if (!isset($_SESSION['user']) || $_SESSION['user']->role !=
"admin") {
    redirect("../index.php?page=profile");
}

if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    $id = $_POST['id'];
    $IDarticle = $_POST['IDarticle'];
    $IDgender = $_POST['IDgender'];
    $priceNew = $_POST['priceNew'];
    $priceOld = $_POST['priceOld'];
    $description = $_POST['description'];
    $image = $_POST['image'];

    $errors = [];
    #PROVERA

```

```

    if (empty($priceNew) || $priceNew <= 0 || $priceOld <= 0)
    {
        $errors[] = "Cena mora biti pozitivan broj!";
    }
    if (empty($priceOld)) {
        $priceOld = NULL;
    }
    if (empty($description)) {
        $errors[] = "Opis artikla mora postojati!";
    }
    if (empty($image)) {
        $errors[] = "Putanja do slike artikla mora
postojati!";
    }

    if (count($errors) == 0) {
        if ($conn) {
            $sql = "UPDATE articles_genders
                    SET IDarticle = :IDarticle, IDgender =
:IDgender, priceNew = :priceNew,
                    priceOld = :priceOld, description =
:description, image = :image
                    WHERE id = :id;";

            $query = $conn->prepare($sql);

            $query->bindParam(":id", $id);
            $query->bindParam(":IDarticle", $IDarticle);
            $query->bindParam(":IDgender", $IDgender);
            $query->bindParam(":priceNew", $priceNew);
            $query->bindParam(":priceOld", $priceOld);
            $query->bindParam(":description", $description);
            $query->bindParam(":image", $image);

            $result = $query->execute();

            if ($result) {
                $result = ["message" => "Dodatne informacije o
artiklu su uspešno izmenjene u bazi."];
                $status = 201;//Created
            } else {
                $errors[] = "Greška prilikom unosa
(Kombinacija izabranih vrednosti za artikal i pol možda već
postoji).";
                $result = ["errors" => $errors];
                $status = 500;//Internal server error
            }

            http_response_code($status);
            echo json_encode($result);
        } else {

```



```

        echo $result = ["message" => "Nema konekcije sa
bazom."];
    }
    } else {
        $result = ["errors" => $errors];
        http_response_code(406); //Not acceptable
        echo json_encode($result);
    }
} else {
    redirect("../index.php?page=about");
}
?>

```

Models/edit-categories.php

```

<?php
session_start();
include "utility.php";
include "../config/conn.php";
include "functions.php";

#URL PROTECTION
if (!isset($_SESSION['user']) || $_SESSION['user']->role !=
"admin") {
    redirect("../index.php?page=profile");
}

header("Content-type: application/json");
if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    $id = $_POST['id'];
    $name = $_POST['name'];

    $errors = [];

    if (empty($name)) {
        $errors[] = "Naziv ne sme biti prazan!";
    }

    if ($conn) {
        if(count($errors) > 0){
            http_response_code(401); //unauthorized
            $result = ["message" => "Ima grešaka u unosu
podataka.",
                    "errors" => $errors];
            echo json_encode($result);
            die;
        }
        else {
            $sql = "UPDATE categories SET name = :name
                    WHERE id = :id;";

```

```

        $query = $conn->prepare($sql);
        $query->bindParam(":id", $id);
        $query->bindParam(":name", $name);

        $result = $query->execute();

        http_response_code(200);
        $result = ["message" => "Uspešna promena u
bazi."];
        echo json_encode($result);
    }
    else {
        echo $result = ["message" => "Nema konekcije sa
bazom."];
    }
} else {
    redirect("../index.php?page=about");
}
?>

```

Models/edit-users.php

```

<?php
session_start();
include "utility.php";
include "../config/conn.php";
include "functions.php";

#URL PROTECTION
if (!isset($_SESSION['user']) || $_SESSION['user']->role !=
"admin") {
    redirect("../index.php?page=profile");
}

header("Content-type: application/json");
if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    $id = $_POST['id'];
    $firstName = $_POST['firstName'];
    $lastName = $_POST['lastName'];
    $email = $_POST['email'];
    $password = $_POST['password'];
    $confirmPass = $_POST['passwordConfirm'];

    if ($conn) {
        $errors = registerInputsCheck($firstName, $lastName,
$email, $password, $confirmPass);

        if(count($errors) > 0){
            http_response_code(401); //unauthorized

```

```

        $result = ["message" => "Ima grešaka u unosu
podataka.",
                "errors" => $errors];
        echo json_encode($result);
        die;
    }
    else {
        $hashPassword = md5($password . "conststring");
        //upit za bazu
        $query = $conn->prepare("UPDATE users
                                SET first_name =
:first_name,last_name = :last_name,email = :email,password =
:hashPassword
                                WHERE id = :id");

        //parameters
        $query->bindParam(':id', $id);
        $query->bindParam(':first_name', $firstName);
        $query->bindParam(':last_name', $lastName);
        $query->bindParam(':email', $email);
        $query->bindParam(':hashPassword', $hashPassword);

        $result = $query->execute();

        http_response_code(200);
        $result = ["message" => "Uspešna promena u
bazi."];
        echo json_encode($result);
    }
}
else {
    echo $result = ["message" => "Nema konekcije sa
bazom."];
}
}
else {
    redirect("../index.php?page=about");
}
?>

```

Views/fixed/head.php

```

<!DOCTYPE html>
<html>
<head>
    <title>Elite Shoppy - An Ecommerce Online Shopping
Website</title>
    <!--/tags -->
    <meta name="viewport" content="width=device-width,

```

```

initial-scale=1"/>
    <meta http-equiv="Content-Type" content="text/html;
charset=utf-8" />
    <meta name="keywords" content="Elite Shoppy Responsive web
template, Bootstrap Web Templates, Flat Web Templates, Android
Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia,
Samsung, LG, SonyEricsson, Motorola web design" />
    <script type="application/x-javascript">
addEventListener("load", function() { setTimeout(hideURLbar,
0); }, false);
        function hideURLbar(){ window.scrollTo(0,1); }
</script>
    <!--//tags -->
    <link href="css/bootstrap.css" rel="stylesheet"
type="text/css" media="all" />
<!--    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bo
otstrap.min.css" rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuaComLAS
jC" crossorigin="anonymous">-->
    <link rel="stylesheet" type="text/css" href="css/jquery-
ui.css"/>
    <link href="css/style.css" rel="stylesheet"
type="text/css" media="all" />
    <link href="css/font-awesome.css" rel="stylesheet"/>
    <!-- //for bootstrap working -->
    <link
href="//fonts.googleapis.com/css?family=Open+Sans:300,300i,400
,400i,600,600i,700,700i,800" rel="stylesheet"/>
    <link
href="//fonts.googleapis.com/css?family=Lato:400,100,100italic
,300,300italic,400italic,700,900,900italic,700italic"
rel='stylesheet' type='text/css'/>
</head>
<body>
<!--
Author: W3layouts
Author URL: http://w3layouts.com
License: Creative Commons Attribution 3.0 Unported
License URL: http://creativecommons.org/licenses/by/3.0/
-->

```

Views/fixed/header.php

```

<?php
    if (!isset($_SESSION['user'])):
?>
<!-- header -->
<div class="header" id="home">
    <div class="container">

```

```

        <ul>
            <li> <a href="#" data-toggle="modal" data-
target="#myModal"><i class="fa fa-unlock-alt" aria-
hidden="true"></i> Sign In </a></li>
            <li> <a href="#" data-toggle="modal" data-
target="#myModal2"><i class="fa fa-pencil-square-o" aria-
hidden="true"></i> Sign Up </a></li>
            <li><i class="fa fa-phone" aria-hidden="true"></i>
Call : 01234567898</li>
            <li><i class="fa fa-envelope-o" aria-
hidden="true"></i> <a
href="mailto:info@example.com">info@example.com</a></li>
        </ul>
    </div>
</div>
<!-- //header -->
    <?php endif;?>
<!-- header-bot -->
<div class="header-bot">
    <div class="header-bot_inner_wthreeinfo_header_mid">
        <div class="col-md-4 header-middle">
            <form action="#" method="post">
                <input type="search" name="search"
placeholder="Search here..." required="">
                <input type="submit" value=" ">
                <div class="clearfix"></div>
            </form>
        </div>
        <!-- header-bot -->
        <div class="col-md-4 logo_agile">
            <h1><a href="index.html"><span>E</span>lite Shoppy
<i class="fa fa-shopping-bag top_logo_agile_bag" aria-
hidden="true"></i></a></h1>
        </div>
        <!-- header-bot -->
        <div class="col-md-4 agileits-social top_content">
            <ul class="social-nav model-3d-0 footer-social
w3_agile_social">
                <li class="share">Share On : </li>
                <li><a href="#" class="facebook">
                    <div class="front"><i class="fa fa-
facebook" aria-hidden="true"></i></div>
                    <div class="back"><i class="fa fa-
facebook" aria-hidden="true"></i></div></a></li>
                <li><a href="#" class="twitter">
                    <div class="front"><i class="fa fa-
twitter" aria-hidden="true"></i></div>
                    <div class="back"><i class="fa fa-
twitter" aria-hidden="true"></i></div></a></li>
                <li><a href="#" class="instagram">
                    <div class="front"><i class="fa fa-

```

```

instagram" aria-hidden="true"></i></div>
            <div class="back"><i class="fa fa-
instagram" aria-hidden="true"></i></div></a></li>
            <li><a href="#" class="pinterest">
            <div class="front"><i class="fa fa-
linkedin" aria-hidden="true"></i></div>
            <div class="back"><i class="fa fa-
linkedin" aria-hidden="true"></i></div></a></li>
        </ul>

    </div>
    <div class="clearfix"></div>
</div>
<!-- //header-bot -->
<?php include_once "views/fixed/navigation.php";?>

```

Views/fixed/navigation.php

```

<?php
    include "models/functions.php";
    isset($_GET['page']) ? $page = $_GET['page'] : $page = "";

    #GET NAVIGATION
    $navNames = [];
    $navLinks = [];
    $arrNav = printNavigation();
    if (!isset($_SESSION['user'])) {
        foreach ($arrNav as $obj) {
            if ($obj->text != 'Admin panel' && $obj->text !=
'Your profile') {
                $navNames[] = $obj->text;
                $navLinks[] = $obj->page;
            }
        }
    }

    if (isset($_SESSION['user']) && $_SESSION['user']->role !=
"admin") { // || (!isset($_SESSION['user']))
        foreach ($arrNav as $obj) {
            if ($obj->text != 'Admin panel') {
                $navNames[] = $obj->text;
                $navLinks[] = $obj->page;
            }
        }
    }
}

```

```

        if (isset($_SESSION['user']) && $_SESSION['user']->role ==
"admin") {
            foreach ($arrNav as $obj) {
                if ($obj->text != 'Your profile'){
                    $navNames[] = $obj->text;
                    $navLinks[] = $obj->page;
                }
            }
        }
    }
}

?>
<!-- banner -->
<div class="ban-top">
    <div class="container-fluid">
        <div class="top_nav_left">
            <nav class="navbar navbar-default">
                <div class="container-fluid">
                    <!-- Brand and toggle get grouped for
better mobile display -->
                    <div class="navbar-header">
                        <button type="button" class="navbar-
toggle collapsed" data-toggle="collapse" data-target="#bs-
example-navbar-collapse-1" aria-expanded="false">
                            <span class="sr-only">Toggle
navigation</span>

                            <span class="icon-bar"></span>
                            <span class="icon-bar"></span>
                            <span class="icon-bar"></span>
                        </button>
                    </div>
                    <!-- Collect the nav links, forms, and
other content for toggling -->
                    <div class="collapse navbar-collapse menu-
-shylock" id="bs-example-navbar-collapse-1">
                        <ul class="nav navbar-nav menu__list">
                            <?php
                                $br = 0;
                                foreach ($navNames as $name){
                                    if ($br == 0) {
                                        ?>
                                            <li class=" menu__item
<?= $page ? ' ' : 'menu__item--current'?"><a
class="menu__link" href="index.php"><?= $name ?> <span
class="sr-only">(current)</span></a></li>
                                        <?php }
                                        else if ($br == 1) {
                                            ?>
                                                <li class="dropdown
menu__item <?= $page && $page == $navLinks[$br] ? 'menu__item-
-current' : ''?">
                                                    <a href="#"
class="dropdown-toggle menu__link" data-toggle="dropdown"

```

```

role="button" aria-haspopup="true" aria-expanded="false"><?=
$name ?> <span class="caret"></span></a>
                                <ul
class="dropdown-menu p-5">
                                <div
class="agile_inner_drop_nav_info">
                                <div
class="col-sm-3">
                                <ul
class="multi-column-dropdown">
<!--ADD CATEGORIES FROM DATABASE!-->
<li><a href="index.php?page=<?= $navLinks[$br]
?>&category=clothing">Clothing</a></li>
<li><a href="index.php?page=<?= $navLinks[$br]
?>&category=watches">Watches</a></li>
<li><a href="index.php?page=<?= $navLinks[$br]
?>&category=footwear">Footwear</a></li>
<li><a href="index.php?page=<?= $navLinks[$br]
?>&category=bags">Bags</a></li>
                                </ul>
                                </div>
                                <div
class="clearfix"></div>
                                </div>
                                </ul>
                                </li>
                                <?php }
                                else {
                                ?>
                                <li class="
menu__item <?= $page && $page == $navLinks[$br] ? 'menu__item-
-current' : ''?>><a class="menu__link <?= $navLinks[$br] ==
"admin_panel" || $navLinks[$br] == "profile" ? "mb-special-
link" : ""?>" href="index.php?page=<?=$navLinks[$br]?>"><?=
$name?></a></li>
                                <?php }$br++;}?>
                                </ul>
                                </div>
                                </div>
                                </div>
                                </nav>
                                </div>
                                <div class="top_nav_right">
                                <div class="wthreecartaits wthreecartaits2 cart
cart box_1">
                                <form action="#" method="post" class="last">
                                <input type="hidden" name="cmd"

```



```

value="_cart">
        <input type="hidden" name="display"
value="1">
        <button class="w3view-cart" type="submit"
name="submit" value=""><i class="fa fa-cart-arrow-down" aria-
hidden="true"></i></button>
    </form>
</div>
</div>
<div class="clearfix"></div>
</div>
<!-- //banner-top -->
<!-- Modall - SIGN IN -->
<div class="modal fade" id="myModal" tabindex="-1"
role="dialog">
    <div class="modal-dialog">
        <!-- Modal content-->
        <div class="modal-content">
            <div class="modal-header">
                <button type="button" class="close" data-
dismiss="modal">&times;</button>
            </div>
            <div class="modal-body modal-body-sub_agile">
                <div class="col-md-8 modal_body_left
modal_body_left1">
                    <h3 class="agileinfo_sign">Sign In
<span>Now</span></h3>
                    <form id="mb-form-login">
                        <div class="styled-input agile-styled-
input-top">
                            <input type="email" name="login-
email" id="login-email"/>
                            <label>Email</label>
                            <span></span>
                        </div>
                        <div class="styled-input">
                            <input type="password"
name="login-password" id="login-password"/>
                            <label>Password</label>
                            <span></span>
                        </div>
                        <input type="submit" name="btn-login"
id="mb-btn-submit-login" value="Sign In"/>
                        <p class="alert alert-danger mb-d-
none" id="mb-login-message"></p>
                    </form>
                    <ul class="social-nav model-3d-0 footer-
social w3_agile_social top_agile_third">
                        <li><a href="#" class="facebook">
                            <div class="front"><i

```

```

class="fa fa-facebook" aria-hidden="true"></i></div>
        <div class="back"><i class="fa
fa-facebook" aria-hidden="true"></i></div></a></li>
        <li><a href="#" class="twitter">
        <div class="front"><i
class="fa fa-twitter" aria-hidden="true"></i></div>
        <div class="back"><i class="fa
fa-twitter" aria-hidden="true"></i></div></a></li>
        <li><a href="#" class="instagram">
        <div class="front"><i
class="fa fa-instagram" aria-hidden="true"></i></div>
        <div class="back"><i class="fa
fa-instagram" aria-hidden="true"></i></div></a></li>
        <li><a href="#" class="pinterest">
        <div class="front"><i
class="fa fa-linkedin" aria-hidden="true"></i></div>
        <div class="back"><i class="fa
fa-linkedin" aria-hidden="true"></i></div></a></li>
    </ul>
    <div class="clearfix"></div>
    <p><a href="#" data-toggle="modal" data-
target="#myModal2" > Don't have an account?</a></p>

    </div>
    <div class="col-md-4 modal_body_right
modal_body_right1">
        
    </div>
    <div class="clearfix"></div>
</div>
</div>
<!-- //Modal content-->
</div>
</div>
<!-- //Modal1 -->
<!-- Modal2 - SIGN UP-->
<div class="modal fade" id="myModal2" tabindex="-1"
role="dialog">
    <div class="modal-dialog">
        <!-- Modal content-->
        <div class="modal-content">
            <div class="modal-header">
                <button type="button" class="close" data-
dismiss="modal">&times;</button>
            </div>
            <div class="modal-body modal-body-sub_agile">
                <div class="col-md-8 modal_body_left
modal_body_left1">
                    <h3 class="agileinfo_sign">Sign Up
<span>Now</span></h3>
                    <form id="mb-form-register"> <!--

```

```

action="models/register.php" method="post"-->
    <div class="styled-input agile-styled-
input-top">
        <input type="text" name="first-
name" id="first-name"/>
        <label>First name</label>
        <span></span>
    </div>
    <div class="styled-input">
        <input type="text" name="last-
name" id="last-name"/>
        <label>Last name</label>
        <span></span>
    </div>
    <div class="styled-input">
        <input type="email" name="email"
id="email"/>
        <label>Email</label>
        <span></span>
    </div>
    <div class="styled-input">
        <input type="password"
name="password" id="password"/>
        <label>Password</label>
        <span></span>
    </div>
    <div class="styled-input">
        <input type="password"
name="password-confirm" id="password-confirm"/>
        <label>Confirm password</label>
        <span></span>
    </div>
    <input type="submit" name="btn-
register" id="mb-btn-submit-register" value="Sign Up"/>
    <p class="alert alert-danger mb-d-
none" id="mb-register-message"></p>
</form>
<ul class="social-nav model-3d-0 footer-
social w3_agile_social top_agile_third">
    <li><a href="#" class="facebook">
        <div class="front"><i
class="fa fa-facebook" aria-hidden="true"></i></div>
        <div class="back"><i class="fa
fa-facebook" aria-hidden="true"></i></div></a></li>
    <li><a href="#" class="twitter">
        <div class="front"><i
class="fa fa-twitter" aria-hidden="true"></i></div>
        <div class="back"><i class="fa
fa-twitter" aria-hidden="true"></i></div></a></li>
    <li><a href="#" class="instagram">
        <div class="front"><i

```

```

class="fa fa-instagram" aria-hidden="true"></i></div>
        <div class="back"><i class="fa
fa-instagram" aria-hidden="true"></i></div></a></li>
        <li><a href="#" class="pinterest">
        <div class="front"><i
class="fa fa-linkedin" aria-hidden="true"></i></div>
        <div class="back"><i class="fa
fa-linkedin" aria-hidden="true"></i></div></a></li>
    </ul>
    <div class="clearfix"></div>
    <p><a href="#">By clicking register, I
agree to your terms</a></p>

    </div>
    <div class="col-md-4 modal_body_right
modal_body_right1">
        
    </div>
    <div class="clearfix"></div>
</div>
<!-- //Modal content-->
</div>
</div>
<!-- //Modal2 -->

```

Views/fixed/footer.php

```

<!--/grids-->
<div class="coupons">
    <div class="coupons-grids text-center">
        <div class="w3layouts_mail_grid">
            <div class="col-md-3 w3layouts_mail_grid_left">
                <div class="w3layouts_mail_grid_left1 hvr-
radial-out">
                    <i class="fa fa-truck" aria-
hidden="true"></i>
                </div>
                <div class="w3layouts_mail_grid_left2">
                    <h3>FREE SHIPPING</h3>
                    <p>Lorem ipsum dolor sit amet,
consectetur</p>
                </div>
            </div>
            <div class="col-md-3 w3layouts_mail_grid_left">
                <div class="w3layouts_mail_grid_left1 hvr-
radial-out">
                    <i class="fa fa-headphones" aria-
hidden="true"></i>

```

```

        </div>
        <div class="w3layouts_mail_grid_left2">
            <h3>24/7 SUPPORT</h3>
            <p>Lorem ipsum dolor sit amet,
consectetur</p>
        </div>
    </div>
    <div class="col-md-3 w3layouts_mail_grid_left">
        <div class="w3layouts_mail_grid_left1 hvr-
radial-out">
            <i class="fa fa-shopping-bag" aria-
hidden="true"></i>
        </div>
        <div class="w3layouts_mail_grid_left2">
            <h3>MONEY BACK GUARANTEE</h3>
            <p>Lorem ipsum dolor sit amet,
consectetur</p>
        </div>
    </div>
    <div class="col-md-3 w3layouts_mail_grid_left">
        <div class="w3layouts_mail_grid_left1 hvr-
radial-out">
            <i class="fa fa-gift" aria-
hidden="true"></i>
        </div>
        <div class="w3layouts_mail_grid_left2">
            <h3>FREE GIFT COUPONS</h3>
            <p>Lorem ipsum dolor sit amet,
consectetur</p>
        </div>
    </div>
    <div class="clearfix"> </div>
</div>
</div>
<!--grids-->
<!-- footer -->
<div class="footer">
    <div class="footer_agile_inner_info_w3l container">
        <div class="row">
            <div class="col-md-3 footer-left">
                <h2><a href="index.php"><span>E</span>lite
Shoppy </a></h2>
                <p>Lorem ipsum quia dolor
                    sit amet, consectetur, adipisci velit, sed
quia non
                    numquam eius modi tempora.</p>
                <ul class="social-nav model-3d-0 footer-social
w3_agile_social two">
                    <li><a href="#" class="facebook">

```

```

                <div class="front"><i class="fa
fa-facebook" aria-hidden="true"></i></div>
                <div class="back"><i class="fa fa-
facebook" aria-hidden="true"></i></div></a></li>
                <li><a href="#" class="twitter">
                <div class="front"><i class="fa
fa-twitter" aria-hidden="true"></i></div>
                <div class="back"><i class="fa fa-
twitter" aria-hidden="true"></i></div></a></li>
                <li><a href="#" class="instagram">
                <div class="front"><i class="fa
fa-instagram" aria-hidden="true"></i></div>
                <div class="back"><i class="fa fa-
instagram" aria-hidden="true"></i></div></a></li>
                <li><a href="#" class="pinterest">
                <div class="front"><i class="fa
fa-linkedin" aria-hidden="true"></i></div>
                <div class="back"><i class="fa fa-
linkedin" aria-hidden="true"></i></div></a></li>
            </ul>
        </div>
        <div class="col-md-4 sign-gd">
            <h4>Our <span>Information</span> </h4>
            <ul>
                <?php
                $br = 0;
                foreach ($navNames as $name) {
                    if ($br == 0) {
                        <?>
                        <li class=" menu__item <?= $page ?
'' : 'menu__item--current'><?><a class="menu__link"
href="index.php"><?= $name ?> <span class="sr-
only">(current)</span></a></li>
                        <?php }
                        else if ($br == 1) {
                            <?>
                            <li class="dropdown menu__item <?=
$page && $page == $navLinks[$br] ? 'menu__item--current' :
''?>>">
                                <a href="#" class="dropdown-
toggle menu__link" data-toggle="dropdown" role="button" aria-
haspopup="true" aria-expanded="false"><?= $name ?> <span
class="caret"></span></a>
                                <ul class="dropdown-menu p-5">
                                    <div
class="agile_inner_drop_nav_info">
                                        <div class="col-sm-3">
                                            <ul class="multi-
column-dropdown">
                                                <!--ADD
CATEGORIES FROM DATABASE!-->

```

```

                                <li><a
href="index.php?page=<?= $navLinks[$br]
?>&category=clothing">Clothing</a></li>
                                <li><a
href="index.php?page=<?= $navLinks[$br]
?>&category=watches">Watches</a></li>
                                <li><a
href="index.php?page=<?= $navLinks[$br]
?>&category=footwear">Footwear</a></li>
                                <li><a
href="index.php?page=<?= $navLinks[$br]
?>&category=bags">Bags</a></li>
                                </ul>
                                </div>
                                <div
class="clearfix"></div>
                                </div>
                                </ul>
                                </li>
                                <?php }
                                else {
                                    ?>
                                    <li class=" menu__item <?= $page
&& $page == $navLinks[$br] ? 'menu__item--current' : ''?"><a
class="menu__link <?= $navLinks[$br] == "admin_panel" ||
$navLinks[$br] == "profile" ? "mb-special-link" : ""?">
href="index.php?page=<?=$navLinks[$br]?>"><?= $name?></a></li>
                                    <?php }$br++;}?>
                                </ul>
                                <!--
                                <ul>-->
                                <!--
                                <li><a href="index.php">Home</a></li>-->
                                <!--
                                <li><a href="mens.html">Men's
Wear</a></li>-->
                                <!--
                                <li><a href="womens.html">Women's
wear</a></li>-->
                                <!--
                                <li><a
href="about.html">About</a></li>-->
                                <!--
                                <li><a
href="contact.html">Contact</a></li>-->
                                <!--
                                </ul>-->
                                </div>
                                <div class="col-md-5 col-12 mt-4 sign-gd-two">
                                <h4>Store <span>Information</span></h4>
                                <div class="w3-address">
                                <div class="w3-address-grid">
                                <div class="w3-address-left">
                                <i class="fa fa-phone" aria-
hidden="true"></i>
                                </div>
                                <div class="w3-address-right">

```

```

                <h6>Phone Number</h6>
                <p>+1 234 567 8901</p>
            </div>
            <div class="clearfix"> </div>
        </div>
        <div class="w3-address-grid">
            <div class="w3-address-left">
                <i class="fa fa-envelope" aria-
hidden="true"></i>
            </div>
            <div class="w3-address-right">
                <h6>Email Address</h6>
                <p>Email :<a
href="mailto:example@email.com"> mail@example.com</a></p>
            </div>
            <div class="clearfix"> </div>
        </div>
        <div class="w3-address-grid">
            <div class="w3-address-left">
                <i class="fa fa-map-marker" aria-
hidden="true"></i>
            </div>
            <div class="w3-address-right">
                <h6>Location</h6>
                <p>Broome St, NY 10002,California,
USA.
                </p>
            </div>
            <div class="clearfix"> </div>
        </div>
    </div>
</div>
<div class="clearfix"></div>
<div class="agile_newsletter_footer">
    <div class="col-sm-6 newsleft">
        <h3>SIGN UP FOR NEWSLETTER !</h3>
    </div>
    <div class="col-sm-6 newsright">
        <form action="#" method="post">
            <input type="email" placeholder="Enter
your email..." name="email" required="">
            <input type="submit" value="Submit">
        </form>
    </div>
</div>
<div class="clearfix"></div>
</div>
<p class="copy-right">&copy; 2017 Elite shoppy. All
rights reserved | Design by <a

```



```

href="http://w3layouts.com/">W3layouts</a></p>
    </div>
</div>
<!-- //footer -->

<!-- login -->
<div class="modal fade" id="myModal4" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
    <div class="modal-dialog" role="document">
        <div class="modal-content modal-info">
            <div class="modal-header">
                <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
            </div>
            <div class="modal-body modal-spa">
                <div class="login-grids">
                    <div class="login">
                        <div class="login-bottom">
                            <h3>Sign up for free</h3>
                            <form>
                                <div class="sign-up">
                                    <h4>Email :</h4>
                                    <input type="text"
value="Type here" onfocus="this.value = '';" onblur="if
(this.value == '') {this.value = 'Type here';}" required="">
                                </div>
                                <div class="sign-up">
                                    <h4>Password :</h4>
                                    <input type="password"
value="Password" onfocus="this.value = '';" onblur="if
(this.value == '') {this.value = 'Password';}" required="">
                                </div>
                                <div class="sign-up">
                                    <h4>Re-type Password
:</h4>
                                    <input type="password"
value="Password" onfocus="this.value = '';" onblur="if
(this.value == '') {this.value = 'Password';}" required="">
                                </div>
                                <div class="sign-up">
                                    <input type="submit"
value="REGISTER NOW" >
                                </div>
                            </form>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <div class="login-right">
        <h3>Sign in with your account</h3>

```

```

        <form>
            <div class="sign-in">
                <h4>Email :</h4>
                <input type="text"
value="Type here" onfocus="this.value = '';" onblur="if
(this.value == '') {this.value = 'Type here';}" required="">
            </div>
            <div class="sign-in">
                <h4>Password :</h4>
                <input type="password"
value="Password" onfocus="this.value = '';" onblur="if
(this.value == '') {this.value = 'Password';}" required="">
                <a href="#">Forgot
password?</a>
            </div>
            <div class="single-bottom">
                <input type="checkbox"
id="brand" value="">
                <label
for="brand"><span></span>Remember Me.</label>
            </div>
            <div class="sign-in">
                <input type="submit"
value="SIGNIN" >
            </div>
        </form>
    </div>
    <div class="clearfix"></div>
</div>
    <p>By logging in you agree to our <a
href="#">Terms and Conditions</a> and <a href="#">Privacy
Policy</a></p>
</div>
</div>
</div>
</div>
<!-- //login -->
<a href="#home" class="scroll" id="toTop" style="display:
block;"> <span id="toTopHover" style="opacity: 1;">
</span></a>
<!-- js -->
<script type="text/javascript" src="js/jquery-
2.1.4.min.js"></script>
<!-- //js -->
<script src="js/responsiveslides.min.js"></script>
<script>
    // You can also use "$(window).load(function() {"
    $(function () {
        // Slideshow 4
        $("#slider3").responsiveSlides({

```

```

        auto: true,
        pager: true,
        nav: false,
        speed: 500,
        namespace: "callbacks",
        before: function () {
            $(' .events').append("<li>before event
fired.</li>");
        },
        after: function () {
            $(' .events').append("<li>after event
fired.</li>");
        }
    });
});
</script>
<script src="js/modernizr.custom.js"></script>
<!-- Custom-JavaScript-File-Links -->
<!-- cart-js -->
<script src="js/minicart.min.js"></script>
<script>
    // Mini Cart
    paypal.minicart.render({
        action: '#'
    });

    if (~window.location.search.indexOf('reset=true')) {
        paypal.minicart.reset();
    }
</script>

<!-- //cart-js -->
<!------>
<script type='text/javascript'>//<![CDATA[
    $(window).load(function(){
        $( "#slider-range" ).slider({
            range: true,
            min: 0,
            max: 9000,
            values: [ 1000, 7000 ],
            slide: function( event, ui ) {
                $( "#amount"
).val( "$" + ui.values[ 0 ] + " - $" + ui.values[ 1 ] );
            }
        });
        $( "#amount" ).val( "$" + $( "#slider-range" ).slider(
"values", 0 ) + " - $" + $( "#slider-range" ).slider(
"values", 1 ) );

    });//]]>
</script>

```

```

<script type="text/javascript" src="js/jquery-ui.js"></script>
<!-->
<!-- start-smoth-scrolling -->
<script type="text/javascript" src="js/move-top.js"></script>
<script type="text/javascript"
src="js/jquery.easing.min.js"></script>
<script type="text/javascript">
    jQuery(document).ready(function($) {
        $(".scroll").click(function(event){
            event.preventDefault();

            $('html,body').animate({scrollTop:$(this.hash).offset().top},1000);
        });
    });
</script>
<!-- here stars scrolling icon -->
<script type="text/javascript">
    $(document).ready(function() {
        /*
            var defaults = {
                containerID: 'toTop', // fading element id
                containerHoverID: 'toTopHover', // fading element
                hover id
                scrollSpeed: 1200,
                easingType: 'linear'
            };
        */

        $.UItoTop({ easingType: 'easeOutQuart' });

    });
</script>
<!-- //here ends scrolling icon -->

<!-- for bootstrap working -->
<script type="text/javascript" src="js/bootstrap.js"></script>
<!--<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsPlUyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM" crossorigin="anonymous"></script>-->
<script src="js/main.js" type="text/javascript"></script>
</body>
</html>

```

Views/pages/home.php

```

<!-- banner -->
<div id="myCarousel" class="carousel slide" data-
ride="carousel">
  <!-- Indicators -->
  <ol class="carousel-indicators">
    <li data-target="#myCarousel" data-slide-to="0"
class="active"></li>
    <li data-target="#myCarousel" data-slide-to="1"
class=""></li>
    <li data-target="#myCarousel" data-slide-to="2"
class=""></li>
    <li data-target="#myCarousel" data-slide-to="3"
class=""></li>
    <li data-target="#myCarousel" data-slide-to="4"
class=""></li>
  </ol>
  <div class="carousel-inner" role="listbox">
    <div class="item active">
      <div class="container">
        <div class="carousel-caption">
          <h3>The Biggest <span>Sale</span></h3>
          <p>Special for today</p>
          <a class="hvr-outline-out button2"
href="mens.html">Shop Now </a>
        </div>
      </div>
    </div>
    <div class="item item2">
      <div class="container">
        <div class="carousel-caption">
          <h3>Summer <span>Collection</span></h3>
          <p>New Arrivals On Sale</p>
          <a class="hvr-outline-out button2"
href="mens.html">Shop Now </a>
        </div>
      </div>
    </div>
    <div class="item item3">
      <div class="container">
        <div class="carousel-caption">
          <h3>The Biggest <span>Sale</span></h3>
          <p>Special for today</p>
          <a class="hvr-outline-out button2"
href="mens.html">Shop Now </a>
        </div>
      </div>
    </div>
    <div class="item item4">
      <div class="container">
        <div class="carousel-caption">

```

```

        <h3>Summer <span>Collection</span></h3>
        <p>New Arrivals On Sale</p>
        <a class="hvr-outline-out button2"
href="mens.html">Shop Now </a>
    </div>
</div>
</div>
<div class="item item5">
    <div class="container">
        <div class="carousel-caption">
            <h3>The Biggest <span>Sale</span></h3>
            <p>Special for today</p>
            <a class="hvr-outline-out button2"
href="mens.html">Shop Now </a>
        </div>
    </div>
</div>
</div>
<a class="left carousel-control" href="#myCarousel"
role="button" data-slide="prev">
    <span class="glyphicon glyphicon-chevron-left" aria-
hidden="true"></span>
    <span class="sr-only">Previous</span>
</a>
<a class="right carousel-control" href="#myCarousel"
role="button" data-slide="next">
    <span class="glyphicon glyphicon-chevron-right" aria-
hidden="true"></span>
    <span class="sr-only">Next</span>
</a>
<!-- The Modal -->
</div>
<!-- //banner -->
<div class="banner_bottom_agile_info">
    <div class="container">
        <div class="banner_bottom_agile_info_inner_w3ls">
            <div class="col-md-6
wthree_banner_bottom_grid_three_left1 grid">
                <figure class="effect-roxy">
                    
                    <figcaption>
                        <h3><span>F</span>all Ahead</h3>
                        <p>New Arrivals</p>
                    </figcaption>
                </figure>
            </div>
            <div class="col-md-6
wthree_banner_bottom_grid_three_left1 grid">
                <figure class="effect-roxy">
                    
        <figcaption>
            <h3><span>F</span>all Ahead</h3>
            <p>New Arrivals</p>
        </figcaption>
    </figure>
</div>
<div class="clearfix"></div>
</div>
</div>
<!-- schedule-bottom -->
<div class="schedule-bottom">
    <div class="col-md-6 agileinfo_schedule_bottom_left">
        
    </div>
    <div class="col-md-6 agileits_schedule_bottom_right">
        <div class="w3ls_schedule_bottom_right_grid">
            <h3>Save up to <span>50%</span> in this week</h3>
            <p>Suspendisse varius turpis efficitur erat
laoreet dapibus.
                Mauris sollicitudin scelerisque commodo.Nunc
dapibus mauris sed metus finibus posuere.</p>
            <div class="col-md-4
w3l_schedule_bottom_right_grid1">
                <i class="fa fa-user-o" aria-
hidden="true"></i>
                <h4>Customers</h4>
                <h5 class="counter">653</h5>
            </div>
            <div class="col-md-4
w3l_schedule_bottom_right_grid1">
                <i class="fa fa-calendar-o" aria-
hidden="true"></i>
                <h4>Events</h4>
                <h5 class="counter">823</h5>
            </div>
            <div class="col-md-4
w3l_schedule_bottom_right_grid1">
                <i class="fa fa-shield" aria-
hidden="true"></i>
                <h4>Awards</h4>
                <h5 class="counter">45</h5>
            </div>
            <div class="clearfix"> </div>
        </div>
    </div>
    <div class="clearfix"> </div>
</div>
<!-- //schedule-bottom -->

```

```

<!-- banner-bootom-w3-agileits -->
<div class="banner-bootom-w3-agileits">
    <div class="container">
        <h3 class="wthree_text_info">What's
<span>Trending</span></h3>

        <div class="col-md-5 bb-grids bb-left-agileits-
w3layouts">
            <a href="womens.html">
                <div class="bb-left-agileits-w3layouts-inner
grid">
                    <figure class="effect-roxy">
                        
                        <figcaption>
                            <h3><span>S</span>ale </h3>
                            <p>Upto 55%</p>
                        </figcaption>
                    </figure>
                </div>
            </a>
        </div>
        <div class="col-md-7 bb-grids bb-middle-agileits-
w3layouts">
            <a href="mens.html">
                <div class="bb-middle-agileits-w3layouts
grid">
                    <figure class="effect-roxy">
                        
                        <figcaption>
                            <h3><span>S</span>ale </h3>
                            <p>Upto 55%</p>
                        </figcaption>
                    </figure>
                </div>
            </a>
            <a href="mens.html">
                <div class="bb-middle-agileits-w3layouts forth
grid">
                    <figure class="effect-roxy">
                        
                        <figcaption>
                            <h3><span>S</span>ale </h3>
                            <p>Upto 65%</p>
                        </figcaption>
                    </figure>
                </div>
            </a>
        <div class="clearfix"></div>

```



```

        </div>
    </div>
</div>
<!--/grids-->
<div class="agile_last_double_sectionw3ls">
    <div class="col-md-6 multi-gd-img multi-gd-text ">
        <a href="womens.html"><h4>Flat <span>50%</span> offer</h4></a>

        </div>
        <div class="col-md-6 multi-gd-img multi-gd-text ">
            <a href="womens.html"><h4>Flat <span>50%</span> offer</h4></a>
        </div>
        <div class="clearfix"></div>
    </div>
<!--/grids-->
<!-- /new_arrivals -->
<div class="new_arrivals_agile_w3ls_info">
    <div class="container">
        <h3 class="wthree_text_info">New
<span>Arrivals</span></h3>
        <div id="horizontalTab">
            <ul class="resp-tabs-list">
                <li> Men's</li>
                <li> Women's</li>
                <li> Bags</li>
                <li> Footwear</li>
            </ul>
            <div class="resp-tabs-container">
                <!--/tab_one-->
                <div class="tab1">
                    <div class="col-md-3 product-men">
                        <div class="men-pro-item
simpleCart_shelfItem">
                            <div class="men-thumb-item">
                                
                                
                                <div class="men-cart-pro">
                                    <div class="inner-men-
cart-pro">
                                        <a href="single.html"
class="link-product-add-cart">Quick View</a>
                                    </div>
                                </div>
                                <span class="product-new-
top">New</span>
                            </div>

```

```

                                <div class="item-info-product ">
                                    <h4><a
href="single.html">Formal Blue Shirt</a></h4>
                                    <div class="info-product-
price">
                                        <span
class="item_price">$45.99</span>
                                        <del>$69.71</del>
                                    </div>
                                    <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
                                        <form action="#"
method="post">
                                            <fieldset>
                                                <input
type="hidden" name="cmd" value="_cart" />
                                                <input
type="hidden" name="add" value="1" />
                                                <input
type="hidden" name="business" value=" " />
                                                <input
type="hidden" name="item_name" value="Formal Blue Shirt" />
                                                <input
type="hidden" name="amount" value="30.99" />
                                                <input
type="hidden" name="discount_amount" value="1.00" />
                                                <input
type="hidden" name="currency_code" value="USD" />
                                                <input
type="hidden" name="return" value=" " />
                                                <input
type="hidden" name="cancel_return" value=" " />
                                                <input
type="submit" name="submit" value="Add to cart" class="button"
/>
                                            </fieldset>
                                        </form>
                                    </div>
                                </div>
                            </div>
                        <div class="col-md-3 product-men">
                            <div class="men-pro-item
simpleCart_shelfItem">
                                <div class="men-thumb-item">
                                    
                                    

```

```

<div class="men-cart-pro">
    <div class="inner-men-
cart-pro">
        <a href="single.html"
class="link-product-add-cart">Quick View</a>
    </div>
</div>
<span class="product-new-
top">New</span>

</div>
<div class="item-info-product ">
    <h4><a href="single.html">Gabi
Full Sleeve Sweatshirt</a></h4>
    <div class="info-product-
price">
        <span
class="item_price">$45.99</span>
        <del>$69.71</del>
    </div>
    <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
        <form action="#"
method="post">
            <fieldset>
                <input
type="hidden" name="cmd" value="_cart" />
                <input
type="hidden" name="add" value="1" />
                <input
type="hidden" name="business" value=" " />
                <input
type="hidden" name="item_name" value="Sweatshirt" />
                <input
type="hidden" name="amount" value="30.99" />
                <input
type="hidden" name="discount_amount" value="1.00" />
                <input
type="hidden" name="currency_code" value="USD" />
                <input
type="hidden" name="return" value=" " />
                <input
type="hidden" name="cancel_return" value=" " />
                <input
type="submit" name="submit" value="Add to cart" class="button"
/>
            </fieldset>
        </form>
    </div>

```

```

        </div>
    </div>
</div>
<div class="col-md-3 product-men">
    <div class="men-pro-item
simpleCart_shelfItem">
        <div class="men-thumb-item">
            
            
            <div class="men-cart-pro">
                <div class="inner-men-
cart-pro">
                    <a href="single.html"
class="link-product-add-cart">Quick View</a>
                </div>
            </div>
            <span class="product-new-
top">New</span>

            </div>
            <div class="item-info-product ">
                <h4><a href="single.html">Dark
Blue Track Pants</a></h4>
                <div class="info-product-
price">
                    <span
class="item_price">$80.99</span>
                    <del>$89.71</del>
                </div>
                <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
                    <form action="#"
method="post">
                        <fieldset>
                            <input
type="hidden" name="cmd" value="_cart" />
                            <input
type="hidden" name="add" value="1" />
                            <input
type="hidden" name="business" value=" " />
                            <input
type="hidden" name="item_name" value="Dark Blue Track Pants"
/>
                            <input
type="hidden" name="amount" value="30.99" />
                            <input
type="hidden" name="discount_amount" value="1.00" />
                            <input

```

```

type="hidden" name="currency_code" value="USD" />
<input
type="hidden" name="return" value=" " />
<input
type="hidden" name="cancel_return" value=" " />
<input
type="submit" name="submit" value="Add to cart" class="button"
/>
</fieldset>
</form>
</div>
</div>
</div>
<div class="col-md-3 product-men">
<div class="men-pro-item
simpleCart_shelfItem">
<div class="men-thumb-item">


<div class="men-cart-pro">
<div class="inner-men-
cart-pro">
<a href="single.html"
class="link-product-add-cart">Quick View</a>
</div>
</div>
<span class="product-new-
top">New</span>
</div>
<div class="item-info-product ">
<h4><a
href="single.html">Round Neck Black T-Shirt</a></h4>
<div class="info-product-
price">
<span
class="item_price">$190.99</span>
<del>$159.71</del>
</div>
<div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
<form action="#"
method="post">
<fieldset>
<input
type="hidden" name="cmd" value="_cart" />

```

```

type="hidden" name="add" value="1" />
type="hidden" name="business" value=" " />
type="hidden" name="item_name" value="Black T-Shirt" />
type="hidden" name="amount" value="30.99" />
type="hidden" name="discount_amount" value="1.00" />
type="hidden" name="currency_code" value="USD" />
type="hidden" name="return" value=" " />
type="hidden" name="cancel_return" value=" " />
type="submit" name="submit" value="Add to cart" class="button"
/>
</fieldset>
</form>
</div>
</div>
</div>
<div class="col-md-3 product-men">
  <div class="men-pro-item
simpleCart_shelfItem">
    <div class="men-thumb-item">
      
      
      <div class="men-cart-pro">
        <div class="inner-men-
cart-pro">
          <a href="single.html"
class="link-product-add-cart">Quick View</a>
        </div>
      </div>
      <span class="product-new-
top">New</span>
    </div>
    <div class="item-info-product ">
      <h4><a
href="single.html">Men's Black Jeans</a></h4>
      <div class="info-product-
price">
        <span

```

```

class="item_price">$60.99</span>
                                <del>$90.71</del>
                                </div>
                                <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
                                <form action="#"
method="post">
                                <fieldset>
                                <input
type="hidden" name="cmd" value="_cart" />
                                <input
type="hidden" name="add" value="1" />
                                <input
type="hidden" name="business" value=" " />
                                <input
type="hidden" name="item_name" value="Men's Black Jeans" />
                                <input
type="hidden" name="amount" value="30.99" />
                                <input
type="hidden" name="discount_amount" value="1.00" />
                                <input
type="hidden" name="currency_code" value="USD" />
                                <input
type="hidden" name="return" value=" " />
                                <input
type="hidden" name="cancel_return" value=" " />
                                <input
type="submit" name="submit" value="Add to cart" class="button"
/>
                                </fieldset>
                                </form>
                                </div>
                                </div>
                                </div>
                                <div class="col-md-3 product-men">
                                <div class="men-pro-item
simpleCart_shelfItem">
                                <div class="men-thumb-item">
                                
                                
                                <div class="men-cart-pro">
                                <div class="inner-men-
cart-pro">
                                <a href="single.html"
class="link-product-add-cart">Quick View</a>
                                </div>

```

```

        </div>
        <span class="product-new-
top">New</span>

        </div>
        <div class="item-info-product ">
            <h4><a
href="single.html">Analog Watch</a></h4>
            <div class="info-product-
price">
                <span
class="item_price">$160.99</span>
                <del>$290.71</del>
            </div>
            <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
                <form action="#"
method="post">
                    <fieldset>
                        <input
type="hidden" name="cmd" value="_cart" />
                        <input
type="hidden" name="add" value="1" />
                        <input
type="hidden" name="business" value=" " />
                        <input
type="hidden" name="item_name" value="Analog Watch" />
                        <input
type="hidden" name="amount" value="30.99" />
                        <input
type="hidden" name="discount_amount" value="1.00" />
                        <input
type="hidden" name="currency_code" value="USD" />
                        <input
type="hidden" name="return" value=" " />
                        <input
type="hidden" name="cancel_return" value=" " />
                        <input
type="submit" name="submit" value="Add to cart" class="button"
/>
                    </fieldset>
                </form>
            </div>

        </div>
    </div>
</div>
<div class="col-md-3 product-men">
    <div class="men-pro-item
simpleCart_shelfItem">

```



```

        <div class="men-thumb-item">
            
            
            <div class="men-cart-pro">
                <div class="inner-men-
cart-pro">
                    <a href="single.html"
class="link-product-add-cart">Quick View</a>
                </div>
            </div>
            <span class="product-new-
top">New</span>

        </div>
        <div class="item-info-product ">
            <h4><a
href="single.html">Reversible Belt</a></h4>
            <div class="info-product-
price">
                <span
class="item_price">$30.99</span>
                <del>$50.71</del>
            </div>
            <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
                <form action="#"
method="post">
                    <fieldset>
                        <input
type="hidden" name="cmd" value="_cart" />
                        <input
type="hidden" name="add" value="1" />
                        <input
type="hidden" name="business" value=" " />
                        <input
type="hidden" name="item_name" value="Reversible Belt" />
                        <input
type="hidden" name="amount" value="30.99" />
                        <input
type="hidden" name="discount_amount" value="1.00" />
                        <input
type="hidden" name="currency_code" value="USD" />
                        <input
type="hidden" name="return" value=" " />
                        <input
type="hidden" name="cancel_return" value=" " />
                        <input
type="submit" name="submit" value="Add to cart" class="button"

```

```

/>
                                </fieldset>
                                </form>
                                </div>
                                </div>
                                </div>
                                </div>
                                <div class="col-md-3 product-men">
                                    <div class="men-pro-item
simpleCart_shelfItem">
                                        <div class="men-thumb-item">
                                            
                                            
                                        <div class="men-cart-pro">
                                            <div class="inner-men-
cart-pro">
                                                <a href="single.html"
class="link-product-add-cart">Quick View</a>
                                            </div>
                                        </div>
                                        <span class="product-new-
top">New</span>
                                </div>
                                <div class="item-info-product ">
                                    <h4><a
href="single.html">Party Men's Blazer</a></h4>
                                    <div class="info-product-
price">
                                        <span
class="item_price">$260.99</span>
                                        <del>$390.71</del>
                                    </div>
                                    <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
                                        <form action="#"
method="post">
                                            <fieldset>
                                                <input
type="hidden" name="cmd" value="_cart" />
                                                <input
type="hidden" name="add" value="1" />
                                                <input
type="hidden" name="business" value=" " />
                                                <input
type="hidden" name="item_name" value="Party Men's Blazer" />
                                                <input

```

```

type="hidden" name="amount" value="30.99" />
                                <input
type="hidden" name="discount_amount" value="1.00" />
                                <input
type="hidden" name="currency_code" value="USD" />
                                <input
type="hidden" name="return" value=" " />
                                <input
type="hidden" name="cancel_return" value=" " />
                                <input
type="submit" name="submit" value="Add to cart" class="button"
/>
                                </fieldset>
                                </form>
                                </div>

                                </div>
                                </div>
                                </div>
                                <div class="clearfix"></div>
</div>
<!--//tab_one-->
<!--//tab_two-->
<div class="tab2">
    <div class="col-md-3 product-men">
        <div class="men-pro-item
simpleCart_shelfItem">
                                <div class="men-thumb-item">
                                    
                                    
                                    <div class="men-cart-pro">
                                        <div class="inner-men-
cart-pro">
                                            <a href="single.html"
class="link-product-add-cart">Quick View</a>
                                        </div>
                                    </div>
                                    <span class="product-new-
top">New</span>

                                </div>
                                <div class="item-info-product ">
                                    <h4><a href="single.html">A-
line Black Skirt</a></h4>
                                    <div class="info-product-
price">
                                        <span
class="item_price">$130.99</span>
                                        <del>$189.71</del>

```

```

        </div>
        <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
            <form action="#"
method="post">
                <fieldset>
                    <input
type="hidden" name="cmd" value="_cart" />
                    <input
type="hidden" name="add" value="1" />
                    <input
type="hidden" name="business" value=" " />
                    <input
type="hidden" name="item_name" value="A-line Black Skirt" />
                    <input
type="hidden" name="amount" value="30.99" />
                    <input
type="hidden" name="discount_amount" value="1.00" />
                    <input
type="hidden" name="currency_code" value="USD" />
                    <input
type="hidden" name="return" value=" " />
                    <input
type="hidden" name="cancel_return" value=" " />
                    <input
type="submit" name="submit" value="Add to cart" class="button"
/>
                </fieldset>
            </form>
        </div>
    </div>
</div>
<div class="col-md-3 product-men">
    <div class="men-pro-item
simpleCart_shelfItem">
        <div class="men-thumb-item">
            
            
            <div class="men-cart-pro">
                <div class="inner-men-
cart-pro">
                    <a href="single.html"
class="link-product-add-cart">Quick View</a>
                </div>
            </div>
            <span class="product-new-

```

```

top">New</span>

        </div>
        <div class="item-info-product ">
            <h4><a
href="single.html">Sleeveless Solid Blue Top</a></h4>
            <div class="info-product-
price">
                <span
class="item_price">$140.99</span>
                <del>$189.71</del>
            </div>
            <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
                <form action="#"
method="post">
                    <fieldset>
                        <input
type="hidden" name="cmd" value="_cart" />
                        <input
type="hidden" name="add" value="1" />
                        <input
type="hidden" name="business" value=" " />
                        <input
type="hidden" name="item_name" value="Sleeveless Solid Blue
Top" />
                        <input
type="hidden" name="amount" value="30.99" />
                        <input
type="hidden" name="discount_amount" value="1.00" />
                        <input
type="hidden" name="currency_code" value="USD" />
                        <input
type="hidden" name="return" value=" " />
                        <input
type="hidden" name="cancel_return" value=" " />
                        <input
type="submit" name="submit" value="Add to cart" class="button"
/>
                    </fieldset>
                </form>
            </div>
        </div>
    </div>
</div>
<div class="col-md-3 product-men">
    <div class="men-pro-item
simpleCart_shelfItem">
        <div class="men-thumb-item">

```

```



<div class="men-cart-pro">
    <div class="inner-men-
cart-pro">
        <a href="single.html"
class="link-product-add-cart">Quick View</a>
    </div>
</div>
<span class="product-new-
top">New</span>

</div>
<div class="item-info-product ">
    <h4><a
href="single.html">Skinny Jeans</a></h4>
    <div class="info-product-
price">
        <span
class="item_price">$150.99</span>
        <del>$189.71</del>
    </div>
    <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
        <form action="#"
method="post">
            <fieldset>
                <input
type="hidden" name="cmd" value="_cart" />
                <input
type="hidden" name="add" value="1" />
                <input
type="hidden" name="business" value=" " />
                <input
type="hidden" name="item_name" value="Skinny Jeans " />
                <input
type="hidden" name="amount" value="30.99" />
                <input
type="hidden" name="discount_amount" value="1.00" />
                <input
type="hidden" name="currency_code" value="USD" />
                <input
type="hidden" name="return" value=" " />
                <input
type="hidden" name="cancel_return" value=" " />
                <input
type="submit" name="submit" value="Add to cart" class="button"
/>

```

```

        </fieldset>
    </form>
</div>

</div>
</div>
</div>
<div class="col-md-3 product-men">
    <div class="men-pro-item
simpleCart_shelfItem">
        <div class="men-thumb-item">
            
            
            <div class="men-cart-pro">
                <div class="inner-men-
cart-pro">
                    <a href="single.html"
class="link-product-add-cart">Quick View</a>
                </div>
            </div>
            <span class="product-new-
top">New</span>

        </div>
        <div class="item-info-product ">
            <h4><a
href="single.html">Black Basic Shorts</a></h4>
            <div class="info-product-
price">
                <span
class="item_price">$120.99</span>
                <del>$189.71</del>
            </div>
            <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
                <form action="#"
method="post">
                    <fieldset>
                        <input
type="hidden" name="cmd" value="_cart" />
                        <input
type="hidden" name="add" value="1" />
                        <input
type="hidden" name="business" value=" " />
                        <input
type="hidden" name="item_name" value="Black Basic Shorts" />
                        <input
type="hidden" name="amount" value="30.99" />

```

```

<input
type="hidden" name="discount_amount" value="1.00" />
<input
type="hidden" name="currency_code" value="USD" />
<input
type="hidden" name="return" value=" " />
<input
type="hidden" name="cancel_return" value=" " />
<input
type="submit" name="submit" value="Add to cart" class="button"
/>

</fieldset>
</form>
</div>

</div>
</div>
</div>
<div class="col-md-3 product-men">
  <div class="men-pro-item
simpleCart_shelfItem">
    <div class="men-thumb-item">
      
      
      <div class="men-cart-pro">
        <div class="inner-men-
cart-pro">
          <a href="single.html"
class="link-product-add-cart">Quick View</a>
        </div>
      </div>
      <span class="product-new-
top">New</span>

    </div>
    <div class="item-info-product ">
      <h4><a href="single.html">Pink
Track Pants</a></h4>
      <div class="info-product-
price">
        <span
class="item_price">$220.99</span>
        <del>$389.71</del>
      </div>
      <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
        <form action="#"
method="post">

```



```

                                <fieldset>
                                <input
type="hidden" name="cmd" value="_cart" />
                                <input
type="hidden" name="add" value="1" />
                                <input
type="hidden" name="business" value=" " />
                                <input
type="hidden" name="item_name" value="Pink Track Pants" />
                                <input
type="hidden" name="amount" value="30.99" />
                                <input
type="hidden" name="discount_amount" value="1.00" />
                                <input
type="hidden" name="currency_code" value="USD" />
                                <input
type="hidden" name="return" value=" " />
                                <input
type="hidden" name="cancel_return" value=" " />
                                <input
type="submit" name="submit" value="Add to cart" class="button"
/>
                                </fieldset>
                                </form>
                                </div>

                                </div>
                                </div>
                                </div>
                                <div class="col-md-3 product-men">
                                <div class="men-pro-item
simpleCart_shelfItem">
                                <div class="men-thumb-item">
                                
                                
                                <div class="men-cart-pro">
                                <div class="inner-men-
cart-pro">
                                <a href="single.html"
class="link-product-add-cart">Quick View</a>
                                </div>
                                </div>
                                <span class="product-new-
top">New</span>

                                </div>
                                <div class="item-info-product ">
                                <h4><a
href="single.html">Analog Watch</a></h4>

```

```

                                <div class="info-product-
price">
                                <span
class="item_price">$320.99</span>
                                <del>$489.71</del>
                                </div>
                                <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
                                <form action="#"
method="post">
                                <fieldset>
                                <input
type="hidden" name="cmd" value="_cart" />
                                <input
type="hidden" name="add" value="1" />
                                <input
type="hidden" name="business" value=" " />
                                <input
type="hidden" name="item_name" value="Analog Watch" />
                                <input
type="hidden" name="amount" value="30.99" />
                                <input
type="hidden" name="discount_amount" value="1.00" />
                                <input
type="hidden" name="currency_code" value="USD" />
                                <input
type="hidden" name="return" value=" " />
                                <input
type="hidden" name="cancel_return" value=" " />
                                <input
type="submit" name="submit" value="Add to cart" class="button"
/>
                                </fieldset>
                                </form>
                                </div>
                                </div>
                                </div>
                                <div class="col-md-3 product-men">
                                <div class="men-pro-item
simpleCart_shelfItem">
                                <div class="men-thumb-item">
                                
                                
                                <div class="men-cart-pro">
                                <div class="inner-men-
cart-pro">

```

```

                                <a href="single.html"
class="link-product-add-cart">Quick View</a>
                                </div>
                                </div>
                                <span class="product-new-
top">New</span>

                                </div>
                                <div class="item-info-product ">
                                    <h4><a
href="single.html">Ankle Length Socks</a></h4>
                                    <div class="info-product-
price">
                                        <span
class="item_price">$100.99</span>
                                        <del>$159.71</del>
                                    </div>
                                    <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
                                        <form action="#"
method="post">
                                            <fieldset>
                                                <input
type="hidden" name="cmd" value="_cart" />
                                                <input
type="hidden" name="add" value="1" />
                                                <input
type="hidden" name="business" value=" " />
                                                <input
type="hidden" name="item_name" value="Ankle Length Socks" />
                                                <input
type="hidden" name="amount" value="30.99" />
                                                <input
type="hidden" name="discount_amount" value="1.00" />
                                                <input
type="hidden" name="currency_code" value="USD" />
                                                <input
type="hidden" name="return" value=" " />
                                                <input
type="hidden" name="cancel_return" value=" " />
                                                <input
type="submit" name="submit" value="Add to cart" class="button"
/>
                                            </fieldset>
                                        </form>
                                    </div>
                                </div>
                            </div>
                        </div>

```

```

        <div class="col-md-3 product-men">
            <div class="men-pro-item
simpleCart_shelfItem">
                <div class="men-thumb-item">
                    
                    
                    <div class="men-cart-pro">
                        <div class="inner-men-
cart-pro">
                            <a href="single.html"
class="link-product-add-cart">Quick View</a>
                        </div>
                    </div>
                    <span class="product-new-
top">New</span>

                </div>
                <div class="item-info-product ">
                    <h4><a
href="single.html">Reebok Women's Tights</a></h4>
                    <div class="info-product-
price">
                        <span
class="item_price">$130.99</span>
                        <del>$169.71</del>
                    </div>
                    <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
                        <form action="#"
method="post">
                            <fieldset>
                                <input
type="hidden" name="cmd" value="_cart" />
                                <input
type="hidden" name="add" value="1" />
                                <input
type="hidden" name="business" value=" " />
                                <input
type="hidden" name="item_name" value="Reebok Women's Tights"
/>
                                <input
type="hidden" name="amount" value="30.99" />
                                <input
type="hidden" name="discount_amount" value="1.00" />
                                <input
type="hidden" name="currency_code" value="USD" />
                                <input
type="hidden" name="return" value=" " />

```

```

                                <input
type="hidden" name="cancel_return" value=" " />
                                <input
type="submit" name="submit" value="Add to cart" class="button"
/>
                                </fieldset>
                                </form>
                                </div>

                                </div>
                                </div>
                                </div>
                                <div class="clearfix"></div>
</div>
<!--//tab_two-->
<div class="tab3">

                                <div class="col-md-3 product-men">
                                <div class="men-pro-item
simpleCart_shelfItem">
                                <div class="men-thumb-item">
                                
                                
                                <div class="men-cart-pro">
                                <div class="inner-men-
cart-pro">
                                <a href="single.html"
class="link-product-add-cart">Quick View</a>
                                </div>
                                </div>
                                <span class="product-new-
top">New</span>

                                </div>
                                <div class="item-info-product ">
                                <h4><a
href="single.html">Laptop Messenger Bag</a></h4>
                                <div class="info-product-
price">
                                <span
class="item_price">$140.99</span>
                                <del>$169.71</del>
                                </div>
                                <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
                                <form action="#"
method="post">
                                <fieldset>

```

```

type="hidden" name="cmd" value="_cart" />
type="hidden" name="add" value="1" />
type="hidden" name="business" value=" " />
type="hidden" name="item_name" value=" Laptop Messenger Bag"
/>
type="hidden" name="amount" value="30.99" />
type="hidden" name="discount_amount" value="1.00" />
type="hidden" name="currency_code" value="USD" />
type="hidden" name="return" value=" " />
type="hidden" name="cancel_return" value=" " />
type="submit" name="submit" value="Add to cart" class="button"
/>
</fieldset>
</form>
</div>

</div>
</div>
<div class="col-md-3 product-men">
<div class="men-pro-item
simpleCart_shelfItem">
<div class="men-thumb-item">


<div class="men-cart-pro">
<div class="inner-men-
cart-pro">
<a href="single.html"
class="link-product-add-cart">Quick View</a>
</div>
</div>
<span class="product-new-
top">New</span>

</div>
<div class="item-info-product ">
<h4><a href="single.html">Puma
Backpack</a></h4>

```

```

                                <div class="info-product-
price">
                                <span
class="item_price">$127.99</span>
                                <del>$169.71</del>
                                </div>
                                <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
                                <form action="#"
method="post">
                                    <fieldset>
                                        <input
type="hidden" name="cmd" value="_cart" />
                                        <input
type="hidden" name="add" value="1" />
                                        <input
type="hidden" name="business" value=" " />
                                        <input
type="hidden" name="item_name" value="Puma Backpack" />
                                        <input
type="hidden" name="amount" value="30.99" />
                                        <input
type="hidden" name="discount_amount" value="1.00" />
                                        <input
type="hidden" name="currency_code" value="USD" />
                                        <input
type="hidden" name="return" value=" " />
                                        <input
type="hidden" name="cancel_return" value=" " />
                                        <input
type="submit" name="submit" value="Add to cart" class="button"
/>
                                    </fieldset>
                                </form>
                                </div>
                                </div>
                                </div>
                                <div class="col-md-3 product-men">
                                    <div class="men-pro-item
simpleCart_shelfItem">
                                        <div class="men-thumb-item">
                                            
                                            
                                            <div class="men-cart-pro">
                                                <div class="inner-men-
cart-pro">

```

```

                                <a href="single.html"
class="link-product-add-cart">Quick View</a>
                                </div>
                                </div>
                                <span class="product-new-
top">New</span>

                                </div>
                                <div class="item-info-product ">
                                <h4><a href="single.html">
Laptop Backpack</a></h4>
                                <div class="info-product-
price">
                                <span
class="item_price">$120.99</span>
                                <del>$189.71</del>
                                </div>
                                <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
                                <form action="#"
method="post">
                                <fieldset>
                                <input
type="hidden" name="cmd" value="_cart" />
                                <input
type="hidden" name="add" value="1" />
                                <input
type="hidden" name="business" value=" " />
                                <input
type="hidden" name="item_name" value=" Laptop Backpack" />
                                <input
type="hidden" name="amount" value="30.99" />
                                <input
type="hidden" name="discount_amount" value="1.00" />
                                <input
type="hidden" name="currency_code" value="USD" />
                                <input
type="hidden" name="return" value=" " />
                                <input
type="hidden" name="cancel_return" value=" " />
                                <input
type="submit" name="submit" value="Add to cart" class="button"
/>
                                </fieldset>
                                </form>
                                </div>

                                </div>
                                </div>
                                </div>

```



```

        <div class="col-md-3 product-men">
            <div class="men-pro-item
simpleCart_shelfItem">
                <div class="men-thumb-item">
                    
                    
                    <div class="men-cart-pro">
                        <div class="inner-men-
cart-pro">
                            <a href="single.html"
class="link-product-add-cart">Quick View</a>
                        </div>
                    </div>
                    <span class="product-new-
top">New</span>

                </div>
                <div class="item-info-product ">
                    <h4><a
href="single.html">Travel Duffel Bag </a></h4>
                    <div class="info-product-
price">
                        <span
class="item_price">$190.99</span>
                        <del>$259.71</del>
                    </div>
                    <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
                        <form action="#"
method="post">
                            <fieldset>
                                <input
type="hidden" name="cmd" value="_cart" />
                                <input
type="hidden" name="add" value="1" />
                                <input
type="hidden" name="business" value=" " />
                                <input
type="hidden" name="item_name" value="Travel Duffel Bag " />
                                <input
type="hidden" name="amount" value="30.99" />
                                <input
type="hidden" name="discount_amount" value="1.00" />
                                <input
type="hidden" name="currency_code" value="USD" />
                                <input
type="hidden" name="return" value=" " />
                                <input

```

```

type="hidden" name="cancel_return" value=" " />
<input
type="submit" name="submit" value="Add to cart" class="button"
/>

</fieldset>
</form>
</div>

</div>
</div>
</div>
<div class="col-md-3 product-men">
<div class="men-pro-item
simpleCart_shelfItem">
<div class="men-thumb-item">


<div class="men-cart-pro">
<div class="inner-men-
cart-pro">
<a href="single.html"
class="link-product-add-cart">Quick View</a>
</div>
</div>
<span class="product-new-
top">New</span>

</div>
<div class="item-info-product ">
<h4><a href="single.html">
Hand-held Bag </a></h4>
<div class="info-product-
price">
<span
class="item_price">$190.99</span>
<del>$259.71</del>
</div>
<div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
<form action="#"
method="post">
<fieldset>
<input
type="hidden" name="cmd" value="_cart" />
<input
type="hidden" name="add" value="1" />
<input
type="hidden" name="business" value=" " />

```

```

                                <input
type="hidden" name="item_name" value=" Hand-held Bag " />
                                <input
type="hidden" name="amount" value="30.99" />
                                <input
type="hidden" name="discount_amount" value="1.00" />
                                <input
type="hidden" name="currency_code" value="USD" />
                                <input
type="hidden" name="return" value=" " />
                                <input
type="hidden" name="cancel_return" value=" " />
                                <input
type="submit" name="submit" value="Add to cart" class="button"
/>
                                </fieldset>
                                </form>
                                </div>

                                </div>
                                </div>
                                </div>
                                <div class="col-md-3 product-men">
                                <div class="men-pro-item
simpleCart_shelfItem">
                                <div class="men-thumb-item">
                                
                                
                                <div class="men-cart-pro">
                                <div class="inner-men-
cart-pro">
                                <a href="single.html"
class="link-product-add-cart">Quick View</a>
                                </div>
                                </div>
                                <span class="product-new-
top">New</span>

                                </div>
                                <div class="item-info-product ">
                                <h4><a
href="single.html">Butterflies Bag </a></h4>
                                <div class="info-product-
price">
                                <span
class="item_price">$190.99</span>
                                <del>$259.71</del>
                                </div>
                                <div class="snipcart-details

```

```

top_brand_home_details item_add single-item hvr-outline-out
button2">
                                <form action="#"
method="post">
                                <fieldset>
                                    <input
type="hidden" name="cmd" value="_cart" />
                                    <input
type="hidden" name="add" value="1" />
                                    <input
type="hidden" name="business" value=" " />
                                    <input
type="hidden" name="item_name" value="Butterflies Bag" />
                                    <input
type="hidden" name="amount" value="30.99" />
                                    <input
type="hidden" name="discount_amount" value="1.00" />
                                    <input
type="hidden" name="currency_code" value="USD" />
                                    <input
type="hidden" name="return" value=" " />
                                    <input
type="hidden" name="cancel_return" value=" " />
                                    <input
type="submit" name="submit" value="Add to cart" class="button"
/>
                                </fieldset>
                                </form>
                                </div>

                                </div>
                                </div>
                                </div>
                                <div class="col-md-3 product-men">
                                    <div class="men-pro-item
simpleCart_shelfItem">
                                        <div class="men-thumb-item">
                                            
                                            
                                            <div class="men-cart-pro">
                                                <div class="inner-men-
cart-pro">
                                                    <a href="single.html"
class="link-product-add-cart">Quick View</a>
                                                </div>
                                            </div>
                                            <span class="product-new-
top">New</span>

```

```

        </div>
        <div class="item-info-product ">
            <h4><a
href="single.html">Costa Swiss Bag </a></h4>
            <div class="info-product-
price">
                <span
class="item_price">$290.99</span>
                <del>$359.71</del>
            </div>
            <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
                <form action="#"
method="post">
                    <fieldset>
                        <input
type="hidden" name="cmd" value="_cart" />
                        <input
type="hidden" name="add" value="1" />
                        <input
type="hidden" name="business" value=" " />
                        <input
type="hidden" name="item_name" value="Costa Swiss Bag" />
                        <input
type="hidden" name="amount" value="30.99" />
                        <input
type="hidden" name="discount_amount" value="1.00" />
                        <input
type="hidden" name="currency_code" value="USD" />
                        <input
type="hidden" name="return" value=" " />
                        <input
type="hidden" name="cancel_return" value=" " />
                        <input
type="submit" name="submit" value="Add to cart" class="button"
/>
                    </fieldset>
                </form>
            </div>
        </div>
    </div>
</div>
<div class="col-md-3 product-men">
    <div class="men-pro-item
simpleCart_shelfItem">
        <div class="men-thumb-item">
            
            
        <div class="men-cart-pro">
            <div class="inner-men-
cart-pro">
                <a href="single.html"
class="link-product-add-cart">Quick View</a>
            </div>
        </div>
        <span class="product-new-
top">New</span>

        </div>
        <div class="item-info-product ">
            <h4><a
href="single.html">Noble Designs Bag </a></h4>
            <div class="info-product-
price">
                <span
class="item_price">$120.99</span>
                <del>$159.71</del>
            </div>
            <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
                <form action="#"
method="post">
                    <fieldset>
                        <input
type="hidden" name="cmd" value="_cart" />
                        <input
type="hidden" name="add" value="1" />
                        <input
type="hidden" name="business" value=" " />
                        <input
type="hidden" name="item_name" value="Noble Designs Bag " />
                        <input
type="hidden" name="amount" value="30.99" />
                        <input
type="hidden" name="discount_amount" value="1.00" />
                        <input
type="hidden" name="currency_code" value="USD" />
                        <input
type="hidden" name="return" value=" " />
                        <input
type="hidden" name="cancel_return" value=" " />
                        <input
type="submit" name="submit" value="Add to cart" class="button"
/>
                    </fieldset>
                </form>
            </div>

```

```

        </div>
    </div>
</div>
<div class="clearfix"></div>
</div>
<div class="tab4">

    <div class="col-md-3 product-men">
        <div class="men-pro-item
simpleCart_shelfItem">
            <div class="men-thumb-item">
                
                
                <div class="men-cart-pro">
                    <div class="inner-men-
cart-pro">
                        <a href="single.html"
class="link-product-add-cart">Quick View</a>
                    </div>
                </div>
                <span class="product-new-
top">New</span>

            </div>
            <div class="item-info-product ">
                <h4><a
href="single.html">Running Shoes</a></h4>
                <div class="info-product-
price">
                    <span
class="item_price">$80.99</span>
                    <del>$89.71</del>
                </div>
                <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
                    <form action="#"
method="post">
                        <fieldset>
                            <input
type="hidden" name="cmd" value="_cart" />
                            <input
type="hidden" name="add" value="1" />
                            <input
type="hidden" name="business" value=" " />
                            <input
type="hidden" name="item_name" value="Running Shoes" />
                            <input

```

```

type="hidden" name="amount" value="30.99" />
                                <input
type="hidden" name="discount_amount" value="1.00" />
                                <input
type="hidden" name="currency_code" value="USD" />
                                <input
type="hidden" name="return" value=" " />
                                <input
type="hidden" name="cancel_return" value=" " />
                                <input
type="submit" name="submit" value="Add to cart" class="button"
/>
                                </fieldset>
                                </form>
                                </div>
                                </div>
                                </div>
                                <div class="col-md-3 product-men">
                                    <div class="men-pro-item
simpleCart_shelfItem">
                                        <div class="men-thumb-item">
                                            
                                            
                                            <div class="men-cart-pro">
                                                <div class="inner-men-
cart-pro">
                                                    <a href="single.html"
class="link-product-add-cart">Quick View</a>
                                                </div>
                                            </div>
                                            <span class="product-new-
top">New</span>
                                        </div>
                                        <div class="item-info-product ">
                                            <h4><a
href="single.html">Shoetopia Lace Up</a></h4>
                                            <div class="info-product-
price">
                                                <span
class="item_price">$90.99</span>
                                                <del>$59.71</del>
                                            </div>
                                            <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
                                                <form action="#"

```



```

method="post">
                                <fieldset>
                                    <input
type="hidden" name="cmd" value="_cart" />
                                    <input
type="hidden" name="add" value="1" />
                                    <input
type="hidden" name="business" value=" " />
                                    <input
type="hidden" name="item_name" value="Shoetopia Lace Up" />
                                    <input
type="hidden" name="amount" value="30.99" />
                                    <input
type="hidden" name="discount_amount" value="1.00" />
                                    <input
type="hidden" name="currency_code" value="USD" />
                                    <input
type="hidden" name="return" value=" " />
                                    <input
type="hidden" name="cancel_return" value=" " />
                                    <input
type="submit" name="submit" value="Add to cart" class="button"
/>
                                </fieldset>
                            </form>
                        </div>
                    </div>
                </div>
            <div class="col-md-3 product-men">
                <div class="men-pro-item
simpleCart_shelfItem">
                    <div class="men-thumb-item">
                        
                        
                        <div class="men-cart-pro">
                            <div class="inner-men-
cart-pro">
                                <a href="single.html"
class="link-product-add-cart">Quick View</a>
                            </div>
                        </div>
                        <span class="product-new-
top">New</span>
                    </div>
                    <div class="item-info-product ">
                        <h4><a

```

```

href="single.html">Steemo Casuals (Black)</a></h4>
                                <div class="info-product-
price">
                                <span
class="item_price">$90.99</span>
                                <del>$59.71</del>
                                </div>
                                <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
                                <form action="#"
method="post">
                                    <fieldset>
                                        <input
type="hidden" name="cmd" value="_cart" />
                                        <input
type="hidden" name="add" value="1" />
                                        <input
type="hidden" name="business" value=" " />
                                        <input
type="hidden" name="item_name" value="Steemo Casuals (Black)"
/>
                                        <input
type="hidden" name="amount" value="30.99" />
                                        <input
type="hidden" name="discount_amount" value="1.00" />
                                        <input
type="hidden" name="currency_code" value="USD" />
                                        <input
type="hidden" name="return" value=" " />
                                        <input
type="hidden" name="cancel_return" value=" " />
                                        <input
type="submit" name="submit" value="Add to cart" class="button"
/>
                                    </fieldset>
                                </form>
                                </div>
                                </div>
                                </div>
                                </div>
                                <div class="col-md-3 product-men">
                                    <div class="men-pro-item
simpleCart_shelfItem">
                                        <div class="men-thumb-item">
                                            
                                            
                                            <div class="men-cart-pro">

```

```

                                <div class="inner-men-
cart-pro">
                                <a href="single.html"
class="link-product-add-cart">Quick View</a>
                                </div>
                                </div>
                                <span class="product-new-
top">New</span>

                                </div>
                                <div class="item-info-product ">
                                    <h4><a
href="single.html">Benetton Flip Flops</a></h4>
                                    <div class="info-product-
price">
                                        <span
class="item_price">$40.99</span>
                                        <del>$99.71</del>
                                    </div>
                                    <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
                                        <form action="#"
method="post">
                                            <fieldset>
                                                <input
type="hidden" name="cmd" value="_cart" />
                                                <input
type="hidden" name="add" value="1" />
                                                <input
type="hidden" name="business" value=" " />
                                                <input
type="hidden" name="item_name" value="Benetton Flip Flops" />
                                                <input
type="hidden" name="amount" value="30.99" />
                                                <input
type="hidden" name="discount_amount" value="1.00" />
                                                <input
type="hidden" name="currency_code" value="USD" />
                                                <input
type="hidden" name="return" value=" " />
                                                <input
type="hidden" name="cancel_return" value=" " />
                                                <input
type="submit" name="submit" value="Add to cart" class="button"
/>
                                            </fieldset>
                                        </form>
                                    </div>

                                </div>

```

```

        </div>
    </div>
    <div class="col-md-3 product-men">
        <div class="men-pro-item
simpleCart_shelfItem">
            <div class="men-thumb-item">
                
                
                <div class="men-cart-pro">
                    <div class="inner-men-
cart-pro">
                        <a href="single.html"
class="link-product-add-cart">Quick View</a>
                    </div>
                </div>
                <span class="product-new-
top">New</span>

            </div>
            <div class="item-info-product ">
                <h4><a
href="single.html">Moonwalk Bellies </a></h4>
                <div class="info-product-
price">
                    <span
class="item_price">$80.99</span>
                    <del>$99.71</del>
                </div>
                <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
                    <form action="#"
method="post">
                        <fieldset>
                            <input
type="hidden" name="cmd" value="_cart" />
                            <input
type="hidden" name="add" value="1" />
                            <input
type="hidden" name="business" value=" " />
                            <input
type="hidden" name="item_name" value="Moonwalk Bellies" />
                            <input
type="hidden" name="amount" value="30.99" />
                            <input
type="hidden" name="discount_amount" value="1.00" />
                            <input
type="hidden" name="currency_code" value="USD" />
                            <input

```

```

type="hidden" name="return" value=" " />
                                <input
type="hidden" name="cancel_return" value=" " />
                                <input
type="submit" name="submit" value="Add to cart" class="button"
/>
                                </fieldset>
                                </form>
                                </div>

                                </div>
                                </div>
                                </div>
                                <div class="col-md-3 product-men">
                                <div class="men-pro-item
simpleCart_shelfItem">
                                <div class="men-thumb-item">
                                
                                
                                <div class="men-cart-pro">
                                <div class="inner-men-
cart-pro">
                                <a href="single.html"
class="link-product-add-cart">Quick View</a>
                                </div>
                                </div>
                                <span class="product-new-
top">New</span>

                                </div>
                                <div class="item-info-product ">
                                <h4><a href="single.html">Aero
Canvas Loafers </a></h4>
                                <div class="info-product-
price">
                                <span
class="item_price">$120.99</span>
                                <del>$199.71</del>
                                </div>
                                <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
                                <form action="#"
method="post">
                                <fieldset>
                                <input
type="hidden" name="cmd" value="_cart" />
                                <input
type="hidden" name="add" value="1" />

```

```

        <input
type="hidden" name="business" value=" " />
        <input
type="hidden" name="item_name" value="Aero Canvas Loafers" />
        <input
type="hidden" name="amount" value="30.99" />
        <input
type="hidden" name="discount_amount" value="1.00" />
        <input
type="hidden" name="currency_code" value="USD" />
        <input
type="hidden" name="return" value=" " />
        <input
type="hidden" name="cancel_return" value=" " />
        <input
type="submit" name="submit" value="Add to cart" class="button"
/>
    </fieldset>
</form>
</div>

</div>
</div>
</div>
<div class="col-md-3 product-men">
    <div class="men-pro-item
simpleCart_shelfItem">
        <div class="men-thumb-item">
            
            
            <div class="men-cart-pro">
                <div class="inner-men-
cart-pro">
                    <a href="single.html"
class="link-product-add-cart">Quick View</a>
                </div>
            </div>
            <span class="product-new-
top">New</span>

        </div>
        <div class="item-info-product ">
            <h4><a
href="single.html">Sparx Sporty Canvas Shoes</a></h4>
            <div class="info-product-
price">
                <span
class="item_price">$160.99</span>
                <del>$199.71</del>

```

```

        </div>
        <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
            <form action="#"
method="post">
                <fieldset>
                    <input
type="hidden" name="cmd" value="_cart" />
                    <input
type="hidden" name="add" value="1" />
                    <input
type="hidden" name="business" value=" " />
                    <input
type="hidden" name="item_name" value="Sparx Sporty Canvas
Shoes" />
                    <input
type="hidden" name="amount" value="30.99" />
                    <input
type="hidden" name="discount_amount" value="1.00" />
                    <input
type="hidden" name="currency_code" value="USD" />
                    <input
type="hidden" name="return" value=" " />
                    <input
type="hidden" name="cancel_return" value=" " />
                    <input
type="submit" name="submit" value="Add to cart" class="button"
/>
                </fieldset>
            </form>
        </div>

    </div>
</div>
<div class="col-md-3 product-men">
    <div class="men-pro-item
simpleCart_shelfItem">
        <div class="men-thumb-item">
            
            
            <div class="men-cart-pro">
                <div class="inner-men-
cart-pro">
                    <a href="single.html"
class="link-product-add-cart">Quick View</a>
                </div>
            </div>
        </div>
    </div>

```

```

                                <span class="product-new-
top">New</span>

                                </div>
                                <div class="item-info-product ">
                                    <h4><a
href="single.html">Women BLACK Heels</a></h4>
                                    <div class="info-product-
price">
                                        <span
class="item_price">$180.99</span>
                                        <del>$199.71</del>
                                    </div>
                                    <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
                                        <form action="#"
method="post">
                                            <fieldset>
                                                <input
type="hidden" name="cmd" value="_cart" />
                                                <input
type="hidden" name="add" value="1" />
                                                <input
type="hidden" name="business" value=" " />
                                                <input
type="hidden" name="item_name" value="Women BLACK Heels" />
                                                <input
type="hidden" name="amount" value="30.99" />
                                                <input
type="hidden" name="discount_amount" value="1.00" />
                                                <input
type="hidden" name="currency_code" value="USD" />
                                                <input
type="hidden" name="return" value=" " />
                                                <input
type="hidden" name="cancel_return" value=" " />
                                                <input
type="submit" name="submit" value="Add to cart" class="button"
/>
                                            </fieldset>
                                        </form>
                                    </div>
                                </div>
                            </div>
                        </div>
                    <div class="clearfix"></div>
                </div>
            </div>
        </div>
    </div>

```



```

        </div>
</div>
<!-- //new_arrivals -->
<!-- //we-offer -->
<div class="sale-w3ls">
    <div class="container">
        <h6>We Offer Flat <span class="text-white">40%</span>
Discount</h6>

        <a class="hvr-outline-out button2"
href="single.html">Shop Now </a>
    </div>
</div>
<!-- //we-offer -->

```

Views/pages/shop.php

```

<?php
    isset($_GET['page']) ? $page = $_GET['page'] : $page = "";
    isset($_GET['category']) ? $cat = $_GET['category'] : $cat
= "";

    $categories = getAll("categories");
?>
<!-- //banner_bottom_agile_info -->
<div class="page-head_agile_info_w3l">
    <div class="container">
        <h3><span>The right place for </span>shopping.</h3>
        <!--//w3_short-->
        <div class="services-breadcrumb">
            <div class="agile_inner_breadcrumb">

                <ul class="w3_short">
                    <li><a
href="index.php">Home</a><i>|</i></li>
                    <li>Shop</li>
                </ul>
            </div>
        </div>
        <!--//w3_short-->
    </div>
</div>

<!-- banner-bootom-w3-agileits -->
<div class="banner-bootom-w3-agileits">
    <div class="container">
        <!-- mens -->
        <form>
            <div class="col-md-4 products-left">
                <div class="filter-price">

```

```

        <h3>Filter By <span>Price</span></h3>
        <input type="range" min="10" max="1000"
name="range-price" id="range-price"/>
        <span id="range-span" class="text-center
mb-d-block"></span>
    </div>
    <div class="clearfix"></div>
</div>
<div class="col-md-8 products-right">
    <h5>Filter by <span>category</span> or
<span>gender</span> and sort <span>products</span></h5>
    <div class="sort-grid">
        <div class="sorting">
            <h6>Sort By:</h6>
            <select id="input-select-sort"
name="input-select-sort" class="form-control">
                <option value="1">Name (A -
Z)</option>
                <option value="2">Name (Z -
A)</option>
                <option value="3">Price (High -
Low)</option>
                <option value="4">Price (Low -
High)</option>
            </select>
            <div class="clearfix"></div>
        </div>
        <div class="sorting">
            <h6>Choose a category:</h6>
            <select class="form-control"
name="input-select-category" id="input-select-category"><!--
id="country2" onchange="change_country(this.value)"-->
                <?php
                    foreach ($categories as $category)
                    {
                        <?>
                            <option value='<?=$category-
>id?>' <?=$ isset($cat) && strtolower($category->name) == $cat
? "selected='selected'" : ""?><?=$category->name?></option>";
                        <?php }?>
                    </select>
                    <div class="clearfix"></div>
                </div>
                <div class="sorting">
                    <h6>Gender:</h6>
                    <input type="radio" id="gender1"
name="gender" class="mb-checkbox-gender" value="1"/>
                    <label for="gender1">Male</label>
                    <input type="radio" id="gender2"
name="gender" class="mb-checkbox-gender" value="2"/>
                    <label for="gender2">Female</label>

```

```

        </div>
        <div class="clearfix"></div>
    </div>
    <div class="clearfix"></div>
</div>
</form>

<div class="clearfix"></div>

<div class="container">
    <div class="row">
        <div class="col-xs-12">
            <div id="messageBoxShop" class="alert
alert-info text-center mb-d-none"></div>
        </div>
    </div>
</div>

<div class="single-pro" id="articles-container">
    <div class="clearfix"></div>
</div>
</div>
</div>
<!-- //mens -->

```

Views/pages/single.php

```

<?php
    isset($_GET['page']) ? $page = $_GET['page'] : $page = "";
    isset($_GET['id']) ? $id = $_GET['id'] : $id = "";

    $words = explode("-", $page);
    $sql = "SELECT a.id, a.name AS 'article_name', a.IDcat,
a.tag, g.id AS 'IDgender', g.name AS 'gender', CONCAT('$',
ag.priceNew) AS 'active_price',
        CONCAT('$', ag.priceOld) AS 'old_price',
ag.description, ag.image
        FROM articles_genders ag
        JOIN articles a ON ag.IDarticle = a.id
        JOIN genders g ON ag.IDgender = g.id
        WHERE a.id = :id";

    $query = $conn->prepare($sql);
    $query->bindParam(":id", $id);
    $query->execute();

    $row = $query->fetch();
?>
<div class="page-head_agile_info_w3l">
    <div class="container">

```

```

        <h3>Single <span>Page </span></h3>
        <!--/w3_short-->
        <div class="services-breadcrumb">
            <div class="agile_inner_breadcrumb">

                <ul class="w3_short">
                    <li><a
href="index.php">Home</a><i>|</i></li>
                    <li>Single Page</li>
                </ul>
            </div>
        </div>
    <!--//w3_short-->
</div>
</div>
<div class="container">
    <div class="row mb-d-flex-center">
        <div class="col-xs-12 col-sm-4">
            
article_name ?>" class="img-responsive" width="250"
height="250"/>
        </div>
        <div class="col-xs-12 col-sm-4">
            <h2><?= $row->article_name?> <span class="mb-table-
span"><?=$row->tag?></span></h2>
            <span class="mb-bold mb-fs"><?= $row->active_price
?></span>
            <del class="mb-fs"><?= $row->old_price ?></del>
            <span class="mb-fs">Gender: <?= $row->gender
?></span>
            <p><?= $row->description ?></p>
            <form>
                <input type="submit" name="submit" value="Add to
cart" class="btn mb-btn-action" />
            </form>
        </div>
    </div>
</div>
</div>

```

Views/pages/about.php

```

<!-- /banner_bottom_agile_info -->
<div class="page-head_agile_info_w3l">
    <div class="container">
        <h3>O autoru</h3>
        <!--/w3_short-->
        <div class="services-breadcrumb">
            <div class="agile_inner_breadcrumb">

                <ul class="w3_short">

```

```

        <li><a
href="index.php">Home</a><i>|</i></li>
        <li>About</li>
    </ul>
</div>
</div>
<!--//w3_short-->
</div>
</div>
<!-- /banner_bottom_agile_info -->
<div class="banner_bottom_agile_info">
    <div class="container">
        <div class="agile_ab_w3ls_info">
            <div class="col-md-6 ab_pic_w3ls">
                
            </div>
            <div class="col-md-6 ab_pic_w3ls_text_info mb-p">
                <h5>Martin Birišić <span> 22/21</span> </h5>
                <p>Smer: <strong>Internet
tehnologije</strong></p>
                <p>Godina: <strong>II</strong></p>
                <p>Index: <strong>22/21</strong></p>
                <p>Predmet: <strong>Web programiranje PHP
1</strong></p>
            </div>
            <div class="clearfix"></div>
        </div>
        <div class="banner_bottom_agile_info_inner_w3ls">
            <div class="col-md-6
wthree_banner_bottom_grid_three_left1 grid">
                <figure class="effect-roxy">
                    
                    <figcaption>
                        <h3><span>F</span>all Ahead</h3>
                        <p>New Arrivals</p>
                    </figcaption>
                </figure>
            </div>
            <div class="col-md-6
wthree_banner_bottom_grid_three_left1 grid">
                <figure class="effect-roxy">
                    
                    <figcaption>
                        <h3><span>F</span>all Ahead</h3>
                        <p>New Arrivals</p>
                    </figcaption>
                </figure>
            </div>
        </div>
    </div>

```

```

        <div class="clearfix"></div>
    </div>
</div>
</div>

```

Views/pages/profile.php

```

<div class="container">
    <div class="row">
        <div class="col-12">
            <h1 class="text-center mb-h1">Welcome, <?=
$_SESSION['user']->first_name?>!</h1>
        </div>
    </div>
</div>
<div class="container">
    <div class="row">
        <div class="col-12">
            <h3 class="text-center">Your name is <?=
$_SESSION['user']->first_name?> <?= $_SESSION['user']->
last_name?> and your email is <?= $_SESSION['user']->
email?></h3>
        </div>
    </div>
</div>
<div class="container">
    <div class="row">
        <div class="col-6 mx-auto">
            <form action="models/logout.php" method="POST"
class="mb-d-flex-center">
                <input class="btn mb-btn-action" type="submit"
id="mb-btn-logout" name="mb-btn-logout" value="Logout"/>
            </form>
        </div>
    </div>
</div>

```

Views/pages/contact.php

```

<!-- /banner_bottom_agile_info -->
<div class="page-head_agile_info_w3l">
    <div class="container">
        <h3>Contact <span> Us </span></h3>
        <!--/w3_short-->
        <div class="services-breadcrumb">
            <div class="agile_inner_breadcrumb">

                <ul class="w3_short">
                    <li><a
href="index.php">Home</a><i>|</i></li>

```

```

        <li>Contact</li>
    </ul>
</div>
</div>
<!--//w3_short-->
</div>
</div>
<!--/contact-->
<div class="banner_bottom_agile_info">
    <div class="container">
        <div class="contact-grid-agile-w3s">
            <div class="col-md-4 contact-grid-agile-w3">
                <div class="contact-grid-agile-w31">
                    <i class="fa fa-map-marker" aria-
hidden="true"></i>
                    <h4>Address</h4>
                    <p>12K Street, 45 Building Road
<span>California, USA.</span></p>
                </div>
            </div>
            <div class="col-md-4 contact-grid-agile-w3">
                <div class="contact-grid-agile-w32">
                    <i class="fa fa-phone" aria-
hidden="true"></i>
                    <h4>Call Us</h4>
                    <p>+1234 758 839<span>+1273 748
730</span></p>
                </div>
            </div>
            <div class="col-md-4 contact-grid-agile-w3">
                <div class="contact-grid-agile-w33">
                    <i class="fa fa-envelope-o" aria-
hidden="true"></i>
                    <h4>Email</h4>
                    <p><a
href="mailto:info@example.com">info@example1.com</a><span><a
href="mailto:info@example.com">info@example2.com</a></span></p>
                    </div>
                </div>
            </div>
            <div class="clearfix"> </div>
        </div>
    </div>
</div>
<div class="contact-w3-agile1 map" data-aos="flip-right">
    <iframe
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d100
949.24429313939!2d-
122.44206553967531!3d37.75102885910819!2m3!1f0!2f0!3f0!3m2!1i1
024!2i768!4f13.1!3m3!1m2!1s0x80859a6d00690021%3A0x4a501367f076

```

```

adff!2sSan+Francisco%2C+CA%2C+USA!5e0!3m2!1sen!2sin!4v14721901
96783" class="map" style="border:0"
allowfullscreen=""></iframe>
</div>
<div class="banner_bottom_agile_info">
  <div class="container">
    <div class="agile-contact-grids">
      <div class="agile-contact-left">
        <div class="col-md-6 address-grid">
          <h4>For More <span>Information</span></h4>
          <div class="mail-agileits-w3layouts">
            <i class="fa fa-volume-control-phone"
aria-hidden="true"></i>
            <div class="contact-right">
              <p>Telephone </p><span>+1
(100) 222-23-33</span>
            </div>
            <div class="clearfix"> </div>
          </div>
          <div class="mail-agileits-w3layouts">
            <i class="fa fa-envelope-o" aria-
hidden="true"></i>
            <div class="contact-right">
              <p>Mail </p><a
href="mailto:info@example.com">info@example.com</a>
            </div>
            <div class="clearfix"> </div>
          </div>
          <div class="mail-agileits-w3layouts">
            <i class="fa fa-map-marker" aria-
hidden="true"></i>
            <div class="contact-right">
              <p>Location</p><span>7784 Diamonds
street, California, US.</span>
            </div>
            <div class="clearfix"> </div>
          </div>
          <ul class="social-nav model-3d-0 footer-
social w3_agile_social two contact">
            <li class="share">SHARE ON : </li>
            <li><a href="#" class="facebook">
              <div class="front"><i
class="fa fa-facebook" aria-hidden="true"></i></div>
              <div class="back"><i class="fa
fa-facebook" aria-hidden="true"></i></div></a></li>
            <li><a href="#" class="twitter">
              <div class="front"><i
class="fa fa-twitter" aria-hidden="true"></i></div>
              <div class="back"><i class="fa
fa-twitter" aria-hidden="true"></i></div></a></li>
            <li><a href="#" class="instagram">

```



```

                <div class="front"><i
class="fa fa-instagram" aria-hidden="true"></i></div>
                <div class="back"><i class="fa
fa-instagram" aria-hidden="true"></i></div></a></li>
                <li><a href="#" class="pinterest">
                <div class="front"><i
class="fa fa-linkedin" aria-hidden="true"></i></div>
                <div class="back"><i class="fa
fa-linkedin" aria-hidden="true"></i></div></a></li>
            </ul>
        </div>
        <div class="col-md-6 contact-form">
            <h4 class="white-w3ls">Contact
<span>Form</span></h4>
            <form>
                <div class="styled-input agile-styled-
input-top">
                    <input type="text" name="Name"
id="contact-name"/>
                    <label>Name</label>
                    <span></span>
                </div>
                <div class="styled-input">
                    <input type="email" name="Email"
id="contact-email"/>
                    <label>Email</label>
                    <span></span>
                </div>
                <div class="styled-input">
                    <input type="text" name="Subject"
id="contact-subject"/>
                    <label>Subject</label>
                    <span></span>
                </div>
                <div class="styled-input">
                    <textarea rows="5" name="Message"
id="contact-message"></textarea>
                    <label>Message</label>
                    <span></span>
                </div>
                <input class="btn mb-btn-action"
type="button" name="btn-contact" id="btn-contact"
value="SEND"/>
                <div class="form-group mb-d-flex-
center">
                    <p class="alert alert-info text-
center mb-d-none" id="mb-contact-info"></p>
                </div>
            </form>
        </div>
    </div>

```

```

        <div class="clearfix"> </div>
    </div>
</div>
<!--//contact-->

```

Views/pages/admin_panel.php

```

<div class="container">
    <div class="row">
        <div class="col-12">
            <h1 class="text-center mb-h1">Welcome, <?=
$_SESSION['user']->first_name?>!/h1>
            <h4 class="text-center text-muted mb-h1">You're
currently viewing the <span class='mb-table-span' id='mb-
table-span'>$table</span> table</h4>
        </div>
    </div>
</div>
<div class="container">
    <div class="row">
        <div class="col-6 mx-auto">
            <form action="models/logout.php" method="POST"
class="mb-d-flex-center">
                <a class="btn mb-btn-action" href="#" id="mb-
btn-insert">Insert row</a>
                <input class="btn mb-btn-action" type="submit"
id="mb-btn-logout" name="mb-btn-logout" value="Logout"/>
            </form>
        </div>
    </div>
</div>
<div class="container-fluid">
    <div class="row">
        <div class="col-xs-12 col-sm-3 col-md-2 mb-d-flex-
center">
            <div class="dropdown-menu mb-dropdown stay-open">
                <h5 class="text-start table-header text-
muted">Choose a table</h5>
                <a href="#" class="table-link" data-
table="users">Display <span class="mb-table-span">Users</span>
Table</a>
                <a href="#" class="table-link" data-
table="articles">Display <span class="mb-table-
span">Articles</span> Table</a>
                <a href="#" class="table-link" data-
table="genders">Display <span class="mb-table-
span">Genders</span> Table</a>
                <a href="#" class="table-link" data-
table="categories">Display <span class="mb-table-
span">Categories</span> Table</a>
            </div>
        </div>
    </div>
</div>

```

```

        <a href="#" class="table-link" data-
table="articles_genders">Display <span class="mb-table-
span">Articles_genders</span> Table</a>

        </div>
    </div>
    <div class="col-xs-12 col-sm-9 col-md-10 table-
responsive">
        <p class="alert alert-info text-center" id="mb-
table-info">Choose a table from the sidemenu.</p>
        <table class="table table-striped table-bordered
table-hover" id="mb-table">

        </table>
        <p class="alert alert-danger mb-d-none text-
center" id="mb-table-message"></p>
    </div>
    <div class="clearfix"></div>
</div>
</div>

```

Views/pages/insert-articles.php

```

<?php
    isset($_GET['page']) ? $page = $_GET['page'] : $page = "";
    $words = explode("-", $page);

    $categories = getAll("categories");
?>
<div class="container">
    <div class="row">
        <div class="col-12">
            <h1 class="text-capitalize text-center mb-
h1"><?=$words[0] . " " . $words[1]?> page</h1>
        </div>
    </div>
</div>
<div class="container">
    <div class="row mb-d-flex-center">
        <div class="col-xs-12 col-sm-6">
            <form>
                <div class="form-group">
                    <label for="article-name">Article
name</label>
                    <input type="text" class="form-control"
id="article-name" name="article-name" placeholder="Example:
Running shoes..." />
                </div>
            <div class="form-group">

```

```

        <label for="article-tag">Article
Tag</label>
        <input type="text" class="form-control"
id="article-tag" name="article-tag" placeholder="Example:
New..." />
    </div>
    <div class="form-check">
        <label for="article-name">Choose a
Category</label>
        <select class="form-control"
name="article-category-select" id="article-category-select">
            <?php
                foreach ($categories as $category)
:
                    <?>
                    <option value="<?= $category->
>id?>"><?= $category->name ?></option>
                    <?php endforeach;?>
            </select>
        </div>
        <div class="form-group mb-d-flex-center">
            <input type="submit" class="btn mb-btn-
action" value="Add Article" name="btn-insert" id="btn-
insert" />
        </div>
        <div class="form-group mb-d-flex-center">
            <p class="alert alert-info text-center"
id="mb-insert-info">Here you can add a new article into the
database.</p>
        </div>
    </form>
</div>
</div>
</div>

```

Views/pages/insert-articles_genders.php

```

<?php
isset($_GET['page']) ? $page = $_GET['page'] : $page = "";
$words = explode("-", $page);

$categories = getAll("categories");
$articles = getAll("articles");
$genders = getAll("genders");
?>
<div class="container">
    <div class="row">
        <div class="col-12">
            <h1 class="text-capitalize text-center mb-
h1"><?=$words[0] . " " . $words[1]?> page</h1>
        </div>
    </div>

```

```

    </div>
</div>
<div class="container">
    <div class="row mb-d-flex-center">
        <div class="col-xs-12 col-sm-6">
            <form>
                <div class="form-check">
                    <label for="ag-article">Choose an
Article</label>
                    <select class="form-control" name="ag-
article" id="ag-article">
                        <?php
                            foreach ($articles as $article) :
                                ?>
                                    <option value="<?= $article-
>id?"><?= $article->name ?></option>
                                <?php endforeach;?>
                            </select>
                        </div>
                        <div class="form-check">
                            <label for="ag-gender">Choose a
Gender</label>
                            <select class="form-control" name="ag-
gender" id="ag-gender">
                                <?php
                                    foreach ($genders as $gender) :
                                        ?>
                                            <option value="<?= $gender-
>id?"><?= $gender->name ?></option>
                                        <?php endforeach;?>
                                    </select>
                                </div>
                                <div class="form-group">
                                    <label for="ag-new-price">Active
price</label>
                                    <input type="number" class="form-control"
min="0" id="ag-new-price" name="ag-new-price"/>
                                </div>
                                <div class="form-group">
                                    <label for="ag-old-price">Old price
(optional)</label>
                                    <input type="number" class="form-control"
min="0" id="ag-old-price" name="ag-old-price"/>
                                </div>
                                <div class="form-group">
                                    <label for="ag-desc">Description</label>
                                    <textarea class="form-control" name="ag-
desc" id="ag-desc" cols="30" rows="10"></textarea>
                                </div>
                                <div class="form-group">
                                    <label for="ag-img">Image path</label>

```

```

        <textarea class="form-control" name="ag-
img" id="ag-img" cols="30" rows="5"></textarea>
    </div>
    <div class="form-group mb-d-flex-center">
        <input type="submit" class="btn mb-btn-
action" value="Add Article Data" name="btn-insert" id="btn-
insert"/>
    </div>
    <div class="form-group mb-d-flex-center">
        <p class="alert alert-info text-center"
id="mb-insert-info">Here you can add additional article data
into the database.</p>
    </div>
</form>
</div>
</div>
</div>

```

Views/pages/insert-categories.php

```

<?php
    isset($_GET['page']) ? $page = $_GET['page'] : $page = "";
    $words = explode("-", $page);

    $categories = getAll("categories");
?>
<div class="container">
    <div class="row">
        <div class="col-12">
            <h1 class="text-capitalize text-center mb-
h1"><?=$words[0] . " " . $words[1]?> page</h1>
        </div>
    </div>
</div>
<div class="container">
    <div class="row mb-d-flex-center">
        <div class="col-xs-12 col-sm-6">
            <form>
                <div class="form-group">
                    <label for="category-name">Category
name</label>
                    <input type="text" class="form-control"
id="category-name" name="category-name"/>
                </div>
                <div class="form-group mb-d-flex-center">
                    <input type="submit" class="btn mb-btn-
action" value="Add Category" name="btn-insert" id="btn-
insert"/>
                </div>
                <div class="form-group mb-d-flex-center">
                    <p class="alert alert-info text-center"

```

```

id="mb-insert-info">Here you can add a new category into the
database.</p>
    </div>
  </form>
</div>
</div>
</div>

```

Views/pages/insert-pages.php

```

<?php
    isset($_GET['page']) ? $page = $_GET['page'] : $page = "";
    $words = explode("-", $page);

    $categories = getAll("categories");
?>
<div class="container">
    <div class="row">
        <div class="col-12">
            <h1 class="text-capitalize text-center mb-
h1"><?=$words[0] . " " . $words[1]?> page</h1>
        </div>
    </div>
</div>
<div class="container">
    <div class="row mb-d-flex-center">
        <div class="col-xs-12 col-sm-6">
            <form>
                <div class="form-group">
                    <label for="first-name">First Name</label>
                    <input type="text" class="form-control"
id="user-first-name" name="first-name" placeholder="Example:
Mika"/>
                </div>
                <div class="form-group">
                    <label for="last-name">Last Name</label>
                    <input type="text" class="form-control"
id="user-last-name" name="last-name" placeholder="Example:
Mikic"/>
                </div>
                <div class="form-group">
                    <label for="email">Email</label>
                    <input type="email" class="form-control"
id="user-email" name="email" placeholder="Example:
example@gmail.com"/>
                </div>
                <div class="form-group">
                    <label for="password">Password</label>
                    <input type="password" class="form-
control" name="password" id="user-password"/>
                </div>
            </form>
        </div>
    </div>
</div>

```

```

        <div class="form-group">
            <label for="password">Confirm
Password</label>
            <input type="password" class="form-
control" name="passwordConfirm" id="user-passwordConfirm"/>
        </div>
        <div class="form-group mb-d-flex-center">
            <input type="submit" class="btn mb-btn-
action" value="Add User" name="btn-insert" id="btn-insert"/>
        </div>
        <div class="form-group mb-d-flex-center">
            <p class="alert alert-info text-center"
id="mb-insert-info">Here you can add a new user into the
database.</p>
        </div>
    </form>
</div>
</div>
</div>

```

Models/utility.php

```

<?php
function redirect($page) {
    header("Location: $page");
}
?>

```

Models/table-show.php

```

<?php
session_start();
include "utility.php";
include "../config/conn.php";
include "functions.php";

if (!isset($_SESSION['user']) || $_SESSION['user']->role
!= "admin") {
    redirect("../index.php?page=profile");
}

header("Content-type: application/json");
if ($_SERVER['REQUEST_METHOD'] == 'GET') {
    $table = $_GET['table'];

    if ($conn) {
        switch ($table) {

```



```

        case 'users':
            $sql = "SELECT u.id, u.first_name,
u.last_name, u.email, u.password, r.role, u.date_added
                        FROM users u
                        JOIN roles r ON u.role_id =
r.id;";

            $query = $conn->prepare($sql);
            $query->execute();
            $result = $query->fetchAll();

            http_response_code(200);
            echo json_encode($result);
            break;
        case 'articles':
            $sql = "SELECT a.id, a.name, a.tag, c.name
AS 'category'
                        FROM articles a
                        JOIN categories c
                        ON a.IDcat = c.id";

            $query = $conn->prepare($sql);
            $query->execute();
            $result = $query->fetchAll();

            http_response_code(200);
            echo json_encode($result);

            break;
        case 'categories':
            $result = getAll($table);

            http_response_code(200);
            echo json_encode($result);

            break;
        case 'articles_genders':
            $sql = "SELECT ag.id, a.name AS 'article
name', g.name AS 'gender', CONCAT('$', ag.priceNew) AS 'active
price', CONCAT('$', ag.priceOld) AS 'old price',
ag.description, ag.image AS 'image path'
                        FROM articles_genders ag
                        JOIN articles a ON ag.IDarticle =
a.id
                        JOIN genders g ON ag.IDgender =
g.id";

            $query = $conn->prepare($sql);
            $query->execute();
            $result = $query->fetchAll();

```

```

        http_response_code(200);
        echo json_encode($result);

        break;
    case 'genders':
        $result = getAll($table);

        http_response_code(200);
        echo json_encode($result);

        break;
    default:
        $errors[] = "Error while retrieving
data...";

        $result = ["errors" => $errors];
        http_response_code(404);
        echo json_encode($result);
        break;
    }
}
else {
    echo $result = ["message" => "Nema konekcije sa
bazom."];
}
}
else {
    redirect("../index.php?page=about");
}

?>

```

Models/register.php

```

<?php
    session_start();
    include "utility.php";
    include "../config/conn.php";
    include "functions.php";

    #URL PROTECTION
    if (isset($_SESSION['user'])) {
        redirect("../index.php?page=profile");
    }

    header("Content-type: application/json");
    if ($_SERVER['REQUEST_METHOD'] == 'POST') {
        $firstName = $_POST['firstName'];
    }
}

```

```

        $lastName = $_POST['lastName'];
        $email = $_POST['email'];
        $password = $_POST['password'];
        $confirmPass = $_POST['passwordConfirm'];

        if ($conn) {
            $errors = registerInputsCheck($firstName,
$lastName, $email, $password, $confirmPass);

            if(count($errors) > 0){
                http_response_code(401); //unauthorized
                $result = ["message" => "Ima grešaka u unosu
podataka.",
                        "errors" => $errors];
                echo json_encode($result);
                die;
            }
            else{
                $hashPassword = md5($password .
"conststring");
                //upit za bazu
                $query = $conn->prepare("INSERT INTO users
(first_name,last_name,email,password,date_added) VALUES
(:first_name, :last_name, :email, :hashPassword, now())");

                //parameters
                $query->bindParam(':first_name', $firstName);
                $query->bindParam(':last_name', $lastName);
                $query->bindParam(':email', $email);
                $query->bindParam(':hashPassword',
$hashPassword);

                $query->execute(); // $result =

                //FIND THIS USER AND LOGIN
                $loggedUser = login($email, $password);

                if ($loggedUser) {
                    $_SESSION['user'] = $loggedUser;

                    if ($loggedUser->role == "buyer") {
                        http_response_code(200);
                        redirect("../index.php?page=about");
                        $result = ["message" => "Uspešan
unos."];
                        echo json_encode($result);
                    }
                }
                else {
                    http_response_code(404);

```

```

        $errors[] = "Greška u registraciji.";
        $errors = ["errors" => $errors];
        echo json_encode($errors);
    }

    }
}
else {
    echo $result = ["message" => "Nema konekcije sa
bazom."];
}
}else {
    redirect("../index.php?page=about");
}
?>

```

Models/logout.php

```

<?php
    session_start();
    include ("utility.php");
    if (isset($_SESSION['user'])) {
        session_destroy();
        redirect("../index.php");
    }
    redirect("../index.php");
?>

```

Models/login.php

```

<?php
    session_start();
    include "utility.php";
    include "../config/conn.php";
    include "functions.php";

    #URL PROTECTION
    if (isset($_SESSION['user'])) {
        redirect("../index.php?page=profile");
    }

    header("Content-type: application/json");
    if($_SERVER['REQUEST_METHOD'] ==
"POST") {
        if(isset($_POST['btn-login']))
            $email = $_POST['loginEmail'];
            $password = $_POST['loginPassword'];

            if ($conn) {
                #VALIDATE LOGIN INPUTS
                $errors = loginInputsCheck($email, $password);
            }
        }
    }
}
?>

```

```

        if(count($errors) > 0){
            http_response_code(401);
            $result = ["message" => "Ima grešaka u unosu
podataka.",
                    "errors" => $errors];
            echo json_encode($result);
            die;
        }
        else {
            //FIND THIS USER AND LOGIN
            $loggedUser = login($email, $password);
            if ($loggedUser) {
                $_SESSION['user'] = $loggedUser;

                if ($loggedUser->role == "buyer") {
                    http_response_code(200);
                    $result = ["message" => "Uspešno
logovanje."];
                    echo json_encode($result);
                }
                else {
                    //ADMIN
                    http_response_code(200);
                    $result = ["message" => "Uspešno ste
se ulogovali."];
                    echo json_encode($result);
                }
            }
            else {
                http_response_code(404);
                $errors[] = "Greška u logovanju.";
                $errors = ["errors" => $errors];
                echo json_encode($errors);
            }
        }
    }
    else {
        echo $result = ["message" => "Nema konekcije sa
bazom."];
    }
}
else{
    redirect("../index.php?page=about");
}
}
?>

```

Models/insert-users.php

```

<?php
    session_start();
    include "utility.php";

```

```

include "../config/conn.php";
include "functions.php";

#URL PROTECTION
if (!isset($_SESSION['user']) || $_SESSION['user']->role
!= "admin") {
    redirect("../index.php?page=profile");
}

header("Content-type: application/json");
if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    $firstName = $_POST['firstName'];
    $lastName = $_POST['lastName'];
    $email = $_POST['email'];
    $password = $_POST['password'];
    $confirmPass = $_POST['passwordConfirm'];

    if ($conn) {
        $errors = registerInputsCheck($firstName,
$lastName, $email, $password, $confirmPass);

        if(count($errors) > 0){
            http_response_code(401); //unauthorized
            $result = ["message" => "Ima grešaka u unosu
podataka.",
                "errors" => $errors];
            echo json_encode($result);
            die;
        }
        else {
            $hashPassword = md5($password .
"conststring");
            //upit za bazu
            $query = $conn->prepare("INSERT INTO users
(first_name,last_name,email,password,date_added) VALUES
(:first_name, :last_name, :email, :hashPassword, now())");

            //parameters
            $query->bindParam(':first_name', $firstName);
            $query->bindParam(':last_name', $lastName);
            $query->bindParam(':email', $email);
            $query->bindParam(':hashPassword',
$hashPassword);

            $query->execute(); // $result =

            //FIND THIS USER AND LOGIN
            $loggedUser = login($email, $password);

            http_response_code(200);

```

```

        $result = ["message" => "Uspešan unos
korisnika u bazu."];
        echo json_encode($result);
    }
}
else {
    echo $result = ["message" => "Nema konekcije sa
bazom."];
}
} else {
    redirect("../index.php?page=about");
}
?>

```

Models/insert-categories.php

```

<?php
    session_start();
    include "utility.php";
    include "../config/conn.php";
    include "functions.php";

    if (!isset($_SESSION['user']) || $_SESSION['user']->role
!= "admin") {
        redirect("../index.php?page=profile");
    }

    if ($_SERVER['REQUEST_METHOD'] == 'POST') {
        $categoryName = $_POST['categoryName'];

        $errors = [];
        #PROVERA
        if (empty($categoryName)) {
            $errors[] = "Naziv kategorije ne sme biti
prazan!";
        }

        if (count($errors) == 0) {
            if ($conn) {
                $insert = insertCategory($categoryName);

                if ($insert) {
                    $result = ["message" => "Kategorija
uspešno dodata."];
                    $status = 201; //Created
                }
                else {
                    $errors[] = "Greška prilikom unosa.";
                    $result = ["errors" => $errors];
                    $status = 500; //Internal server error
                }
            }
        }
    }
}

```

```

        http_response_code($status);
        echo json_encode($result);
    }
    else {
        echo $result = ["message" => "Nema konekcije
sa bazom."];
    }
}
else {
    $result = ["errors" => $errors];
    http_response_code(406); //Not acceptable
    echo json_encode($result);
}
}
else {
    redirect("../index.php?page=about");
}
?>

```

Models/insert-articles_genders.php

```

<?php
    session_start();
    include "utility.php";
    include "../config/conn.php";
    include "functions.php";

    if (!isset($_SESSION['user']) || $_SESSION['user']->role
!= "admin") {
        redirect("../index.php?page=profile");
    }

    if ($_SERVER['REQUEST_METHOD'] == 'POST') {
        $IDarticle = $_POST['IDarticle'];
        $IDgender = $_POST['IDgender'];
        $priceNew = $_POST['priceNew'];
        $priceOld = $_POST['priceOld'];
        $description = $_POST['description'];
        $image = $_POST['image'];

        $errors = [];
        #PROVERA
        if (empty($priceNew) || $priceNew <= 0 || $priceOld <=
0){
            $errors[] = "Cena mora biti pozitivan broj!";
        }
        if (empty($priceOld)){
            $priceOld = NULL;
        }
    }
}

```



```

        if (empty($description)){
            $errors[] = "Opis artikla mora postojati!";
        }
        if (empty($image)){
            $errors[] = "Putanja do slike artikla mora
postojati!";
        }

        if (count($errors) == 0){
            if ($conn){
                $insert =
insertArticleGender($IDarticle,$IDgender,$priceNew,$priceOld,$
description,$image);
                if ($insert){
                    $result = ["message" => "Dodatne
informacije o artiklu su uspešno dodate u bazu."];
                    $status = 201;//Created
                }
                else {
                    $errors[] = "Greška prilikom unosa
(Kombinacija izabranih vrednosti za artikal i pol možda već
postoji).";
                    $result = ["errors" => $errors];
                    $status = 500;//Internal server error
                }

                http_response_code($status);
                echo json_encode($result);
            }
            else {
                echo $result = ["message" => "Nema konekcije
sa bazom."];
            }
        }
        else {
            $result = ["errors" => $errors];
            http_response_code(406);//Not acceptable
            echo json_encode($result);
        }
    }
    else {
        redirect("../index.php?page=about");
    }
}
?>

```

Models/insert-articles.php

```

<?php
    session_start();
    include "utility.php";
    include "../config/conn.php";

```

```

include "functions.php";

if (!isset($_SESSION['user']) || $_SESSION['user']->role
!= "admin") {
    redirect("../index.php?page=profile");
}

if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    $name = $_POST['name'];
    $tag = $_POST['tag'];
    $IDcat = $_POST['IDcat'];

    $errors = [];
    #PROVERA
    if (empty($name)) {
        $errors[] = "Naziv ne sme biti prazan!";
    }
    if (empty($tag)) {
        $tag = NULL;
    }
    if (count($errors) == 0) {
        if ($conn) {
            $insert = insertArticle($name, $tag, $IDcat);

            if ($insert) {
                $result = ["message" => "Artikal uspešno
dodat."];
                $status = 201; //Created
            }
            else {
                $errors[] = "Greška prilikom unosa.";
                $result = ["errors" => $errors];
                $status = 500; //Internal server error
            }

            http_response_code($status);
            echo json_encode($result);
        }
        else {
            echo $result = ["message" => "Nema konekcije
sa bazom."];
        }
    }
    else {
        $result = ["errors" => $errors];
        http_response_code(406); //Not acceptable
        echo json_encode($result);
    }
}
else {
    redirect("../index.php?page=about");
}

```

```
}
?>
```

Models/functions.php

```
<?php
function registerInputsCheck($firstName, $lastName,
$email, $password, $passwordConfirm){
    global $conn;

    $reFullName = "/^([A-ZŠČĆĐŽ][a-zšććđž]{2,14}){1,3}$/";
    $rePassword = "/^[A-Za-z\d]{8,20}$/"; // (?=.*[A-Za-
z])(?=.*\d)

    $errors = [];

    #KRIPTUJ SIFRU!

    if (!preg_match($reFullName, $firstName)){
        $errors[] = "Ime mora sadržati bar jedno veliko
slovo i maksimum 15 malih.";
    }
    if (!preg_match($reFullName, $lastName)) {
        $errors[] = "Prezime mora sadržati bar jedno
veliko slovo i maksimum 15 malih.";
    }
    if (!filter_var($email, FILTER_VALIDATE_EMAIL)){
        $errors[] = "Email nije u dobrom formatu. Primer:
username@gmail.com...";
    } else {
        $query = "SELECT COUNT(*) as count FROM users
WHERE email = '$email'";
        $result = $conn->query($query)->fetch();
        if ($result->count > 0) {
            $errors[] = "Email je već u upotrebi!";
        }
    }
    if (!preg_match($rePassword, $password)) {
        $errors[] = "Lozinka mora sadržati 8-20 karaktera
i to samo slova i brojeve.";
    }
    else {
        if ($passwordConfirm != $password) {
            $errors[] = "Lozinke nisu iste!";
        }
    }

    return $errors;
}

function logIn($email, $password){
```

```

    global $conn;

    $hashPassword = md5($password . "conststring");

    $query = $conn->prepare("SELECT u.id, u.first_name,
u.last_name, u.email, r.role FROM users u INNER JOIN roles r
ON u.role_id = r.id WHERE u.email = :email AND u.password =
:hashPassword");

    $query->bindParam(":email", $email);
    $query->bindParam(":hashPassword", $hashPassword);

    $query->execute();

    $result = $query->fetch();

    return $result;
}

function loginInputsCheck($email, $password) {
    $rePassword = "/^[A-Za-z\d]{8,20}$/";

    $errors = [];

    if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        $errors[] = "Email nije u dobrom formatu. Primer:
username@gmail.com...";
    }

    if (!preg_match($rePassword, $password)) {
        $errors[] = "Lozinka mora sadržati 8-20 karaktera
i to samo slova i brojeve.";
    }
    return $errors;
}

function contactInputsCheck($name, $email) {
    $reName = "/^([A-ZŠČĆĐŽ][a-zšććđž]{2,14}){1,3}$/";

    $errors = [];

    if (!preg_match($reName, $name)) {
        $errors[] = "Ime mora sadržati bar jedno veliko
slovo i maksimum 15 malih.";
    }
    if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        $errors[] = "Email nije u dobrom formatu. Primer:
username@gmail.com...";
    }

    return $errors;
}

```

```

}

function printNavigation() {
    global $conn;

    $query = "SELECT * FROM `navigation`";

    $result = $conn->query($query)->fetchAll();

    return $result;
}

function getAll($table) {
    global $conn;

    $query = $conn->prepare("SELECT * FROM $table");
    $query->execute();
    $result = $query->fetchAll();

    return $result;
}

function insertArticle($name, $tag, $IDcat) {
    global $conn;

    $sql = "INSERT INTO articles (name, tag, IDcat)
            VALUES (:name, :tag, :IDcat)";

    $query = $conn->prepare($sql);
    $query->bindParam(":name", $name);
    $query->bindParam(":tag", $tag);
    $query->bindParam(":IDcat", $IDcat);

    $result = $query->execute();

    return $result;
}

function insertCategory($categoryName) {
    global $conn;

    $sql = "INSERT INTO categories (name)
            VALUES (:categoryName)";

    $query = $conn->prepare($sql);
    $query->bindParam(":categoryName", $categoryName);

    $result = $query->execute();

    return $result;
}

```

```

function
insertArticleGender($IDarticle,$IDgender,$priceNew,$priceOld,$
description,$image){
    global $conn;
    $result = "";
    $sql = "INSERT INTO articles_genders (IDarticle,
IDgender, priceNew, priceOld, description, image)
VALUES
(:IDarticle,:IDgender,:priceNew,:priceOld,:description,:image)
;";

    $query = $conn->prepare($sql);
    $query->bindParam(":IDarticle", $IDarticle);
    $query->bindParam(":IDgender", $IDgender);
    $query->bindParam(":priceNew", $priceNew);
    $query->bindParam(":priceOld", $priceOld);
    $query->bindParam(":description", $description);
    $query->bindParam(":image", $image);

    try {
        $result = $query->execute();
    }
    catch (PDOException $e){

    }

    return $result;
}

function deleteRow($table, $id){
    global $conn;

    $sql = "DELETE FROM " . $table. " WHERE id = :id";

    $query = $conn->prepare($sql);
    $query->bindParam(":id", $id);

    $query->execute();

    $rowCount = $query->rowCount();

    return $rowCount;
}
?>

```

Models/delete-row.php

```

<?php
session_start();
include "utility.php";

```

```

include "../config/conn.php";
include "functions.php";

if (!isset($_SESSION['user']) || $_SESSION['user']->role !=
"admin") {
    redirect("../index.php?page=profile");
}

header("Content-type: application/json");
if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    $table = $_POST['tableName'];
    $id = $_POST['id'];

    if ($conn){

        $result = [];
        $deletedRowCount = deleteRow($table, $id);

        if ($deletedRowCount > 0){
            #GET REFRESHED ROWS
            $sql = "SELECT u.id, u.first_name, u.last_name,
u.email, u.password, r.role, u.date_added
            FROM users u
            JOIN roles r ON u.role_id = r.id;";
            $query = $conn->prepare($sql);
            $query->execute();
            $result = $query->fetchAll();
            $status = 200;
        }
        else {
            $errors[] = "Greška prilikom brisanja.";
            $result = ["errors" => $errors];
            $status = 500;//Internal server error
        }
        http_response_code($status);
        echo json_encode($result);
    }
    else {
        echo $result = ["message" => "Nema konekcije sa
bazom."];
    }
}
else {
    redirect("../index.php?page=about");
}

?>

```

Models/contact.php

```

<?php
session_start();
include "utility.php";
include "../config/conn.php";
include "functions.php";

header("Content-type: application/json");
if($_SERVER['REQUEST_METHOD'] == "POST"){
    $name = $_POST['contactName'];
    $email = $_POST['contactEmail'];
    $subject = $_POST['contactSubject'];
    $message = $_POST['contactMessage'];

    #VALIDATE LOGIN INPUTS
    $errors = contactInputsCheck($name, $email);
    if(count($errors) > 0){
        $result = ["message" => "Ima grešaka u unosu
podataka.",
                    "errors" => $errors];
        http_response_code(401);
        echo json_encode($result);
        die;
    }
    else {
        //SEND EMAIL
        if (mail("birisicmartin02@gmail.com", $subject,
$message)) {
            http_response_code(200);
            $result = ["message" => "Poruka uspešno
poslata."];
            echo json_encode($result);
        }
        else {
            $errors[] = "Greška u slanju poruke.";
            http_response_code(500);
            $errors = ["errors" => $errors];
            echo json_encode($errors);
        }
    }
}
else{
    redirect("../index.php?page=about");
}
?>

```

Config/conn.php

```

<?php
$host = "localhost";

```



```

    $database = "elite-shop";
    $server = "mysql";
    $username = "root";
    $password = "";

    try {
        $conn = new
PDO($server.":host=".$host.";dbname=".$database.";charset=utf8
", $username, $password);
        $conn->setAttribute(PDO::ATTR_ERRMODE,
PDO::ERRMODE_EXCEPTION);
        $conn->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE,
PDO::FETCH_OBJ);
    }
    catch (PDOException $ex) {
        echo $ex->getMessage();
    }
?>

```

JAVASCRIPT

Js/main.js

```

var topNavbar = document.getElementById("home");
var tableName = "";
var reFullName = /^[A-ZŠČĆĐŽ][a-zščćđž]{2,14}){1,3}$/;
var reEmail = /^[a-zA-Z0-9._%+-]+@[a-zA-Z0-9.-]+\.[a-zA-Z0-9.-]+)$/;
var rePassword = /^[A-Za-z\d]{8,20}$/;
var errors = [];

$(document).ready(function () {
    //REGISTER
    $("#mb-form-register").on("submit", function (e) {
        e.preventDefault();

        let messageBoxRegister = document.getElementById("mb-
register-message");

        let firstName = document.getElementById("first-
name").value;
        let lastName = document.getElementById("last-
name").value;
        let email = document.getElementById("email").value;
        let password =
document.getElementById("password").value;
        let passwordConfirm =
document.getElementById("password-confirm").value;

```

```

        errors = [];

        //PROVERA
        regexValidation(reFullName, firstName,
messageBoxRegister);
        regexValidation(reFullName, lastName,
messageBoxRegister);
        regexValidation(reEmail, email, messageBoxRegister);
        regexValidation(rePassword, password,
messageBoxRegister);
        regexValidation(rePassword, passwordConfirm,
messageBoxRegister);

        if (passwordConfirm != password){
            errors.push("Lozinke se ne poklapaju!");
        }

        if (errors.length > 0){
            messageBoxRegister.innerHTML = "";
            messageBoxRegister.classList.remove("alert-info");
            messageBoxRegister.classList.add("alert-danger");
            messageBoxRegister.classList.remove("mb-d-none");
            messageBoxRegister.classList.add("mb-d-block");

            for (let err in errors) {
                //NO DUPLICATE ERRORS
                if (errors[err] != errors[err-1]) {
                    messageBoxRegister.innerHTML +=
errors[err] + "<br/>";
                }
            }
        }
        else {
            messageBoxRegister.classList.remove("mb-d-block");
            messageBoxRegister.classList.add("mb-d-none");
            messageBoxRegister.innerHTML = "";

            let data = {
                firstName: firstName,
                lastName: lastName,
                email: email,
                password: password,
                passwordConfirm: passwordConfirm
            };

            ajaxCallback("register.php", "post", data, messageBoxRegister,
function (result){
                messageBoxRegister.innerHTML = "";
                messageBoxRegister.classList.remove("mb-d-
none");

```

```

        messageBoxRegister.classList.add("mb-d-
block");
        messageBoxRegister.classList.remove("alert-
danger");
        messageBoxRegister.classList.add("alert-
info");
        messageBoxRegister.innerHTML = result.message;
        window.location.href = "index.php?page=shop";
        if (topNavbar) topNavbar.remove();
    });
}

});

//LOGIN
$("#mb-form-login").on("submit", function (e){
    e.preventDefault();

    let messageBoxLogin = document.getElementById("mb-
login-message");
    let email = document.getElementById("login-
email").value;
    let password = document.getElementById("login-
password").value;

    errors = [];

    //PROVERA
    regexValidation(reEmail, email, messageBoxLogin);
    regexValidation(rePassword, password,
messageBoxLogin);

    if (errors.length > 0){
        messageBoxLogin.innerHTML = "";
        messageBoxLogin.classList.remove("alert-info");
        messageBoxLogin.classList.add("alert-danger");
        messageBoxLogin.classList.remove("mb-d-none");
        messageBoxLogin.classList.add("mb-d-block");

        for (let err of errors) {
            messageBoxLogin.innerHTML += err + "<br/>";
        }
    }
    else {
        messageBoxLogin.classList.remove("mb-d-block");
        messageBoxLogin.classList.add("mb-d-none");
        messageBoxLogin.innerHTML = "";

        let data = {
            loginEmail: email,

```

```

        loginPassword: password
    };

ajaxCallback("login.php", "post", data, messageBoxLogin, function
(result) {
    messageBoxLogin.innerHTML = "";
    messageBoxLogin.classList.remove("mb-d-none");
    messageBoxLogin.classList.add("mb-d-block");
    messageBoxLogin.classList.remove("alert-
danger");
    messageBoxLogin.classList.add("alert-info");
    messageBoxLogin.innerHTML = result.message;
    window.location.href = "index.php?page=shop";
    if (topNavbar) topNavbar.remove();
});
})
})

//CONTACT
$("#btn-contact").on("click", function (e) {
    e.preventDefault();

    let messageBox = document.getElementById("mb-contact-
info");
    let name = document.getElementById("contact-
name").value;
    let email = document.getElementById("contact-
email").value;
    let subject = document.getElementById("contact-
subject").value;
    let message = document.getElementById("contact-
message").value;

    errors = [];

    regexValidation(reFullName, name, messageBox);
    regexValidation(reEmail, email, messageBox);

    if (subject.length == 0 || message.length == 0) {
        errors.push("Niste uneli sva polja!");
    }

    if (errors.length > 0) {
        messageBox.innerHTML = "";
        messageBox.classList.remove("alert-info");
        messageBox.classList.add("alert-danger");
        messageBox.classList.remove("mb-d-none");
        messageBox.classList.add("mb-d-block");

        for (let err of errors) {
            messageBox.innerHTML += err + "<br/>";
        }
    }
});

```

```

    }
}
else {
    messageBox.classList.remove("mb-d-block");
    messageBox.classList.add("mb-d-none");
    messageBox.innerHTML = "";

    let data = {
        contactName: name,
        contactEmail: email,
        contactSubject: subject,
        contactMessage: message
    };

    ajaxCallback("contact.php", "post", data, messageBox,
function (result) {
    messageBox.innerHTML = "";
    messageBox.classList.remove("mb-d-none");
    messageBox.classList.add("mb-d-block");
    messageBox.classList.remove("alert-danger");
    messageBox.classList.add("alert-info");
    messageBox.innerHTML = result.message;

    });
}
})

//LOAD TABLE
$(".table-link").on("click", function(e) {
    e.preventDefault();

    let messageBoxInfo = document.getElementById("mb-
table-info");
    let messageBoxTable = document.getElementById("mb-
table-message");
    let tableSpan = document.getElementById("mb-table-
span");

    messageBoxInfo.classList.remove("mb-d-block");
    messageBoxInfo.classList.add("mb-d-none");

    //GET CHOSEN TABLE NAME
    tableName = $(this).data('table');
    tableSpan.textContent = tableName.toUpperCase();

    //DISABLE GENDER INSERTS
    if (tableName == "genders") {
        $("#mb-btn-insert").addClass("mb-disabled");
    }
    else {
        $("#mb-btn-insert").removeClass("mb-disabled");
    }
}

```

```

        let data = {
            table: tableName
        };

        ajaxCallback("table-show.php", "get", data,
messageBoxTable, function (result){
            messageBoxTable.innerHTML = "";
            messageBoxTable.classList.remove("mb-d-block");
            messageBoxTable.classList.add("mb-d-none");

            refreshTable(result);
        });
    });

    //INSERT
    $("#mb-btn-insert").on("click", function (e) {
        e.preventDefault();
        if (tableName){
            //DISABLE GENDER INSERTS
            if (tableName != "genders"){
                window.location.href = `index.php?page=insert-${tableName}`;
            }
        }
        else {
            $("#mb-table-info").text("You haven't chosen any
table.");
        }
    });

    //ON INSERT PAGE
    $("#btn-insert").on("click", function (e){
        e.preventDefault();
        let messageBox = document.getElementById("mb-insert-
info");
        let url = window.location.search;
        url = url.replace("?page=", '');
        messageBox.textContent = "";

        if (url == "insert-articles"){
            let data = {
                name: $("#article-name").val(),
                tag: $("#article-tag").val(),
                IDcat: $("#article-category-select").val()
            }

            //PAGE IN MODELS FOLDER
            ajaxCallback("insert-articles.php", "post", data,
messageBox, function (result){
                messageBox.classList.remove("alert-danger");
            });
        }
    });

```

```

        messageBox.classList.add("alert-info");
        messageBox.textContent = result.message;
    })
}
if (url == "insert-users"){
    let data = {
        firstName: $("#user-first-name").val(),
        lastName: $("#user-last-name").val(),
        email: $("#user-email").val(),
        password: $("#user-password").val(),
        passwordConfirm: $("#user-
passwordConfirm").val()
    }

    //PAGE IN MODELS FOLDER
    ajaxCallback("insert-users.php", "post", data,
messageBox, function (result){
        messageBox.classList.remove("alert-danger");
        messageBox.classList.add("alert-info");
        messageBox.textContent = result.message;
    })
}
if (url == "insert-categories"){
    let data = {
        categoryName: $("#category-name").val()
    };
    ajaxCallback("insert-
categories.php", "post", data, messageBox, function (result){
        messageBox.classList.remove("alert-danger");
        messageBox.classList.add("alert-info");
        messageBox.textContent = result.message;
    });
}
if (url == "insert-articles_genders"){
    let data = {
        IDarticle: $("#ag-article").val(),
        IDgender: $("#ag-gender").val(),
        priceNew: $("#ag-new-price").val(),
        priceOld: $("#ag-old-price").val(),
        description: $("#ag-desc").val(),
        image: $("#ag-img").val()
    };

    ajaxCallback("insert-
articles_genders.php", "post", data, messageBox, function
(result){
        messageBox.classList.remove("alert-danger");
        messageBox.classList.add("alert-info");
        messageBox.textContent = result.message;
    });
}

```

```

    })

    //DELETE USER
    $(document).on("click", ".mb-btn-delete", function (e) {
        e.preventDefault();
        let hasConfirmed = confirm("Upozorenje! Ova akcija
briše izabrani red u bazi zauvek. Ako želite da nastavite sa
akcijom, potvrdite klikom na OK.");

        if (hasConfirmed) {
            let messageBox = document.getElementById("mb-
table-info");

            let IDrow = $(this).data('id');

            let data = {
                tableName: tableName,
                id: IDrow
            };

            ajaxCallback("delete-row.php", "post", data,
messageBox, function (result) {
                // messageBox.classList.remove("mb-d-none");
                // messageBox.classList.add("mb-d-block");
                messageBox.classList.remove("alert-danger");
                messageBox.classList.add("alert-info");
                // messageBox.textContent = result.message;

                //REFRESH TABLE
                refreshTable(result);
            });
        }
    })

    //MODIFY
    $(document).on("click", ".mb-btn-edit", function (e) {
        e.preventDefault();

        let IDrow = $(this).data('id');

        window.location.href = `index.php?page=edit-
${tableName}&id=${IDrow}`;
    });

    //ON MODIFY PAGE
    $("#btn-edit").on("click", function (e) {
        e.preventDefault();

        let messageBox = document.getElementById("mb-edit-
info");
        let url = window.location.search;

```



```

let variables = url.split("&");
let page = variables[0].replace("?page=", '');
let id = variables[1].replace("id=", '');

messageBox.textContent = "";

if (page == "edit-users"){
    let data = {
        id: id,
        firstName: $("#user-first-name").val(),
        lastName: $("#user-last-name").val(),
        email: $("#user-email").val(),
        password: $("#user-password").val(),
        passwordConfirm: $("#user-
passwordConfirm").val()
    };

    ajaxCallback("edit-users.php", "post", data,
messageBox, function (result) {
        messageBox.classList.remove("alert-danger");
        messageBox.classList.add("alert-info");
        messageBox.textContent = result.message;
        window.location.href =
`index.php?page=admin_panel`;
    });
}
if (page == "edit-articles") {
    let data = {
        id: id,
        name: $("#article-name").val(),
        tag: $("#article-tag").val(),
        IDcat: $("#article-category-select").val()
    };

    ajaxCallback("edit-articles.php", "post", data,
messageBox, function (result) {
        messageBox.classList.remove("alert-danger");
        messageBox.classList.add("alert-info");
        messageBox.textContent = result.message;
        window.location.href =
`index.php?page=admin_panel`;
    });
}
if (page == "edit-categories"){
    let data = {
        id: id,
        name: $("#category-name").val(),
    };

    ajaxCallback("edit-categories.php", "post", data,
messageBox, function (result) {

```

```

        messageBox.classList.remove("alert-danger");
        messageBox.classList.add("alert-info");
        messageBox.textContent = result.message;
        window.location.href =
`index.php?page=admin_panel`;
    });
}
if (page == "edit-articles_genders"){
    let data = {
        id: id,
        IDarticle: $("#ag-article").val(),
        IDgender: $("#ag-gender").val(),
        priceNew: $("#ag-new-price").val(),
        priceOld: $("#ag-old-price").val(),
        description: $("#ag-desc").val(),
        image: $("#ag-img").val()
    };

    ajaxCallback("edit-
articles_genders.php", "post", data, messageBox, function
(result){
        messageBox.classList.remove("alert-danger");
        messageBox.classList.add("alert-info");
        messageBox.textContent = result.message;
        window.location.href =
`index.php?page=admin_panel`;
    });
}
})

//ON SHOP PAGE
let url = window.location.search;
let variables = url.split("&");
let page = variables[0].replace("?page=", '');
// let id = variables[1].replace("id=", '');
// if (window.location.pathname ==
"/EliteShoppy/index.php"){
    if (page == "shop") {
        let messageBox =
document.getElementById("messageBoxShop");
        let container = document.getElementById("articles-
container");

        let inputSearch = "";
        let inputPrice = $("#range-price").val(); //string
        let inputSort = "1";
        let inputCategory = $("#input-select-category").val();
        let inputGender = "";

        let data = {
            inputSearch: inputSearch,

```

```

        inputPrice: inputPrice,
        inputSort: inputSort,
        inputCategory: inputCategory,
        inputGender: inputGender
    }

    //SEND 1 DEFAULT AJAX FOR FIRST TIME LOADING WITH
    DEFAULT FILTERS
    ajaxCallback("get-articles.php", "get", data,
messageBox, function (result){
    messageBox.classList.remove("mb-d-block");
    messageBox.classList.add("mb-d-none");

    printArticles(result);
});

//INPUT SEARCH
$("#btn-input-search").on("click", function (e){
    e.preventDefault();

    if ($("#input-search").val()){
        data.inputSearch = ($("#input-search").val());
    }
    else {
        data.inputSearch = "";
    }

    container.innerHTML = "";
    ajaxCallback("get-articles.php", "get", data,
messageBox, function (result){
        messageBox.classList.remove("mb-d-block");
        messageBox.classList.add("mb-d-none");

        printArticles(result);
    });
});

// INPUT RANGE
$("#range-span").text("$" + ($("#range-
price").val())); // first time bind
$("#range-price").on("change", function (){
    $("#range-span").text("$" + ($("#range-
price").val()));

    data.inputPrice = ($("#range-price").val());

    container.innerHTML = "";

    ajaxCallback("get-articles.php", "get", data,
messageBox, function (result){
        messageBox.classList.remove("mb-d-block");

```

```

        messageBox.classList.add("mb-d-none");

        printArticles(result);
    });
});

//INPUT SELECT CATEGORY
$("#input-select-category").on("change", function () {
    data.inputCategory = $("#input-select-
category").val(); //value attr

    container.innerHTML = "";

    ajaxCallback("get-articles.php", "get", data,
messageBox, function (result) {
        messageBox.classList.remove("mb-d-block");
        messageBox.classList.add("mb-d-none");

        printArticles(result);
    });
});

//INPUT CHECKBOX GENDERS
$(".mb-checkbox-gender").on("change", function () {
    if ($(this).is(":checked")) {
        data.inputGender = $(this).val(); //value attr

        container.innerHTML = "";

        ajaxCallback("get-articles.php", "get", data,
messageBox, function (result) {
            messageBox.classList.remove("mb-d-block");
            messageBox.classList.add("mb-d-none");

            printArticles(result);
        });
    }
});

//INPUT SELECT SORTS
$("#input-select-sort").on("change", function () {
    data.inputSort = $("#input-select-sort").val();

    container.innerHTML = "";

    ajaxCallback("get-articles.php", "get", data,
messageBox, function (result) {
        messageBox.classList.remove("mb-d-block");
        messageBox.classList.add("mb-d-none");

        printArticles(result);
    });
});

```

```

    });
  });
}
}))

function printArticles(result) {
  let container = document.getElementById("articles-
container");
  let print = '';

  result.forEach(row => {
    print += `
      <div class="col-md-3 product-men">
        <div class="men-pro-item
simpleCart_shelfItem">
          <div class="men-thumb-item">
            
            
            <div class="men-cart-pro">
              <div class="inner-men-cart-pro">
                <a
href="index.php?page=single&id=${row.id}" data-id="${row.id}"
class="link-product-add-cart">Quick View</a>
              </div>
            </div>
            <span class="product-new-top ${row.tag
? "" : "mb-d-none"}">${row.tag}</span>
          </div>
          <div class="item-info-product ">
            <h4><a
href="index.php?page=single&id=${row.id}">${row.article_name}<
/a></h4>
            <div class="info-product-price">
              <span
class="item_price">${row.active_price}</span>
              <del>${row.old_price}</del>
            </div>
            <div class="snipcart-details
top_brand_home_details item_add single-item hvr-outline-out
button2">
              <form id="form-add-cart">
                <fieldset>
                  <input type="hidden"
name="cmd" value="_cart" />
                  <input type="hidden"
name="add" value="1" />
                  <input type="hidden"
name="business" value=" " />
                  <input type="hidden"

```

```

name="item_name" value="A-line Black Skirt" />
                                <input type="hidden"
name="amount" value="30.99" />                                <input type="hidden"
name="discount_amount" value="1.00" />                        <input type="hidden"
name="currency_code" value="USD" />                            <input type="hidden"
name="return" value=" " />                                    <input type="hidden"
name="cancel_return" value=" " />                              <input type="submit"
name="submit" value="Add to cart" class="button" />            </fieldset>
                                                                </form>
                                                                </div>
                                                                </div>
                                                                </div>
                                                                </div>`
    ))

    container.innerHTML = print;
}

function regexValidation(re, value){
    try {
        if (!re.test(value)) {
            //WHICH REGEX
            if (re === reFullName) {
                throw("Ime i prezime moraju sadržati bar jedno
veliko slovo i maksimum 15 malih.")
            }
            else if (re === reEmail) {
                throw("Email nije u dobrom formatu. Primer:
username@gmail.com...");
            }
            else if (re === rePassword) {
                throw("Lozinka mora sadržati 8-20 karaktera i
to samo slova i brojeve.");
            }
        }
        else {
            return 0;
        }
    }
    catch (err) {
        errors.push(err);
        return 1;
    }
}

```

```

function refreshTable(result) {
    let table = document.getElementById("mb-table");
    table.innerHTML = "";

    let print = "<thead><tr>";
    let headers = Object.keys(result[0]);
    for (let header of headers) {
        print += `
                <th>${header}</th>
            `
    }

    if (tableName != "genders") {
        print += `<th>Modify</th>`
    }
    if (tableName == "users") {
        print += `<th>Delete</th>`
    }
    print += `</tr></thead>`;

    print += "<tbody>";
    result.forEach(obj => {
        print += `<tr>`
        for (let header of headers) {
            print += `<td>${obj[header] != null &&
obj[header].length>100 ? obj[header].slice(0,100) + '...' :
obj[header]}</td>`
        }

        if (tableName != "genders"){
            print += `<td>
                <button class="btn btn-warning mb-btn-
edit" data-id="${obj.id}">
                    <span>Edit</span>
                </button></td>`;
        }
        if (tableName == "users"){
            print += `<td><button class="btn btn-danger mb-
btn-delete" data-id="${obj.id}">
                <span>Delete</span>
            </button></td>`;
        }
        print += `</tr>`;
    })
    print += "</tbody>";
    table.innerHTML = print;
}

function ajaxCallback(page, method, objData, messageBox,
result) {
    objData = objData == 0 ? "" : objData;

```

```

$.ajax({
    url: "models/" + page,
    method: method,
    data: objData,
    dataType: "json",
    success: result,
    error: function (xhr) {
        let errors = xhr.responseJSON.errors;
        messageBox.innerHTML = "";
        if (errors.length>0){
            messageBox.classList.remove("mb-d-none");
            messageBox.classList.add("mb-d-block");
            messageBox.classList.remove("alert-info");
            messageBox.classList.add("alert-danger");

            for (let error of errors) {
                messageBox.innerHTML += error + "<br/>";
            }
        }
        else {
            messageBox.classList.remove("mb-d-block");
            messageBox.classList.add("mb-d-none");
            messageBox.innerHTML = "";
        }
        // console.log(xhr);
        // console.log(status);
    }
});
}

```

CSS

Css/style.css (without template's css)

```

/*MY STYLE*/
.menu--shylock .mb-special-link {
    color: #2fdab8 !important;
    font-weight: bold;
}
#mb-register-message, #mb-login-message {
    padding: 5px 10px;
    margin-top: 10px;
}
.mb-d-none {
    display: none;
}
.mb-d-block{
    display: block;
}
.mb-d-flex-center {
    display: flex;
}

```



```
        justify-content: center;
        align-items: center;
    }
    .mb-btn-action {
        background-color: #2fdab8;
        color: #fff;
        font-size: 20px;
        margin: 10px;
    }
    #mb-btn-logout {
        background-color: #c2c2c2;
    }
    .mb-dropdown {
        position: static;
        margin: 10px 0;
    }
    .mb-h1 {
        margin: 20px auto;
    }
    .table-link {
        display: block;
        padding: 5px;
        /*color: #2fdab8;*/
        color: #c2c2c2;
        font-size: 13px;
    }
    .mb-table-span {
        color: #2fdab8;
        font-weight: bold;
    }
    .table-header {
        padding: 5px;
    }
    .stay-open {display: block !important;}
    .mb-disabled {
        background-color: #c2c2c2 !important;
        color: #9d9d9d !important;
    }
    .mb-p p{
        font-size: 16px;
    }
    .contact-form {
        padding: 4em 3em 1em 3em ;
        margin-top: 2em;
    }
}
```