

Chemical Safety Data Sheet 601

page number: 1/6

Version: 3.0

Revision Date: 2024/8/10

Part I: Chemicals and Corporate Identification

Manufacturer: Shanghai LuWei Petroleum Equip
Address: 205,Building 1,No.158 Linsheng
Road, Jinshan District

Emergency number: +86-18221278037
Sales Hotline: +86-18221278037

Product Tag: HD601
Product Description: Acrylice emulsion
Physical state: white liqui
Odor: slight odor
CAS Number: 25085-34-1

Part II: Hazard Overview

According to GB13690-2009 "General Rules for Chemical Classification and Hazard Publicity", it is not classified as a hazardous product.

SECTION III: INGREDIENT COMPOSITION INFORMATION

This product is a chemical mixture and contains no ingredients that are harmful to health or the environment.

Element:

Chemical name	CAS number	Content range
acrylate copolymer	25085-34-1	47-50%
water	7732-18-5	50-53%

Chemical Safety Data

Sheet HD601

page number: 2/6

Version: 3.0

Revision Date: 2024/08/22

SECTION IV: FIRST AID MEASURES

Inhalation: Remove to fresh air.

Skin Contact: Wash infected area with water and soap, seek medical attention if skin irritation persists.

Eye Contact: Flush with plenty of water for at least 15 minutes, seek medical attention if eye irritation persists.

Ingestion: Immediately rinse with water, drink plenty of water and seek medical attention if necessary.
Never give an unconscious person out of the mouth
Feed anything.

PART V: FIRE-FIGHTING MEASURES

Extinguishing methods and extinguishing media: Use extinguishing materials suitable for fire scene.

Special Hazards During Fire Fighting: When the temperature exceeds 100°C / 212F, the material may splash and the product may burn after drying.

Special protective equipment for firefighters: Wear self-contained breathing apparatus and protective clothing.

Part VI: Release Emergency Response

Personal Precautions: Use personal protective equipment and keep personnel away from and upwind from spill/spill areas. This material can create a slippery condition.

Environmental Precautions: Do not allow spills and cleaning waste to enter municipal sewers and open bodies of water.

Small Spills: Contain spill immediately with inert material (eg sand, earth).

Large spills: Evacuate product.

Methods for cleaning up: Place liquid and absorbent material used for containment in suitable containers for recovery and disposal.

Chemical Safety Data

Sheet HD601

page number: 3/6

Version: 3.0

Revision Date: 2024/08/22

Part VII: Handling and Storage

Handling: Avoid contact with eyes, skin and clothing. Wash thoroughly after handling and keep container tightly closed. Never breathe vapour, mist or gas.

Storage temperature: 1°C-45°C

Storage Precautions: Avoid freezing, product stability may be affected. Stir well before use.

Other Physical and Chemical Properties: During processing, when the material is heated, monomer vapors are generated. See Section 8 for the required wind type.

SECTION VIII: EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection: Safety glasses with side shields. Eye protection must be compatible with the respiratory protection system used.

Hand Protection: Gloves listed below provide impermeable protection: Neoprene gloves (made from other chemical resistant materials) gloves, may not provide adequate protection).

Respiratory protection: In the case of respiratory risks unavoidable, or due to the limitations of the overall protection technology level, or by the work organization

Half-face respiratory protection equipment can be used when the limitations of laws, measures, and procedures are limited.

Protective Measures: Facilities where this material is stored or used should be equipped with eyewash.

Engineering Controls: Use only with adequate ventilation.

Chemical Safety Data

Sheet HD601

page number: 4/6

Version: 3.0

Revised date: 2024/08/22

Part IX: Physicochemical Properties

Physical State:	Liquid	Color: Milky white liquid with blue light
Odor:	Acrylic	pH value: 6-7.5
Boiling point/boiling range:	100°C water	Flash point: incombustible
Lower explosion limit:	not applicable	Upper Explosion Limit: Not applicable
Saturated vapor pressure:	17mmHg 20°C	Relative Vapor Density: <1.0 water
Water Soluble:	Dilutable	Particle diameter: 0.10-0.15µm
Viscosity:	500-3000cps(3#12r)	Relative vapor pressure (empty=1: < 1
Percent Volatility:	47-50%	Ionicity: Anionic
Minimum film forming temperature: 25±2°C		
Specific gravity: wet specific gravity: 1.0-1.1		
Dry specific gravity: 1.1-1.2		

Please Note: The above physical data are typical values and should not be used as a specification.

Section X: Stability and Reactivity

Hazardous reactions: Hazardous reactions have not been reported.

Materials to avoid: No known materials incompatible with this product.

Polymerization: The product will not polymerize.

Decomposition Products: Thermal decomposition produces acrylic monomers.

Chemical Safety Data

Sheet HD601

page number: 5/6

Version: 3.0

Revised date: 2024/08/22

SECTION XI: TOXICOLOGICAL INFORMATION

There are no relevant toxicological data for this material, and the data shown below are based on materials of similar composition.

Acute oral poisoning: LD50 > 5,000 mg/kg (rat)

Acute skin poisoning: LD50 > 5,000 mg/kg (rabbit)

Skin irritation: May cause short-term irritation (rabbit)

Eye irritation: Not irritating to eyes (rabbit)

Acute respiratory poisoning: LC50 > 21 mg/l (rat)

Part XII: Ecological Information

There is no information material available for this product.

Part XIII: Disposal

Environmental Precautions: Do not allow spills and cleaning waste to enter municipal sewers and open bodies of water.

Treatment: Coagulate the emulsion by gradually adding ferric chloride and lime. Remove supernatant and flush chemically pool. For disposal, it should be incinerated or landfilled in a licensed facility in accordance with local regulations.

Part XIV: Shipping Information

Classes for road and rail transport: Not governed by existing regulations on dangerous goods.

Marine Classification: Not subject to existing regulations related to dangerous goods.

Air Freight Classification: Not subject to existing regulations related to dangerous goods.

Note: Shipping classification may vary based on container volume and country or region regulations.

Section XV: Regulatory Information

General Rules for Classification and Hazard Publicity of Chemicals (GB-13690-2009).	Classification has been done in accordance with regulations.
Regulations for the preparation of chemical safety labels (GB 15258-2009).	Labeling has been done in accordance with regulations.
"Inventory of Existing Chemical Substances in China" 2013 Edition.	All specified ingredients are listed on the Substance Inventory, either exempted, or confirmed by the supplier.
Toxic Substances Control Act TSCA	All components of this material meet the requirements of the relevant inventory list in the National Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

SECTION XVI: OTHER INFORMATION

Compilation basis: Regulations on Compilation of Chemical Safety Data Sheets (GB 16483-2008)

Note: The information provided in this chemical safety data sheet is accurate on the date of its publication, and the given information is for security only

Guidance for handling, storage, transportation, handling, etc., and cannot be used as quality indicators and guarantees, unless otherwise specified, the information in this data sheet is only for the specified substance and cannot be used for its its related substances.