

## Certificate of Test and Examination

Customer Name and Address  
 Huracan  
 151 Warooby  
 Jon Hollingworth  
 0414717907

Customer Order No: HURACAN  
 Sales Order No: 2434712  
 Job No: 2434712-2  
 Test Type: Visual Examination

Identification Markings	Description	Effective Length	Finish	W.L.L	Angle	Qty	Minimum Load / Force Applied (kN)
BJ42,	Shackle safety bow Grade S 13x16mm	N/A	Painted	2 t	Direct	4	N/A

Manufacturer: Beaver

Additional Notes on Test Results

Complies to Test Procedure: AS 2741

Result: Pass

Site:

Accredited for compliance with ISO/IEC 17025

The results of the tests, calibrations and / or measurements included in this document are traceable to Australian/National Standards.

Passed items comply to AS 2741

Location:

The above article were tested and examined by a competent person  
 Signed:  


Allison Reedy

Authorised Signatory

NEWCASTLE  
 1/55 Sarah Andrews Cl  
 Erskine Park NSW 2759  
 P 02 9748 3044  
 F 02 98648 4120

SYDNEY  
 38-40 Magnet Rd  
 Cannington WA 6155  
 P 08 9451 1522  
 F 08 9451 1533

MELBOURNE  
 4128/30 1st Boundary Rd  
 Laverton North VIC 3026  
 P 03 9315 1520  
 F 03 9315 1540

GLADSTONE  
 114 Hanlon Rd  
 Gladstone QLD 4680  
 P 07 4972 6511  
 F 07 4972 6899

TOOWOOMBA  
 345 Taylor St  
 Toowoomba QLD 4350  
 P 07 4634 5666  
 F 07 4634 5633

BRISBANE  
 36 Computer Rd  
 Yatala QLD 4129  
 P 07 3801 0811  
 F 07 3209 6325

**END OF REPORT**



## Certificate of Test and Examination

**safety**

### Customer Name and Address

Huracan  
 151 Waroobay  
 Jon Hollingworth  
 0414717907

### Customer Order No:

HURACAN

### Sales Order No:

2434712

### Job No:

2434712-1

### Test Type:

Visual Examination

Certificate No: 238243  
 Test/Report Date: 11/04/18  
 Laboratory: Toowoomba  
 Accreditation No: 20175

Identification Markings	Description	Effective Length	Finish	W.L.L.	Angle	Qty	Minimum Load / Force Applied (kN)
KY417,	Hook eye self locking Grade 80 Size:8mm	N/A	Painted	2 t	Direct	2	N/A

### Manufacturer: Beaver

### Additional Notes on Test Results

Complies to Test Procedure: AS 3776

Result: Pass

### Site:

The above article were tested and examined by a competent person  
 Signed:

### Location:

The results of the tests, calibrations and / or measurements included in this document are traceable to Australian/National Standards.

Passed items comply to AS 3776

### Authorised Signatory

Allison Reedy

BRISBANE 36 Computer Rd Yatala QLD 4129 P 07 3801 0811 F 07 3209 6325	TOOWOOMBA 345 Taylor St Toowoomba QLD 4350 P 07 4634 6366 F 07 4634 6333	MACKAY 179 Boundary Rd Gladstone QLD 4680 P 07 4972 5520 F 07 4972 5545	GLADSTONE 114 Hanson Rd Gladstone QLD 4680 P 07 4972 6511 F 07 4972 6899	MELBOURNE 4/28-30 Little Boundary Rd Laverton North VIC 3026 P 03 9331 1520 F 03 9331 1540	PERTH 38-40 Magnel Rd Canning Vale WA 6155 P 08 9451 1522 F 08 9451 1533	SYDNEY 1/55 Sarah Andrews Cl Erskine Park NSW 2759 P 02 4966 8622 F 02 4966 8611	NEWCASTLE 48 Mustang Drive Rutherford NSW 2320 P 02 4968 3044 F 02 9648 4120
---	--	---	--	--	--	--	--

**END OF REPORT**

## **Certificate of Test and Examination**

**Customer Name and Address**

Huracan  
Jon Hollingworth  
0414717907  
[iholliganworth@hurucan.com.au](mailto:iholliganworth@hurucan.com.au)

**Customer Order No:** HURUCAN  
**Sales Order No:** 2396321  
**Job No:** 2396321-1  
**Test Type:** Visual Examination

**Certificate No:** 236729  
**Test/Report Date:** 02/02/18  
**Laboratory:** Toowoomba  
**Accreditation No:** 20175

Identification Markings	Description	Effective Length	Finish	W.L.L	Angle	Qty	Minimum Load / Force Applied (kN)			
KY1116 11/16,	Hook eye swivel self locking 8mm Grade 80	N/A	Painted	2 t	Direct	2	N/A			
Manufacturer: Beaver		Complies to Test Procedure: AS 3776			Result: Pass					
<b>Additional Notes on Test Results</b>										

**BRISBANE**  
4 Burchill St  
Loganholme Q 4129  
P 07 3801 0811  
F 07 3209 6325

TOOWOOMBA  
345 Taylor St  
Toowoomba Q 4350  
P 07 4634 6566  
F 07 4634 6533

MACKAY  
179 Boundary Rd  
Paget Q 4740  
P 07 4952 5520  
F 07 4952 5545

GLADSTONE  
4 Tranberg St  
Gladstone Q 4680  
P 07 4972 6511  
F 07 4972 6899

MELBOURNE  
4/28-30 Little Boundary Rd  
Laverton North Vic 3028  
P 03 9315 1520  
F 03 9315 1540

PERTH  
38-40 Magnet Rd  
Canning Vale WA 6155  
P 08 9451 1522  
F 08 9451 1533

SYDNEY  
1/55 Sarah Andrews Cl  
Erskine Park NSW 2759  
P 02 9748 3044  
F 02 9648 4120

NEWCASTLE  
48 Mustang Drive  
Rutherford NSW 2320  
P 02 4966 8622  
F 02 4966 8611

END OF REPORT

## Visual Inspection Report

Page: 1 of 1

**Customer:** Huracan Pty Ltd  
**Address:** 151 Warooby Lane  
ROMA, QLD 4455  
**Serial No:** 2NI  
**Equipment Type:** Shackle  
**Asset Status:** In Service

**Inspection Result:** Pass  
**Divison:** Huracan - Roma  
**Location:** \_\_\_\_\_  
**Phone:** 0414 717 907  
**Reference #:** \_\_\_\_\_  
**Order #:** \_\_\_\_\_  
**Inspected On:** 22/08/2017

### Shackle

Type: Bow Safety Pin Gr S  
Working Load Limit: 4 3/4T

#	Description	Status
<b>Shackle</b>		
1	Manufacturers Identification / Grade & WLL	Pass
2	Twisted, Bent or Gouged	Pass
3	Wrong Pin or Damaged Pin	Pass
4	Heat Damage	Pass

Conducted by:



Mark O'Connell

## Visual Inspection Report

Page: 1 of 1

**Customer:** Huracan Pty Ltd  
**Address:** 151 Warooby Lane  
 ROMA, QLD 4455  
**Serial No:** NV45  
**Equipment Type:** Shackle  
**Asset Status:** In Service

**Inspection Result:** Pass  
**Divison:** Huracan - Roma  
**Location:** \_\_\_\_\_  
**Phone:** 0414 717 907  
**Reference #:** \_\_\_\_\_  
**Order #:** \_\_\_\_\_  
**Inspected On:** 22/08/2017

### Shackle

Type: Bow Safety Pin Gr S  
 Working Load Limit: 2.0t

#	Description	Status
<b>Shackle</b>		
1	Manufacturers Identification / Grade & WLL	Pass
2	Twisted, Bent or Gouged	Pass
3	Wrong Pin or Damaged Pin	Pass
4	Heat Damage	Pass



Conducted by:

Mark O'Connell

## Visual Inspection Report

Page: 1 of 1

**Customer:** Huracan Pty Ltd  
**Address:** 151 Warooby Lane  
 ROMA, QLD 4455  
**Serial No:** SWH-D-1403-01  
**Equipment Type:** Manufactured Products- Other  
**Asset Status:** In Service

**Inspection Result:** Pass  
**Divison:** Huracan - Roma  
**Location:**  
**Phone:** 0414 717 907  
**Reference #:**  
**Order #:**  
**Inspected On:** 22/08/2017

### Manufactured Products- Other

Manufacturer: Integricert  
 Working Load Limit: Proof loaded 3000lbs

#	Description	Status
<b>Manufactured Product Other</b>		
1	Serial Number	
2	Manufacturer	

Conducted by:

Mark O'Connell

## Visual Inspection Report

Page: 1 of 1

**Customer:** Huracan Pty Ltd  
**Address:** 151 Warooby Lane  
 ROMA, QLD 4455  
**Serial No:** P4408  
**Equipment Type:** Wire Rope Sling  
**Asset Status:** In Service

**Inspection Result:** Pass  
**Divison:** Huracan - Roma  
**Location:** \_\_\_\_\_  
**Phone:** 0414 717 907  
**Reference #:** \_\_\_\_\_  
**Order #:** \_\_\_\_\_  
**Inspected On:** 22/08/2017

### Wire Rope Sling

Diameter: 13mm  
 Number of Legs: 1  
 Type: Steel Core  
 Bottom End Fittings: Thimbled Eyes  
 Top End Fittings: Thimbled Eyes  
 Working Load Limit: 2.05T  
 Length: 1480mm  
 Manufacturers Identification: Robertson

#	Description	Status
<b>Wire Rope</b>		
1	Manufacturers Identification	Pass
2	Serial Number / Batch Number	Pass
3	WLL including angles for multi leg slings	Pass
4	Excessive Broken Wires	Pass
5	Excessive Wear or Scraping	Pass
6	Evidence of heat damage, acid or caustic burns	Pass
7	Kinks, permanent set, distortion, abrasion	Pass
8	Corrosion	Pass
<b>End fittings / Eyes</b>		
9	Permanent Set, Deformation of end fittings	Pass
10	Distortion	Pass
11	Excessive Corrosion	Pass

Conducted by:

Mark O'Connell

## Visual Inspection Report

Page: 1 of 1

**Customer:** Huracan Pty Ltd  
**Address:** 151 Warooby Lane  
 ROMA, QLD 4455  
**Serial No:** P4407  
**Equipment Type:** Wire Rope Sling  
**Asset Status:** In Service

**Inspection Result:** Pass  
**Divison:** Huracan - Roma  
**Location:** \_\_\_\_\_  
**Phone:** 0414 717 907  
**Reference #:** \_\_\_\_\_  
**Order #:** \_\_\_\_\_  
**Inspected On:** 22/08/2017

### Wire Rope Sling

Diameter: 13mm  
 Number of Legs: 1  
 Type: Steel Core  
 Bottom End Fittings: Thimbled Eyes  
 Top End Fittings: Thimbled Eyes  
 Working Load Limit: 2.05T  
 Length: 1480mm  
 Manufacturers Identification: Robertson

#	Description	Status
<b>Wire Rope</b>		
1	Manufacturers Identification	Pass
2	Serial Number / Batch Number	Pass
3	WLL including angles for multi leg slings	Pass
4	Excessive Broken Wires	Pass
5	Excessive Wear or Scraping	Pass
6	Evidence of heat damage, acid or caustic burns	Pass
7	Kinks, permanent set, distortion, abrasion	Pass
8	Corrosion	Pass
<b>End fittings / Eyes</b>		
9	Permanent Set, Deformation of end fittings	Pass
10	Distortion	Pass
11	Excessive Corrosion	Pass

Conducted by:

Mark O'Connell

## Visual Inspection Report

Page: 1 of 1

**Customer:** Huracan Pty Ltd  
**Address:** 151 Warooby Lane  
 ROMA, QLD 4455  
**Serial No:** N7538  
**Equipment Type:** Wire Rope Sling  
**Asset Status:** In Service

**Inspection Result:** Pass  
**Divison:** Huracan - Roma  
**Location:** \_\_\_\_\_  
**Phone:** 0414 717 907  
**Reference #:** \_\_\_\_\_  
**Order #:** \_\_\_\_\_  
**Inspected On:** 22/08/2017

### Wire Rope Sling

Diameter: 10mm  
 Number of Legs: 1  
 Type: Steel Core  
 Bottom End Fittings: Thimbled Eyes  
 Top End Fittings: Thimbled Eyes  
 Working Load Limit: 1.22T  
 Length: 1524mm  
 Manufacturers Identification: RLR

#	Description	Status
<b>Wire Rope</b>		
1	Manufacturers Identification	Pass
2	Serial Number / Batch Number	Pass
3	WLL including angles for multi leg slings	Pass
4	Excessive Broken Wires	Pass
5	Excessive Wear or Scraping	Pass
6	Evidence of heat damage, acid or caustic burns	Pass
7	Kinks, permanent set, distortion, abrasion	Pass
8	Corrosion	Pass
<b>End fittings / Eyes</b>		
9	Permanent Set, Deformation of end fittings	Pass
10	Distortion	Pass
11	Excessive Corrosion	Pass

Conducted by:

Mark O'Connell

## Visual Inspection Report

Page: 1 of 1

**Customer:** Huracan Pty Ltd  
**Address:** 151 Warooby Lane  
 ROMA, QLD 4455  
**Serial No:** N7539  
**Equipment Type:** Wire Rope Sling  
**Asset Status:** In Service

**Inspection Result:** Pass  
**Divison:** Huracan - Roma  
**Location:** \_\_\_\_\_  
**Phone:** 0414 717 907  
**Reference #:** \_\_\_\_\_  
**Order #:** \_\_\_\_\_  
**Inspected On:** 22/08/2017

### Wire Rope Sling

Diameter: 10mm  
 Number of Legs: 1  
 Type: Steel Core  
 Bottom End Fittings: Thimbled Eyes  
 Top End Fittings: Thimbled Eyes  
 Working Load Limit: 1.22T  
 Length: 1524mm  
 Manufacturers Identification: RLR

#	Description	Status
<b>Wire Rope</b>		
1	Manufacturers Identification	Pass
2	Serial Number / Batch Number	Pass
3	WLL including angles for multi leg slings	Pass
4	Excessive Broken Wires	Pass
5	Excessive Wear or Scraping	Pass
6	Evidence of heat damage, acid or caustic burns	Pass
7	Kinks, permanent set, distortion, abrasion	Pass
8	Corrosion	Pass
<b>End fittings / Eyes</b>		
9	Permanent Set, Deformation of end fittings	Pass
10	Distortion	Pass
11	Excessive Corrosion	Pass

Conducted by:



Mark O'Connell

## Visual Inspection Report

Page: 1 of 1

**Customer:** Huracan Pty Ltd  
**Address:** 151 Warooby Lane  
 ROMA, QLD 4455  
**Serial No:** P4412  
**Equipment Type:** Manufactured Products- Other  
**Asset Status:** In Service

**Inspection Result:** Pass  
**Divison:** Huracan - Roma  
**Location:**  
**Phone:** 0414 717 907  
**Reference #:**  
**Order #:**  
**Inspected On:** 22/08/2017

### Manufactured Products- Other

Type: Tec Cable Spooler  
 Manufacturer: Robertsons  
 Working Load Limit: P/L 3.6T  
 Length: 700mm

#	Description	Status
<b>Manufactured Product Other</b>		
1	Serial Number	
2	Manufacturer	

Conducted by:

Mark O'Connell

## Visual Inspection Report

Page: 1 of 1

**Customer:** Huracan Pty Ltd  
**Address:** 151 Warooby Lane  
 ROMA, QLD 4455  
**Serial No:** ALK001  
**Equipment Type:** Manufactured Products- Other  
**Asset Status:** In Service

**Inspection Result:** Pass  
**Divison:** Huracan - Roma  
**Location:**  
**Phone:** 0414 717 907  
**Reference #:**  
**Order #:**  
**Inspected On:** 22/08/2017

### Manufactured Products- Other

Type: Box swivel  
 Manufacturer: arklatex  
 Working Load Limit: 495lbs  
 Length: 240mm

#	Description	Status
<b>Manufactured Product Other</b>		
1	Serial Number	
2	Manufacturer	

Conducted by:

Mark O'Connell

## Visual Inspection Report

Page: 1 of 1

**Customer:** Huracan Pty Ltd  
**Address:** 151 Warooby Lane  
ROMA, QLD 4455  
**Serial No:** ALK001  
**Equipment Type:** Manufactured Products- Other  
**Asset Status:** In Service

**Inspection Result:** Pass  
**Divison:** Huracan - Roma  
**Location:** \_\_\_\_\_  
**Phone:** 0414 717 907  
**Reference #:** \_\_\_\_\_  
**Order #:** \_\_\_\_\_  
**Inspected On:** 22/08/2017

### Manufactured Products- Other

Type: Box Swivel  
Manufacturer: Arklatex  
Working Load Limit: 495LBS  
Length: 240mm

#	Description	Status
<b>Manufactured Product Other</b>		
1	Serial Number	
2	Manufacturer	

Conducted by:



Mark O'Connell

## Visual Inspection Report

Page: 1 of 1

**Customer:** Huracan Pty Ltd  
**Address:** 151 Warooby Lane  
 ROMA, QLD 4455  
**Serial No:** 1310-597  
**Equipment Type:** Manufactured Products- Other  
**Asset Status:** In Service

**Inspection Result:** Pass  
**Divison:** Huracan - Roma  
**Location:** \_\_\_\_\_  
**Phone:** 0414 717 907  
**Reference #:** \_\_\_\_\_  
**Order #:** \_\_\_\_\_  
**Inspected On:** 22/08/2017

### Manufactured Products- Other

Type: Wireline Rope Clamp  
 Manufacturer: LS  
 Working Load Limit: 20,000lbs

#	Description	Status
<b>Manufactured Product Other</b>		
1	Serial Number	
2	Manufacturer	

Conducted by:



Mark O'Connell

## Visual Inspection Report

Page: 1 of 1

**Customer:** Huracan Pty Ltd  
**Address:** 151 Warooby Lane  
 ROMA, QLD 4455  
**Serial No:** 3586-1-12  
**Equipment Type:** Manufactured Products- Other  
**Asset Status:** In Service

**Inspection Result:** Pass  
**Divison:** Huracan - Roma  
**Location:** \_\_\_\_\_  
**Phone:** 0414 717 907  
**Reference #:** \_\_\_\_\_  
**Order #:** \_\_\_\_\_  
**Inspected On:** 22/08/2017

### Manufactured Products- Other

Type: Wire Line Winch ( sheave tripod )!  
 Manufacturer: RAYHAM ENGINEER  
 Working Load Limit: 180kg  
 Length: 1600mm

#	Description	Status
<b>Manufactured Product Other</b>		
1	Serial Number	
2	Manufacturer	

Conducted by:



Mark O'Connell

## Visual Inspection Report

Page: 1 of 1

**Customer:** Huracan Pty Ltd  
**Address:** 151 Warooby Lane  
ROMA, QLD 4455  
**Serial No:** BJ42  
**Equipment Type:** Shackle  
**Asset Status:** In Service

**Inspection Result:** Pass  
**Divison:** Huracan - Roma  
**Location:** \_\_\_\_\_  
**Phone:** 0414 717 907  
**Reference #:** \_\_\_\_\_  
**Order #:** \_\_\_\_\_  
**Inspected On:** 22/08/2017

### Shackle

Type: Bow Safety Pin Gr S  
Working Load Limit: 2.0t

#	Description	Status
<b>Shackle</b>		
1	Manufacturers Identification / Grade & WLL	Pass
2	Twisted, Bent or Gouged	Pass
3	Wrong Pin or Damaged Pin	Pass
4	Heat Damage	Pass

Conducted by:



Mark O'Connell

## Visual Inspection Report

Page: 1 of 1

**Customer:** Huracan Pty Ltd  
**Address:** 151 Warooby Lane  
ROMA, QLD 4455  
**Serial No:** BJ42  
**Equipment Type:** Shackle  
**Asset Status:** In Service

**Inspection Result:** Pass  
**Divison:** Huracan - Roma  
**Location:** \_\_\_\_\_  
**Phone:** 0414 717 907  
**Reference #:** \_\_\_\_\_  
**Order #:** \_\_\_\_\_  
**Inspected On:** 22/08/2017

### Shackle

Type: Bow Safety Pin Gr S  
Working Load Limit: 2.0t

#	Description	Status
<b>Shackle</b>		
1	Manufacturers Identification / Grade & WLL	Pass
2	Twisted, Bent or Gouged	Pass
3	Wrong Pin or Damaged Pin	Pass
4	Heat Damage	Pass

Conducted by:



Mark O'Connell

## Visual Inspection Report

Page: 1 of 1

**Customer:** Huracan Pty Ltd  
**Address:** 151 Warooby Lane  
ROMA, QLD 4455  
**Serial No:** BJ42  
**Equipment Type:** Shackle  
**Asset Status:** In Service

**Inspection Result:** Pass  
**Divison:** Huracan - Roma  
**Location:** \_\_\_\_\_  
**Phone:** 0414 717 907  
**Reference #:** \_\_\_\_\_  
**Order #:** \_\_\_\_\_  
**Inspected On:** 22/08/2017

### Shackle

Type: Bow Safety Pin Gr S  
Working Load Limit: 2.0t

#	Description	Status
<b>Shackle</b>		
1	Manufacturers Identification / Grade & WLL	Pass
2	Twisted, Bent or Gouged	Pass
3	Wrong Pin or Damaged Pin	Pass
4	Heat Damage	Pass

Conducted by:



Mark O'Connell

## Visual Inspection Report

Page: 1 of 1

**Customer:** Huracan Pty Ltd  
**Address:** 151 Warooby Lane  
ROMA, QLD 4455  
**Serial No:** BJ42  
**Equipment Type:** Shackle  
**Asset Status:** In Service

**Inspection Result:** Pass  
**Divison:** Huracan - Roma  
**Location:** \_\_\_\_\_  
**Phone:** 0414 717 907  
**Reference #:** \_\_\_\_\_  
**Order #:** \_\_\_\_\_  
**Inspected On:** 22/08/2017

### Shackle

Type: Bow Safety Pin Gr S  
Working Load Limit: 2.0t

#	Description	Status
<b>Shackle</b>		
1	Manufacturers Identification / Grade & WLL	Pass
2	Twisted, Bent or Gouged	Pass
3	Wrong Pin or Damaged Pin	Pass
4	Heat Damage	Pass

Conducted by:



Mark O'Connell

## Visual Inspection Report

Page: 1 of 1

**Customer:** Huracan Pty Ltd  
**Address:** 151 Warooby Lane  
ROMA, QLD 4455  
**Serial No:** 2NK  
**Equipment Type:** Shackle  
**Asset Status:** In Service

**Inspection Result:** Pass  
**Divison:** Huracan - Roma  
**Location:** \_\_\_\_\_  
**Phone:** 0414 717 907  
**Reference #:** \_\_\_\_\_  
**Order #:** \_\_\_\_\_  
**Inspected On:** 22/08/2017

### Shackle

Type: Bow Screw Pin Gr S  
Working Load Limit: 4.7t

#	Description	Status
<b>Shackle</b>		
1	Manufacturers Identification / Grade & WLL	Pass
2	Twisted, Bent or Gouged	Pass
3	Wrong Pin or Damaged Pin	Pass
4	Heat Damage	Pass



Conducted by:



Mark O'Connell

## Visual Inspection Report

Page: 1 of 1

**Customer:** Huracan Pty Ltd  
**Address:** 151 Warooby Lane  
ROMA, QLD 4455  
**Serial No:** 5nt  
**Equipment Type:** Shackle  
**Asset Status:** In Service

**Inspection Result:** Pass  
**Divison:** Huracan - Roma  
**Location:** \_\_\_\_\_  
**Phone:** 0414 717 907  
**Reference #:** \_\_\_\_\_  
**Order #:** \_\_\_\_\_  
**Inspected On:** 22/08/2017

### Shackle

Type: Bow Screw Pin Gr S  
Working Load Limit: 2.0t

#	Description	Status
<b>Shackle</b>		
1	Manufacturers Identification / Grade & WLL	Pass
2	Twisted, Bent or Gouged	Pass
3	Wrong Pin or Damaged Pin	Pass
4	Heat Damage	Pass

Conducted by:



Mark O'Connell

## Visual Inspection Report

Page: 1 of 1

**Customer:** Huracan Pty Ltd  
**Address:** 151 Warooby Lane  
 ROMA, QLD 4455  
**Serial No:** 5MJ  
**Equipment Type:** Shackle  
**Asset Status:** In Service

**Inspection Result:** Pass  
**Divison:** Huracan - Roma  
**Location:** \_\_\_\_\_  
**Phone:** 0414 717 907  
**Reference #:** \_\_\_\_\_  
**Order #:** \_\_\_\_\_  
**Inspected On:** 22/08/2017

### Shackle

Type: Bow Screw Pin Gr S  
 Working Load Limit: 2.0t

#	Description	Status
<b>Shackle</b>		
1	Manufacturers Identification / Grade & WLL	Pass
2	Twisted, Bent or Gouged	Pass
3	Wrong Pin or Damaged Pin	Pass
4	Heat Damage	Pass

Conducted by:



Mark O'Connell

## Visual Inspection Report

Page: 1 of 1

**Customer:** Huracan Pty Ltd  
**Address:** 151 Warooby Lane  
 ROMA, QLD 4455  
**Serial No:** 5MJ  
**Equipment Type:** Shackle  
**Asset Status:** In Service

**Inspection Result:** Pass  
**Divison:** Huracan - Roma  
**Location:** \_\_\_\_\_  
**Phone:** 0414 717 907  
**Reference #:** \_\_\_\_\_  
**Order #:** \_\_\_\_\_  
**Inspected On:** 22/08/2017

### Shackle

Type: Bow Screw Pin Gr S  
 Working Load Limit: 2.0t

#	Description	Status
<b>Shackle</b>		
1	Manufacturers Identification / Grade & WLL	Pass
2	Twisted, Bent or Gouged	Pass
3	Wrong Pin or Damaged Pin	Pass
4	Heat Damage	Pass

Conducted by:



Mark O'Connell

## Visual Inspection Report

Page: 1 of 1

**Customer:** Huracan Pty Ltd  
**Address:** 151 Warooby Lane  
ROMA, QLD 4455  
**Serial No:** 5nu  
**Equipment Type:** Shackle  
**Asset Status:** In Service

**Inspection Result:** Pass  
**Divison:** Huracan - Roma  
**Location:** \_\_\_\_\_  
**Phone:** 0414 717 907  
**Reference #:** \_\_\_\_\_  
**Order #:** \_\_\_\_\_  
**Inspected On:** 22/08/2017

### Shackle

Type: Bow Screw Pin Gr S  
Working Load Limit: 2.0t

#	Description	Status
<b>Shackle</b>		
1	Manufacturers Identification / Grade & WLL	Pass
2	Twisted, Bent or Gouged	Pass
3	Wrong Pin or Damaged Pin	Pass
4	Heat Damage	Pass

Conducted by:



Mark O'Connell

## Visual Inspection Report

Page: 1 of 1

**Customer:** Huracan Pty Ltd  
**Address:** 151 Warooby Lane  
 ROMA, QLD 4455  
**Serial No:** BJ43  
**Equipment Type:** Shackle  
**Asset Status:** In Service

**Inspection Result:** Pass  
**Divison:** Huracan - Roma  
**Location:** \_\_\_\_\_  
**Phone:** 0414 717 907  
**Reference #:** \_\_\_\_\_  
**Order #:** \_\_\_\_\_  
**Inspected On:** 22/08/2017

### Shackle

Type: Bow Screw Pin Gr S  
 Working Load Limit: 3.2t

#	Description	Status
<b>Shackle</b>		
1	Manufacturers Identification / Grade & WLL	Pass
2	Twisted, Bent or Gouged	Pass
3	Wrong Pin or Damaged Pin	Pass
4	Heat Damage	Pass

Conducted by:



Mark O'Connell

## Visual Inspection Report

Page: 1 of 1

**Customer:** Huracan Pty Ltd  
**Address:** 151 Warooby Lane  
 ROMA, QLD 4455  
**Serial No:** BJL7692/2x3/1785  
**Equipment Type:** Round Sling  
**Asset Status:** In Service

**Inspection Result:** Pass  
**Divison:** Huracan - Roma  
**Location:**  
**Phone:** 0414 717 907  
**Reference #:**  
**Order #:**  
**Inspected On:** 22/08/2017

### Round Sling

Manufacturer: Beaver  
 Working Load Limit: 2t  
 Length: 3m

#	Description	Status
<b>Synthetic Webbing Sling</b>		
1	Label for Manufacturers Identification missing or illegible	Pass
2	Holes, Tears, Cuts or Snags	Pass
3	Heat Damage	Pass
4	Chemical Burns	Pass
5	Discolouration or stiffness due to UV light	Pass
6	Fittings distorted or worn	Pass

Conducted by:



Mark O'Connell

## Certificate of Test and Examination

Customer Name and Address  
Huracan  
151 Warooby  
Jon Hollingworth  
0414717907

Customer Order No: HURACAN  
Sales Order No: 2434712  
Job No: 2434712-2  
Test Type: Visual Examination

Identification Markings	Description	Effective Length	Finish	W.L.L	Angle	Qty	Minimum Load / Force Applied (kN)
BJ42,	Shackle safety bow Grade S 13x16mm	N/A	Painted	2 t	Direct	4	N/A

Manufacturer: Beaver

Additional Notes on Test Results

Complies to Test Procedure: AS 2741

Result: Pass

Site:

Accredited for compliance with ISO/IEC 17025

The results of the tests, calibrations and / or measurements included in this document are traceable to Australian/National Standards.

Passed items comply to AS 2741

Location:

The above article were tested and examined by a competent person  
Signed:  


Allison Reedy

Authorised Signatory

NEWCASTLE  
1/55 Sarah Andrews Cl  
Erskine Park NSW 2759  
P 02 9748 3044  
F 02 98648 4120

SYDNEY  
155 Sarah Andrews Cl  
Erskine Park NSW 2759  
P 02 9748 3044  
F 02 98648 4120

PERTH  
4/28-30 ille Boundary Rd  
Laverton North VIC 3026  
P 03 9315 1520  
F 03 9315 1540

MELBOURNE  
114 Hanlon Rd  
Gladstone QLD 4680  
P 07 4972 6511  
F 07 4972 6899

GLADSTONE  
179 Boundary Rd  
Toowoomba QLD 4350  
P 07 4834 5666  
F 07 4834 5533

BRISBANE  
36 Computer Rd  
Yatala QLD 4129  
P 07 3801 0811  
F 07 3209 6525

**END OF REPORT**



## Certificate of Test and Examination

**safety**

### Customer Name and Address

Huracan  
 151 Waroobay  
 Jon Hollingworth  
 0414717907

### Customer Order No:

HURACAN

### Sales Order No:

2434712

### Job No:

2434712-1

### Test Type:

Visual Examination

Certificate No: 238243  
 Test/Report Date: 11/04/18  
 Laboratory: Toowoomba  
 Accreditation No: 20175

Identification Markings	Description	Effective Length	Finish	W.L.L.	Angle	Qty	Minimum Load / Force Applied (kN)
KY417,	Hook eye self locking Grade 80 Size:8mm	N/A	Painted	2 t	Direct	2	N/A

### Manufacturer: Beaver

### Additional Notes on Test Results

Complies to Test Procedure: AS 3776

Result: Pass

### Site:

The above article were tested and examined by a competent person  
 Signed:

### Location:

Allison Reedy

Passed items comply to AS 3776

BRISBANE 36 Computer Rd Yatala QLD 4129 P 07 3801 0811 F 07 3209 6325	TOOWOOMBA 345 Taylor St Toowoomba QLD 4350 P 07 4634 6366 F 07 4634 6333	MACKAY 179 Boundary Rd Gladstone QLD 4680 P 07 4952 5520 F 07 4952 5545	GLADSTONE 114 Hanson Rd Gladstone QLD 4680 P 07 4972 6511 F 07 4972 6899	MELBOURNE 4/28-30 Little Boundary Rd Laverton North VIC 3026 P 03 9331 1520 F 03 9331 1540	PERTH 38-40 Magnel Rd Canning Vale WA 6155 P 08 9451 1522 F 08 9451 1533	SYDNEY 1/55 Sarah Andrews Cl Erskine Park NSW 2759 P 02 4966 8622 F 02 4966 8611	NEWCASTLE 48 Mustang Drive Rutherford NSW 2320 P 02 4968 3044 F 02 9648 4120
---	--	---	--	--	--	--	--

**END OF REPORT**

## Certificate of Test and Examination

**Customer Name and Address**

Hurucan  
 Jon Hollingworth  
 0414717907  
 jhollignwirth@hurucan.com.au

**Customer Order No:** HURUCAN

**Sales Order No:** 2396321

**Job No:** 2396321-1

**Test Type:** Visual Examination

**Certificate No:** 236729

**Test/Report Date:** 02/02/18

**Laboratory:** Toowoomba

**Accreditation No:** 20175

Identification Markings	Description	Effective Length	Finish	W.L.L	Angle	Qty	Minimum Load / Force Applied (kN)						
KY1116 11/16,	Hook eye swivel self locking 8mm Grade 80	N/A	Painted	2 t	Direct	2	N/A						
<b>Manufacturer:</b> Beaver		<b>Complies to Test Procedure:</b> AS 3776			<b>Result:</b> Pass								
<b>Additional Notes on Test Results</b>													
<div style="display: flex; justify-content: space-between;"> <span><b>Site:</b></span> <span><b>Location:</b></span> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 45%;"> Accredited for compliance with ISO/IEC 17025  The results of the tests, calibrations and / or measurements included in this document are traceable to Australian/National Standards.  Passed items comply to AS 3776 </div> <div style="width: 45%;"> The above article were tested and examined by a competent person  Signed:    Authorised Signatory      Allison Reedy </div> </div>													

BRISBANE  
 4 Burchill St  
 Loganholme Q 4129  
 P 07 3801 0811  
 F 07 3209 6325

TOOWOOMBA  
 345 Taylor St  
 Toowoomba Q 4350  
 P 07 4634 6566  
 F 07 4634 6533

MACKAY  
 179 Boundary Rd  
 Paget Q 4740  
 P 07 4952 5520  
 F 07 4952 5545

GLADSTONE  
 4 Tranberg St  
 Gladstone Q 4680  
 P 07 4972 6511  
 F 07 4972 6899

MELBOURNE  
 4/28-30 Little Boundary Rd  
 Laverton North Vic 3028  
 P 03 9315 1520  
 F 03 9315 1540

PERTH  
 38-40 Magnet Rd  
 Canning Vale WA 6155  
 P 08 9451 1522  
 F 08 9451 1533

SYDNEY  
 1/55 Sarah Andrews Cl  
 Erskine Park NSW 2759  
 P 02 9748 3044  
 F 02 9648 4120

NEWCASTLE  
 48 Mustang Drive  
 Rutherford NSW 2320  
 P 02 4966 8622  
 F 02 4966 8611

## Certificate of Test and Examination

**Customer Name and Address**  
 Huracan Pty Ltd  
 Po Box 1070  
 Roma QLD

**Customer Order No:**  
 Sales Order No: 640346  
 Job No: 640346-1  
**Test Type:** Proof Test

**Certificate No:** 220824  
**Test Report Date:** 11/08/16  
**Laboratory:** Toowoomba  
**Accreditation No:** 2993

Identification Markings	Description	Effective Length	Finish	W.L.L.	Angle	Qty	Minimum Load / Force Applied (kN)
P4412	Control line spooler	700 mm	Aluminium	N/A	Direct	1	35.32 kN

Manufacturer: Unknown

Complies to Test Procedure: JLR LQM 13.1

Result: Pass

**Additional Notes on Test Results**  
 Proof loaded to 3.6 t

Site:

Location:

The above article were tested and examined by a competent person  
 Signed:

Authorised Signatory

Allison Reedy

<b>Head Office</b>	Robertsons Lifting & Rigging Pty Ltd	BRISBANE SOUTH	TOOWOOMBA	MACKAY	GLADSTONE	MELBOURNE	PERTH	SYDNEY	NEWCASTLE	MUSWELLBROOK
4 Burchill St	345 Taylor St	5 Johnstone Rd	179 Boundary Rd	4 Tranberg St	428-30 Little Boundary Rd	16 - 18 Kewdale Rd	50 Skarratt St North	33 Firebrick Drive	33 Firebrick Drive	Lot 49 Thomas Mitchell Dr
Loganholme Q 4129	Toowoomba Q 4350	Brendale Q 4500	Page St Q 4740	Gladstone Q 4680	Laverton North Vic 3028	Westpools WA 6106	Silenvale NSW 2128	Thornton NSW 2332	Lot 49 Thomas Mitchell Dr	Muswellbrook NSW 2333
P 07 3801 0811	P 07 4634 6586	P 07 4952 5520	P 07 4972 6511	P 03 9315 1520	P 08 9451 1522	P 02 9748 3044	P 02 9748 4120	P 02 4966 8822	P 02 4966 8811	P 02 6541 5100
F 07 3209 6325	F 07 3881 2662	F 07 4634 6533	F 07 4972 5899	F 07 4952 5545	F 03 9315 1540	F 08 9451 1533	F 02 9648 4120	F 02 4966 8811	F 02 6543 3233	F 02 6543 3233

End of Report

## Certificate of Test and Examination

**Customer Name and Address**  
 Huracan Pty Ltd  
 Po Box 1070  
 Roma QLD

QLD

**Customer Order No:**  
**Sales Order No:** 640346  
**Job No:** 640346-3  
**Test Type:** Proof Test

**Certificate No:** 220825  
**Test/Report Date:** 11/08/16

**Laboratory:** Toowoomba  
**Accreditation No:** 2993

Identification Markings	Description	Effective Length	Finish	W.L.L.	Angle	Qty	Minimum Load / Force Applied (kN)
P4408	Wire rope sling 13mm 6/36 Grade 1770 fitted with thimble eye each end	1520 mm	Galvanised	2.05 t	Direct	1	40.22 kN

**Manufacturer:** RLR

Complies to Test Procedure: AS 1666.1

**Additional Notes on Test Results**

**Site:**

The above article were tested and examined by a competent person  
 Signed:  


**Location:**

**Result:** Pass



Authorised Signatory      Allison Reedy

<b>Head Office</b>	Robertsons Lifting & Rigging Pty Ltd	BRISBANE SOUTH	TOOWOOMBA	MACKAY	GLADSTONE	MELBOURNE	PERTH	SYDNEY	NEWCASTLE	MUSWELLBROOK
4 Burchill St	345 Taylor St	5 Johnstone Rd	179 Boundary Rd	4 Tranberg St	428-30 Little Boundary Rd	16 – 18 Kewdale Rd	50 Skarratt St North	33 Firebrick Drive	16 – 18 Kewdale Rd	Lot 49 Thomas Mitchell Dr
Loganholme Q 4129	Toowoomba Q 4350	Brendale Q 4500	Page 1 Q 4740	Gladstone Q 4680	Laverton North Vic 3028	Welshpool WA 6106	Silverwater NSW 2128	Thornton NSW 2322	Muswellbrook NSW 2333	Muswellbrook NSW 2333
P 07 3801 0811	P 07 3881 1445	F 07 3299 6325	P 07 4634 6586	P 07 4952 5520	P 03 9315 1520	P 08 9451 1522	P 02 9748 3044	P 02 4966 8822	P 02 6541 5100	P 02 4966 8811
F 07 3881 2662	F 07 4634 6533	F 07 4952 5545	F 07 4972 6899	F 03 9315 1540	F 08 9451 1533	F 07 4972 6899	F 02 9648 4120	F 02 4966 8811	F 02 6543 3233	F 02 4966 8811

End of Report

## Certificate of Test and Examination

**Customer Name and Address**  
 Huracan Pty Ltd  
 Po Box 1070  
 Roma QLD

**Customer Order No:**  
**Sales Order No:** 640346  
**Job No:** 640346-8  
**Test Type:** Proof Test

**Certificate No:** 220826

**Test/Report Date:** 11/08/16

**Laboratory:** Toowoomba

**Accreditation No:** 2993

Identification Markings	Description	Effective Length	Finish	W.L.L.	Angle	Qty	Minimum Load / Force Applied (kN)
P4407	Wire rope sling 13mm 6/36 Grade 1770 fitted with thimble eyes each end	1370 mm	Galvanised	2.05 t	Direct	1	40.22 kN

**Manufacturer:** RLR

**Complies to Test Procedure:** AS 1666.1

**Additional Notes on Test Results**

**Site:**

The above article were tested and examined by a competent person  
 Signed:  


**Location:**

**Result:** Pass



Authorised Signatory      Allison Reedy

<b>Head Office:</b>  BRISBANE SOUTH 4 Burchill St Loganholtne Q 4129 P 07 3801 0811 F 07 3209 6325	Robertsons Lifting & Rigging Pty Ltd  TOOWOOMBA 345 Taylor St Toowoomba Q 4350 P 07 4634 6586 F 07 3881 2662	MACKAY 179 Boundary Rd Gladstone Q 4680 P 07 4952 5520 F 07 4972 6899	GLADSTONE 4/28-30 Little Boundary Rd Laverton North Vic 3028 P 03 9315 1520 F 03 9315 1540	MELBOURNE 16 – 18 Kewdale Rd Welshpool WA 6106 P 08 9451 1522 F 08 9451 1533	PERTH 50 Skarratt St North Silverwater NSW 2128 P 02 9748 3044 F 02 9648 4120	SYDNEY 33 Firebrick Drive Thornton NSW 2322 P 02 4966 8822 F 02 4966 8611	NEWCASTLE Lot 49 Thomas Mitchell Dr Muswellbrook NSW 23233 P 02 6541 5101 F 02 4966 8611	MUSWELLBROOK 33 Firebrick Drive Muswellbrook NSW 23233 P 02 6541 5101 F 02 4966 8611
--	--	---	--	--	---	---	--	--

End of Report



www.integricert.com

Toll Free: 1-866-285-1306

**Integricert, LLC**

Load Testing, Inspection and Rigging

HOUMA LOCATION: 206 S. LaCarpe Cir. Houma, LA 70360	<b>MAIN LOCATION:</b> 608 Hangar Drive New Iberia, LA 70560	HOUSTON LOCATION: 6529 Cunningham Rd. #2303 Houston, TX 77041
Ph: (985) 868-6355 Fax: (985) 868-6356	Ph: 337-365-1022 Fax: 337-365-1024	Ph: (832) 243-5838 Fax: (832) 243-5840

**CERTIFICATE OF Load Test**

Customer	PO Number	Job Number	Equipment Number	Certificate Number
MIDSOUTH RENTAL & COMPLETION SE	PO-14-0324WS		SWH-D-1403-01	N-74167-1-1

**ITEM TESTED** → LOAD TEST - HALF MOON SHEAVE WHEEL.  
 S/N: SWH-D-1403-01  
 SWL = 3,000 LBS  
 P/L = 3,000 LBS

Load Test	Tested By	Test Date	Expires (Months)	Re-Test Date
	Jeremiah Pryor	03/25/14	60	03/25/19

Tare Weight	
SWL/Payload	3,000 LBS
Max Gross Weight	
Proof Load Applied	3,000 LBS
Load Test Procedure Used	LT-AHP-001 REV B
NDT Ticket Number	
Load Testing Unit	450K LOW RANGE CHANT TEST BED, CALIBRATED ON: 10/01/13, BEARING S/N: 236857
Field Ticket	N-74167

In subjecting this product to the test/tests described, Integricert does not warrant the product in any manner, or certify its fitness or suitability for any specific use. To the extent this certificate represents a proof load test of equipment, the product described has been subjected to, and passed, a proof load test of the top and bottom side and end rails, corner posts, padeyes, and all welds joining same, as applicable; refer to the NDT ticket number for particulars concerning this test.

**WARNING!!!** Use of this product is beyond the control of IntegriCert, LLC. The purchaser and/or end user is solely responsible for the usability and suitability of this product. Always check the rated capacity to assure that the product meets the requirements of its intended application/use. The end user must inspect this product for defects or damage prior to each use and should immediately remove from service any defective or questionable product.

R-536 Rev B

Signature: Nick Orlando

Date: 03/25/14