



2140 N. REDWOOD RD.
SALT LAKE CITY, UT. 84116

CERTIFICATE OF PROOF LOAD TEST AND NON-DESTRUCTIVE TESTING

IT IS HEREBY CERTIFIED THAT THE PARTS LISTED BELOW HAVE BEEN PROOF LOAD TESTED TO 64,000 LBS AND SUBSEQUENTLY MAGNETIC PARTICLE INSPECTED PER ASTM-E-1444, GRADE C AND FOUND ACCEPTABLE. SAID TESTING WAS DONE UNDER THE DIRECTION OF THE AUTHORIZED SIGNED BELOW.

P/N: SH-200, SHEAVE HANGER
SERIAL#: OA-1077

AUTHORIZED SIGNATURE Brian Mac DATE: 08/22/22



CERTIFICATE OF TEST / INSPECTION

WIRELINE TECHNOLOGIES INC.
2140 NORTH REDWOOD RD. #60
SALT LAKE CITY, UT 84116 USA
(800) 743-2831 FAX (801) 323-7077
WWW.WIRELINE.COM

CERTIFICATION DATE **08-22-22**
FORCE APPLIED **50,000 LBS.**

PREPARED FOR:
HURACAN
P.O. BOX 1070
ROMA 4455
AUSTRALIA

!! ATTENTION !!
SEE OPERATION MANUAL FOR SAFE WORKING LOAD
ANNUAL RECERTIFICATION IS RECOMMENDED

WIRELINE TECHNOLOGIES, INC. CERTIFIES THAT THIS RIGGING SHEAVE WAS
SUBJECTED TO LOAD TESTING, USING APPARATUS DESIGNED FOR THAT PURPOSE
AND CALIBRATED THROUGH STANDARDS TRACEABLE TO NIST. THE SPECIFICATIONS
OF THE TEST ARE AS FOLLOWS:

DESCRIPTION OF PRODUCT

WTI S/N	G222-0591	CUST. S/N	
WTI P/N	G2-22-330-1000A	REV	5
		CUST. P/N	
		REV	
		NOTES	
PURCHASE ORDER	HOLLINGWORTH		
SALES ORDER	2022-394		
MANUFACTURE DATE	8-18-22		

AFTER LOAD TESTING, THE LOAD BEARING COMPONENTS LISTED BELOW WERE
INSPECTED PER ASTM-E1444A AND FOUND ACCEPTABLE PER AMS-STD-2175 CL3 GR. C
FOR CAST COMPONENTS, MIL-STD-1907 GR. C FOR COMPONENTS OF BAR STOCK
ORIGIN.

SERIAL/LOT NUMBERS OF LOAD BEARING COMPONENTS

FRAME	1863	CLEVIS	AWS	M5
LOADING GATE	982	CLEVIS HOUSING		T1
GATE FRAME	1935	CLEVIS SHAFT		C8
HINGE PIN	M8	CLEVIS NUT		S8
MOD. GATE PIN	C3	CLEVIS STUD		N/A
AXLE SHAFT	PHR9	SHACKLE BOLT		N/A

AUTHORIZED SIGNATURE

Ben-Mann

DATE **8-22-22**



CERTIFICATE OF TEST / INSPECTION

WIRELINE TECHNOLOGIES INC.
2140 NORTH REDWOOD RD. #60
SALT LAKE CITY, UT 84116 USA
(800) 743-2831 FAX (801) 323-7077
WWW.WIRELINE.COM

CERTIFICATION DATE **08-22-22**
FORCE APPLIED **50,000 LBS.**

PREPARED FOR:
HURACAN
P.O. BOX 1070
ROMA 4455
AUSTRALIA

!! ATTENTION !!
SEE OPERATION MANUAL FOR SAFE WORKING LOAD
ANNUAL RECERTIFICATION IS RECOMMENDED

WIRELINE TECHNOLOGIES, INC. CERTIFIES THAT THIS RIGGING SHEAVE WAS
SUBJECTED TO LOAD TESTING, USING APPARATUS DESIGNED FOR THAT PURPOSE
AND CALIBRATED THROUGH STANDARDS TRACEABLE TO NIST. THE SPECIFICATIONS
OF THE TEST ARE AS FOLLOWS:

DESCRIPTION OF PRODUCT

WTI S/N	G222-0592	CUST. S/N	
WTI P/N	G2-22-330-1000A REV 5	CUST. P/N	REV
PURCHASE ORDER		HOLLINGWORTH	
SALES ORDER		2022-394	
MANUFACTURE DATE		8-18-22	
NOTES			

AFTER LOAD TESTING, THE LOAD BEARING COMPONENTS LISTED BELOW WERE
INSPECTED PER ASTM-E1444A AND FOUND ACCEPTABLE PER AMS-STD-2175 CL3 GR. C
FOR CAST COMPONENTS, MIL-STD-1907 GR. C FOR COMPONENTS OF BAR STOCK
ORIGIN.

SERIAL/LOT NUMBERS OF LOAD BEARING COMPONENTS

FRAME	1862	CLEVIS	AWS	M5
LOADING GATE	982	CLEVIS HOUSING		T1
GATE FRAME	1935	CLEVIS SHAFT		C8
HINGE PIN	M8	CLEVIS NUT		S8
MOD. GATE PIN	C3	CLEVIS STUD		N/A
AXLE SHAFT	PHR9	SHACKLE BOLT		N/A

AUTHORIZED SIGNATURE *Ben Man* DATE **8-22-22**



CERTIFICATE OF TEST / INSPECTION

WIRELINE TECHNOLOGIES INC.
2140 NORTH REDWOOD RD. #60
SALT LAKE CITY, UT 84116 USA
(800) 743-2831 FAX (801) 323-7077
WWW.WIRELINE.COM

CERTIFICATION DATE **08-22-22**
FORCE APPLIED **50,000 LBS.**

PREPARED FOR:
HURACAN
P.O. BOX 1070
ROMA 4455
AUSTRALIA

!! ATTENTION !!
SEE OPERATION MANUAL FOR SAFE WORKING LOAD
ANNUAL RECERTIFICATION IS RECOMMENDED

WIRELINE TECHNOLOGIES, INC. CERTIFIES THAT THIS RIGGING SHEAVE WAS
SUBJECTED TO LOAD TESTING, USING APPARATUS DESIGNED FOR THAT PURPOSE
AND CALIBRATED THROUGH STANDARDS TRACEABLE TO NIST. THE SPECIFICATIONS
OF THE TEST ARE AS FOLLOWS:

DESCRIPTION OF PRODUCT

WTI S/N	G222-0593	CUST. S/N	
WTI P/N	G2-22-330-1000A REV 5	CUST. P/N	REV
		NOTES	
PURCHASE ORDER	HOLLINGWORTH		
SALES ORDER	2022-394		
MANUFACTURE DATE	8-18-22		

AFTER LOAD TESTING, THE LOAD BEARING COMPONENTS LISTED BELOW WERE
INSPECTED PER ASTM-E1444A AND FOUND ACCEPTABLE PER AMS-STD-2175 CL3 GR. C
FOR CAST COMPONENTS, MIL-STD-1907 GR. C FOR COMPONENTS OF BAR STOCK
ORIGIN.

SERIAL/LOT NUMBERS OF LOAD BEARING COMPONENTS

FRAME	1863	CLEVIS	AWS	M5
LOADING GATE	982	CLEVIS HOUSING		T1
GATE FRAME	1935	CLEVIS SHAFT		C8
HINGE PIN	M8	CLEVIS NUT		S8
MOD. GATE PIN	C3	CLEVIS STUD		N/A
AXLE SHAFT	PHR9	SHACKLE BOLT		N/A

AUTHORIZED SIGNATURE

Ben-Mann

DATE

8-22-22



CERTIFICATE OF TEST / INSPECTION

CERTIFICATION DATE **08-22-22**
FORCE APPLIED **50,000 LBS.**

WIRELINE TECHNOLOGIES INC.
2140 NORTH REDWOOD RD. #60
SALT LAKE CITY, UT 84116 USA
(800) 743-2831 FAX (801) 323-7077
WWW.WIRELINE.COM

PREPARED FOR:
HURACAN
P.O. BOX 1070
ROMA 4455
AUSTRALIA

!! ATTENTION !!
SEE OPERATION MANUAL FOR SAFE WORKING LOAD
ANNUAL RECERTIFICATION IS RECOMMENDED

WIRELINE TECHNOLOGIES, INC. CERTIFIES THAT THIS RIGGING SHEAVE WAS
SUBJECTED TO LOAD TESTING, USING APPARATUS DESIGNED FOR THAT PURPOSE
AND CALIBRATED THROUGH STANDARDS TRACEABLE TO NIST. THE SPECIFICATIONS
OF THE TEST ARE AS FOLLOWS:

DESCRIPTION OF PRODUCT				
WTI S/N	G222-0594		CUST. S/N	
WTI P/N	G2-22-330-1000A	REV 5	CUST. P/N	
			REV	
			NOTES	
PURCHASE ORDER	HOLLINGWORTH			
SALES ORDER	2022-394			
MANUFACTURE DATE	8-18-22			

AFTER LOAD TESTING, THE LOAD BEARING COMPONENTS LISTED BELOW WERE
INSPECTED PER ASTM-E1444A AND FOUND ACCEPTABLE PER AMS-STD-2175 CL3 GR. C
FOR CAST COMPONENTS, MIL-STD-1907 GR. C FOR COMPONENTS OF BAR STOCK
ORIGIN.

SERIAL/LOT NUMBERS OF LOAD BEARING COMPONENTS				
FRAME	1863	CLEVIS	AWS	M5
LOADING GATE	982	CLEVIS HOUSING		T1
GATE FRAME	1935	CLEVIS SHAFT		C8
HINGE PIN	M8	CLEVIS NUT		S8
MOD. GATE PIN	C3	CLEVIS STUD		N/A
AXLE SHAFT	PHR9	SHACKLE BOLT		N/A

AUTHORIZED SIGNATURE

Ben Man

DATE

8-22-22



CERTIFICATE OF TEST / INSPECTION

WIRELINTECHNOLOGIES INC.
2140 NORTH REDWOOD RD. #60
SALT LAKE CITY, UT 84116 USA
(800) 743-2831 FAX (801) 323-7077
WWW.WIRELINE.COM

CERTIFICATION DATE **08-22-22**
FORCE APPLIED **12,000 LBS.**

PREPARED FOR:
HURACAN
P.O. BOX 1070
ROMA 4455
AUSTRALIA

!! ATTENTION !!
SEE OPERATION MANUAL FOR SAFE WORKING LOAD
ANNUAL RECERTIFICATION IS RECOMMENDED

WIRELINTECHNOLOGIES, INC. CERTIFIES THAT THIS SLICKLINE SHEAVE WAS
SUBJECTED TO LOAD TESTING, USING APPARATUS DESIGNED FOR THAT PURPOSE
AND CALIBRATED THROUGH STANDARDS TRACEABLE TO NIST. THE SPECIFICATIONS
OF THE TEST ARE AS FOLLOWS:

DESCRIPTION OF PRODUCT

WTI S/N	SL16-2684	CUST. S/N	
WTI P/N	SL-16-125-200E REV	CUST. P/N	REV

PURCHASE ORDER	HOLLINGWORTH
SALES ORDER	2022-394
MANUFACTURE DATE	8-18-22

AFTER LOAD TESTING, THE LOAD BEARING COMPONENTS LISTED BELOW WERE
INSPECTED PER MIL-STD-271 AND FOUND ACCEPTABLE PER MIL-STD-1907 FOR
ALUMINUM COMPONENTS, MIL-STD-1907 GR. C FOR COMPONENTS OF BAR STOCK
ORIGIN.

SERIAL/LOT NUMBERS OF LOAD BEARING COMPONENTS

BLOCK	F3	CLEVIS	EYE	B9
FRONT PLATE	H4	CLEVIS NUT		B2
REAR PLATE	F1	CLEVIS STUD		A2
LOCKING PINS	F1			
AXLE SHAFT	PHG6			

AUTHORIZED SIGNATURE

Beri Man

DATE **8-22-22**



CERTIFICATE OF TEST / INSPECTION

WIRELINE TECHNOLOGIES INC.
2140 NORTH REDWOOD RD. #60
SALT LAKE CITY, UT 84116 USA
(800) 743-2831 FAX (801) 323-7077
WWW.WIRELINE.COM

CERTIFICATION DATE **08-22-22**
FORCE APPLIED **12,000 LBS.**

PREPARED FOR:
HURACAN
P.O. BOX 1070
ROMA 4455
AUSTRALIA

!! ATTENTION !!
SEE OPERATION MANUAL FOR SAFE WORKING LOAD
ANNUAL RECERTIFICATION IS RECOMMENDED

WIRELINE TECHNOLOGIES, INC. CERTIFIES THAT THIS SLICKLINE SHEAVE WAS
SUBJECTED TO LOAD TESTING, USING APPARATUS DESIGNED FOR THAT PURPOSE
AND CALIBRATED THROUGH STANDARDS TRACEABLE TO NIST. THE SPECIFICATIONS
OF THE TEST ARE AS FOLLOWS:

DESCRIPTION OF PRODUCT

WTI S/N	SL16-2685	CUST. S/N	
WTI P/N	SL-16-125-200E REV	CUST. P/N	REV
PURCHASE ORDER	HOLLINGWORTH		
SALES ORDER	2022-394		
MANUFACTURE DATE	8-18-22		

AFTER LOAD TESTING, THE LOAD BEARING COMPONENTS LISTED BELOW WERE
INSPECTED PER MIL-STD-271 AND FOUND ACCEPTABLE PER MIL-STD-1907 FOR
ALUMINUM COMPONENTS, MIL-STD-1907 GR. C FOR COMPONENTS OF BAR STOCK
ORIGIN.

SERIAL/LOT NUMBERS OF LOAD BEARING COMPONENTS

BLOCK	F3	CLEVIS EYE	B9
FRONT PLATE	H4	CLEVIS NUT	B2
REAR PLATE	F1	CLEVIS STUD	A2
LOCKING PINS	F1		
AXLE SHAFT	PHG6		

AUTHORIZED SIGNATURE

Brian

DATE 8-22-22



2140 N. REDWOOD RD.
SALT LAKE CITY, UT. 84116

CERTIFICATE OF PROOF LOAD TEST AND NON-DESTRUCTIVE TESTING

IT IS HEREBY CERTIFIED THAT THE PARTS LISTED BELOW HAVE BEEN PROOF LOAD TESTED TO 64,000 LBS AND SUBSEQUENTLY MAGNETIC PARTICLE INSPECTED PER ASTM-E-1444, GRADE C AND FOUND ACCEPTABLE. SAID TESTING WAS DONE UNDER THE DIRECTION OF THE AUTHORIZED SIGNED BELOW.

P/N: SH-200, SHEAVE HANGER
SERIAL#: OA-1074

AUTHORIZED SIGNATURE Bruce Mc DATE: 08/22/22



2140 N. REDWOOD RD.
SALT LAKE CITY, UT. 84116

CERTIFICATE OF PROOF LOAD TEST AND NON-DESTRUCTIVE TESTING

IT IS HEREBY CERTIFIED THAT THE PARTS LISTED BELOW HAVE BEEN PROOF LOAD TESTED TO 80,000 LBS AND SUBSEQUENTLY MAGNETIC PARTICLE INSPECTED PER ASTM-E-1444, GRADE C AND FOUND ACCEPTABLE. SAID TESTING WAS DONE UNDER THE DIRECTION OF THE AUTHORIZED SIGNED BELOW.

RS-1899, THREADED CLEVIS PIN KIT

P/N: RS-1499 LOT#: H7

SERIAL#: 23

AUTHORIZED SIGNATURE Bruce Mac DATE: 01/26/23



2140 N. REDWOOD RD.
SALT LAKE CITY, UT. 84116


CERTIFICATE OF PROOF LOAD TEST AND NON-DESTRUCTIVE TESTING

IT IS HEREBY CERTIFIED THAT THE PARTS LISTED BELOW HAVE BEEN PROOF LOAD TESTED TO 80,000 LBS AND SUBSEQUENTLY MAGNETIC PARTICLE INSPECTED PER ASTM-E-1444, GRADE C AND FOUND ACCEPTABLE. SAID TESTING WAS DONE UNDER THE DIRECTION OF THE AUTHORIZED SIGNED BELOW.

RS-1899, THREADED CLEVIS PIN KIT

P/N: RS-1499 LOT#: H7

SERIAL#: 252

AUTHORIZED SIGNATURE  DATE: 01/26/23



2140 N. REDWOOD RD.
SALT LAKE CITY, UT. 84116

CERTIFICATE OF PROOF LOAD TEST AND NON-DESTRUCTIVE TESTING

IT IS HEREBY CERTIFIED THAT THE PARTS LISTED BELOW HAVE BEEN PROOF LOAD TESTED TO 80,000 LBS AND SUBSEQUENTLY MAGNETIC PARTICLE INSPECTED PER ASTM-E-1444, GRADE C AND FOUND ACCEPTABLE. SAID TESTING WAS DONE UNDER THE DIRECTION OF THE AUTHORIZED SIGNED BELOW.

RS-1899, THREADED CLEVIS PIN KIT

P/N: RS-1499 LOT#: H7

SERIAL#: 163

AUTHORIZED SIGNATURE -----DATE: 01/26/23



2140 N. REDWOOD RD.
SALT LAKE CITY, UT. 84116

CERTIFICATE OF PROOF LOAD TEST AND NON-DESTRUCTIVE TESTING

IT IS HEREBY CERTIFIED THAT THE PARTS LISTED BELOW HAVE BEEN PROOF LOAD TESTED TO 80,000 LBS AND SUBSEQUENTLY MAGNETIC PARTICLE INSPECTED PER ASTM-E-1444, GRADE C AND FOUND ACCEPTABLE. SAID TESTING WAS DONE UNDER THE DIRECTION OF THE AUTHORIZED SIGNEE BELOW.

RS-1899, THREADED CLEVIS PIN KIT

P/N: RS-1499 LOT#: H7

SERIAL#: 165

AUTHORIZED SIGNATURE Ben Man ----- DATE: 01/26/23