
Design-based tests
PMRT-GBM
Indep. + dithered
.05 .05 .04 .04 .05
Confounded
– – – .04 –
PMRT-Lin
Indep. + dithered
.05 .05 .06 .05 .05
Confounded
– – – .05 –
Design-adjusted tests
Partial correlation
Independent
.04 .05 .05 .02 .05
Dithered
.05 .05 .05 .09 .05
Confounded
– – – .06 –
Granger
Independent
– – .05 – –
Dithered
– – .05 – –
RCoT
Independent
.06 .06 .06 .08 .06
Dithered
.30 .28 .32 .07 .30
Confounded
– – – .68 –
Design-blind methods
Correlation
Independent
.03 .05 .05 .02 .04
Dithered
.84 .74 .85 .21 .78
Partial correlation
Independent
.04 .05 .05 .02 .05
Dithered
.21 .63 .35 .06 .45
Partial correlation, HAC (fixed-b)
Independent
.04 .05 .05 .02 .05
Dithered
.21 .63 .35 .07 .44
Granger
Independent
– – .05 – –
Dithered
– – .69 – –
RCoT
Independent
.07 .06 .07 .05 .06
Dithered
.29 .36 .32 .04 .28
MSCR (n ≤ 1000)
Independent
.05 .05 .05 .09 .05
Dithered
1 .88 1 .01 .98
Linear graph
Rare regime
Delayed harm
Confounding (placebo)
Composed
Environment
0
.05
.5
1
Null-edge rate (near-white = nominal .05)