

SELECT QUESTIONS

1. Title

1148. Article Views I

Idea / Problem Statement

You are given a table that records **who viewed which article and when**.

Your task is to **find all authors who viewed at least one of their own articles** — meaning:

- `author_id` **equals** `viewer_id`

Since the table may contain **duplicate rows**, the final list of authors must be **unique** and **sorted in ascending order**.

Tables Involved

Views

Column Name	Type	Description
<code>article_id</code>	<code>int</code>	ID of the article
<code>author_id</code>	<code>int</code>	ID of the article's author
<code>viewer_id</code>	<code>int</code>	ID of the viewer
<code>view_date</code>	<code>date</code>	Date when the article was viewed

Solution (SQL Query)

```
SELECT DISTINCT author_id AS id
FROM Views
WHERE author_id = viewer_id
ORDER BY id;
```

2. Title

1683. Invalid Tweets

Idea / Problem Statement

You are given a table containing tweets and their content.

A tweet is considered **invalid** if the **number of characters in its content is strictly greater than 15**.

Your task is to **find the IDs of all invalid tweets**.
The result can be returned in **any order**.

Tables Involved

Tweets

Column Name	Type	Description
tweet_id	int	Unique ID of the tweet (Primary Key)
content	varchar	Text content of the tweet

Solution (SQL Query)

```
SELECT tweet_id
FROM Tweets
WHERE CHAR_LENGTH(content) > 15;
```

