✔ APP SCORES

Average CVSS 6.5
Security Score 10/100
Trackers Detection
5/432

📦 FILE INFORMATION

File Name Pou_1.4.120_APKPure.apk
Size 27.79MB
MD5 95221595cdd65b86ac81e63b0024b2a5
SHA1 e37c7fb6c2ddb6073ffd61c5e45c3722a6141beb
SHA256
f7a54b631e0da0b3ef00661551c2d6943c1aa1a08a7ff43db756ca08fe3
8824c

ℹ APP INFORMATION

App Name Pou
Package Name me.pou.app
Main Activity me.pou.app.App
Target SDK 34 Min SDK 21 Max SDK
Android Version Name 1.4.120
Android Version Code 269

32	9	10	5
ACTIVITIES	SERVICES	RECEIVERS	PROVIDERS
View ⬇	View ⬇	View ⬇	View ⬇

| Exported Activities 0	Exported Services 1	Exported Receivers 2	Exported Providers 0

⚙ SCAN OPTIONS

🗏 DECOMPILED CODE

✴ SIGNER CERTIFICATE

```
APK is signed
v1 signature: True
v2 signature: True
v3 signature: False
Found 1 unique certificates
Subject: CN=Paul
Signature Algorithm: rsassa_pkcs1v15
Valid From: 2012-07-23 05:42:38+00:00
Valid To: 3011-11-24 05:42:38+00:00
Issuer: CN=Paul
Serial Number: 0x500ce44e
Hash Algorithm: sha1
md5: 432b0f9a2b124ad1a6cffd50210022d3
sha1: a08dd5d7d659a0d88ac44fe075c5e4ff65566297
sha256: 184058684847b151d09a3e08449a23b48c67f1614ef95cab211fc080dd26e248
sha512:
5d1651a42e274046a951e0359ab4681e5b84991a1258562e96b087df340aeec5d327886a6e9112fc3e9d92900cb3bd207e203128a3b
c4647aa28ef26974122b0
PublicKey Algorithm: rsa
Bit Size: 1024
Fingerprint: e6bd2e4590bf910aa0bd974452293bfc8d979592cbc636b29e9ea94c8fef0507
```

Search:

STATUS ↑↓	DESCRIPTION ↑↓
secure	Application is signed with a code signing certificate
warning	Application is signed with v1 signature scheme, making it vulnerable to Janus vulnerability on Android <7.0
warning	Application is signed with SHA1withRSA. SHA1 hash algorithm is known to have collision issues. The manifest file indicates SHA256withRSA is in use.

Showing 1 to 3 of 3 entries   Previous   1   Next

☰ APPLICATION PERMISSIONS

Search: [   ]

| PERMISSION ↑↓	STATUS ↑↓	INFO ↑↓	DESCRIPTION ↑↓
android.permission.ACCESS_ADSERVICES_AD_ID	dangerous	Unknown permission from android reference	Unknown permission from android reference
android.permission.ACCESS_ADSERVICES_ATTRIBUTION	dangerous	Unknown permission from android reference	Unknown permission from android reference
android.permission.ACCESS_ADSERVICES_TOPICS	dangerous	Unknown permission from android reference	Unknown permission from android reference
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.
android.permission.BLUETOOTH	normal	create Bluetooth connections	Allows applications to connect to paired bluetooth devices.
android.permission.BLUETOOTH_ADMIN	normal	bluetooth administration	Allows applications to discover and pair bluetooth devices.
android.permission.BLUETOOTH_ADVERTISE	dangerous	Unknown permission from android reference	Unknown permission from android reference
android.permission.BLUETOOTH_CONNECT	dangerous	Unknown permission from android reference	Unknown permission from android reference
android.permission.BLUETOOTH_SCAN	dangerous	Unknown permission from android reference	Unknown permission from android reference

Showing 1 to 10 of 20 entries

Previous   1   2   Next

🤖 ANDROID API

Search: [   ]

API	FILES
Android Notifications	me/pou/app/NotificationsService.java
Base64 Decode	com/vungle/ads/internal/model/BidPayload.java com/applovin/impl/adview/p.java com/applovin/exoplayer2/i/g/d.java com/applovin/impl/sdk/utils/p.java me/pou/app/App.java com/fyber/inneractive/sdk/ignite/c.java com/vungle/ads/internal/ui/WatermarkView.java com/vungle/ads/internal/omsdk/NativeOMTracker.java com/fyber/inneractive/sdk/cache/b.java com/fyber/inneractive/sdk/bidder/adm/b.java com/applovin/impl/sdk/ad/c.java com/applovin/exoplayer2/k/h.java
Base64 Encode	com/applovin/impl/sdk/utils/p.java s6/h.java com/fyber/inneractive/sdk/network/h0.java com/vungle/ads/internal/bidding/BidTokenEncoder.java com/fyber/inneractive/sdk/bidder/a.java com/fyber/inneractive/sdk/cache/b.java com/fyber/inneractive/sdk/network/m0.java com/applovin/exoplayer2/ui/l.java com/applovin/impl/sdk/p.java com/applovin/impl/sdk/o.java
Certificate Handling	z9/x.java ea/e.java z9/a.java ea/f.java ja/d.java ja/j.java
Content Provider	com/applovin/sdk/AppLovinInitProvider.java com/vungle/ads/internal/util/VungleProvider.java
Crypto	com/fyber/inneractive/sdk/player/exoplayer2/extractor/hls/a.java com/fyber/inneractive/sdk/player/exoplayer2/upstream/cache/i.java
Get Android Advertising ID	com/fyber/inneractive/sdk/config/w.java com/applovin/impl/sdk/utils/d.java com/vungle/ads/internal/platform/AndroidPlatform.java
Get Installed Applications	com/applovin/impl/sdk/utils/u.java com/fyber/inneractive/sdk/util/r.java com/fyber/inneractive/sdk/util/n.java com/fyber/inneractive/sdk/click/j.java

📑 BROWSABLE ACTIVITIES

Search: [   ]

ACTIVITY	INTENT
No data available in table	

Showing 0 to 0 of 0 entries   Previous   Next

🔒 NETWORK SECURITY

Search: [   ]

NO	SCOPE	SEVERITY	DESCRIPTION
No data available in table			

Showing 0 to 0 of 0 entries   Previous   Next

🔍 MANIFIEST ANALYSIS

Search: [ ]

NO ↑↓	ISSUE ↑↓	SEVERITY ↑↓	DESCRIPTION ↑↓
1	Clear text traffic is Enabled For App [android:usesCleartextTraffic=true]	high	The app intends to use cleartext network traffic, such as cleartext HTTP, FTP stacks, DownloadManager, and MediaPlayer. The default value for apps that target API level 27 or lower is "true". Apps that target API level 28 or higher default to "false". The key reason for avoiding cleartext traffic is the lack of confidentiality, authenticity, and protections against tampering; a network attacker can eavesdrop on transmitted data and also modify it without being detected.
2	Application Data can be Backed up [android:allowBackup] flag is missing.	medium	The flag [android:allowBackup] should be set to false. By default it is set to true and allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.
3	**Broadcast Receiver** (com.amazon.device.iap.ResponseReceiver) is not Protected. [android:exported=true]	high	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
4	**Service** (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked. **Permission:** android.permission.BIND_JOB_SERVICE [android:exported=true]	high	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
5	**Broadcast Receiver**	high	A Broadcast Receiver is found to be

</> CODE ANALYSIS

Search: [   ]

NO ↑↓	ISSUE ↑↓	SEVERITY ↑↓	STANDARDS ↑↓	FILES ↑↓
1	The App logs information. Sensitive information should never be logged.	info	**CVSS V2:** 7.5 (high) **CWE:** CWE-532 Insertion of Sensitive Information into Log File **OWASP MASVS:** MSTG-STORAGE-3	com/fyber/inneractive/sdk/player/exoplayer2/video/MediaCodecVideoRenderer.java q3/a.java com/amazon/device/iap/PurchasingService.java com/amazon/device/iap/internal/a/a.java com/fyber/inneractive/sdk/player/exoplayer2/extractor/mp4/f.java com/vungle/ads/internal/presenter/MRAIDPresenter.java com/fyber/inneractive/sdk/player/exoplayer2/extractor/ogg/j.java com/applovin/impl/sdk/x.java com/fyber/inneractive/sdk/player/exoplayer2/extractor/ts/l.java aa/d.java com/vungle/ads/internal/util/Logger.java com/applovin/exoplayer2/l/q.java com/fyber/inneractive/sdk/player/exoplayer2/util/i.java com/fyber/inneractive/sdk/player/exoplayer2/g.java com/vungle/ads/internal/load/BaseAdLoader$assetDownloadListener$1.java com/vungle/ads/internal/ImpressionTracker.java com/vungle/ads/VungleAds.java com/vungle/ads/internal/network/VungleApiClient$initUserAgentLazy$1.java com/vungle/ads/internal/util/PathProvider.java com/amazon/device/iap/internal/e.java q3/b.java com/fyber/inneractive/sdk/player/exoplayer2/source/chunk/b.java com/vungle/ads/internal/ConfigManager.java k/g.java com/vungle/ads/internal/VungleInitializer$configure$2.java com/vungle/ads/internal/load/MraidJsLoader$downloadJs$1.java a2/d.java com/fyber/inneractive/sdk/player/exoplayer2/extractor/ts/o.java com/vungle/ads/internal/network/TpatSender.java d0/a.java com/vungle/ads/internal/omsdk/OMInjector.java me/pou/app/App.java h/b.java com/vungle/ads/internal/downloader/AssetDownloader.java com/fyber/inneractive/sdk/player/exoplayer2

⚑ SHARED LIBRARY BINARY ANALYSIS

No Shared Objects found.

Search: [_____]

NO ↑↓	SHARED OBJECT ↑↓	NX ↑↓	PIE ↑↓	STACK CANARY ↑↓	RELRO ↑↓	RPATH ↑↓	RUNPATH ↑↓	FORTIFY ↑↓	SYMBOLS STRIPPED ↑↓
				No data available in table					

Showing 0 to 0 of 0 entries

Previous   Next

NIAP ANALYSIS

Search: [   ]

NO ↑↓	IDENTIFIER ↑↓	REQUIREMENT ↑↓	FEATURE ↑↓	DESCRIPTION ↑↓
1	FCS_RBG_EXT.1.1	Security Functional Requirements	Random Bit Generation Services	The application invoke platform-provided DRBG functionality for its cryptographic operations.
2	FCS_STO_EXT.1.1	Security Functional Requirements	Storage of Credentials	The application does not store any credentials to non-volatile memory.
3	FDP_DEC_EXT.1.1	Security Functional Requirements	Access to Platform Resources	The application has access to ['bluetooth', 'microphone', 'network connectivity'].
4	FDP_DEC_EXT.1.2	Security Functional Requirements	Access to Platform Resources	The application has access to no sensitive information repositories.
5	FDP_NET_EXT.1.1	Security Functional Requirements	Network Communications	The application has user/application initiated network communications.
6	FDP_DAR_EXT.1.1	Security Functional Requirements	Encryption Of Sensitive Application Data	The application implement functionality to encrypt sensitive data in non-volatile memory.
7	FMT_MEC_EXT.1.1	Security Functional Requirements	Supported Configuration Mechanism	The application invoke the mechanisms recommended by the platform vendor for storing and setting configuration options.
8	FTP_DIT_EXT.1.1	Security Functional Requirements	Protection of Data in Transit	The application does encrypt some transmitted data with HTTPS/TLS/SSH between itself and another trusted IT product.
9	FCS_RBG_EXT.2.1,FCS_RBG_EXT.2.2	Selection-Based Security Functional Requirements	Random Bit Generation from Application	The application perform all deterministic random bit generation (DRBG) services in accordance with NIST Special Publication 800-90A using Hash_DRBG. The deterministic RBG is seeded by an entropy source that accumulates entropy from a platform-based DRBG and a software-based noise source, with a minimum of 256 bits of entropy at least equal to the greatest security strength (according to NIST SP 800-57) of the keys and hashes that it will generate.
10	FCS_CKM_EXT.1.1	Selection-Based	Cryptographic Key	The application implement asymmetric key

FILE ANALYSIS

Search:

NO	⇅	ISSUE	⇅	FILES	⇅
1		Certificate/Key files hardcoded inside the app.		okhttp3/internal/publicsuffix/NOTICE	

Showing 1 to 1 of 1 entries

Previous   1   Next

APKiD ANALYSIS

Search: [   ]

DEX ⭡⭣	DETECTIONS ⭡⭣
classes.dex	Search: [ ] **FINDINGS** ⭡⭣ **DETAILS** ⭡⭣ **Anti-VM Code** Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check SIM operator check network operator name check possible VM check **Compiler** r8 without marker (suspicious) Showing 1 to 2 of 2 entries Previous | 1 | Next
classes2.dex	Search: [ ] **FINDINGS** ⭡⭣ **DETAILS** ⭡⭣ **Anti-VM Code** Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check SIM operator check network operator name check **Compiler** r8 without marker (suspicious) Showing 1 to 2 of 2 entries Previous | 1 | Next

Showing 1 to 2 of 2 entries   Previous | 1 | Next

⚲ DOMAIN MALWARE CHECK

Search: [   ]

DOMAIN ↑↓	STATUS ↑↓	GEOLOCATION ↑↓
a.applovin.com	good	**IP:** 34.117.147.68 **Country:** United States of America **Region:** California **City:** Mountain View **Latitude:** 37.405991 **Longitude:** -122.078514 **View: Google Map**
a.applvn.com	good	**IP:** 34.117.147.68 **Country:** United States of America **Region:** California **City:** Mountain View **Latitude:** 37.405991 **Longitude:** -122.078514 **View: Google Map**
aomedia.org	good	**IP:** 185.199.110.153 **Country:** United States of America **Region:** Indiana **City:** Francisco **Latitude:** 38.333332 **Longitude:** -87.44722 **View: Google Map**
api.taboola.com	good	**IP:** 151.101.193.44 **Country:** United States of America **Region:** California **City:** San Francisco **Latitude:** 37.7757 **Longitude:** -122.395203 **View: Google Map**
app.pou.me	good	**IP:** 54.151.226.152 **Country:** Singapore **Region:** Singapore **City:** Singapore **Latitude:** 1.28967 **Longitude:** 103.850067 **View: Google Map**
assets.applovin.com	good	**IP:** 34.120.175.182 **Country:** United States of America **Region:** California **City:** Mountain View **Latitude:** 37.405991 **Longitude:** -122.078514 **View: Google Map**

🌐 URLS

Search: [ ]

URL	⇅	FILE	⇅
data:%s;base64,		com/fyber/inneractive/sdk/network/m0.java	
data:,		com/applovin/impl/sdk/ae.java	
data:, https://cdn2.inner-active.mobi/client/ia-js-tags/dt-mraid-video-controller.js https://cdn2.inner-active.mobi/IA-JSTag/Production/centering_v1.css https://cdn2.inner-active.mobi/IA-JSTag/Production/centering_v1.js		com/fyber/inneractive/sdk/web/e.java	
data:d},c)}function data:b}};function		com/vungle/ads/internal/omsdk/Res.java	
http://app.pou.me/ http://s3-ap-southeast-1.amazonaws.com/pou-list-thumbs/ http://s3-ap-southeast-1.amazonaws.com/pou-store-thumbs/		s6/h.java	
http://developer.android.com/google/play-services/setup.html.		com/applovin/impl/sdk/utils/d.java	
http://help.pou.me		s9/j.java	
http://help.pou.me		w5/d.java	
http://help.pou.me/privacy-policy.php		c7/c.java	
http://help.pou.me/privacy-policy.php		s9/o.java	

Showing 1 to 10 of 64 entries

Previous | 1 | 2 | 3 | 4 | 5 | 6 | 7 | Next

🗄 FIREBASE DATABASE

Search: [ ]

FIREBASE URL	⇅	DETAILS	⇅
https://pou1-8edbb.firebaseio.com		**Info** App talks to a Firebase database.	

Showing 1 to 1 of 1 entries

Previous | 1 | Next

✉ EMAILS

Search: [   ]

EMAIL ⬆⬇	FILE ⬆⬇
your@email.com elteu@correu.com din@email.dk ваша@пошта.com deine@email-adresse.de tvoj@email.com example@mail.com jouw@email.com twój@email.com emailul@tău.com ton@courriel.com seninemailin@email.com váš@email.cz tu@email.com tua@email.com tiéd@email.hu ваш@email.com exemplopou@gmail.com utilizador@exemplo.pt	[Android String Resource](#)

Showing 1 to 1 of 1 entries   Previous | 1 | Next

🐛 TRACKERS

Search: [   ]

TRACKER NAME ⬆⬇	URL ⬆⬇
AppLovin (MAX and SparkLabs)	https://reports.exodus-privacy.eu.org/trackers/72
Fyber	https://reports.exodus-privacy.eu.org/trackers/104
Google AdMob	https://reports.exodus-privacy.eu.org/trackers/312
Google Firebase Analytics	https://reports.exodus-privacy.eu.org/trackers/49
IAB Open Measurement	https://reports.exodus-privacy.eu.org/trackers/328

Showing 1 to 5 of 5 entries   Previous | 1 | Next

A STRINGS

"best" : "Cel mai bun"

"lamps" : "مصابيح"

"honduras" : "Hondures"

"slovakia" : "Словаччина"

"chicken_soup" : "Kuřecí polévka"

"balls" : "Мячи"

"potion_adult_desc" : "Springe zur Erwachsenen Größe!"

"eat" : "Menjar"

"santa" : "Kerstman"

"avocado_maki" : "Maki na Abokado"

"common_google_play_services_notification_channel_name" : "Disponibilidade do Google Play Services"

"offline_opt_in_decline" : "Ոչ, շնորհակալություն"

"common_google_play_services_notification_ticker" : "Error de Servicios de Google Play"

"common_google_play_services_install_button" : "████████ ████"

"notifications_permission_decline" : "██████ ██ ██████"

"s7" : "Тестовое объявление"

"applovin_pp_title" : "Pour utiliser %s vous devez confirmer avoir lu et accepté notre politique de confidentialité."

"s7" : "テスト広告"

"monaco" : "موناكو"

"rate_app" : "Dă o notă aplicației!"

"you_got_N_coins" : "Posiadasz # monet!"

"fallback_menu_item_copy_link" : "لنک کاپی کریں"

"offline_opt_in_decline" : "Ne, díky"

"fallback_menu_item_copy_link" : "複製連結"

"play" : "Joacă"

"common_signin_button_text_long" : "Մուտք գործել Google-ով"

"food" : "Τροφή"

"stone" : "Pedregulho"

"outfits" : "██"

"new_photo" : "Neues Foto"

"common_google_play_services_notification_ticker" : "Chyba služeb Google Play"

"pet_tip" : "Awww, quina mascota més maca! Toca la icona de la Botiga per personalitzar la vostra mascota!"

"cyan" : "Cijan"

"notif_pou_hungry_3" : "Дай мені їжі!"

"watch_short_video" : "Regarder un court vidéo"

"strawberry" : "Fresa"

"go_home" : "Go Home"

"monaco" : "Monaco"

"pancakes" : "Palačinke"

"this_month" : "В этом месяце"

"common_google_play_services_update_text" : "Google Play ████████ ██████████ ████████, %1$s ████████."

"game5_desc" : "Câţiva Pou sunt supăraţi! Apasă-i pe cei supăraţi! Ai grijă să nu apeşi pe cei fericiţi!"

"game10_desc" : "Gdje je pou? Ispod koje je šalice?"

"tap_N_sad_pous_game" : "@ ضغط على # بوهات حزينة في"

"game_tapped_x_happy" : "Dotknąłeś # szczęśliwego Pou!"

"update_title" : "█████ █████."

"lemon_cupcake" : "Cupcake Na Lemon"

"potions" : "Mikstury"

"game30_desc" : "Combina 3 o més aliments seguits per eliminar tots els anells i piruletes!"

"potion_baby" : "Potion Bébé"

"paraguay" : "Paraguai"

"pools" : "Baseny"

🔑 **POSSIBLE HARDCODED SECRETS**

"enter_game_password" : "Enter Game Password"
"enter_your_password" : "Enter Your Password"
"google_api_key" : "AIzaSyC_XdmztWd69WzvF_U8Mvzfx3KTXZVMmoQ"
"google_crash_reporting_api_key" : "AIzaSyC_XdmztWd69WzvF_U8Mvzfx3KTXZVMmoQ"
"password" : "Password"
"pet_monkey" : "Monkey"
"s3" : "Accept"
"turkey" : "Türkiye"
"enter_game_password" : "Ilagay ang Password ng Laro"
"enter_your_password" : "Ilagay Ang Password"
"pet_monkey" : "Unggoy"
"turkey" : "Turkiya"
"enter_game_password" : "Escriviu la contrasenya del joc"
"enter_your_password" : "Escriviu la contrasenya"
"password" : "Contrasenya"
"pet_monkey" : "Mico"
"s3" : "Accepta"
"turkey" : "Turquia"
"enter_your_password" : "Indtast Din Adgangskode"
"s3" : "Acceptér"
"s3" : "پذیرفتن"
"enter_game_password" : "ゲームのパスワードを入力してください。"
"enter_your_password" : "パスワードを入力してください。"
"password" : "パスワード"
"pet_monkey" : "サル"
"s3" : "許可する"
"turkey" : "タイ"
"s3" : "მიღება"
"s3" : "⣿⣿⣿⣿⣿⣿ ⣿⣿⣿"
"s3" : "⣿⣿⣿⣿⣿⣿"
"enter_game_password" : "Введіть пароль гри"
"enter_your_password" : "Введіть Ваш пароль"
"password" : "Пароль"
"pet_monkey" : "Мавпа"
"turkey" : "Туреччина"
"s3" : "Godta"
"s3" : "Прыняць"
"enter_game_password" : "Gebe das Spiel Passwort ein"
"enter_your_password" : "Gebe dein Passwort ein"
"password" : "Passwort"
"pet_monkey" : "Affe"
"s3" : "Zustimmen"
"s3" : "⣿⣿⣿⣿⣿⣿⣿ ⣿⣿⣿⣿⣿⣿⣿⣿⣿"
"s3" : "⣿⣿⣿⣿⣿⣿⣿⣿⣿"
"s3" : "Aanvaar"
"s3" : "Приемам"
"s3" : "⣿⣿⣿⣿⣿"
"enter_game_password" : "输入游戏密码"
"enter_your_password" : "输入你的密码"
"password" : "密码"
"pet_monkey" : "猴子"
"turkey" : "土耳其"

🔤 ACTIVITIES

me.pou.app.App
com.google.android.gms.ads.AdActivity
com.android.billingclient.api.ProxyBillingActivity
com.google.android.gms.ads.OutOfContextTestingActivity
com.google.android.gms.ads.NotificationHandlerActivity
com.applovin.adview.AppLovinFullscreenActivity
com.applovin.adview.AppLovinFullscreenThemedActivity
com.applovin.sdk.AppLovinWebViewActivity
com.applovin.mediation.hybridAds.MaxHybridMRecAdActivity
com.applovin.mediation.hybridAds.MaxHybridNativeAdActivity
com.applovin.mediation.MaxDebuggerActivity
com.applovin.mediation.MaxDebuggerDetailActivity
com.applovin.mediation.MaxDebuggerMultiAdActivity
com.applovin.mediation.MaxDebuggerAdUnitsListActivity
com.applovin.mediation.MaxDebuggerAdUnitWaterfallsListActivity
com.applovin.mediation.MaxDebuggerAdUnitDetailActivity
com.applovin.mediation.MaxDebuggerCmpNetworksListActivity
com.applovin.mediation.MaxDebuggerTcfConsentStatusesListActivity
com.applovin.mediation.MaxDebuggerTcfInfoListActivity
com.applovin.mediation.MaxDebuggerTcfStringActivity
com.applovin.mediation.MaxDebuggerTestLiveNetworkActivity
com.applovin.mediation.MaxDebuggerTestModeNetworkActivity
com.applovin.mediation.MaxDebuggerWaterfallKeywordsActivity
com.applovin.creative.MaxCreativeDebuggerActivity
com.applovin.creative.MaxCreativeDebuggerDisplayedAdActivity
com.google.android.gms.common.api.GoogleApiActivity
com.vungle.ads.internal.ui.VungleActivity
com.fyber.inneractive.sdk.activities.InneractiveInternalBrowserActivity
com.fyber.inneractive.sdk.activities.InneractiveFullscreenAdActivity
com.fyber.inneractive.sdk.activities.InneractiveRichMediaVideoPlayerActivityCore
com.fyber.inneractive.sdk.activities.InternalStoreWebpageActivity
com.fyber.inneractive.sdk.activities.FyberReportAdActivity

⚙️ SERVICES

me.pou.app.NotificationsService
com.google.android.gms.ads.AdService
com.applovin.impl.adview.activity.FullscreenAdService
com.google.android.datatransport.runtime.backends.TransportBackendDiscovery
com.google.android.datatransport.runtime.scheduling.jobscheduling.JobInfoSchedulerService
androidx.work.impl.background.systemalarm.SystemAlarmService
androidx.work.impl.background.systemjob.SystemJobService
androidx.work.impl.foreground.SystemForegroundService
androidx.room.MultiInstanceInvalidationService

⚙ RECEIVERS

com.amazon.device.iap.ResponseReceiver
com.google.android.datatransport.runtime.scheduling.jobscheduling.AlarmManagerSchedulerBroadcastReceiver
androidx.work.impl.utils.ForceStopRunnable$BroadcastReceiver
androidx.work.impl.background.systemalarm.ConstraintProxy$BatteryChargingProxy
androidx.work.impl.background.systemalarm.ConstraintProxy$BatteryNotLowProxy
androidx.work.impl.background.systemalarm.ConstraintProxy$StorageNotLowProxy
androidx.work.impl.background.systemalarm.ConstraintProxy$NetworkStateProxy
androidx.work.impl.background.systemalarm.RescheduleReceiver
androidx.work.impl.background.systemalarm.ConstraintProxyUpdateReceiver
androidx.work.impl.diagnostics.DiagnosticsReceiver

🗄 PROVIDERS

me.pou.app.GenericFileProvider
com.google.android.gms.ads.MobileAdsInitProvider
com.applovin.sdk.AppLovinInitProvider
com.vungle.ads.internal.util.VungleProvider
androidx.startup.InitializationProvider

≋ LIBRARIES

org.apache.http.legacy
android.ext.adservices

📄 FILES

META-INF/com/android/build/gradle/app-metadata.properties
classes.dex
classes2.dex
assets/consentform.html
assets/fonts/Pou.ttf
assets/fyb_iframe_endcard_tmpl.html
assets/fyb_static_endcard_tmpl.html
assets/ia_js_load_monitor.txt
assets/ia_mraid_bridge.txt
assets/images/account/account_option.png
assets/images/account/friends_option.png
assets/images/achievements/100.png
assets/images/achievements/1000.png
assets/images/achievements/101.png
assets/images/achievements/102.png
assets/images/achievements/103.png
assets/images/achievements/104.png
assets/images/achievements/105.png
assets/images/achievements/106.png
assets/images/achievements/107.png
assets/images/achievements/110.png
assets/images/achievements/111.png
assets/images/achievements/112.png
assets/images/achievements/113.png
assets/images/achievements/120.png
assets/images/achievements/121.png
assets/images/achievements/122.png
assets/images/achievements/123.png
assets/images/achievements/125.png
assets/images/achievements/126.png
assets/images/achievements/127.png
assets/images/achievements/128.png
assets/images/achievements/130.png
assets/images/achievements/131.png
assets/images/achievements/132.png
assets/images/achievements/133.png
assets/images/achievements/140.png
assets/images/achievements/141.png
assets/images/achievements/142.png
assets/images/achievements/143.png
assets/images/achievements/145.png
assets/images/achievements/146.png
assets/images/achievements/147.png
assets/images/achievements/148.png
assets/images/achievements/150.png
assets/images/achievements/151.png
assets/images/achievements/152.png
assets/images/achievements/153.png
assets/images/achievements/160.png
assets/images/achievements/161.png
assets/images/achievements/162.png
assets/images/achievements/163.png