

Case 1: Round-robin better

Input:

Time Quantum (RR): 2

P5

Arrival Time

Burst Time

Priority

Add Process

Clear All

Process ID	Arrival Time	Burst Time	Priority
P1	1	10	1
P2	2	2	2
P3	3	2	3
P4	4	2	4

Run Simulation

Output:

Round Robin Results

P1P2P3P1P4P1P1P1

1357911131517

Avg Turnaround Time	Avg Waiting Time	Avg Response Time
7.50	3.50	2.00

Priority Results

P1P2P3P4

111131517

Avg Turnaround Time	Avg Waiting Time	Avg Response Time
11.50	7.50	7.50

Comparison:

Algorithm Comparison			
Best Algorithm: Round Robin			
Reason: Lower overall average of Turnaround, Waiting, and Response time.			
Algorithm	Avg Turnaround	Avg Waiting	Avg Response
Round Robin	7.50	3.50	2.00
Priority	11.50	7.50	7.50

Case 2: Priority better

Input:

Time Quantum (RR):

Process ID	Arrival Time	Burst Time	Priority
P1	1	2	1
P2	2	4	2
P3	3	8	3

Output:

Round Robin Results

P1P2P3P2P3P3P3

13579111315

Avg Turnaround Time	Avg Waiting Time	Avg Response Time
7.00	2.33	1.00

Priority Results

P1P2P3

13715

Avg Turnaround Time	Avg Waiting Time	Avg Response Time
6.33	1.67	1.67

Comparison:

Algorithm Comparison

Best Algorithm: Priority Scheduling

Reason: Lower overall average of Turnaround, Waiting, and Response time.

Algorithm	Avg Turnaround	Avg Waiting	Avg Response
Round Robin	7.00	2.33	1.00
Priority	6.33	1.67	1.67

Case 3: Both are equal

Input:

Time Quantum (RR):

P4

Arrival Time

Burst Time

Priority

Add Process

Clear All

Process ID	Arrival Time	Burst Time	Priority
P1	1	2	1
P2	2	2	2
P3	3	2	3

Run Simulation

Output:

Round Robin Results

P1P2P3

1357

Avg Turnaround Time	Avg Waiting Time	Avg Response Time
3.00	1.00	1.00

Priority Results

P1P2P3

1357

Avg Turnaround Time	Avg Waiting Time	Avg Response Time
3.00	1.00	1.00

Comparison:

Algorithm Comparison

Best Algorithm: Equal Performance

Reason: Both algorithms produced identical average metrics.

Algorithm	Avg Turnaround	Avg Waiting	Avg Response
Round Robin	3.00	1.00	1.00
Priority	3.00	1.00	1.00