SOURCE CODE / FOLDER EDITION

React frontend

/frontend/

12 files | 202 pages | 21 October 2026

Full file paths and original source-line numbers appear in the listings.

Long lines continue with a + marker; indentation is preserved visually.

This PDF is for reading. Use the source ZIP to run, edit or publish the application.

Generated build output, installed dependencies and live databases are excluded.

Only the two confirmed company telephone numbers are included.

Public preview is published on Netlify; full server features await backend activation.

Contents

frontend/index.html 3
frontend/package-lock.json 4
frontend/package.json 63
frontend/public/brand/estmajo-logo.jpg 64
frontend/src/api.ts 65
frontend/src/main.tsx 70
frontend/src/owner.tsx 96
frontend/src/shared.tsx 144
frontend/src/styles.css 146
frontend/src/vite-env.d.ts 200
frontend/tsconfig.json 201
frontend/vite.config.ts 202

frontend/index.html


```
1  <!doctype html><html lang="en"><head><meta charset="UTF-8"/><meta name="viewport" content="width=device-width,initial-scale=1.0"/><meta name="theme-
+  color" content="#081e35"/><title>ESTMAJO ENGINEERING SOLUTIONS LTD</title></head><body><div id="root"></div><script type="module" src="/src/main.tsx
+  "></script></body></html>
```

frontend/package-lock.json


```
{
  "name": "esmajo-engineering",
  "version": "1.0.0",
  "lockfileVersion": 3,
  "requires": true,
  "packages": {
    "": {
      "name": "esmajo-engineering",
      "version": "1.0.0",
      "dependencies": {
        "lucide-react": "^0.468.0",
        "react": "^19.2.0",
        "react-dom": "^19.2.0",
        "react-router-dom": "^7.9.0"
      },
      "devDependencies": {
        "@tailwindcss/vite": "^4.1.0",
        "@types/react": "^19.2.0",
        "@types/react-dom": "^19.2.0",
        "@vitejs/plugin-react": "^5.0.0",
        "tailwindcss": "^4.1.0",
        "typescript": "~5.9.3",
        "vite": "^7.1.0"
      }
    },
    "node_modules/@babel/code-frame": {
      "version": "7.29.7",
      "resolved": "https://registry.npmjs.org/@babel/code-frame/-/code-frame-7.29.7.tgz",
      "integrity": "sha512-Aup7aUOfpbAUg2ROOJN6Iw5f9DMBlzu0mIkm/malLQFN/YQgO48wCj0Kxa3sEHJvPVFg7siR+qRInwXd2qhQKw==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/helper-validator-identifier": "^7.29.7",
        "js-tokens": "^4.0.0",
        "picocolors": "^1.1.1"
      },
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/@babel/compat-data": {
      "version": "7.29.7",
      "resolved": "https://registry.npmjs.org/@babel/compat-data/-/compat-data-7.29.7.tgz",
```

frontend/package-lock.json


```
      "integrity": "sha512-locTkQyKvwIEgBzVrn8693ebc97F2U8ZHjbXwDXJ5Fn2TCpNwTlKcaKLkdHop5c/icOFE7qt7Q9JC5hnKNa6Gg==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/@babel/core": {
      "version": "7.29.7",
      "resolved": "https://registry.npmjs.org/@babel/core/-/core-7.29.7.tgz",
      "integrity": "sha512-RgHBCvtjbOK2gXSNBNIkNoEc9qoVEtau3hj8gEqKQuL3HZAibKarWFEI3Lfm6EYKkLalOh8eSrj9b+ch9H/VBA==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/code-frame": "^7.29.7",
        "@babel/generator": "^7.29.7",
        "@babel/helper-compilation-targets": "^7.29.7",
        "@babel/helper-module-transforms": "^7.29.7",
        "@babel/helpers": "^7.29.7",
        "@babel/parser": "^7.29.7",
        "@babel/template": "^7.29.7",
        "@babel/traverse": "^7.29.7",
        "@babel/types": "^7.29.7",
        "@jridgewell/remapping": "^2.3.5",
        "convert-source-map": "^2.0.0",
        "debug": "^4.1.0",
        "gensync": "^1.0.0-beta.2",
        "json5": "^2.2.3",
        "semver": "^6.3.1"
      },
      "engines": {
        "node": ">=6.9.0"
      },
      "funding": {
        "type": "opencollective",
        "url": "https://opencollective.com/babel"
      }
    },
    "node_modules/@babel/generator": {
      "version": "7.29.8",
      "resolved": "https://registry.npmjs.org/@babel/generator/-/generator-7.29.8.tgz",
      "integrity": "sha512-gZbepsdh3WDtgZKWL+vTPh71LSBrm/Y4/QDZBVCcYfmeTEEuoOYwlSy+G1StfJg+/Zy550u/3TATbm7qDbbMtg==",
      "dev": true,
```

frontend/package-lock.json


```
      "license": "MIT",
      "dependencies": {
        "@babel/parser": "^7.29.8",
        "@babel/types": "^7.29.8",
        "@jridgewell/gen-mapping": "^0.3.12",
        "@jridgewell/trace-mapping": "^0.3.28",
        "jsesc": "^3.0.2"
      },
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/@babel/helper-compilation-targets": {
      "version": "7.29.7",
      "resolved": "https://registry.npmjs.org/@babel/helper-compilation-targets/-/helper-compilation-targets-7.29.7.tgz",
      "integrity": "sha512-wem6WaBj4NaVYVdNhLPPVacES6ZJ+KBBfSkTMD3YZxbP3rm3Di85tJU5ljaUNhaOynt+Aj0xruhYuzQBt8n71g==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/compat-data": "^7.29.7",
        "@babel/helper-validator-option": "^7.29.7",
        "browserslist": "^4.24.0",
        "lru-cache": "^5.1.1",
        "semver": "^6.3.1"
      },
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/@babel/helper-globals": {
      "version": "7.29.7",
      "resolved": "https://registry.npmjs.org/@babel/helper-globals/-/helper-globals-7.29.7.tgz",
      "integrity": "sha512-3nQVUAtvkKH9zahfWgw96Jc/uFOmjACE1kQz82E2lqWmHBgjzbNlsC22nuQTfahmWeQtTq5nQ/4Nnd2A1wj4zA==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/@babel/helper-module-imports": {
      "version": "7.29.7",
      "resolved": "https://registry.npmjs.org/@babel/helper-module-imports/-/helper-module-imports-7.29.7.tgz",
      "integrity": "sha512-ejHwrQQYcm9xnTivShn2IDOlIzInN34AXskvq9QicvCtEzq1Vzclu/tKF8Jq1Cg8JG2GL6/EmjgsCT7lXepE3g==",
```

frontend/package-lock.json


```
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/traverse": "^7.29.7",
        "@babel/types": "^7.29.7"
      },
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/@babel/helper-module-transforms": {
      "version": "7.29.7",
      "resolved": "https://registry.npmjs.org/@babel/helper-module-transforms/-/helper-module-transforms-7.29.7.tgz",
      "integrity": "sha512-UPUVSyXbOh627KiCIGQSgwWzGeBKLkaJ9PJEdrngIwMSzxLR4jS4+f1f1jb7VzBbg8nFLaYotvVPFCTqdrmTAg==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/helper-module-imports": "^7.29.7",
        "@babel/helper-validator-identifier": "^7.29.7",
        "@babel/traverse": "^7.29.7"
      },
      "engines": {
        "node": ">=6.9.0"
      },
      "peerDependencies": {
        "@babel/core": "^7.0.0"
      }
    },
    "node_modules/@babel/helper-plugin-utils": {
      "version": "7.29.7",
      "resolved": "https://registry.npmjs.org/@babel/helper-plugin-utils/-/helper-plugin-utils-7.29.7.tgz",
      "integrity": "sha512-G7sHYigPY17oO5SYWnfD/0MTBwVR781S/JI643e/JhUYgVgWE/61SoW3NH9KWUKyKq5LVh3npif99Wkt6j86Jw==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/@babel/helper-string-parser": {
      "version": "7.29.7",
      "resolved": "https://registry.npmjs.org/@babel/helper-string-parser/-/helper-string-parser-7.29.7.tgz",
      "integrity": "sha512-Pb5ijPrZ89GDH8223L4UP8i6QApWxs04RbPQJTeWDV0/keR2E36MeKnyr6LYmUUvqRRI+Iv87SuF1W6ErINzYw==",
      "dev": true,
```

frontend/package-lock.json


```
      "license": "MIT",
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/@babel/helper-validator-identifier": {
      "version": "7.29.7",
      "resolved": "https://registry.npmjs.org/@babel/helper-validator-identifier/-/helper-validator-identifier-7.29.7.tgz",
      "integrity": "sha512-qehxGkRj55h/ff8EMaJ+cYhyaKlHIxqYDn682wQD7RNp9UujOQsHog2uS0r2vzr4pW+sXf90NeeayjcNaX3fFg==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/@babel/helper-validator-option": {
      "version": "7.29.7",
      "resolved": "https://registry.npmjs.org/@babel/helper-validator-option/-/helper-validator-option-7.29.7.tgz",
      "integrity": "sha512-N9ZErrD+yW5geCDtBqnOoxmR8+tNKiGuxKlDpuJxfsqpa2dFcexaziGAE/qoHLiDDreVNMupxGmSoNlyvsA3gw==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/@babel/helpers": {
      "version": "7.29.10",
      "resolved": "https://registry.npmjs.org/@babel/helpers/-/helpers-7.29.10.tgz",
      "integrity": "sha512-EMCx3AGZ3WfAl6ht7AyQoPm2Lh+BGYEMdc4Q6Hf7uSCDOZFuLq44qNwL+iaim8VlyYhRAo4X43+weadK8ZB4Yg==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/template": "^7.29.7",
        "@babel/types": "^7.29.8"
      },
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/@babel/parser": {
      "version": "7.29.9",
      "resolved": "https://registry.npmjs.org/@babel/parser/-/parser-7.29.9.tgz",
      "integrity": "sha512-CjXrNHTnvqBVqHgdBysY3vk2T8tpJHb5/RMeHJBTyVa9xgugCB0CJTx/3oO8RV2QRQP391RWpB7D6hLjm8V9uA==",
```

frontend/package-lock.json


```
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/types": "^7.29.8"
      },
      "bin": {
        "parser": "bin/babel-parser.js"
      },
      "engines": {
        "node": ">=6.0.0"
      }
    },
    "node_modules/@babel/plugin-transform-react-jsx-self": {
      "version": "7.29.7",
      "resolved": "https://registry.npmjs.org/@babel/plugin-transform-react-jsx-self/-/plugin-transform-react-jsx-self-7.29.7.tgz",
      "integrity": "sha512-TL0hMc9xzy86VD31nUiwzd5otRAcyEPcsegCxolO0PvcXuH1v0kECe/UIznYFihpkvU5wg/jk4v0TTEFfm53fw==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/helper-plugin-utils": "^7.29.7"
      },
      "engines": {
        "node": ">=6.9.0"
      },
      "peerDependencies": {
        "@babel/core": "^7.0.0-0"
      }
    },
    "node_modules/@babel/plugin-transform-react-jsx-source": {
      "version": "7.29.7",
      "resolved": "https://registry.npmjs.org/@babel/plugin-transform-react-jsx-source/-/plugin-transform-react-jsx-source-7.29.7.tgz",
      "integrity": "sha512-06IyK09H3wi4cGbhDBwp5gUGo0IKtnYa8tyTiephirPCK6fbobVGiXMMI5zLQ4aKEYP3wZ3ArU44o+8KMrSG/Q==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/helper-plugin-utils": "^7.29.7"
      },
      "engines": {
        "node": ">=6.9.0"
      },
      "peerDependencies": {
        "@babel/core": "^7.0.0-0"
      }
```

frontend/package-lock.json


```
    },
    "node_modules/@babel/template": {
      "version": "7.29.7",
      "resolved": "https://registry.npmjs.org/@babel/template/-/template-7.29.7.tgz",
      "integrity": "sha512-puq+Gf35oI24FeN11LkoUQFqv9uwNeWpxXZi/Ji3rRIoKAzKnxRaZ+Gkj0vKS9ZCiTESfng1N9LyOyXvo+m+Gg==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/code-frame": "^7.29.7",
        "@babel/parser": "^7.29.7",
        "@babel/types": "^7.29.7"
      },
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/@babel/traverse": {
      "version": "7.29.10",
      "resolved": "https://registry.npmjs.org/@babel/traverse/-/traverse-7.29.10.tgz",
      "integrity": "sha512-B3lYAs2nkKskbgQ1nfy8Ma9ao9Q1rntTAQHrzzyDuj+TSO+X3le6PfWwqDvodsb+OumE10eMFfuMCTQSQ5iuIQ==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/code-frame": "^7.29.7",
        "@babel/generator": "^7.29.8",
        "@babel/helper-globals": "^7.29.7",
        "@babel/parser": "^7.29.9",
        "@babel/template": "^7.29.7",
        "@babel/types": "^7.29.8",
        "debug": "^4.3.1"
      },
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/@babel/types": {
      "version": "7.29.8",
      "resolved": "https://registry.npmjs.org/@babel/types/-/types-7.29.8.tgz",
      "integrity": "sha512-Vj1jF3cPfxg7OAfoI7QnVKLoILlm2JF9pnVHrX8qx7AHMiYWT+NDAA7jChlNgRS4WTLc/fD1lXLmPixluj+3Gg==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/helper-string-parser": "^7.29.7",
```

frontend/package-lock.json


```
      "@babel/helper-validator-identifier": "^7.29.7"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@esbuild/aix-ppc64": {
    "version": "0.28.2",
    "resolved": "https://registry.npmjs.org/@esbuild/aix-ppc64/-/aix-ppc64-0.28.2.tgz",
    "integrity": "sha512-XExcO+dvLKvVtNTibSTBej1NCAbaGhWn9Ww1ZPx80qsahhPFe/8jgWP0IchNe0F3HwkU7n8ejhH8bjonqht8mQ==",
    "cpu": [
      "ppc64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "aix"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/android-arm": {
    "version": "0.28.2",
    "resolved": "https://registry.npmjs.org/@esbuild/android-arm/-/android-arm-0.28.2.tgz",
    "integrity": "sha512-kXXoiPVVGQcnIYGOeaovwOURpniDBpSq4A03qkQ+BMQqtGG6HYap3xne9C1O1yo4TR3qxlCX5IqqmX6fFo2Lqg==",
    "cpu": [
      "arm"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "android"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/android-arm64": {
    "version": "0.28.2",
    "resolved": "https://registry.npmjs.org/@esbuild/android-arm64/-/android-arm64-0.28.2.tgz",
```

frontend/package-lock.json


```
      "integrity": "sha512-5YfKeeI8qWfBZIX+u2xZC3Zlb3Os/gLS2sbEKM+I4ZOcsWmHS2WLysCcQZDAFRslDUU5Oiq44gf6PYN1vGwG5A==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "android"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/android-x64": {
      "version": "0.28.2",
      "resolved": "https://registry.npmjs.org/@esbuild/android-x64/-/android-x64-0.28.2.tgz",
      "integrity": "sha512-O387ite7SzUyCcy3JQX4P4bLtEA7bLLkx+esve5JHnyYfNTxcVpXZo9jhdB0lTKN44gztELTdU7nS8Nr16Fs1Q==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "android"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/darwin-arm64": {
      "version": "0.28.2",
      "resolved": "https://registry.npmjs.org/@esbuild/darwin-arm64/-/darwin-arm64-0.28.2.tgz",
      "integrity": "sha512-n4KqkOQrraxHJcgjM1RvwbigfQKIKJVpM7xp+KsxiyUSrRdIXnt73VhrPAx0fV44hgfmIVKjxMN9J1t5jySVkw==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "darwin"
```

frontend/package-lock.json


```
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/darwin-x64": {
      "version": "0.28.2",
      "resolved": "https://registry.npmjs.org/@esbuild/darwin-x64/-/darwin-x64-0.28.2.tgz",
      "integrity": "sha512-uq6suIWYP37qzGddBKPw5QEQPi6HiLGsO7UmkpfyaYNQ3D+rN6w6WfwH+nuqcGXWvawGwxOEroO4YGnFh95azw==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "darwin"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/freebsd-arm64": {
      "version": "0.28.2",
      "resolved": "https://registry.npmjs.org/@esbuild/freebsd-arm64/-/freebsd-arm64-0.28.2.tgz",
      "integrity": "sha512-n+I0BTSRIoy+d6RPKnEVwql5UwBJolytvY4mAOIEJorKlqgPII8ix6slVVrfZ5Tnj7glIZvloylbB/EJPMWEXw==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "freebsd"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/freebsd-x64": {
      "version": "0.28.2",
      "resolved": "https://registry.npmjs.org/@esbuild/freebsd-x64/-/freebsd-x64-0.28.2.tgz",
      "integrity": "sha512-78XJTJkvPs0kz2w61301PJjXl4g7q3JqiYMZ/M/yVI73EHBrCRTgkhu9oqG7vPqq+a/yadEW8aD+agKlk5xrmg==",
```

frontend/package-lock.json


```
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "freebsd"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/linux-arm": {
      "version": "0.28.2",
      "resolved": "https://registry.npmjs.org/@esbuild/linux-arm/-/linux-arm-0.28.2.tgz",
      "integrity": "sha512-XlDnu2q5yoqems+xay6wSAcg9DDD7K9RLKZEBOMZm3ckNpJBvOX20tSfby8KfrrhINDyv9V2YVZKY/SpoGJI8w==",
      "cpu": [
        "arm"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/linux-arm64": {
      "version": "0.28.2",
      "resolved": "https://registry.npmjs.org/@esbuild/linux-arm64/-/linux-arm64-0.28.2.tgz",
      "integrity": "sha512-pW4AC0P3it8c7do9MVM4p51FzHzdM/TZrerurgRcHJ2WTa1VQ1CIq18xncfpBJw4ojkiZZrKW2yIBWBP92j6Ug==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
```

frontend/package-lock.json


```
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/linux-ia32": {
      "version": "0.28.2",
      "resolved": "https://registry.npmjs.org/@esbuild/linux-ia32/-/linux-ia32-0.28.2.tgz",
      "integrity": "sha512-CYbnj78HsIeA+DhgUKgFCfvNsTHFhMMrinUrMZpDXJXKN8T3XViTZ/+wtHeVxEWY8ewSzTFN+nRmSwO2tZaLUQ==",
      "cpu": [
        "ia32"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/linux-loong64": {
      "version": "0.28.2",
      "resolved": "https://registry.npmjs.org/@esbuild/linux-loong64/-/linux-loong64-0.28.2.tgz",
      "integrity": "sha512-buwkd8nsph4R+ajRvw0qM5Hja/TXQow3ptzWO2EbG/cqcIkHloRrdlBtQlshyYGTNFvfkfJ5tpPLVkY4DtsPfQ==",
      "cpu": [
        "loong64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/linux-mips64el": {
      "version": "0.28.2",
      "resolved": "https://registry.npmjs.org/@esbuild/linux-mips64el/-/linux-mips64el-0.28.2.tgz",
      "integrity": "sha512-ZVykbDyk7519VwiNb9Lcj9m8XM6v5V9uKPvrEMkkEedVewf+0itkhahp4HDpgERXhwLRpWFypsGbG/J8s0QjJA==",
      "cpu": [
```

frontend/package-lock.json


```
        "mips64el"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/linux-ppc64": {
      "version": "0.28.2",
      "resolved": "https://registry.npmjs.org/@esbuild/linux-ppc64/-/linux-ppc64-0.28.2.tgz",
      "integrity": "sha512-CAXl+Dtd9UUuJd8pKKdwh6MLm3MUMiqMPmhZ3tTSXPqfyQ3vDl6R5hZdZ/kYojK4ofXtdfSv1tFq8XzWx3heNQ==",
      "cpu": [
        "ppc64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/linux-riscv64": {
      "version": "0.28.2",
      "resolved": "https://registry.npmjs.org/@esbuild/linux-riscv64/-/linux-riscv64-0.28.2.tgz",
      "integrity": "sha512-GeXCej4IQtU1B+QlDV8W/RRvbzI3O/Stss+/bCXv4lZls5WGRtu2a+3JkA3i4qIUlMXpcHebWpF8AkJhATowuA==",
      "cpu": [
        "riscv64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
```

frontend/package-lock.json


```
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/linux-s390x": {
    "version": "0.28.2",
    "resolved": "https://registry.npmjs.org/@esbuild/linux-s390x/-/linux-s390x-0.28.2.tgz",
    "integrity": "sha512-3H1weTYZPxt/WOhByszQZybS9w5lKzUn1FDMsgEChbHWQwHYQQRfBxgCcZvPhjHfKyJjIievvMmEUawJrdY9Dg==",
    "cpu": [
      "s390x"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/linux-x64": {
    "version": "0.28.2",
    "resolved": "https://registry.npmjs.org/@esbuild/linux-x64/-/linux-x64-0.28.2.tgz",
    "integrity": "sha512-4xTZr1FUmSoQW4XIWmit3tzQrUTZM+N3P0XV8xROKYF50XfI7xeO90+1bZvNwxIufQ9hDQVRJH5YhgPVF8A/HQ==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/netbsd-arm64": {
    "version": "0.28.2",
    "resolved": "https://registry.npmjs.org/@esbuild/netbsd-arm64/-/netbsd-arm64-0.28.2.tgz",
    "integrity": "sha512-sSATRjPeDBg3pdgHoQfoYBob11Kk1FGa9lui5RIHZCoCkJa9QKlvl3/vKz2usCmYYjs7ymJR/2Nnsqe+Hjt5nw==",
    "cpu": [
      "arm64"
```

frontend/package-lock.json


```
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "netbsd"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/netbsd-x64": {
    "version": "0.28.2",
    "resolved": "https://registry.npmjs.org/@esbuild/netbsd-x64/-/netbsd-x64-0.28.2.tgz",
    "integrity": "sha512-lqnzCV+mM0gIADaKihiCg6ifgfU2L3h5E33rNQBN1Y4MaVGnzryzmvvf7UHxprpQdE8hpqLolJ9Rl+SkIRDpyw==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "netbsd"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/openbsd-arm64": {
    "version": "0.28.2",
    "resolved": "https://registry.npmjs.org/@esbuild/openbsd-arm64/-/openbsd-arm64-0.28.2.tgz",
    "integrity": "sha512-AL2qJILH7lNjrDmCQDvdxMfAUIv8KMNZOvrwAQ8i8//ntL9FflhOyMJ8OZSMBb8/AWXe3/5v5S20y3zCoZWKoQ==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "openbsd"
    ],
    "engines": {
      "node": ">=18"
```

frontend/package-lock.json


```
    }
  },
  "node_modules/@esbuild/openbsd-x64": {
    "version": "0.28.2",
    "resolved": "https://registry.npmjs.org/@esbuild/openbsd-x64/-/openbsd-x64-0.28.2.tgz",
    "integrity": "sha512-QtiuPytchRyC4rwUKhexJdQKvDuZ6hWloi3igqPQNUJCS1/v9EiO3UTOXR6A3FoMo4fnAKbWJdqaIwhOzh8qEw==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "openbsd"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/openharmony-arm64": {
    "version": "0.28.2",
    "resolved": "https://registry.npmjs.org/@esbuild/openharmony-arm64/-/openharmony-arm64-0.28.2.tgz",
    "integrity": "sha512-WkhYDmpTjLvGlScA1rwjRUmhl4k8oXR3cIbtqWmELgU/dFeHHlEllxDvdWcNJV9rbzCexB5vz8gtNewWLgCT7Q==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "openharmony"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/sunos-x64": {
    "version": "0.28.2",
    "resolved": "https://registry.npmjs.org/@esbuild/sunos-x64/-/sunos-x64-0.28.2.tgz",
    "integrity": "sha512-GPMSkTOtMnv2U2F8gxe4Io6qmVs+YKyp832EtqqxR0hFngmXQ3rzwytelm3GIn7T4VviRUlf3sOgBOiTdvaf7g==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "sunos"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/win32-arm64": {
    "version": "0.28.2",
    "resolved": "https://registry.npmjs.org/@esbuild/win32-arm64/-/win32-arm64-0.28.2.tgz",
    "integrity": "sha512-ZnYyabf6kn/2lrZQ3hns4yOoXy/liB6Opr/z1D1X5jtGmdjs3w2eW7yi1yZpm5MEo9cGw1oVNXAw/1WVzfWKpg==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/win32-ia32": {
    "version": "0.28.2",
    "resolved": "https://registry.npmjs.org/@esbuild/win32-ia32/-/win32-ia32-0.28.2.tgz",
    "integrity": "sha512-Xt16A08Jwf7vbgRO9c8QNZ5GzLFELS+3fz8+WkK5zbcNZmVkiWN034In/G/TfU1nJD6G4KDi1wv0z2CO4VsWrA==",
    "cpu": [
      "ia32"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/win32-x64": {
    "version": "0.28.2",
    "resolved": "https://registry.npmjs.org/@esbuild/win32-x64/-/win32-x64-0.28.2.tgz",
    "integrity": "sha512-xQAntQpFfOezDbzFLl0T9LTQ/+AfTu20/UK6YlnwgE5JRJR3otpGedAUrzSokMJ9LZorY7OX6Pf1I2ku5dQkbw==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@eslint-community/eslint-utils": {
    "version": "4.9.1",
    "resolved": "https://registry.npmjs.org/@eslint-community/eslint-utils/-/eslint-utils-4.9.1.tgz",
    "integrity": "sha512-phrYmNiYppR7znFEdqgfWHXR6NCkZEK7hwWDHZUjit/2/U0r6XvkDl0SYnoM51Hq7FhCGdLDT6zxCCOY1hexsQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "eslint-visitor-keys": "^3.4.3"
    },
    "engines": {
      "node": "^12.22.0 || ^14.17.0 || >=16.0.0"
    },
    "peerDependencies": {
      "eslint": "^6.0.0 || ^7.0.0 || >=8.0.0"
    }
  },
  "node_modules/@eslint-community/eslint-utils/node_modules/eslint-visitor-keys": {
    "version": "3.4.3",
    "resolved": "https://registry.npmjs.org/eslint-visitor-keys/-/eslint-visitor-keys-3.4.3.tgz",
    "integrity": "sha512-wpc+LXeiyiisxPlEkUzU6svyS1frIO3Mgxj1fdy7Pm8Ygzguax2N3Fa/D/ag1WqbOprdI+uY6wMUl8/a2G+iag==",
    "dev": true,
    "license": "Apache-2.0",
    "engines": {
      "node": "^12.22.0 || ^14.17.0 || >=16.0.0"
    },
    "funding": {
      "url": "https://opencollective.com/eslint"
    }
  },
  "node_modules/@eslint-community/regexpp": {
    "version": "4.12.2",
    "resolved": "https://registry.npmjs.org/@eslint-community/regexpp/-/regexpp-4.12.2.tgz",
    "integrity": "sha512-EriSTlt5OC9/7SXkRSCAhfSxxoSUgBm33OH+IkwbdpgoqsSsUg7y3uh+IICI/Qg4BBWr3U2i39RpmycbxMq4ew==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": "^12.0.0 || ^14.0.0 || >=16.0.0"
    }
  },
  "node_modules/@eslint/config-array": {
    "version": "0.21.2",
    "resolved": "https://registry.npmjs.org/@eslint/config-array/-/config-array-0.21.2.tgz",
    "integrity": "sha512-nJl2KGTlA2aqG8jq7tSAQXitVvmbKpPfvBr/38+/faSHrA84oB5/ZUxrNgFFPUKaB+7okgnDRzkjt+cGME+3hw==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "@eslint/object-schema": "^2.1.7",
      "debug": "^4.3.1",
      "minimatch": "^3.1.5"
    },
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    }
  },
  "node_modules/@eslint/config-helpers": {
    "version": "0.4.2",
    "resolved": "https://registry.npmjs.org/@eslint/config-helpers/-/config-helpers-0.4.2.tgz",
    "integrity": "sha512-gBrxN88gOIf3R7ja5K9slwNayVcZgK6SOUORm2uBzTeIEfeVaIhOpCtTox3P6R7o2jLFwLFTLnC7kU/RGcYEgw==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "@eslint/core": "^0.17.0"
    },
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    }
  },
  "node_modules/@eslint/core": {
    "version": "0.17.0",
    "resolved": "https://registry.npmjs.org/@eslint/core/-/core-0.17.0.tgz",
    "integrity": "sha512-yL/sLrpmtDaFEiUj1osRP4TI2MDz1AddJL+jZ7KSqvBuliN4xqYY54IfdN8qD8Toa6g1iloph1fxQNkjOxrrpQ==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "@types/json-schema": "^7.0.15"
    },
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    }
  },
  "node_modules/@eslint/eslintrc": {
    "version": "3.3.5",
    "resolved": "https://registry.npmjs.org/@eslint/eslintrc/-/eslintrc-3.3.5.tgz",
    "integrity": "sha512-4IlJx0X0qftVsN5E+/vGujTRIFtwuLbNsVUe7TO6zYPDR1O6nFwvwhIKEKSrl6dZchmYBITazxKoUYOjdtjlRg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "ajv": "^6.14.0",
      "debug": "^4.3.2",
      "espree": "^10.0.1",
      "globals": "^14.0.0",
      "ignore": "^5.2.0",
      "import-fresh": "^3.2.1",
      "js-yaml": "^4.1.1",
      "minimatch": "^3.1.5",
      "strip-json-comments": "^3.1.1"
    },
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    },
    "funding": {
      "url": "https://opencollective.com/eslint"
    }
  },
  "node_modules/@eslint/eslintrc/node_modules/globals": {
    "version": "14.0.0",
    "resolved": "https://registry.npmjs.org/globals/-/globals-14.0.0.tgz",
    "integrity": "sha512-oahGvuMGQlPw/ivIYBjVSrWAfWLBeku5tpPE2fOPLi+WHffIWbuh2tCjhyQhTBPMf5E9jDEH4FOmTYgYwbKwtQ==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=18"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/@eslint/js": {
    "version": "9.39.4",
    "resolved": "https://registry.npmjs.org/@eslint/js/-/js-9.39.4.tgz",
    "integrity": "sha512-nE7DEIchvtiFTwBw4Lfbu59PG+kCofhjsKaClKY5QmMN6CeB/+ETfDb6IO3xZlIB70fI5i5U90fdWcMgzhwjyw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    },
    "funding": {
      "url": "https://eslint.org/donate"
    }
  },
  "node_modules/@eslint/object-schema": {
    "version": "2.1.7",
    "resolved": "https://registry.npmjs.org/@eslint/object-schema/-/object-schema-2.1.7.tgz",
    "integrity": "sha512-VtAOaymWVfZcmZbp6E2mympDIHvyjXs/12LqWYjVw6qjrfF+VK+fyG33kChz3nnK+SU5/NeHOqrTEHS8sXO3OA==",
    "dev": true,
    "license": "Apache-2.0",
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    }
  },
  "node_modules/@eslint/plugin-kit": {
    "version": "0.4.1",
    "resolved": "https://registry.npmjs.org/@eslint/plugin-kit/-/plugin-kit-0.4.1.tgz",
    "integrity": "sha512-43/qtrDUokr7LJqoF2c3+RInu/t4zfrpYdoSDfYyhg52rwLV6TnOvdG4fXm7IkSB3wErkcmJS9iEhjVtOSEjjA==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "@eslint/core": "^0.15.2",
      "levn": "^0.4.1"
    },
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    }
  },
  "node_modules/@eslint/plugin-kit/node_modules/@eslint/core": {
    "version": "0.15.2",
    "resolved": "https://registry.npmjs.org/@eslint/core/-/core-0.15.2.tgz",
    "integrity": "sha512-78Md3/Rl59h1vYgz4J8hG5QvskgR6VLNdAk7STBSfDUXdO/9/fbCCdoQLnIrPAlrSw1KmthI0De7ldfgSE1Kpw==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "@types/json-schema": "^7.0.15"
    },
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    }
  },
  "node_modules/@humanfs/core": {
    "version": "0.19.1",
    "resolved": "https://registry.npmjs.org/@humanfs/core/-/core-0.19.1.tgz",
    "integrity": "sha512-5DyQ4+1JEUzejeK1JGICcideyfUbGixgS9jNgex5nqkW+cY7WZhxBigmieN5Qnw9ZosSNVC9KQKyb+GUaGyKUA==",
    "dev": true,
    "license": "Apache-2.0",
    "engines": {
      "node": ">=18.18.0"
    }
  },
  "node_modules/@humanfs/node": {
    "version": "0.16.7",
    "resolved": "https://registry.npmjs.org/@humanfs/node/-/node-0.16.7.tgz",
    "integrity": "sha512-/zUx+yOsIrG4Y43Eh2peDeKCxlRt/gET6aHfaKpuq267qXdYDFViVHfMaLyygZOnl0kGWxFIgsBy8QFuTLUXEQ==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "@humanfs/core": "^0.19.1",
      "@humanwhocodes/retry": "^0.4.0"
    },
    "engines": {
      "node": ">=18.18.0"
    }
  },
  "node_modules/@humanwhocodes/module-importer": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/@humanwhocodes/module-importer/-/module-importer-1.0.1.tgz",
    "integrity": "sha512-bxveV4V8v5Yb4ncFTT3rPSgZBOpCkjfK0y4oVVVJwIuDVBRMDXrPyXRL988i5ap9m9bnyEEjWfm5WkBmtffLfA==",
    "dev": true,
    "license": "Apache-2.0",
    "engines": {
      "node": ">=12.22"
    },
    "funding": {
      "type": "github_sponsors",
      "url": "https://github.com/sponsors/nzakas"
    }
  },
  "node_modules/@humanwhocodes/retry": {
    "version": "0.4.3",
    "resolved": "https://registry.npmjs.org/@humanwhocodes/retry/-/retry-0.4.3.tgz",
    "integrity": "sha512-bV0Tgo9K4hfPCek+aMAn81RppFKv2ySDQeMoSZuvTASywNTnVJCArCZE2FWqpvIatKu7VMRLWlR1EazvVhDyhQ==",
    "dev": true,
    "license": "Apache-2.0",
    "engines": {
      "node": ">=18.18"
    },
    "funding": {
      "type": "github_sponsors",
      "url": "https://github.com/sponsors/nzakas"
    }
  },
  "node_modules/@jridgewell/gen-mapping": {
    "version": "0.3.13",
    "resolved": "https://registry.npmjs.org/@jridgewell/gen-mapping/-/gen-mapping-0.3.13.tgz",
    "integrity": "sha512-2kkt/7niJ6MgEPxF0bYdQ6etZaA+fQvDcLKckhy1yIQOzaoKjBBjSj63/aLVjYE3qhRt5dvM+uUyfCg6UKCBbA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@jridgewell/sourcemap-codec": "^1.5.0",
      "@jridgewell/trace-mapping": "^0.3.24"
    }
  },
  "node_modules/@jridgewell/remapping": {
    "version": "2.3.5",
    "resolved": "https://registry.npmjs.org/@jridgewell/remapping/-/remapping-2.3.5.tgz",
    "integrity": "sha512-LI9u/+laYG4Ds1TDKSJW2YPrIlcVYOwi2fUC6xB43lueCjgxV4lffOCZCtYFiH6TNOX+tQKXx97T4IKHbhyHEQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@jridgewell/gen-mapping": "^0.3.5",
      "@jridgewell/trace-mapping": "^0.3.24"
    }
  },
  "node_modules/@jridgewell/resolve-uri": {
    "version": "3.1.2",
    "resolved": "https://registry.npmjs.org/@jridgewell/resolve-uri/-/resolve-uri-3.1.2.tgz",
    "integrity": "sha512-bRISgCIjP20/tbWSPWMEi54QVPRZExkuD9lJL+UIxUKtwVJA8wW1Trb1jMs1RFXo1CBTNZ/5hpC9QvmKWdopKw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.0.0"
    }
  },
  "node_modules/@jridgewell/sourcemap-codec": {
    "version": "1.5.5",
    "resolved": "https://registry.npmjs.org/@jridgewell/sourcemap-codec/-/sourcemap-codec-1.5.5.tgz",
    "integrity": "sha512-cYQ9310grqxueWbl+WuIUIaiUaDcj7WOq5fVhEljNVgRfOUhY9fy2zTvfoqWsnebh8Sl70VScFbICvJnLKB0Og==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/@jridgewell/trace-mapping": {
    "version": "0.3.31",
    "resolved": "https://registry.npmjs.org/@jridgewell/trace-mapping/-/trace-mapping-0.3.31.tgz",
    "integrity": "sha512-zzNR+SdQSDJzc8joaeP8QQoCQr8NuYx2dIIytl1QeBEZHJ9uW6hebsrYgbz8hJwUQao3TWCMtmfV8Nu1twOLAw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@jridgewell/resolve-uri": "^3.1.0",
      "@jridgewell/sourcemap-codec": "^1.4.14"
    }
  },
  "node_modules/@rolldown/pluginutils": {
    "version": "1.0.0-rc.3",
    "resolved": "https://registry.npmjs.org/@rolldown/pluginutils/-/pluginutils-1.0.0-rc.3.tgz",
    "integrity": "sha512-eybk3TjzzzV97Dlj5c+XrBFW57eTNhzod66y9HrBlzJ6NsCrWCp/2kaPS3K9wJmurBC0Tdw4yPjXKZqlznim3Q==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/@types/babel__core": {
    "version": "7.20.5",
    "resolved": "https://registry.npmjs.org/@types/babel__core/-/babel__core-7.20.5.tgz",
    "integrity": "sha512-qoQprZvz5wQFJwMDqeseRXWv3rqMvhgpbXFfVyWhbx9X47POIA6i/+dXefEmZKoAgOaTdaIgNSMqMIU61yRyzA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/parser": "^7.20.7",
      "@babel/types": "^7.20.7",
      "@types/babel__generator": "*",
      "@types/babel__template": "*",
      "@types/babel__traverse": "*"
    }
  },
  "node_modules/@types/babel__generator": {
    "version": "7.27.0",
    "resolved": "https://registry.npmjs.org/@types/babel__generator/-/babel__generator-7.27.0.tgz",
    "integrity": "sha512-ufFd2Xi92OAVPYsy+P4n7/U7e68fex0+Ee8gSG9KX7eo084CWiQ4sdxktvdl0bOPupXtVJPY19zk6EwWqUQ8lg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/types": "^7.0.0"
    }
  },
  "node_modules/@types/babel__template": {
    "version": "7.4.4",
    "resolved": "https://registry.npmjs.org/@types/babel__template/-/babel__template-7.4.4.tgz",
    "integrity": "sha512-h/NUaSyG5EyxBIp8YRxo4RMe2/qQgvyowRwVMzhYhBCONbW8PUsg4lkFMrhgZhUe5z3L3MiLDuvyJ/CaPa2A8A==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/parser": "^7.1.0",
      "@babel/types": "^7.0.0"
    }
  },
  "node_modules/@types/babel__traverse": {
    "version": "7.28.0",
    "resolved": "https://registry.npmjs.org/@types/babel__traverse/-/babel__traverse-7.28.0.tgz",
    "integrity": "sha512-8PvcXf70gTDZBgt9ptxJ8elBeBjcLOAcOtoO/mPJjtji1+CdGbHgm77om1GrsPxsiE+uXIpNSK64UYaIwQXd4Q==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/types": "^7.28.2"
    }
  },
  "node_modules/@types/estree": {
    "version": "1.0.8",
    "resolved": "https://registry.npmjs.org/@types/estree/-/estree-1.0.8.tgz",
    "integrity": "sha512-dWHzHa2WqEXI/O1E9OjrocMTKJl2mSrEolh1Iomrv6U+JuNwaHXsXx9bLu5gG7BUWFIN0skIQJQ/L1rIex4X6w==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/@types/json-schema": {
    "version": "7.0.15",
    "resolved": "https://registry.npmjs.org/@types/json-schema/-/json-schema-7.0.15.tgz",
    "integrity": "sha512-5+fP8P8MFNC+AyZCDxrB2pkZFPGzqQWUzpSeuuVLvm8VMcorNYavBqoFcxK8bQz4Qsbn4oUEEem4wDLfcysGHA==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/@types/react": {
    "version": "19.2.14",
    "resolved": "https://registry.npmjs.org/@types/react/-/react-19.2.14.tgz",
    "integrity": "sha512-ilcTH/UniCkMdtexkoCN0bI7pMcJDvmQFPvuPvmEaYA/NSfFTAgdUSLAoVjaRJm7+6PvcM+q1zYOwS4wTYMF9w==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "csstype": "^3.2.2"
    }
  },
  "node_modules/@types/react-dom": {
    "version": "19.2.3",
    "resolved": "https://registry.npmjs.org/@types/react-dom/-/react-dom-19.2.3.tgz",
    "integrity": "sha512-jp2L/eY6fn+KgVVQAOqYItbF0VY/YApe5Mz2F0aykSO8gx31bYCZyvSeYxCHKvzHG5eZjc+zyaS5BrBWya2+kQ==",
    "dev": true,
    "license": "MIT",
    "peerDependencies": {
      "@types/react": "^19.2.0"
    }
  },
  "node_modules/@vitejs/plugin-react": {
    "version": "5.1.4",
    "resolved": "https://registry.npmjs.org/@vitejs/plugin-react/-/plugin-react-5.1.4.tgz",
    "integrity": "sha512-VIcFLdRi/VYRU8OL/puL7QXMYafHmqOnwTZY50U1JPlCNj30PxCMx65c494b1K9be9hX83KVt0+gTEwTWLqToA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/core": "^7.29.0",
      "@babel/plugin-transform-react-jsx-self": "^7.27.1",
      "@babel/plugin-transform-react-jsx-source": "^7.27.1",
      "@rolldown/pluginutils": "1.0.0-rc.3",
      "@types/babel__core": "^7.20.5",
      "react-refresh": "^0.18.0"
    },
    "engines": {
      "node": "^20.19.0 || >=22.12.0"
    },
    "peerDependencies": {
      "vite": "^4.2.0 || ^5.0.0 || ^6.0.0 || ^7.0.0"
    }
  },
  "node_modules/acorn": {
    "version": "8.16.0",
    "resolved": "https://registry.npmjs.org/acorn/-/acorn-8.16.0.tgz",
    "integrity": "sha512-UVJyE9MttOsBQIDKw1skb9nAwQuR5wuGD3+82K6JgJlm/Y+KI92oNsMNGZCYdDsVtRHSak0pcV5Dno5+4jh9sw==",
    "dev": true,
    "license": "MIT",
    "bin": {
      "acorn": "bin/acorn"
    },
    "engines": {
      "node": ">=0.4.0"
    }
  },
  "node_modules/acorn-jsx": {
    "version": "5.3.2",
    "resolved": "https://registry.npmjs.org/acorn-jsx/-/acorn-jsx-5.3.2.tgz",
    "integrity": "sha512-rq9s+JNhf0IChjtDXxllJ7g41oZk5SlXtp0LHwyA5cejwn7vKmKp4pPri6YEePv2PU65sAsegbXtIinmDFDXgQ==",
    "dev": true,
    "license": "MIT",
    "peerDependencies": {
      "acorn": "^6.0.0 || ^7.0.0 || ^8.0.0"
    }
  },
  "node_modules/ajv": {
    "version": "6.14.0",
    "resolved": "https://registry.npmjs.org/ajv/-/ajv-6.14.0.tgz",
    "integrity": "sha512-IWrosm/yrn43eiKqkfkHis7QioDleaXQHdDVPKg0FSwwd/DuvyX79TZnFOnYpB7dcsFAMmtFztZuXPDvSePkFw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "fast-deep-equal": "^3.1.1",
      "fast-json-stable-stringify": "^2.0.0",
      "json-schema-traverse": "^0.4.1",
      "uri-js": "^4.2.2"
    },
    "funding": {
      "type": "github_sponsors",
      "url": "https://github.com/sponsors/epoberezkin"
    }
  },
  "node_modules/ansi-styles": {
    "version": "4.3.0",
    "resolved": "https://registry.npmjs.org/ansi-styles/-/ansi-styles-4.3.0.tgz",
    "integrity": "sha512-zbB9rCJAT1rbjiVDb2hqKFHNYLxgtk8NURxZ3IZwD3F6NtxbXZQCnnSi1Lkx+IDohdPlFp222wVALIheZJQSEg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "color-convert": "^2.0.1"
    },
    "engines": {
      "node": ">=8"
    },
    "funding": {
      "url": "https://github.com/chalk/ansi-styles?sponsor=1"
    }
  },
  "node_modules/argparse": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/argparse/-/argparse-2.0.1.tgz",
    "integrity": "sha512-8+9WqebbFzpX9OR+Wa6O29asIogeRMzcGtAINdpMHHyAg10f05aSFVBbcEqGf/PXw1EjAZ+q2/bEBg3DvurK3Q==",
    "dev": true,
    "license": "Python-2.0"
  },
  "node_modules/baseline-browser-mapping": {
    "version": "2.10.12",
    "resolved": "https://registry.npmjs.org/baseline-browser-mapping/-/baseline-browser-mapping-2.10.12.tgz",
    "integrity": "sha512-qyq0m54Vjt/BFCn4ioZ5ceBA6+tDuuxlBFK+bkrCJ0YMrdIS/Dmo/YWntyeX0+0xTUxS424WqH4nIlfP+oM7ZQ==",
    "dev": true,
    "license": "Apache-2.0",
    "bin": {
      "baseline-browser-mapping": "dist/cli.cjs"
    },
    "engines": {
      "node": ">=6.0.0"
    }
  },
  "node_modules/brace-expansion": {
    "version": "1.1.13",
    "resolved": "https://registry.npmjs.org/brace-expansion/-/brace-expansion-1.1.13.tgz",
    "integrity": "sha512-9ZLprWS6EENmhEOpjCYW2c8VkmOvckIJZfkr7rBW6dObmfgJ/L1GpSYW5Hpo9lDz4D1+n0Ckz8rU7FwHDQiG/w==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "balanced-match": "^1.0.0",
      "concat-map": "0.0.1"
    }
  },
  "node_modules/browserslist": {
    "version": "4.28.2",
    "resolved": "https://registry.npmjs.org/browserslist/-/browserslist-4.28.2.tgz",
    "integrity": "sha512-48xSriZYYg+8qXna9kwqjIVzuQxi+KYWp2+5nCYnYKPTr0LvD89Jqk2Or5ogxz0NUMfIjhh2lIUX/LyX9B4oIg==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/browserslist"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/browserslist"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "baseline-browser-mapping": "^2.10.12",
      "caniuse-lite": "^1.0.30001782",
      "electron-to-chromium": "^1.5.328",
      "node-releases": "^2.0.36",
      "update-browserslist-db": "^1.2.3"
    },
    "bin": {
      "browserslist": "cli.js"
    },
    "engines": {
      "node": "^6 || ^7 || ^8 || ^9 || ^10 || ^11 || ^12 || >=13.7"
    }
  },
  "node_modules/callsites": {
    "version": "3.1.0",
    "resolved": "https://registry.npmjs.org/callsites/-/callsites-3.1.0.tgz",
    "integrity": "sha512-P8BjAsXvZS+VIDUI11hHCQEv74YT67YUi5JJFNWIqL235sBmjX4+qx9Muvls5ivyNENctx46xQLQ3aTuE7ssaQ==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/caniuse-lite": {
    "version": "1.0.30001787",
    "resolved": "https://registry.npmjs.org/caniuse-lite/-/caniuse-lite-1.0.30001787.tgz",
    "integrity": "sha512-mNcrMN9KeI68u7muanUpEejSLghOKlVhRqS/Za2IeyGllJ9I9otGpR9g3nsw7n4W378TE/LyIteA0+/FOZm4Kg==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/browserslist"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/caniuse-lite"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "CC-BY-4.0"
  },
  "node_modules/chalk": {
    "version": "4.1.2",
    "resolved": "https://registry.npmjs.org/chalk/-/chalk-4.1.2.tgz",
    "integrity": "sha512-oKnbhFyRIXpUuez8iBMmyEa4nbj4IOQyuhc/wy9kY7/WVPcwIO9VA668Pu8RkO7+0G76SLROeyw9CpQ061i4mA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "ansi-styles": "^4.1.0",
      "supports-color": "^7.1.0"
    },
    "engines": {
      "node": ">=10"
    },
    "funding": {
      "url": "https://github.com/chalk/chalk?sponsor=1"
    }
  },
  "node_modules/color-convert": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/color-convert/-/color-convert-2.0.1.tgz",
    "integrity": "sha512-RRECPsj7iu/xb5oKYcsFHSppFNnsj/52OVTRKb4zP5onXwVF3zVmmToNcOfGC+CRDpfK/U584fMg38ZHCaElKQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "color-name": "~1.1.4"
    },
    "engines": {
      "node": ">=7.0.0"
    }
  },
  "node_modules/color-name": {
    "version": "1.1.4",
    "resolved": "https://registry.npmjs.org/color-name/-/color-name-1.1.4.tgz",
    "integrity": "sha512-dOy+3AuW3a2wNbZHIuMZpTcgjGuLU/uBL/ubcZF9OXbDo8ff4O8yVp5Bf0efS8uEoYo5q4Fx7dY9OgQGXgAsQA==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/concat-map": {
    "version": "0.0.1",
    "resolved": "https://registry.npmjs.org/concat-map/-/concat-map-0.0.1.tgz",
    "integrity": "sha512-/Srv4dswyQNBfohGpz9o6Yb3Gz3SrUDqBH5rTuhGR7ahtlbYKnVxw2bCFMRljaA7EXHaXZ8wsHdodFvbkhKmqg==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/convert-source-map": {
    "version": "2.0.0",
    "resolved": "https://registry.npmjs.org/convert-source-map/-/convert-source-map-2.0.0.tgz",
    "integrity": "sha512-Kvp459HrV2FEJ1CAsi1Ku+MY3kasH19TFykTz2xWmMeq6bk2NU3XXvfJ+Q61m0xktWwt+1HSYf3JZsTms3aRJg==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/cross-spawn": {
    "version": "7.0.6",
    "resolved": "https://registry.npmjs.org/cross-spawn/-/cross-spawn-7.0.6.tgz",
    "integrity": "sha512-uV2QOWP2nWzsy2aMp8aRibhi9dlzF5Hgh5SHaB9OiTGEyDTiJJyx0uy51QXdyWbtAHNua4XJzUKca3OzKUd3vA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "path-key": "^3.1.0",
      "shebang-command": "^2.0.0",
      "which": "^2.0.1"
    },
    "engines": {
      "node": ">= 8"
    }
  },
  "node_modules/csstype": {
    "version": "3.2.3",
    "resolved": "https://registry.npmjs.org/csstype/-/csstype-3.2.3.tgz",
    "integrity": "sha512-z1HGKcYy2xA8AGQfwrn0PAy+PB7X/GSj3UVJW9qKyn43xWa+gl5nXmU4qqLMRzWVLFC8KusUX8T/0kCiOYpAIQ==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/debug": {
    "version": "4.4.3",
    "resolved": "https://registry.npmjs.org/debug/-/debug-4.4.3.tgz",
    "integrity": "sha512-RGwwWnwQvkVfavKVt22FGLw+xYSdzARwm0ru6DhTVA3umU5hZc28V3kO4stgYryrTlLpuvgI9GiijltAjNbcqA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "ms": "^2.1.3"
    },
    "engines": {
      "node": ">=6.0"
    },
    "peerDependencies": {
      "supports-color": "*"
    },
    "peerDependenciesMeta": {
      "supports-color": {
        "optional": true
      }
    }
  },
  "node_modules/deep-is": {
    "version": "0.1.4",
    "resolved": "https://registry.npmjs.org/deep-is/-/deep-is-0.1.4.tgz",
    "integrity": "sha512-oIPzksmTg4/MriiaYGO+okXDT7ztn/w3Eptv/+gSIdMdKsJo0u4CfYNFJPy+4SKMuCqGw2wxnA+URMg3t8a/bQ==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/electron-to-chromium": {
    "version": "1.5.328",
    "resolved": "https://registry.npmjs.org/electron-to-chromium/-/electron-to-chromium-1.5.328.tgz",
    "integrity": "sha512-QNLpLiNdOVwGTswTIIRpE7gQyMCyCXptONuMkiWPzlsDxhm4CfbJZBbMj9VLUkoy0ul451Fth5MtJW49p+Sm6g==",
    "dev": true,
    "license": "ISC"
  },
  "node_modules/escalade": {
    "version": "3.2.0",
    "resolved": "https://registry.npmjs.org/escalade/-/escalade-3.2.0.tgz",
    "integrity": "sha512-WUj2qlxaQtO4g6Pq5c29GTcWGDyd8itL8zTlipgECz3JesAiiOKotd8JU6otB3PACgG6xkJUyVhboMS+bje/jA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/escape-string-regexp": {
    "version": "4.0.0",
    "resolved": "https://registry.npmjs.org/escape-string-regexp/-/escape-string-regexp-4.0.0.tgz",
    "integrity": "sha512-TtpcNJ3XAzx3Gq8sWRzJaVajRs0uVxA2YAkdb1jm2YkPz4G6egUFAyA3n5vtEIZefPk5Wa4UXbKuS5fKkJWdgA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=10"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/eslint": {
    "version": "9.39.4",
    "resolved": "https://registry.npmjs.org/eslint/-/eslint-9.39.4.tgz",
    "integrity": "sha512-XoMjdBOwe/esVgEvLmNsD3IRHkm7fbKIUGvrleloJXUZgDHig2IPWNniv+GwjyJXzuNqVjlr5+4yVUZjycJwfQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@eslint-community/eslint-utils": "^4.8.0",
      "@eslint-community/regexpp": "^4.12.1",
      "@eslint/config-array": "^0.21.2",
      "@eslint/config-helpers": "^0.4.2",
      "@eslint/core": "^0.17.0",
      "@eslint/eslintrc": "^3.3.5",
      "@eslint/js": "9.39.4",
      "@eslint/plugin-kit": "^0.4.1",
      "@humanfs/node": "^0.16.6",
      "@humanwhocodes/module-importer": "^1.0.1",
      "@humanwhocodes/retry": "^0.4.2",
      "@types/estree": "^1.0.6",
      "ajv": "^6.14.0",
      "chalk": "^4.0.0",
      "cross-spawn": "^7.0.6",
      "debug": "^4.3.2",
      "escape-string-regexp": "^4.0.0",
      "eslint-scope": "^8.4.0",
      "eslint-visitor-keys": "^4.2.1",
      "espree": "^10.4.0",
      "esquery": "^1.5.0",
      "esutils": "^2.0.2",
      "fast-deep-equal": "^3.1.3",
      "file-entry-cache": "^8.0.0",
      "find-up": "^5.0.0",
      "glob-parent": "^6.0.2",
      "ignore": "^5.2.0",
      "imurmurhash": "^0.
```

frontend/package-lock.json


```
689         "dev": true,
690         "license": "MIT",
691         "optional": true,
692         "os": [
693           "sunos"
694         ],
695         "engines": {
696           "node": ">=18"
697         }
698       },
699       "node_modules/@esbuild/win32-arm64": {
700         "version": "0.28.2",
701         "resolved": "https://registry.npmjs.org/@esbuild/win32-arm64/-/win32-arm64-0.28.2.tgz",
702         "integrity": "sha512-PIhhEkE9uPBleRBrQEJpUn7MBnibZzbGzYWPmY3x+YoVg/95zbjB4CxPPOQ8l5tYYM4mMaCthF8/1DIfBQQyWQ==",
703         "cpu": [
704           "arm64"
705         ],
706         "dev": true,
707         "license": "MIT",
708         "optional": true,
709         "os": [
710           "win32"
711         ],
712         "engines": {
713           "node": ">=18"
714         }
715       },
716       "node_modules/@esbuild/win32-ia32": {
717         "version": "0.28.2",
718         "resolved": "https://registry.npmjs.org/@esbuild/win32-ia32/-/win32-ia32-0.28.2.tgz",
719         "integrity": "sha512-YmJbfTlvU7Sdn9BB+4PRES4oB6pxgS37MAONj+hBr/cpXS1aBPKXxNnDbu+QCWPj0o9dgyxeq79g6c5P8KeuYA==",
720         "cpu": [
721           "ia32"
722         ],
723         "dev": true,
724         "license": "MIT",
725         "optional": true,
726         "os": [
727           "win32"
728         ],
729         "engines": {
730           "node": ">=18"
731         }
```

frontend/package-lock.json


```
    },
    "node_modules/@esbuild/win32-x64": {
      "version": "0.28.2",
      "resolved": "https://registry.npmjs.org/@esbuild/win32-x64/-/win32-x64-0.28.2.tgz",
      "integrity": "sha512-5ebpxr3nWMzrL/rnUI755Jkuee0bHL/Gq0WTF9lvcpv73wAp5eu8MfBUgWK9bhWvZjj7yX8etf/8tI8Ney695g==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "win32"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@jridgewell/gen-mapping": {
      "version": "0.3.13",
      "resolved": "https://registry.npmjs.org/@jridgewell/gen-mapping/-/gen-mapping-0.3.13.tgz",
      "integrity": "sha512-2kkt/7niJ6MgEPxF0bYdQ6etZaA+fQvDcLKckhy1yIQOzaoKjBBjSj63/aLVjYE3qhRt5dvM+uUyfCg6UKCBbA==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@jridgewell/sourcemap-codec": "^1.5.0",
        "@jridgewell/trace-mapping": "^0.3.24"
      }
    },
    "node_modules/@jridgewell/remapping": {
      "version": "2.3.5",
      "resolved": "https://registry.npmjs.org/@jridgewell/remapping/-/remapping-2.3.5.tgz",
      "integrity": "sha512-LI9u/+laYG4Ds1TDKSJW2YPrIlcVYOwi2fUC6xB43lueCjgxV4lffOCZCtYFiH6TNOX+tQKXx97T4IKHbhyHEQ==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@jridgewell/gen-mapping": "^0.3.5",
        "@jridgewell/trace-mapping": "^0.3.24"
      }
    },
    "node_modules/@jridgewell/resolve-uri": {
      "version": "3.1.2",
      "resolved": "https://registry.npmjs.org/@jridgewell/resolve-uri/-/resolve-uri-3.1.2.tgz",
```

frontend/package-lock.json


```
      "integrity": "sha512-bRISgCIjP20/tbWSPWMEi54QVPRZExkuD9lJL+UIxUKtwVJA8wW1Trb1jMs1RFXo1CBTNZ/5hpC9QvmKWdopKw==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=6.0.0"
      }
    },
    "node_modules/@jridgewell/sourcemap-codec": {
      "version": "1.6.0",
      "resolved": "https://registry.npmjs.org/@jridgewell/sourcemap-codec/-/sourcemap-codec-1.6.0.tgz",
      "integrity": "sha512-T7jf+5zgsZHwNJ4lvQ7/aezbyk0nNX+zJVWpmHA7VYsEx7a7qr5Rg5IbtJFqkgze5Y2sruq1RUY8Q837Od7iFw==",
      "dev": true,
      "license": "MIT"
    },
    "node_modules/@jridgewell/trace-mapping": {
      "version": "0.3.31",
      "resolved": "https://registry.npmjs.org/@jridgewell/trace-mapping/-/trace-mapping-0.3.31.tgz",
      "integrity": "sha512-zzNR+SdQSDJzc8joaeP8QQoCQr8NuYx2dIIytl1QeBEZHJ9uW6hebsrYgbz8hJwUQao3TWCMtmfV8Nu1twOLAw==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@jridgewell/resolve-uri": "^3.1.0",
        "@jridgewell/sourcemap-codec": "^1.4.14"
      }
    },
    "node_modules/@napi-rs/lzma-linux-x64-gnu": {
      "version": "1.5.1",
      "resolved": "https://registry.npmjs.org/@napi-rs/lzma-linux-x64-gnu/-/lzma-linux-x64-gnu-1.5.1.tgz",
      "integrity": "sha512-oTXEIha4SsuXdTA4Iyskj0kpdx2yVXdhd75c2v3xGrHFfVMsbhTPZU/nMPL4sWKo4pBHm3aucLaqGlF696dTyQ==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": "^22.20 || ^24.12 || >=25"
      }
    },
    "node_modules/@rolldown/pluginutils": {
```

frontend/package-lock.json


```
    "version": "1.0.0-rc.3",
    "resolved": "https://registry.npmjs.org/@rolldown/pluginutils/-/pluginutils-1.0.0-rc.3.tgz",
    "integrity": "sha512-eybk3TjzzzV97Dlj5c+XrBFW57eTNhzod66y9HrBlzJ6NsCrWCp/2kaPS3K9wJmurBC0Tdw4yPjXKZqlznim3Q==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/@rollup/rollup-android-arm-eabi": {
    "version": "4.64.12",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-android-arm-eabi/-/rollup-android-arm-eabi-4.64.12.tgz",
    "integrity": "sha512-Z8lz+5UOiCJLonjeqwJlhUtHA/Sr6R1AidkccQxdWF0nigNzP81aLoU+udgOaGfL5s1uzFXzcux/pCwGAMu0lw==",
    "cpu": [
      "arm"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "android"
    ]
  },
  "node_modules/@rollup/rollup-android-arm64": {
    "version": "4.64.12",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-android-arm64/-/rollup-android-arm64-4.64.12.tgz",
    "integrity": "sha512-+tKxNa2psFmiTb0KfXlXs4Yj7vkEhzAvZ0DrQ5+0gWHQJM10jSleQ3l1FIVm5uvD53YM8lHfM4mgCLDDN9f1Gg==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "android"
    ]
  },
  "node_modules/@rollup/rollup-darwin-arm64": {
    "version": "4.64.12",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-darwin-arm64/-/rollup-darwin-arm64-4.64.12.tgz",
    "integrity": "sha512-iiripdfvyRBugV55/Dk7GplNXQtN/PG85OcKeveU1z2UkTg0MofbBF1qk//qgPWiqJbVvQcXAVCfE56oDGO4EQ==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
```

frontend/package-lock.json


```
861         "optional": true,
862         "os": [
863           "darwin"
864         ]
865       },
866       "node_modules/@rollup/rollup-darwin-x64": {
867         "version": "4.64.12",
868         "resolved": "https://registry.npmjs.org/@rollup/rollup-darwin-x64/-/rollup-darwin-x64-4.64.12.tgz",
869         "integrity": "sha512-BmATib8swSMAagWNIfDZMnb+k34RXR4bbGOUfZgK8lLlniuMyVoSDDXCOGkdhtUmBXL4aygDh7bhjQ+TmhTvIw==",
870         "cpu": [
871           "x64"
872         ],
873         "dev": true,
874         "license": "MIT",
875         "optional": true,
876         "os": [
877           "darwin"
878         ]
879       },
880       "node_modules/@rollup/rollup-freebsd-arm64": {
881         "version": "4.64.12",
882         "resolved": "https://registry.npmjs.org/@rollup/rollup-freebsd-arm64/-/rollup-freebsd-arm64-4.64.12.tgz",
883         "integrity": "sha512-GzrO0CiUq8vcAI/hYJuIcp6wNm3T3YhOpumYtf9Z3Fz+cfN1VESCVfy7EPcM3/m2K8l+Gn2U+4XtNZjwhUXctQ==",
884         "cpu": [
885           "arm64"
886         ],
887         "dev": true,
888         "license": "MIT",
889         "optional": true,
890         "os": [
891           "freebsd"
892         ]
893       },
894       "node_modules/@rollup/rollup-freebsd-x64": {
895         "version": "4.64.12",
896         "resolved": "https://registry.npmjs.org/@rollup/rollup-freebsd-x64/-/rollup-freebsd-x64-4.64.12.tgz",
897         "integrity": "sha512-Dpta6gigm4o6SYioXtTkZBlGLA/Sl6OpzgLqY+51uafJE2blPejAtR1w82CVLPN+F9cvo1+/em92x/zcOgY0uQ==",
898         "cpu": [
899           "x64"
900         ],
901         "dev": true,
902         "license": "MIT",
903         "optional": true,
```

frontend/package-lock.json


```
        "os": [
          "freebsd"
        ]
      },
      "node_modules/@rollup/rollup-linux-arm-gnueabihf": {
        "version": "4.64.12",
        "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-arm-gnueabihf/-/rollup-linux-arm-gnueabihf-4.64.12.tgz",
        "integrity": "sha512-YpeDwQ5uFaogRvytNC8RK0keDO65kI5wNEhGSs+4GiJc3KHhxj4j5cnQh2nCu9ybJj6RP0/ycB6bkN0yFJ9I+w==",
        "cpu": [
          "arm"
        ],
        "dev": true,
        "license": "MIT",
        "optional": true,
        "os": [
          "linux"
        ]
      },
      "node_modules/@rollup/rollup-linux-arm-musleabihf": {
        "version": "4.64.12",
        "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-arm-musleabihf/-/rollup-linux-arm-musleabihf-4.64.12.tgz",
        "integrity": "sha512-LQrB3/sImIr1ycrlEyaApOLH1rAy8JV4/dH4eoK817aWATdcs4fESXz53/w72NwDnwPM5zEUpoL7socH4ZDnwA==",
        "cpu": [
          "arm"
        ],
        "dev": true,
        "license": "MIT",
        "optional": true,
        "os": [
          "linux"
        ]
      },
      "node_modules/@rollup/rollup-linux-arm64-gnu": {
        "version": "4.64.12",
        "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-arm64-gnu/-/rollup-linux-arm64-gnu-4.64.12.tgz",
        "integrity": "sha512-iAF2iYu9S4SBfNsb4k0ewNBjO83WxHEltIuKQBGMzEKFgrYfmJn+gatBDXR2t/0zJN0UW0kzR4rfvQ1UHzkZ1A==",
        "cpu": [
          "arm64"
        ],
        "dev": true,
        "license": "MIT",
        "optional": true,
        "os": [
```

frontend/package-lock.json


```
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-arm64-musl": {
      "version": "4.64.12",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-arm64-musl/-/rollup-linux-arm64-musl-4.64.12.tgz",
      "integrity": "sha512-0MQdRtdbirJCXPIVeW/hd/LXLR8Qz96pc+2EBptuuV5q/zSGOzND7SZt8gBTE58NC9cUG/8UxcUXQiKRZ2WzzA==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-loong64-gnu": {
      "version": "4.64.12",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-loong64-gnu/-/rollup-linux-loong64-gnu-4.64.12.tgz",
      "integrity": "sha512-yGDEwn0AGnrY/KCz2oY8R9KKNiQnTcwNuCWXeSXF0VLxXzlqoCgaS5QHsf1lbQvKWwPuN2Czkjk1wXRCBONTOQ==",
      "cpu": [
        "loong64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-loong64-musl": {
      "version": "4.64.12",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-loong64-musl/-/rollup-linux-loong64-musl-4.64.12.tgz",
      "integrity": "sha512-AjlbD0efZEhHaJ3bsNjxSFDoguNq6VZvC+FKGJGBCA+ZN7BrZq2TuuSWFa6AI8IpOeuvhp2LoYcP7jiZwmtU0Q==",
      "cpu": [
        "loong64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
```

frontend/package-lock.json


```
      ]
    },
    "node_modules/@rollup/rollup-linux-ppc64-gnu": {
      "version": "4.64.12",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-ppc64-gnu/-/rollup-linux-ppc64-gnu-4.64.12.tgz",
      "integrity": "sha512-sDW0CiPoUCEEUV25uBG5sJ2gKe75DJqLpj91m1eK1vKffywyY7v4i6q1450ZuR6QW4NArXg7JpbMGgKU8di3HQ==",
      "cpu": [
        "ppc64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-ppc64-musl": {
      "version": "4.64.12",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-ppc64-musl/-/rollup-linux-ppc64-musl-4.64.12.tgz",
      "integrity": "sha512-VTQYUhMjl8kv999VuYqScgv7P9cR9KuxI/6bkUsEa3bsswqG0+otFjuLZmJ1U+ffEP4IAz0jxOeV0DX6NRBhjg==",
      "cpu": [
        "ppc64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-riscv64-gnu": {
      "version": "4.64.12",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-riscv64-gnu/-/rollup-linux-riscv64-gnu-4.64.12.tgz",
      "integrity": "sha512-ppsKwpSjNrzJ8hge3Z3uiCcoRgAAQk2tU7auy3MFF348ffWRldFPnWIT/a/enK7huijlTfnwn4DYpDoapEb45A==",
      "cpu": [
        "riscv64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
```

frontend/package-lock.json


```
    },
    "node_modules/@rollup/rollup-linux-riscv64-musl": {
      "version": "4.64.12",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-riscv64-musl/-/rollup-linux-riscv64-musl-4.64.12.tgz",
      "integrity": "sha512-Gc3cVRC1trFH+GFWWTsJz6YuD4u75fzr/q99jqQGimonN/zvN6Wecck5WGzllOHj+XYXHcq0Ibor0tanGjfI6A==",
      "cpu": [
        "riscv64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-s390x-gnu": {
      "version": "4.64.12",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-s390x-gnu/-/rollup-linux-s390x-gnu-4.64.12.tgz",
      "integrity": "sha512-pjmDTFStvwFE3shTeUDvSDiSp8/qAf5bQXejcEUDDavWz4jEhTIpCdpS06G0PEwSCSNK0Lngjz2v9l4hk3Z74A==",
      "cpu": [
        "s390x"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-x64-gnu": {
      "version": "4.64.12",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-x64-gnu/-/rollup-linux-x64-gnu-4.64.12.tgz",
      "integrity": "sha512-mkbjxPqpR91u1JD7xY4aLZhr/Mqka4/RqGcG4WNGgN/lC1o7TzyCyqJoSJXp9qVVxMwpJGFlEF1VlERb+Ghw1Q==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
```

frontend/package-lock.json


```
    "node_modules/@rollup/rollup-linux-x64-musl": {
      "version": "4.64.12",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-x64-musl/-/rollup-linux-x64-musl-4.64.12.tgz",
      "integrity": "sha512-vIeut2LkuVc3gcsawLJPahNAzvzBcFRhu2O+yVb//BuQKz7PIItMF0piXRbN/lIDO3d68TSDd368Vg6YwgTybw==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-openbsd-x64": {
      "version": "4.64.12",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-openbsd-x64/-/rollup-openbsd-x64-4.64.12.tgz",
      "integrity": "sha512-3Sx+D3r9oPkTdNUcPrIRM2Am+vzEV6VGWoImHG4ZVK2jJeOW+eDjLeTm6nvu/z/m0fiX2YmGLXIypblc336MXg==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "openbsd"
      ]
    },
    "node_modules/@rollup/rollup-openharmony-arm64": {
      "version": "4.64.12",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-openharmony-arm64/-/rollup-openharmony-arm64-4.64.12.tgz",
      "integrity": "sha512-Nn2xh0teFnl71EiiUrKvECWcdGXtWF8q0uGclYwXGVw6QClGAcME0/bJSGdK+xIvd6MLEKYmjkTUvCBV+7m5Kw==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "openharmony"
      ]
    },
    "node_modules/@rollup/rollup-win32-arm64-msvc": {
```

frontend/package-lock.json


```
    "version": "4.64.12",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-win32-arm64-msvc/-/rollup-win32-arm64-msvc-4.64.12.tgz",
    "integrity": "sha512-n1/0H9TS+kBa4xp6n9aV7yiynBNfmerjkj2nAMIfY0ZHv1zShWRXnsAuAPAH0sfEK4ZSMK+z24q2RjAPFLCN1w==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ]
  },
  "node_modules/@rollup/rollup-win32-ia32-msvc": {
    "version": "4.64.12",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-win32-ia32-msvc/-/rollup-win32-ia32-msvc-4.64.12.tgz",
    "integrity": "sha512-AdlDbQpsLfGlsHr1NfLZFtdnvxCKNp9TwlYVYExs8JJLWjLafUQEKJk0r9zUbmU57mw9nglMEvzqPHuLWYmaKw==",
    "cpu": [
      "ia32"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ]
  },
  "node_modules/@rollup/rollup-win32-x64-gnu": {
    "version": "4.64.12",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-win32-x64-gnu/-/rollup-win32-x64-gnu-4.64.12.tgz",
    "integrity": "sha512-u5SSUJBHod51UamjkigSr+JPre6xMy5vaWTTV2K0SnFG4RuKyYpf66dTSLFKX2cwaldpwyBurXPUCxq8riQMEg==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ]
  },
  "node_modules/@rollup/rollup-win32-x64-msvc": {
    "version": "4.64.12",
```

frontend/package-lock.json


```
      "resolved": "https://registry.npmjs.org/@rollup/rollup-win32-x64-msvc/-/rollup-win32-x64-msvc-4.64.12.tgz",
      "integrity": "sha512-j5rXD4R/4DM5+V991AA9xOnG2Rwu2g3p5TPgu1Eu7apju0NUrLl+Bn/KpWc6wYJtlXqzwz1r+LNV1JeBU4VGvw==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "win32"
      ]
    },
    "node_modules/@tailwindcss/node": {
      "version": "4.3.3",
      "resolved": "https://registry.npmjs.org/@tailwindcss/node/-/node-4.3.3.tgz",
      "integrity": "sha512-/T8IKEsf9VTU6tLjgC7+sv2mOPtQxzE2jMw7u4Tt40Tx+QSZxpzh95/H6cMKoja9XuW7iMdLJYBB0o9G1CaAgg==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@jridgewell/remapping": "^2.3.5",
        "enhanced-resolve": "^5.24.1",
        "jiti": "^2.7.0",
        "lightningcss": "1.32.0",
        "magic-string": "^0.30.21",
        "source-map-js": "^1.2.1",
        "tailwindcss": "4.3.3"
      }
    },
    "node_modules/@tailwindcss/oxide": {
      "version": "4.3.3",
      "resolved": "https://registry.npmjs.org/@tailwindcss/oxide/-/oxide-4.3.3.tgz",
      "integrity": "sha512-krXjAikiaFSPaK/FkAQT5UTx3VormQaiZ5hBFlJZ9UFQGB/rwg1MZIhHAG9smMQRTdyJxP6Qt5MwMtdyU5FWrA==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">= 20"
      },
      "optionalDependencies": {
        "@tailwindcss/oxide-android-arm64": "4.3.3",
        "@tailwindcss/oxide-darwin-arm64": "4.3.3",
        "@tailwindcss/oxide-darwin-x64": "4.3.3",
        "@tailwindcss/oxide-freebsd-x64": "4.3.3",
        "@tailwindcss/oxide-linux-arm-gnueabihf": "4.3.3",
```

frontend/package-lock.json


```
        "@tailwindcss/oxide-linux-arm64-gnu": "4.3.3",
        "@tailwindcss/oxide-linux-arm64-musl": "4.3.3",
        "@tailwindcss/oxide-linux-x64-gnu": "4.3.3",
        "@tailwindcss/oxide-linux-x64-musl": "4.3.3",
        "@tailwindcss/oxide-wasm32-wasi": "4.3.3",
        "@tailwindcss/oxide-win32-arm64-msvc": "4.3.3",
        "@tailwindcss/oxide-win32-x64-msvc": "4.3.3"
      }
    },
    "node_modules/@tailwindcss/oxide-android-arm64": {
      "version": "4.3.3",
      "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-android-arm64/-/oxide-android-arm64-4.3.3.tgz",
      "integrity": "sha512-Y85A2gmPSkl5Ve5qR86GL4HT509cFqQh1aes9p3sSkyTPwt0Pppf3GkwGe4JPACcRYjgJIEhQgM6dBClnr0NYw==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "android"
      ],
      "engines": {
        "node": ">= 20"
      }
    },
    "node_modules/@tailwindcss/oxide-darwin-arm64": {
      "version": "4.3.3",
      "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-darwin-arm64/-/oxide-darwin-arm64-4.3.3.tgz",
      "integrity": "sha512-BiaWatpBcERQFDlOjRDpIVXuFK5PJez5SA4JMg6VYZdBYU+qKfV/vqjcIs+IYmtitf1xYQZTwXvU/8y4lfZUGw==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "darwin"
      ],
      "engines": {
        "node": ">= 20"
      }
    },
```

frontend/package-lock.json


```
    "node_modules/@tailwindcss/oxide-darwin-x64": {
      "version": "4.3.3",
      "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-darwin-x64/-/oxide-darwin-x64-4.3.3.tgz",
      "integrity": "sha512-fAeUqfV5ndhxRwai8cXGzdLvul9utWOmeTkv69unv4ZXixjn61Z+p9lCWdwOwA3TYboG3BwdVuN/RDjhBRl0mw==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "darwin"
      ],
      "engines": {
        "node": ">= 20"
      }
    },
    "node_modules/@tailwindcss/oxide-freebsd-x64": {
      "version": "4.3.3",
      "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-freebsd-x64/-/oxide-freebsd-x64-4.3.3.tgz",
      "integrity": "sha512-iyf5bV6+wnAlflVeEy7R25dupxTNECZN5QMI0qNT6eT+EgaGdZcKhGkr5SdoaWiLJ3spLqIY9VCeSGrwmtg4kw==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "freebsd"
      ],
      "engines": {
        "node": ">= 20"
      }
    },
    "node_modules/@tailwindcss/oxide-linux-arm-gnueabihf": {
      "version": "4.3.3",
      "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-arm-gnueabihf/-/oxide-linux-arm-gnueabihf-4.3.3.tgz",
      "integrity": "sha512-aAYUprJAJQWWbRrPvtjdroZ56Md+JM8pMiopS6xGEwDfLhqj+2ver2p4nU4Mb3CRqcMmNBjo8KkUgcxhkzVQGQ==",
      "cpu": [
        "arm"
      ],
      "dev": true,
      "license": "MIT",
```

frontend/package-lock.json


```
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">= 20"
      }
    },
    "node_modules/@tailwindcss/oxide-linux-arm64-gnu": {
      "version": "4.3.3",
      "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-arm64-gnu/-/oxide-linux-arm64-gnu-4.3.3.tgz",
      "integrity": "sha512-nDxldcEENOxZRzC2uu9jrutZdAAQtb+8WWDCSnWL1zvBk1+FN+x6MtDViPB5AJMfttVCUhehGWus3XBPgatM/w==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">= 20"
      }
    },
    "node_modules/@tailwindcss/oxide-linux-arm64-musl": {
      "version": "4.3.3",
      "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-arm64-musl/-/oxide-linux-arm64-musl-4.3.3.tgz",
      "integrity": "sha512-Md44bD6veX/PC5iyF8cDVnw4HBIANZepRZZ7a8DQOvkfo5WUBwcp6iAuCUz23u+4SUkhJlD3eL7hNdW8ezd/kA==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">= 20"
      }
    },
    "node_modules/@tailwindcss/oxide-linux-x64-gnu": {
```

frontend/package-lock.json


```
      "version": "4.3.3",
      "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-x64-gnu/-/oxide-linux-x64-gnu-4.3.3.tgz",
      "integrity": "sha512-tx7us1muwOKAKWao2v/GaafFeQboE6aj88vC6ziN2NCGcRm8gWUhwjzg+YdVB1e4boAtdtma4L43onunI6NS4w==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">= 20"
      }
    },
    "node_modules/@tailwindcss/oxide-linux-x64-musl": {
      "version": "4.3.3",
      "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-x64-musl/-/oxide-linux-x64-musl-4.3.3.tgz",
      "integrity": "sha512-SJxX60smvHgasZoBy11dX6YRjXJFovwWBoedhbQPOBzgFWBHGB+TVPWB9BxzR7TTxU8FQZAI2AyiNCMzFm8Img==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">= 20"
      }
    },
    "node_modules/@tailwindcss/oxide-wasm32-wasi": {
      "version": "4.3.3",
      "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-wasm32-wasi/-/oxide-wasm32-wasi-4.3.3.tgz",
      "integrity": "sha512-jx1+rPhY/5Ympkktd656HBWEBLxP7dH06losBLjjf5vgCODXvi9KhtftWcMIwTFIDqBr7cRnQkdLnAG+IOlGvQ==",
      "bundleDependencies": [
        "@napi-rs/wasm-runtime",
        "@emnapi/core",
        "@emnapi/runtime",
        "@tybys/wasm-util",
        "@emnapi/wasi-threads",
```

frontend/package-lock.json


```
        "tslib"
      ],
      "cpu": [
        "wasm32"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "dependencies": {
        "@emnapi/core": "^1.11.1",
        "@emnapi/runtime": "^1.11.1",
        "@emnapi/wasi-threads": "^1.2.2",
        "@napi-rs/wasm-runtime": "^1.1.4",
        "@tybys/wasm-util": "^0.10.2",
        "tslib": "^2.8.1"
      },
      "engines": {
        "node": ">=14.0.0"
      }
    },
    "node_modules/@tailwindcss/oxide-win32-arm64-msvc": {
      "version": "4.3.3",
      "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-win32-arm64-msvc/-/oxide-win32-arm64-msvc-4.3.3.tgz",
      "integrity": "sha512-3rc292Ca2ceK6Ulcc/bAVnTs/3nDtoPhyEKlgPv+yQJQi/JS/AMJlqzxvlDacL1nekbrcf6bTqp/jV4qgnPxNQ==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "win32"
      ],
      "engines": {
        "node": ">= 20"
      }
    },
    "node_modules/@tailwindcss/oxide-win32-x64-msvc": {
      "version": "4.3.3",
      "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-win32-x64-msvc/-/oxide-win32-x64-msvc-4.3.3.tgz",
      "integrity": "sha512-yJ0pwIVc/nYeGoV02WtsN8KYyLQv7kyI2wDnkezyJlGGjkd4QLwDGAwl47YpPJeuI0M0ObaXGSPjvWDPeTPggw==",
      "cpu": [
        "x64"
```

frontend/package-lock.json


```
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "win32"
      ],
      "engines": {
        "node": ">= 20"
      }
    },
    "node_modules/@tailwindcss/vite": {
      "version": "4.3.3",
      "resolved": "https://registry.npmjs.org/@tailwindcss/vite/-/vite-4.3.3.tgz",
      "integrity": "sha512-yYU8cogLeSh/ms2jh8Fj7jaba/EWa7Ja6GoUqYZaraEuCI5YS6ms6ObZgjjedm+jm6XZjdNRWBpPP6Z86oOxcw==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@tailwindcss/node": "4.3.3",
        "@tailwindcss/oxide": "4.3.3",
        "tailwindcss": "4.3.3"
      },
      "peerDependencies": {
        "vite": "^5.2.0 || ^6 || ^7 || ^8"
      }
    },
    "node_modules/@types/babel__core": {
      "version": "7.20.5",
      "resolved": "https://registry.npmjs.org/@types/babel__core/-/babel__core-7.20.5.tgz",
      "integrity": "sha512-qoQprZvz5wQFJwMDqeseRXWv3rqMvhgpbXFfVyWhbx9X47POIA6i/+dXefEmZKoAgOaTdaIgNSMqMIU61yRyzA==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/parser": "^7.20.7",
        "@babel/types": "^7.20.7",
        "@types/babel__generator": "*",
        "@types/babel__template": "*",
        "@types/babel__traverse": "*"
      }
    },
    "node_modules/@types/babel__generator": {
      "version": "7.27.0",
      "resolved": "https://registry.npmjs.org/@types/babel__generator/-/babel__generator-7.27.0.tgz",
```

frontend/package-lock.json


```
      "integrity": "sha512-ufFd2Xi92OAVPYsy+P4n7/U7e68fex0+Ee8gSG9KX7eo084CWiQ4sdxktvdl0bOPupXtVJPY19zk6EwWqUQ8lg==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/types": "^7.0.0"
      }
    },
    "node_modules/@types/babel__template": {
      "version": "7.4.4",
      "resolved": "https://registry.npmjs.org/@types/babel__template/-/babel__template-7.4.4.tgz",
      "integrity": "sha512-h/NUaSyG5EyxBIp8YRxo4RMe2/qQgvyowRwVMzhYhBCONbW8PUsg4lkFMrhgZhUe5z3L3MiLDuvyJ/CaPa2A8A==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/parser": "^7.1.0",
        "@babel/types": "^7.0.0"
      }
    },
    "node_modules/@types/babel__traverse": {
      "version": "7.28.0",
      "resolved": "https://registry.npmjs.org/@types/babel__traverse/-/babel__traverse-7.28.0.tgz",
      "integrity": "sha512-8PvcXf70gTDZBgt9ptxJ8elBeBjcLOAcOtoO/mPJjtji1+CdGbHgm77om1GrsPxsiE+uXIpNSK64UYaIwQXd4Q==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/types": "^7.28.2"
      }
    },
    "node_modules/@types/estree": {
      "version": "1.0.9",
      "resolved": "https://registry.npmjs.org/@types/estree/-/estree-1.0.9.tgz",
      "integrity": "sha512-GhdPgy1el4/ImP05X05Uw4cw2/M93BCUmnEvWZNStlCzEKME4Fkk+YpoA5OiHNQmoS7Cafb8Xa3Pya8m1Qrzeg==",
      "dev": true,
      "license": "MIT"
    },
    "node_modules/@types/react": {
      "version": "19.3.0",
      "resolved": "https://registry.npmjs.org/@types/react/-/react-19.3.0.tgz",
      "integrity": "sha512-N0rFCuH9YoxG9/m61l9MfpJKfmLOVU0em7ipIz6TRgSSkvReLB9vL85GB+yr8Bs5leqpvg96JSwF4ZS1s4viQg==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "csstype": "^3.2.2"
```

frontend/package-lock.json


```
    }
  },
  "node_modules/@types/react-dom": {
    "version": "19.3.0",
    "resolved": "https://registry.npmjs.org/@types/react-dom/-/react-dom-19.3.0.tgz",
    "integrity": "sha512-ZI7bU42mZXXKHn/qNLEw2IrbiINU7X5+vfgdixBHkCNpYWXjKgfQ/P+uyGb5CjOLB9UcnTeg3rylQtV2hym44Q==",
    "dev": true,
    "license": "MIT",
    "peerDependencies": {
      "@types/react": "^19.3.0"
    }
  },
  "node_modules/@vitejs/plugin-react": {
    "version": "5.2.0",
    "resolved": "https://registry.npmjs.org/@vitejs/plugin-react/-/plugin-react-5.2.0.tgz",
    "integrity": "sha512-YmKkfhOAi3wsB1PhJq5Scj3GXMn3WvtQ/JC0xoopuHoXSdmtdStOpFrYaT1kie2YgFBcIe64ROzMYRjCrYOdYw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/core": "^7.29.0",
      "@babel/plugin-transform-react-jsx-self": "^7.27.1",
      "@babel/plugin-transform-react-jsx-source": "^7.27.1",
      "@rolldown/pluginutils": "1.0.0-rc.3",
      "@types/babel__core": "^7.20.5",
      "react-refresh": "^0.18.0"
    },
    "engines": {
      "node": "^20.19.0 || >=22.12.0"
    },
    "peerDependencies": {
      "vite": "^4.2.0 || ^5.0.0 || ^6.0.0 || ^7.0.0 || ^8.0.0"
    }
  },
  "node_modules/baseline-browser-mapping": {
    "version": "2.11.30",
    "resolved": "https://registry.npmjs.org/baseline-browser-mapping/-/baseline-browser-mapping-2.11.30.tgz",
    "integrity": "sha512-YJs6Pz17RMNv8HoyKREtCY38E3BV1nPkWVmIb+XN1uHC1Vqt3KZCH/uJH9ZKRoiKb/icZ6tvehyee6RZNbFfRA==",
    "dev": true,
    "license": "Apache-2.0",
    "bin": {
      "baseline-browser-mapping": "dist/cli.cjs"
    },
    "engines": {
```

frontend/package-lock.json


```
      "node": ">=6.0.0"
    }
  },
  "node_modules/browserslist": {
    "version": "4.29.4",
    "resolved": "https://registry.npmjs.org/browserslist/-/browserslist-4.29.4.tgz",
    "integrity": "sha512-2TcbbiwXEq+N0kD36tykpCfyyQigUXmuwNQbnPp4Xk4PX9JOqVIKjJlIDjpH7uY6tmRGoAd+apeT1p60T8wsdA==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/browserslist"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/browserslist"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "baseline-browser-mapping": "^2.11.29",
      "caniuse-lite": "^1.0.30001816",
      "electron-to-chromium": "^1.5.459",
      "node-releases": "^2.0.59",
      "update-browserslist-db": "^1.3.4"
    },
    "bin": {
      "browserslist": "cli.js"
    },
    "engines": {
      "node": "^6 || ^7 || ^8 || ^9 || ^10 || ^11 || ^12 || >=13.7"
    }
  },
  "node_modules/caniuse-lite": {
    "version": "1.0.30001817",
    "resolved": "https://registry.npmjs.org/caniuse-lite/-/caniuse-lite-1.0.30001817.tgz",
    "integrity": "sha512-uZ1JG80BwhtMalIAGPxPfmNhHyd/B/nTdr3hITWlRamSyAdUStP1Gop01e7SD5q6J90ixJvWDbvmiFVfDgn4bw==",
    "dev": true,
    "funding": [
```

frontend/package-lock.json


```
      {
        "type": "opencollective",
        "url": "https://opencollective.com/browserslist"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/caniuse-lite"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "CC-BY-4.0"
  },
  "node_modules/convert-source-map": {
    "version": "2.0.0",
    "resolved": "https://registry.npmjs.org/convert-source-map/-/convert-source-map-2.0.0.tgz",
    "integrity": "sha512-Kvp459HrV2FEJ1CAsi1Ku+MY3kasH19TFykTz2xWmMeq6bk2NU3XXvfJ+Q61m0xktWwt+1HSYf3JZsTms3aRJg==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/cookie": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/cookie/-/cookie-1.1.1.tgz",
    "integrity": "sha512-ei8Aos7ja0weRpFzJnEA9UHJ/7XQmqglbRwnf2ATjcB9Wq874VKH9kfjjirM6UhU2/E5fFYadylyhFldcqSidQ==",
    "license": "MIT",
    "engines": {
      "node": ">=18"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/express"
    }
  },
  "node_modules/csstype": {
    "version": "3.2.3",
    "resolved": "https://registry.npmjs.org/csstype/-/csstype-3.2.3.tgz",
    "integrity": "sha512-z1HGKcYy2xA8AGQfwrn0PAy+PB7X/GSj3UVJW9qKyn43xWa+gl5nXmU4qqLMRzWVLFC8KusUX8T/0kCiOYpAIQ==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/debug": {
```

frontend/package-lock.json


```
    "version": "4.4.3",
    "resolved": "https://registry.npmjs.org/debug/-/debug-4.4.3.tgz",
    "integrity": "sha512-RGwwWnwQvkVfavKVt22FGLw+xYSdzARwm0ru6DhTVA3umU5hZc28V3kO4stgYryrTlLpuvgI9GiijltAjNbcqA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "ms": "^2.1.3"
    },
    "engines": {
      "node": ">=6.0"
    },
    "peerDependenciesMeta": {
      "supports-color": {
        "optional": true
      }
    }
  },
  "node_modules/detect-libc": {
    "version": "2.1.2",
    "resolved": "https://registry.npmjs.org/detect-libc/-/detect-libc-2.1.2.tgz",
    "integrity": "sha512-Btj2BOOO83o3WyH59e8MgXsxEQVcarkUOpEYrubB0urwnN10yQ364rsiByU11nZlqWYZm05i/of7io4mzihBtQ==",
    "dev": true,
    "license": "Apache-2.0",
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/electron-to-chromium": {
    "version": "1.5.463",
    "resolved": "https://registry.npmjs.org/electron-to-chromium/-/electron-to-chromium-1.5.463.tgz",
    "integrity": "sha512-nVWNU6ltFjopvOdD44J4zoBkgO0M+WZiFKKFV7EjebOH9z0KNphk6bCEjplXtJofL21ARIuuwWOCsFkBVklm6w==",
    "dev": true,
    "license": "ISC"
  },
  "node_modules/enhanced-resolve": {
    "version": "5.26.0",
    "resolved": "https://registry.npmjs.org/enhanced-resolve/-/enhanced-resolve-5.26.0.tgz",
    "integrity": "sha512-9vhedylFonb2YGogzUKX6+Ja72gOJbN1QHAqdrvqLwhdl/QWbKopzoUC9EbQNVsAns/bx/4uyqalrQAoy1IByw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "graceful-fs": "^4.2.4",
      "tapable": "^2.3.3"
```

frontend/package-lock.json


```
    },
    "engines": {
      "node": ">=10.13.0"
    }
  },
  "node_modules/esbuild": {
    "version": "0.28.2",
    "resolved": "https://registry.npmjs.org/esbuild/-/esbuild-0.28.2.tgz",
    "integrity": "sha512-HKVLS8dvII+xoKW9kmqxbRKrnWEXfJJr/FZhhJmiqIB0e053QNYFqOBouTMO/k5sID4MvCiUCvv8b9M4h32wIA==",
    "dev": true,
    "hasInstallScript": true,
    "license": "MIT",
    "bin": {
      "esbuild": "bin/esbuild"
    },
    "engines": {
      "node": ">=18"
    },
    "optionalDependencies": {
      "@esbuild/aix-ppc64": "0.28.2",
      "@esbuild/android-arm": "0.28.2",
      "@esbuild/android-arm64": "0.28.2",
      "@esbuild/android-x64": "0.28.2",
      "@esbuild/darwin-arm64": "0.28.2",
      "@esbuild/darwin-x64": "0.28.2",
      "@esbuild/freebsd-arm64": "0.28.2",
      "@esbuild/freebsd-x64": "0.28.2",
      "@esbuild/linux-arm": "0.28.2",
      "@esbuild/linux-arm64": "0.28.2",
      "@esbuild/linux-ia32": "0.28.2",
      "@esbuild/linux-loong64": "0.28.2",
      "@esbuild/linux-mips64el": "0.28.2",
      "@esbuild/linux-ppc64": "0.28.2",
      "@esbuild/linux-riscv64": "0.28.2",
      "@esbuild/linux-s390x": "0.28.2",
      "@esbuild/linux-x64": "0.28.2",
      "@esbuild/netbsd-arm64": "0.28.2",
      "@esbuild/netbsd-x64": "0.28.2",
      "@esbuild/openbsd-arm64": "0.28.2",
      "@esbuild/openbsd-x64": "0.28.2",
      "@esbuild/openharmony-arm64": "0.28.2",
      "@esbuild/sunos-x64": "0.28.2",
      "@esbuild/win32-arm64": "0.28.2",
```

frontend/package-lock.json


```
      "@esbuild/win32-ia32": "0.28.2",
      "@esbuild/win32-x64": "0.28.2"
    }
  },
  "node_modules/escalade": {
    "version": "3.2.0",
    "resolved": "https://registry.npmjs.org/escalade/-/escalade-3.2.0.tgz",
    "integrity": "sha512-WUj2qlxaQtO4g6Pq5c29GTcWGDyd8itL8zTlipgECz3JesAiiOKotd8JU6otB3PACgG6xkJUyVhboMS+bje/jA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/fdir": {
    "version": "6.5.0",
    "resolved": "https://registry.npmjs.org/fdir/-/fdir-6.5.0.tgz",
    "integrity": "sha512-tIbYtZbucOs0BRGqPJkshJUYdL+SDH7dVM8gjy+ERp3WAUjLEFJE+02kanyHtwjWOnwrKYBiwAmM0p4kLJAnXg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=12.0.0"
    },
    "peerDependencies": {
      "picomatch": "^3 || ^4"
    },
    "peerDependenciesMeta": {
      "picomatch": {
        "optional": true
      }
    }
  },
  "node_modules/fsevents": {
    "version": "2.3.3",
    "resolved": "https://registry.npmjs.org/fsevents/-/fsevents-2.3.3.tgz",
    "integrity": "sha512-5xoDfX+fL7faATnagmWPpbFtwh/R77WmMMqqHGS65C3vvB0YHrgF+B1YmZ3441tMj5n63k0212XNoJwzlhffQw==",
    "dev": true,
    "hasInstallScript": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ],
```

frontend/package-lock.json


```
      "engines": {
        "node": "^8.16.0 || ^10.6.0 || >=11.0.0"
      }
    },
    "node_modules/gensync": {
      "version": "1.0.0-beta.2",
      "resolved": "https://registry.npmjs.org/gensync/-/gensync-1.0.0-beta.2.tgz",
      "integrity": "sha512-3hN7NaskYvMDLQY55gnW3NQ+mesEAepTqlg+VEbj7zzqEMBVNhzcGYYeqFo/TlYz6eQiFcp1HcsCZO+nGgS8zg==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/graceful-fs": {
      "version": "4.2.11",
      "resolved": "https://registry.npmjs.org/graceful-fs/-/graceful-fs-4.2.11.tgz",
      "integrity": "sha512-RbJ5/jmFcNNCcDV5o9eTnBLJ/HszWV0P73bc+Ff4nS/rJj+YaS6IGyiOL0VoBYX+l1Wrl3k63h/KrH+nhJ0XvQ==",
      "dev": true,
      "license": "ISC"
    },
    "node_modules/jiti": {
      "version": "2.7.0",
      "resolved": "https://registry.npmjs.org/jiti/-/jiti-2.7.0.tgz",
      "integrity": "sha512-AC/7JofJvZGrrneWNaEnJeOLUx+JlGt7tNa0wZiRPT4MY1wmfKjt2+6O2p2uz2+skll8OZZmJMNqeke7kKbNgQ==",
      "dev": true,
      "license": "MIT",
      "bin": {
        "jiti": "lib/jiti-cli.mjs"
      }
    },
    "node_modules/js-tokens": {
      "version": "4.0.0",
      "resolved": "https://registry.npmjs.org/js-tokens/-/js-tokens-4.0.0.tgz",
      "integrity": "sha512-RdJUflcE3cUzKiMqQgsCu06FPu9UdIJO0beYbPhHN4k6apgJtifcoCtT9bcxOpYBtpD2kCM6Sbzg4CausW/PKQ==",
      "dev": true,
      "license": "MIT"
    },
    "node_modules/jsesc": {
      "version": "3.1.0",
      "resolved": "https://registry.npmjs.org/jsesc/-/jsesc-3.1.0.tgz",
      "integrity": "sha512-/sM3dO2FOzXjKQhJuo0Q173wf2KOo8t4I8vHy6lF9poUp7bKT0/NHE8fPX23PwfhnykfqnC2xRxOnVw5XuGIaA==",
      "dev": true,
```

frontend/package-lock.json


```
      "license": "MIT",
      "bin": {
        "jsesc": "bin/jsesc"
      },
      "engines": {
        "node": ">=6"
      }
    },
    "node_modules/json5": {
      "version": "2.2.3",
      "resolved": "https://registry.npmjs.org/json5/-/json5-2.2.3.tgz",
      "integrity": "sha512-XmOWe7eyHYH14cLdVPoyg+GOH3rYX++KpzrylJwSW98t3Nk+U8XOl8FWKOgwtzdb8lXGf6zYwDUzeHMWfxasyg==",
      "dev": true,
      "license": "MIT",
      "bin": {
        "json5": "lib/cli.js"
      },
      "engines": {
        "node": ">=6"
      }
    },
    "node_modules/lightningcss": {
      "version": "1.32.0",
      "resolved": "https://registry.npmjs.org/lightningcss/-/lightningcss-1.32.0.tgz",
      "integrity": "sha512-NXYBzinNrblfraPGyrbPoD19C1h9lfI/1mzgWYvXUTe414Gz/X1FD2XBZSZM7rRTrMA8JL3OtAaGifrIKhQ5yQ==",
      "dev": true,
      "license": "MPL-2.0",
      "dependencies": {
        "detect-libc": "^2.0.3"
      },
      "engines": {
        "node": ">= 12.0.0"
      },
      "funding": {
        "type": "opencollective",
        "url": "https://opencollective.com/parcel"
      },
      "optionalDependencies": {
        "lightningcss-android-arm64": "1.32.0",
        "lightningcss-darwin-arm64": "1.32.0",
        "lightningcss-darwin-x64": "1.32.0",
        "lightningcss-freebsd-x64": "1.32.0",
        "lightningcss-linux-arm-gnueabihf": "1.32.0",
```

frontend/package-lock.json


```
        "lightningcss-linux-arm64-gnu": "1.32.0",
        "lightningcss-linux-arm64-musl": "1.32.0",
        "lightningcss-linux-x64-gnu": "1.32.0",
        "lightningcss-linux-x64-musl": "1.32.0",
        "lightningcss-win32-arm64-msvc": "1.32.0",
        "lightningcss-win32-x64-msvc": "1.32.0"
      }
    },
    "node_modules/lightningcss-android-arm64": {
      "version": "1.32.0",
      "resolved": "https://registry.npmjs.org/lightningcss-android-arm64/-/lightningcss-android-arm64-1.32.0.tgz",
      "integrity": "sha512-YK7/ClTt4kAK0vo6w3X+Pnm0D2cf2vPHbhOXdoNti1Ga0al1P4TBZhwjATvjNwLEBCnKvjJc2jQgHXH0NEwlAg==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MPL-2.0",
      "optional": true,
      "os": [
        "android"
      ],
      "engines": {
        "node": ">= 12.0.0"
      },
      "funding": {
        "type": "opencollective",
        "url": "https://opencollective.com/parcel"
      }
    },
    "node_modules/lightningcss-darwin-arm64": {
      "version": "1.32.0",
      "resolved": "https://registry.npmjs.org/lightningcss-darwin-arm64/-/lightningcss-darwin-arm64-1.32.0.tgz",
      "integrity": "sha512-RzeG9Ju5bag2Bv1/lwlVJvBE3q6TtXskdZLLCyfg5pt+HLz9BqlICO7LZM7VHNTTn/5PRhHFBSjk5lc4cmscPQ==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MPL-2.0",
      "optional": true,
      "os": [
        "darwin"
      ],
      "engines": {
```

frontend/package-lock.json


```
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-darwin-x64": {
    "version": "1.32.0",
    "resolved": "https://registry.npmjs.org/lightningcss-darwin-x64/-/lightningcss-darwin-x64-1.32.0.tgz",
    "integrity": "sha512-U+QsBp2m/s2wqpUYT/6wnlagdZbtZdndSmut/NJqlCcMLTWp5muCrID+K5UJ6jqD2BFshejCYXniPDbNh73V8w==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-freebsd-x64": {
    "version": "1.32.0",
    "resolved": "https://registry.npmjs.org/lightningcss-freebsd-x64/-/lightningcss-freebsd-x64-1.32.0.tgz",
    "integrity": "sha512-JCTigedEksZk3tHTTthnMdVfGf61Fky8Ji2E4YjUTEQX14xiy/lTzXnu1vwiZe3bYe0q+SpsSH/CTeDXK6WHig==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "freebsd"
    ],
    "engines": {
      "node": ">= 12.0.0"
```

frontend/package-lock.json


```
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-linux-arm-gnueabihf": {
    "version": "1.32.0",
    "resolved": "https://registry.npmjs.org/lightningcss-linux-arm-gnueabihf/-/lightningcss-linux-arm-gnueabihf-1.32.0.tgz",
    "integrity": "sha512-x6rnnpRa2GL0zQOkt6rts3YDPzduLpWvwAF6EMhXFVZXD4tPrBkEFqzGowzCsIWsPjqSK+tyNEODUBXeeVHSkw==",
    "cpu": [
      "arm"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-linux-arm64-gnu": {
    "version": "1.32.0",
    "resolved": "https://registry.npmjs.org/lightningcss-linux-arm64-gnu/-/lightningcss-linux-arm64-gnu-1.32.0.tgz",
    "integrity": "sha512-0nnMyoyOLRJXfbMOilaSRcLH3Jw5z9HDNGfT/gwCPgaDjnx0i8w7vBzFLFR1f6CMLKF8gVbebmkUN3fa/kQJpQ==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
```

frontend/package-lock.json


```
1979        "funding": {
1980          "type": "opencollective",
1981          "url": "https://opencollective.com/parcel"
1982        }
1983      },
1984      "node_modules/lightningcss-linux-arm64-musl": {
1985        "version": "1.32.0",
1986        "resolved": "https://registry.npmjs.org/lightningcss-linux-arm64-musl/-/lightningcss-linux-arm64-musl-1.32.0.tgz",
1987        "integrity": "sha512-UpQkoenr4UJEzgVIYpI80lDFvRmPVg6oqboNHfoH4CQIfNA+HOrZ7Mo7KZP02dC6LjghPQJeBsvXhJod/wnIBg==",
1988        "cpu": [
1989          "arm64"
1990        ],
1991        "dev": true,
1992        "license": "MPL-2.0",
1993        "optional": true,
1994        "os": [
1995          "linux"
1996        ],
1997        "engines": {
1998          "node": ">= 12.0.0"
1999        },
2000        "funding": {
2001          "type": "opencollective",
2002          "url": "https://opencollective.com/parcel"
2003        }
2004      },
2005      "node_modules/lightningcss-linux-x64-gnu": {
2006        "version": "1.32.0",
2007        "resolved": "https://registry.npmjs.org/lightningcss-linux-x64-gnu/-/lightningcss-linux-x64-gnu-1.32.0.tgz",
2008        "integrity": "sha512-V7Qr52IhZmdKPVr+Vtw8o+WLsQJYCTd8loIfpDaMRWGUZfBOYEJeyJIkqGIDMZPwPx24pUMfwSxxI8phr/MbOA==",
2009        "cpu": [
2010          "x64"
2011        ],
2012        "dev": true,
2013        "license": "MPL-2.0",
2014        "optional": true,
2015        "os": [
2016          "linux"
2017        ],
2018        "engines": {
2019          "node": ">= 12.0.0"
2020        },
2021        "funding": {
```

frontend/package-lock.json


```
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-linux-x64-musl": {
    "version": "1.32.0",
    "resolved": "https://registry.npmjs.org/lightningcss-linux-x64-musl/-/lightningcss-linux-x64-musl-1.32.0.tgz",
    "integrity": "sha512-bYcLp+Vb0awsiXg/80uCRezCYHNg1/l3mt0gzHnWV9XP1W5sKa5/TCdGWaR/zBM2PeF/HbsQv/j2URNOiVuxWg==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-win32-arm64-msvc": {
    "version": "1.32.0",
    "resolved": "https://registry.npmjs.org/lightningcss-win32-arm64-msvc/-/lightningcss-win32-arm64-msvc-1.32.0.tgz",
    "integrity": "sha512-8SbC8BR40pS6baCM8sbtYDSwEVQd4JlFTOlaD3gWGHfThTcABnNDBda6eTZeqbofalIJhFx0qKzgHJmcPTnGdw==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
```

frontend/package-lock.json


```
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-win32-x64-msvc": {
    "version": "1.32.0",
    "resolved": "https://registry.npmjs.org/lightningcss-win32-x64-msvc/-/lightningcss-win32-x64-msvc-1.32.0.tgz",
    "integrity": "sha512-Amq9B/SoZYdDi1kFrojnoqPLxYhQ4Wo5XiL8EVJrVsB8ARoC1PWW6VGtT0WKCemjy8aC+louJnjS7U18x3b06Q==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lru-cache": {
    "version": "5.1.1",
    "resolved": "https://registry.npmjs.org/lru-cache/-/lru-cache-5.1.1.tgz",
    "integrity": "sha512-KpNARQA3Iwv+jTA0utUVVbrh+Jlrr1Fv0e56GGzAFOXN7dk/FviaDW8LHmK52DlcH4WP2n6gI8vN1aesBFgo9w==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "yallist": "^3.0.2"
    }
  },
  "node_modules/lucide-react": {
    "version": "0.468.0",
    "resolved": "https://registry.npmjs.org/lucide-react/-/lucide-react-0.468.0.tgz",
    "integrity": "sha512-6koYRhnM2N0GGZIdXzSeiNwguv1gt/FAjZOiPl76roBi3xKEXa4WmfpxgQwTTL4KipXjefrnf3oV4IsYhi4JFA==",
    "license": "ISC",
    "peerDependencies": {
      "react": "^16.5.1 || ^17.0.0 || ^18.0.0 || ^19.0.0-rc"
    }
  },
```

frontend/package-lock.json


```
    "node_modules/magic-string": {
      "version": "0.30.21",
      "resolved": "https://registry.npmjs.org/magic-string/-/magic-string-0.30.21.tgz",
      "integrity": "sha512-vd2F4YUyEXKGcLHoq+TEyCjxueSeHnFxyyjNp80yg0XV4vUhnDer/lvvlqM/arB5bXQN5K2/3oinyCRyx8T2CQ==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@jridgewell/sourcemap-codec": "^1.5.5"
      }
    },
    "node_modules/ms": {
      "version": "2.1.3",
      "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
      "integrity": "sha512-6FlzubTLZG3J2a/NVCAleEhjzq5oxgHyaCU9yYXvcLsvoVaHJq/s5xXI6/XXP6tz7R9xAOtHnSO/tXtF3WRTlA==",
      "dev": true,
      "license": "MIT"
    },
    "node_modules/nanoid": {
      "version": "3.3.20",
      "resolved": "https://registry.npmjs.org/nanoid/-/nanoid-3.3.20.tgz",
      "integrity": "sha512-uKdg2G3GNCKQn9byYOpxbGqrT2fGO5KRt5J/8b3pok8rT6qxGWF6hxMyJiEYtAf+FVyYuD9hRaDqX5uPFYJ4ZQ==",
      "dev": true,
      "funding": [
        {
          "type": "github",
          "url": "https://github.com/sponsors/ai"
        }
      ],
      "license": "MIT",
      "bin": {
        "nanoid": "bin/nanoid.cjs"
      },
      "engines": {
        "node": "^10 || ^12 || ^13.7 || ^14 || >=15.0.1"
      }
    },
    "node_modules/node-releases": {
      "version": "2.0.59",
      "resolved": "https://registry.npmjs.org/node-releases/-/node-releases-2.0.59.tgz",
      "integrity": "sha512-5qr2okC4ItAI0hG5SaV0HoYMpnM/Y6+Oqr7AmPYy/2uEoGvS+GbSKLeRxSS1uAdu59yz0ouzcuXievSgg///WA==",
      "dev": true,
      "license": "MIT",
      "engines": {
```

frontend/package-lock.json


```
      "node": ">=18"
    }
  },
  "node_modules/picocolors": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/picocolors/-/picocolors-1.1.1.tgz",
    "integrity": "sha512-xceH2snhtb5M9liqDsmEw56le376mTZkEX/jEb/RxNFyegNul7eNslCXP9FDj/Lcu0X8KEyMceP2ntpaHrDEVA==",
    "dev": true,
    "license": "ISC"
  },
  "node_modules/picomatch": {
    "version": "4.0.7",
    "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-4.0.7.tgz",
    "integrity": "sha512-qcJu88Q2IWqJsDD529JKMdwGm/dvInW4HvQnRwiH9JtihJvzGOscDtHE3x1pBKeUOTysQ8kVmLnJ2kJu7yhcGA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=12"
    },
    "funding": {
      "url": "https://github.com/sponsors/jonschlinkert"
    }
  },
  "node_modules/postcss": {
    "version": "8.5.31",
    "resolved": "https://registry.npmjs.org/postcss/-/postcss-8.5.31.tgz",
    "integrity": "sha512-YUbWYCgErwnMAVkjUnYa+KlMBzGpHwiIt/DE7f0G33AuX2LH9UcTk6KgWxd3zRU+pN3u/C+Xl3EnMLM4Hea7Sg==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/postcss/"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/postcss"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
```

frontend/package-lock.json


```
      "dependencies": {
        "nanoid": "^3.3.20",
        "picocolors": "^1.1.1",
        "source-map-js": "^1.2.2"
      },
      "engines": {
        "node": "^10 || ^12 || >=14"
      }
    },
    "node_modules/react": {
      "version": "19.3.1",
      "resolved": "https://registry.npmjs.org/react/-/react-19.3.1.tgz",
      "integrity": "sha512-QNhWdt7nrgVWWQG58QuGsAR3jv3Hbe4mb4vz7w2csnHavciZJgda1CPNaldF6eVxv90ud3jUXpKlHL69gO38yw==",
      "license": "MIT",
      "engines": {
        "node": ">=0.10.0"
      }
    },
    "node_modules/react-dom": {
      "version": "19.3.1",
      "resolved": "https://registry.npmjs.org/react-dom/-/react-dom-19.3.1.tgz",
      "integrity": "sha512-Y0bARz53lhEC1NMCASs0/j+faB/zqt3R8hpvg1e8+61ZVJ4UL0UdC4cBbXfZMcIuhrfgeILTLe+ZeBCavQPtKQ==",
      "license": "MIT",
      "dependencies": {
        "scheduler": "^0.28.0"
      },
      "peerDependencies": {
        "react": "^19.3.1"
      }
    },
    "node_modules/react-refresh": {
      "version": "0.18.0",
      "resolved": "https://registry.npmjs.org/react-refresh/-/react-refresh-0.18.0.tgz",
      "integrity": "sha512-QgT5//D3jfjJb6Gsjxv0Slpj23ip+HtOpnNgnb2S5zU3CB26G/IDPGoy4RJB42wzFE46DRsstbW6tKHoKbhAxw==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=0.10.0"
      }
    },
    "node_modules/react-router": {
      "version": "7.18.4",
      "resolved": "https://registry.npmjs.org/react-router/-/react-router-7.18.4.tgz",
```

frontend/package-lock.json


```
      "integrity": "sha512-PUPQcMhMGRAslLcvtlPz/kmzBEWPhLdgLFrL7pLNepBL6dX0lWj4WD2cUYVgYCuT3jxvghYFg81cDTj44DhetQ==",
      "license": "MIT",
      "dependencies": {
        "cookie": "^1.0.1",
        "set-cookie-parser": "^2.6.0"
      },
      "engines": {
        "node": ">=20.0.0"
      },
      "peerDependencies": {
        "react": ">=18",
        "react-dom": ">=18"
      },
      "peerDependenciesMeta": {
        "react-dom": {
          "optional": true
        }
      }
    },
    "node_modules/react-router-dom": {
      "version": "7.18.4",
      "resolved": "https://registry.npmjs.org/react-router-dom/-/react-router-dom-7.18.4.tgz",
      "integrity": "sha512-yrfmJHIpDG7taCpqKjT1G5B6q3O2K+RN8/fgNf0lTjCwiPbQ0ei6vXX9ZjQR+7ld8Tr7Z5xmyMnZ8YJrphWQUw==",
      "license": "MIT",
      "dependencies": {
        "react-router": "7.18.4"
      },
      "engines": {
        "node": ">=20.0.0"
      },
      "peerDependencies": {
        "react": ">=18",
        "react-dom": ">=18"
      }
    },
    "node_modules/rollup": {
      "version": "4.64.12",
      "resolved": "https://registry.npmjs.org/rollup/-/rollup-4.64.12.tgz",
      "integrity": "sha512-GhAu8ZglZ61VWSX/ZW3K/qkazgURBIQL0/Yy51QsS8DPyebR5Cf/Z2PANJFpTU0aVZ9byJcyqR6xvBbkXhdGYQ==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@types/estree": "1.0.9"
```

frontend/package-lock.json


```
    },
    "bin": {
      "rollup": "dist/bin/rollup"
    },
    "engines": {
      "node": ">=18.0.0",
      "npm": ">=8.0.0"
    },
    "optionalDependencies": {
      "@napi-rs/lzma-linux-x64-gnu": "1.5.1",
      "@rollup/rollup-android-arm-eabi": "4.64.12",
      "@rollup/rollup-android-arm64": "4.64.12",
      "@rollup/rollup-darwin-arm64": "4.64.12",
      "@rollup/rollup-darwin-x64": "4.64.12",
      "@rollup/rollup-freebsd-arm64": "4.64.12",
      "@rollup/rollup-freebsd-x64": "4.64.12",
      "@rollup/rollup-linux-arm-gnueabihf": "4.64.12",
      "@rollup/rollup-linux-arm-musleabihf": "4.64.12",
      "@rollup/rollup-linux-arm64-gnu": "4.64.12",
      "@rollup/rollup-linux-arm64-musl": "4.64.12",
      "@rollup/rollup-linux-loong64-gnu": "4.64.12",
      "@rollup/rollup-linux-loong64-musl": "4.64.12",
      "@rollup/rollup-linux-ppc64-gnu": "4.64.12",
      "@rollup/rollup-linux-ppc64-musl": "4.64.12",
      "@rollup/rollup-linux-riscv64-gnu": "4.64.12",
      "@rollup/rollup-linux-riscv64-musl": "4.64.12",
      "@rollup/rollup-linux-s390x-gnu": "4.64.12",
      "@rollup/rollup-linux-x64-gnu": "4.64.12",
      "@rollup/rollup-linux-x64-musl": "4.64.12",
      "@rollup/rollup-openbsd-x64": "4.64.12",
      "@rollup/rollup-openharmony-arm64": "4.64.12",
      "@rollup/rollup-win32-arm64-msvc": "4.64.12",
      "@rollup/rollup-win32-ia32-msvc": "4.64.12",
      "@rollup/rollup-win32-x64-gnu": "4.64.12",
      "@rollup/rollup-win32-x64-msvc": "4.64.12",
      "fsevents": "~2.3.2"
    }
  },
  "node_modules/scheduler": {
    "version": "0.28.0",
    "resolved": "https://registry.npmjs.org/scheduler/-/scheduler-0.28.0.tgz",
    "integrity": "sha512-juorfCmIkIw8tT+p5BXSm6PJjQF/ycEYmKyzURCIt/RaZIhL+PulbQ9Yu2z1HdOJDdqDTlxA1+xKBmHXJsczAw==",
    "license": "MIT"
```

frontend/package-lock.json


```
    },
    "node_modules/semver": {
      "version": "6.3.1",
      "resolved": "https://registry.npmjs.org/semver/-/semver-6.3.1.tgz",
      "integrity": "sha512-BR7VvDCVHO+q2xBEWskxS6DJE1qRnb7DxzUrogb71CWoSficBxYsiAGd+Kl0mmq/MprG9yArRkyrQxTO6XjMzA==",
      "dev": true,
      "license": "ISC",
      "bin": {
        "semver": "bin/semver.js"
      }
    },
    "node_modules/set-cookie-parser": {
      "version": "2.7.2",
      "resolved": "https://registry.npmjs.org/set-cookie-parser/-/set-cookie-parser-2.7.2.tgz",
      "integrity": "sha512-oeM1lpU/UvhTxw+g3cIfxXHyJRc/uidd3yK1P242gzHds0udQBYzs3y8j4gCCW+ZJ7ad0yctld8RYO+bdurlvw==",
      "license": "MIT"
    },
    "node_modules/source-map-js": {
      "version": "1.2.2",
      "resolved": "https://registry.npmjs.org/source-map-js/-/source-map-js-1.2.2.tgz",
      "integrity": "sha512-KGj/8Y43x35aZVDtt+J4mK1hoLGHULMYfSkODJNQjNDC3oW1PqPoxMwo0pLUsWM/UEGzON/NxeHywEfNXNP3Vw==",
      "dev": true,
      "license": "BSD-3-Clause",
      "engines": {
        "node": ">=0.10.0"
      }
    },
    "node_modules/tailwindcss": {
      "version": "4.3.3",
      "resolved": "https://registry.npmjs.org/tailwindcss/-/tailwindcss-4.3.3.tgz",
      "integrity": "sha512-gOhV3P7ufE62QDGg1zVaTgCR+EtPv92k2nIhVcVKcLmxT1sUBsQGhnZj175j+MqRt4zLF7ic+sCYjfhxMxj7YQ==",
      "dev": true,
      "license": "MIT"
    },
    "node_modules/tapable": {
      "version": "2.3.3",
      "resolved": "https://registry.npmjs.org/tapable/-/tapable-2.3.3.tgz",
      "integrity": "sha512-uxc/zpqFg6x7C8vOE7lh6Lbda8eEL9zmVm/PLeTPBRhh1xCgdWaQ+J1CUieGpIfm2HdtsUpRv+HshiasBMcc6A==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=6"
      },
```

frontend/package-lock.json


```
      "funding": {
        "type": "opencollective",
        "url": "https://opencollective.com/webpack"
      }
    },
    "node_modules/tinyglobby": {
      "version": "0.2.17",
      "resolved": "https://registry.npmjs.org/tinyglobby/-/tinyglobby-0.2.17.tgz",
      "integrity": "sha512-wXR/dYpcqKmfWpEdZjiKJOwCNFndD0DMnrW/cYjVGttEkBfVgcLFHoNrlj47mjOVic9yyNu65alsgF4NQyTa2g==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "fdir": "^6.5.0",
        "picomatch": "^4.0.4"
      },
      "engines": {
        "node": ">=12.0.0"
      },
      "funding": {
        "url": "https://github.com/sponsors/SuperchupuDev"
      }
    },
    "node_modules/typescript": {
      "version": "5.9.3",
      "resolved": "https://registry.npmjs.org/typescript/-/typescript-5.9.3.tgz",
      "integrity": "sha512-jl1vZzPDinLr9eUt3J/t7V6FgNEw9QjvBPdysz9KfQDD41fQrC2Y4vKQdiaUpFT4bXlb1RHhLpp8wtm6M5TgSw==",
      "dev": true,
      "license": "Apache-2.0",
      "bin": {
        "tsc": "bin/tsc",
        "tsserver": "bin/tsserver"
      },
      "engines": {
        "node": ">=14.17"
      }
    },
    "node_modules/update-browserslist-db": {
      "version": "1.3.4",
      "resolved": "https://registry.npmjs.org/update-browserslist-db/-/update-browserslist-db-1.3.4.tgz",
      "integrity": "sha512-t8wonIOdQyOjtPd2VktlBu6QjTVTks6v8bSi7kd0r2Vll8TK1JYDZtRRdbmCHOAMphkZgrzK+L+vXK4pyZ8t4A==",
      "dev": true,
      "funding": [
        {
```

frontend/package-lock.json


```
      "type": "opencollective",
      "url": "https://opencollective.com/browserslist"
    },
    {
      "type": "tidelift",
      "url": "https://tidelift.com/funding/github/npm/browserslist"
    },
    {
      "type": "github",
      "url": "https://github.com/sponsors/ai"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "escalade": "^3.2.0",
    "picocolors": "^1.1.1"
  },
  "bin": {
    "update-browserslist-db": "cli.js"
  },
  "peerDependencies": {
    "browserslist": ">= 4.21.0"
  }
},
"node_modules/vite": {
  "version": "7.3.7",
  "resolved": "https://registry.npmjs.org/vite/-/vite-7.3.7.tgz",
  "integrity": "sha512-AHEzTORMbi7/7aXp7w7KZ5+DCUdSeLsJz0grY8xHpc9DHdYb0vQu6DqJfm2tOw3gDExNgPgnJTXxM6syYFHaCA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "esbuild": "^0.27.0 || ^0.28.0",
    "fdir": "^6.5.0",
    "picomatch": "^4.0.3",
    "postcss": "^8.5.6",
    "rollup": "^4.43.0",
    "tinyglobby": "^0.2.15"
  },
  "bin": {
    "vite": "bin/vite.js"
  },
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
```

frontend/package-lock.json


```
    },
    "funding": {
      "url": "https://github.com/vitejs/vite?sponsor=1"
    },
    "optionalDependencies": {
      "fsevents": "~2.3.3"
    },
    "peerDependencies": {
      "@types/node": "^20.19.0 || >=22.12.0",
      "jiti": ">=1.21.0",
      "less": "^4.0.0",
      "lightningcss": "^1.21.0",
      "sass": "^1.70.0",
      "sass-embedded": "^1.70.0",
      "stylus": ">=0.54.8",
      "sugarss": "^5.0.0",
      "terser": "^5.16.0",
      "tsx": "^4.8.1",
      "yaml": "^2.4.2"
    },
    "peerDependenciesMeta": {
      "@types/node": {
        "optional": true
      },
      "jiti": {
        "optional": true
      },
      "less": {
        "optional": true
      },
      "lightningcss": {
        "optional": true
      },
      "sass": {
        "optional": true
      },
      "sass-embedded": {
        "optional": true
      },
      "stylus": {
        "optional": true
      },
      "sugarss": {
```

frontend/package-lock.json


```
2495            "optional": true
2496          },
2497          "terser": {
2498            "optional": true
2499          },
2500          "tsx": {
2501            "optional": true
2502          },
2503          "yaml": {
2504            "optional": true
2505          }
2506        }
2507      },
2508      "node_modules/yallist": {
2509        "version": "3.1.1",
2510        "resolved": "https://registry.npmjs.org/yallist/-/yallist-3.1.1.tgz",
2511        "integrity": "sha512-a4UGQaWPH59mOXUYnAG2ewncQS4i4F43Tv3JoAM+s2VDAmS9NsK8GpDMLrCHPksFT7h3K6TOoUNn2pb7RoXx4g==",
2512        "dev": true,
2513        "license": "ISC"
2514      }
2515    }
2516  }
```

frontend/package.json


```
{
  "name": "esmajo-engineering",
  "private": true,
  "version": "1.0.0",
  "type": "module",
  "scripts": {
    "dev": "vite --host 0.0.0.0",
    "build": "tsc -b && vite build",
    "preview": "vite preview --host 0.0.0.0"
  },
  "dependencies": {
    "react": "^19.2.0",
    "react-dom": "^19.2.0",
    "react-router-dom": "^7.9.0",
    "lucide-react": "^0.468.0"
  },
  "devDependencies": {
    "@types/react": "^19.2.0",
    "@types/react-dom": "^19.2.0",
    "@vitejs/plugin-react": "^5.0.0",
    "typescript": "~5.9.3",
    "vite": "^7.1.0",
    "tailwindcss": "^4.1.0",
    "@tailwindcss/vite": "^4.1.0"
  }
}
```

frontend/public/brand/estmajo-logo.jpg



Original supplied brand asset. Lettering and proportions unchanged.

frontend/src/api.ts


```
export const PUBLIC_PREVIEW=import.meta.env.VITE_PUBLIC_PREVIEW === 'true';
let csrf = "";
export async function initAuth() {
  if(PUBLIC_PREVIEW)return {authenticated:false,username:'',csrf:''};
  const r = await fetch("/api/auth/", {
    credentials: "same-origin",
    cache: "no-store",
  });
  if (!r.ok) throw Error("Unable to connect to the server.");
  const d = await r.json();
  csrf = d.csrf;
  return d;
}
export async function api(path: string, method = "GET", body?: unknown) {
  if(PUBLIC_PREVIEW){
    if(path==='public/'&&method==='GET'){
      const r=await fetch('/company-preview.json',{cache:'no-store'});
      if(!r.ok)throw Error('Unable to load the company preview.');
      return r.json();
    }
    throw Error('The owner workspace requires the connected company server.');
  }
  if (method !== "GET" && !csrf) await initAuth();
  const r = await fetch("/api/" + path, {
    method,
    credentials: "same-origin",
    cache: "no-store",
    headers: { "Content-Type": "application/json", "X-CSRFToken": csrf },
    body: body === undefined ? undefined : JSON.stringify(body),
  });
  if (r.status === 204) return null;
  const d = await r
    .json()
    .catch(() => ({ detail: "The server returned an unexpected response." }));
  if (!r.ok) throw Error(flatten(d));
  if (d.csrf) csrf = d.csrf;
  return d;
}
function flatten(d: unknown, prefix = ""): string {
  if (typeof d === "string") return prefix + d;
  if (Array.isArray(d))
    return d
      .map((v, i) =>
```

frontend/src/api.ts


```
          flatten(v, prefix + (typeof v === "object" ? `${i + 1}: ` : "")),
        )
        .join(" ");
  if (d && typeof d === "object")
    return Object.entries(d)
      .map(([k, v]) =>
        flatten(
          v,
          k === "detail" ? "" : prefix + k.replaceAll("_", " ") + ": ",
        ),
      )
      .join("\n");
  return String(d);
}
export async function upload(
  file: File,
  onProgress: (p: number) => void,
): Promise<Asset> {
  if (!csrf) await initAuth();
  return new Promise((resolve, reject) => {
    const x = new XMLHttpRequest();
    x.open("POST", "/api/owner/media/");
    x.setRequestHeader("X-CSRFToken", csrf);
    x.upload.onprogress = (e) => {
      if (e.lengthComputable)
        onProgress(Math.round((e.loaded / e.total) * 100));
    };
    x.onload = () => {
      try {
        const d = JSON.parse(x.responseText);
        if (x.status >= 200 && x.status < 300) resolve(d);
        else reject(Error(flatten(d)));
      } catch {
        reject(Error("Upload failed."));
      }
    };
    x.onerror = () =>
      reject(
        Error(
          "Connection interrupted. Check the media library before retrying.",
        ),
      );
    x.timeout = 240000;
```

frontend/src/api.ts


```
    x.ontimeout = () =>
      reject(
        Error("Upload timed out. Check the media library before retrying."),
      );
    const data = new FormData();
    data.append("file", file);
    x.send(data);
  });
}
export type Asset = {
  id: number;
  name: string;
  kind: "image" | "video" | "document";
  url: string;
  responsive?: Record<string, string>;
  alt: string;
  caption: string;
  gallery?: boolean;
  order?: number;
  references?: { content: number[]; documents: number[]; settings: string[] };
};
export type Attachment = {
  media?: number;
  asset?: Asset;
  alt: string;
  caption: string;
  cover: boolean;
  order?: number;
};
export type Item = {
  id?: number;
  kind: "service" | "project";
  title: string;
  slug: string;
  summary: string;
  body: string;
  published: boolean;
  order: number;
  attachments: Attachment[];
};
export type Row = Record<string, string | boolean | number | null>;
export type Company = Record<string, unknown> & {
  official_name?: string;
```

frontend/src/api.ts


```
    tagline?: string;
    trading_name?: string;
    registration_number?: string;
    short_intro?: string;
    description?: string;
    mission?: string;
    vision?: string;
    values?: string;
    whatsapp?: string;
    whatsapp_message?: string;
    timezone?: string;
    holiday_notice?: string;
    ceo_name?: string;
    ceo_position?: string;
    ceo_bio?: string;
    ceo_message?: string;
    footer_description?: string;
    copyright_owner?: string;
    seo_title?: string;
    seo_description?: string;
    privacy_text?: string;
    year_established?: number | null;
    primary_email?: string;
    phones?: Row[];
    emails?: Row[];
    offices?: Row[];
    socials?: Row[];
    additional?: Row[];
    hours?: Row[];
    logo?: Asset | number | null;
    favicon?: Asset | number | null;
    ceo_photo?: Asset | number | null;
    sharing_image?: Asset | number | null;
  };
  export type Doc = {
    id?: number;
    title: string;
    media: number;
    asset?: Asset;
    public: boolean;
    profile: boolean;
    order: number;
  };
```

frontend/src/api.ts


```
export type PublicData = {
  company: Company;
  content: Item[];
  gallery: Asset[];
  documents: Doc[];
};
```

frontend/src/main.tsx


```
import React, {
  useEffect,
  useState,
  createContext,
  useContext,
  useCallback,
} from "react";
import { createRoot } from "react-dom/client";
import {
  BrowserRouter,
  Routes,
  Route,
  Link,
  useLocation,
} from "react-router-dom";
import {
  ArrowUpRight,
  ArrowRight,
  Menu,
  X,
  Phone,
  Mail,
  MapPin,
  Download,
  ChevronRight,
  Wind,
  Zap,
  Sun,
  Truck,
  Settings2,
  SlidersHorizontal,
  HardHat,
  Copy,
  Check,
} from "lucide-react";
import { api, initAuth, PUBLIC_PREVIEW, Asset, Company, Item, PublicData, Row } from "./api";
const Dashboard = React.lazy(() =>
  import("./owner").then((m) => ({ default: m.Dashboard })),
);
import { DataContext, useData, text, MediaView } from "./shared";
import "./styles.css";
const icons = [Wind, Zap, Sun, Truck, Settings2, SlidersHorizontal, HardHat];
function Brand({ c }: { c: Company }) {
```

frontend/src/main.tsx


```
  const name = text(c.official_name) || "ESTMAJO ENGINEERING SOLUTIONS LTD";
  const short = name.replace(/\s+ENGINEERING SOLUTIONS\s+(LTD|LIMITED)$/i, "");
  const descriptor = name.slice(short.length).trim();
  return (
    <Link className="brand" to="/" aria-label={name + " — Home"}>
      {typeof c.logo === "object" && c.logo ? (
        <img src={c.logo.url} alt="" width="64" height="64" />
      ) : (
        <span className="brand-mark" aria-hidden="true">
          E<span>↗</span>
        </span>
      )}
      <span>
        {short}
        {descriptor && <small>{descriptor}</small>}
      </span>
    </Link>
  );
}
function App() {
  const [data, setData] = useState<PublicData>({
    company: {},
    content: [],
    gallery: [],
    documents: [],
  });
  const [error, setError] = useState("");
  const [loading, setLoading] = useState(true);
  const refresh = useCallback(async () => {
    try {
      setData(await api("public/"));
      setError("");
    } catch (e) {
      setError((e as Error).message);
    } finally {
      setLoading(false);
    }
  }, []);
  useEffect(() => {
    refresh();
    initAuth().catch(() => {});
    const focus = () => {
      refresh();
```

frontend/src/main.tsx


```
    };
    window.addEventListener("focus", focus);
    const interval = setInterval(focus, 300000);
    return () => {
      window.removeEventListener("focus", focus);
      clearInterval(interval);
    };
  }, [refresh]);
  return (
    <DataContext.Provider value={{ data, refresh }}>
      <BrowserRouter>
        <ScrollAndMeta />
        {loading ? (
          <div className="center" role="status">
            Loading company website…
          </div>
        ) : error ? (
          <div className="center" role="alert">
            <h1>Unable to load the website</h1>
            <p>{error}</p>
            <button onClick={refresh}>Try again</button>
          </div>
        ) : (
          <Routes>
            <Route
              path="/owner/*"
              element={
                <React.Suspense
                  fallback={
                    <div className="center">Loading owner workspace…</div>
                  }
                >
                  <Dashboard />
                </React.Suspense>
              }
            />
            <Route path="*" element={<PublicSite />} />
          </Routes>
        )}
      </BrowserRouter>
    </DataContext.Provider>
  );
}
```

frontend/src/main.tsx


```
function ScrollAndMeta() {
  const loc = useLocation();
  const { data } = useData();
  useEffect(() => {
    window.scrollTo(0, 0);
    const c = data.company;
    const item = data.content.find((i) => loc.pathname.endsWith("/" + i.slug));
    document.title = item
      ? `${item.title} | ${text(c.official_name)}`
      : text(c.seo_title) || text(c.official_name) || "Engineering Solutions";
    const meta = (key: string, value: string, property = false) => {
      let e = document.querySelector<HTMLMetaElement>(
        `meta[${property ? "property" : "name"}="${key}"]`,
      );
      if (!value) {
        e?.remove();
        return;
      }
      if (!e) {
        e = document.createElement("meta");
        e.setAttribute(property ? "property" : "name", key);
        document.head.append(e);
      }
      e.content = value;
    };
    meta("description", item?.summary || text(c.seo_description));
    meta("og:title", document.title, true);
    meta("og:description", item?.summary || text(c.seo_description), true);
    meta(
      "og:image",
      typeof c.sharing_image === "object" && c.sharing_image
        ? c.sharing_image.url
        : "",
      true,
    );
    let icon = document.querySelector<HTMLLinkElement>('link[rel="icon"]');
    if (typeof c.favicon === "object" && c.favicon) {
      if (!icon) {
        icon = document.createElement("link");
        icon.rel = "icon";
        document.head.append(icon);
      }
      icon.href = c.favicon.url;
```

frontend/src/main.tsx


```
    } else icon?.remove();
  }, [loc.pathname, data]);
  return null;
}
function PublicSite() {
  const { data } = useData();
  const c = data.company;
  const [open, setOpen] = useState(false);
  const loc = useLocation();
  useEffect(() => setOpen(false), [loc.pathname]);
  const primary =
    (c.phones || []).find((p) => p.primary) || (c.phones || [])[0];
  return (
    <>
      <a className="skip" href="#main">
        Skip to content
      </a>
      {PUBLIC_PREVIEW&&<div className="public-preview-banner">PUBLIC WEBSITE PREVIEW · Email enquiries open in your email app</div>}
      <div className="topbar">
        <div className="wrap">
          <span>ENGINEERING • INSTALLATION • MAINTENANCE</span>
          {c.primary_email && (
            <a href={`mailto:${c.primary_email}`}>
              <Mail size={13} />
              {c.primary_email}
            </a>
          )}
        </div>
      </div>
      <header>
        <div className="wrap header">
          <Brand c={c} />
          <button
            className="menu-btn"
            onClick={() => setOpen(!open)}
            aria-label="Toggle navigation"
            aria-expanded={open}
          >
            {open ? <X /> : <Menu />}
          </button>
          <nav className={open ? "open" : ""} aria-label="Main navigation">
            {[
              ["/", "Home"],
```

frontend/src/main.tsx


```
              ["/about", "About us"],
              ["/services", "Services"],
              ["/projects", "Projects"],
              ["/gallery", "Gallery"],
            ].map(([p, n]) => (
              <Link
                key={p}
                className={loc.pathname === p ? "active" : ""}
                to={p}
              >
                {n}
              </Link>
            ))}
            {c.ceo_name && <Link to="/leadership">Leadership</Link>}
            <Link className="button small" to="/contact">
              Let’s talk <ArrowUpRight size={16} />
            </Link>
          </nav>
        </div>
      </header>
      <main id="main">
        <Routes>
          <Route path="/" element={<Home />} />
          <Route path="/about" element={<About />} />
          <Route path="/services" element={<Listing kind="service" />} />
          <Route path="/services/:slug" element={<Detail kind="service" />} />
          <Route path="/projects" element={<Listing kind="project" />} />
          <Route path="/projects/:slug" element={<Detail kind="project" />} />
          <Route path="/gallery" element={<Gallery />} />
          <Route path="/leadership" element={<Leadership />} />
          <Route path="/contact" element={<Contact />} />
          <Route path="/privacy" element={<Privacy />} />
          <Route path="*" element={<NotFound />} />
        </Routes>
      </main>
      <section className="contact-strip">
        <div className="wrap">
          <div>
            <span className="eyebrow">LET’S DISCUSS YOUR NEXT PROJECT</span>
            <h2>Start with a conversation.</h2>
          </div>
          <Link className="button light" to="/contact">
            Request a quote <ArrowUpRight size={20} />
```

frontend/src/main.tsx


```
            </Link>
          </div>
        </section>
        <footer>
          <div className="wrap footer-grid">
            <div>
              <Brand c={c} />
              {c.footer_description && <p>{text(c.footer_description)}</p>}
              {c.registration_number && (
                <span className="registration-badge">
                  REGISTERED COMPANY · RC {text(c.registration_number)}
                </span>
              )}
            </div>
            <div>
              <h3>Explore</h3>
              <Link to="/about">About the company</Link>
              <Link to="/services">Our services</Link>
              <Link to="/projects">Work done</Link>
              {data.documents
                .filter((d) => d.profile)
                .map((d) => (
                  <a
                    key={d.id}
                    href={`/api/documents/${d.id}/download/`}
                    target="_blank"
                    rel="noreferrer"
                  >
                    {d.title} <Download size={14} />
                  </a>
                ))}
            </div>
            <div>
              <h3>Get in touch</h3>
              {c.primary_email && (
                <a href={`mailto:${c.primary_email}`}>{c.primary_email}</a>
              )}
              {(c.phones || []).map((p, i) => (
                <a href={tel(p)} key={i}>
                  <Phone size={13} />
                  {text(p.number)}
                </a>
              ))}
```

frontend/src/main.tsx


```
            {c.offices?.[0] && (
              <address className="footer-address">
                <MapPin size={15} />
                <span>
                  {[
                    c.offices[0].address,
                    c.offices[0].city,
                    c.offices[0].region,
                    c.offices[0].country,
                  ]
                    .filter(Boolean)
                    .join(", ")}
                </span>
              </address>
            )}
            {c.socials?.map((s, i) => (
              <a key={i} href={text(s.url)} target="_blank" rel="noreferrer">
                {text(s.label) || "Social profile"} <ArrowUpRight size={13} />
              </a>
            ))}
            <Link to="/contact">
              Send an enquiry <ArrowRight size={14} />
            </Link>
          </div>
        </div>
        <div className="wrap footer-bottom">
          <span>
            © {new Date().getFullYear()}{" "}
            {text(c.copyright_owner) || text(c.official_name)}
          </span>
          <Link to="/privacy">Privacy</Link>
          <Link to="/owner">Owner login</Link>
        </div>
      </footer>
      <div className="mobile-actions">
        {primary && (
          <a href={tel(primary)}>
            <Phone size={17} /> Call us
          </a>
        )}
        <Link to="/contact">
          <Mail size={17} /> Enquire
        </Link>
```

frontend/src/main.tsx


```
      </div>
    </>
  );
}
export function tel(p: Row) {
  return `tel:${p.number}${p.extension ? ";ext=" + p.extension : ""}`;
}
function EngineeringArt() {
  return (
    <div className="engineering-art" aria-hidden="true">
      <div className="art-grid" />
      <div className="orb orb-one" />
      <div className="orb orb-two" />
      <div className="tower t1" />
      <div className="tower t2" />
      <div className="tower t3" />
      <div className="pipe p1" />
      <div className="pipe p2" />
      <div className="art-label">SYSTEMS. STRUCTURES. SOLUTIONS.</div>
      <span className="cross c1">+</span>
      <span className="cross c2">+</span>
    </div>
  );
}
function Home() {
  const { data } = useData();
  const c = data.company;
  const services = data.content.filter((i) => i.kind === "service");
  const projects = data.content.filter((i) => i.kind === "project");
  return (
    <>
      <section className="hero">
        <div className="wrap hero-grid">
          <div className="hero-copy">
            <span className="eyebrow">
              <i />{" "}
              {text(c.official_name).toUpperCase() || "ENGINEERING SOLUTIONS"}
            </span>
            <h1>
              Engineering
              <br />
              solutions.
              <br />
```

frontend/src/main.tsx


```
388               <em>Built around you.</em>
389             </h1>
390             <p>
391               {text(c.short_intro) ||
392                 "Explore our engineering, installation, maintenance and construction services. Talk to us about the requirements of your next projec
  + t."}
393             </p>
394             <div className="actions">
395               <Link className="button" to="/services">
396                 Explore our services <ArrowUpRight size={19} />
397               </Link>
398               <Link className="text-link" to="/contact">
399                 Discuss your project <ArrowRight size={18} />
400               </Link>
401             </div>
402             <div className="hero-foot">
403               <span className="line" />
404               <span>
405                 {text(c.tagline) || "ENGINEERING • ENERGY • INFRASTRUCTURE"}
406               </span>
407             </div>
408           </div>
409           {typeof c.logo === "object" && c.logo ? (
410             <div className="brand-showcase">
411               <div className="showcase-frame">
412                 <img
413                   src={c.logo.url}
414                   alt={text(c.official_name)}
415                   width="1536"
416                   height="1536"
417                   fetchPriority="high"
418                 />
419               </div>
420               <div className="showcase-caption">
421                 <span>ENGINEERING SOLUTIONS</span>
422                 {c.registration_number && (
423                   <span>RC {text(c.registration_number)}</span>
424                 )}
425               </div>
426             </div>
427           ) : (
428             <EngineeringArt />
429           )}
```

frontend/src/main.tsx


```
          </div>
        </section>
        <div className="discipline-strip">
          <div className="wrap">
            <span>
              {c.offices?.[0]
                ? `${text(c.offices[0].city)}, ${text(c.offices[0].region)}`
                : "Integrated disciplines."}
            </span>
            <span>Practical solutions.</span>
            <span>
              Your project starts here. <ArrowDown />
            </span>
          </div>
        </div>
        <section className="section wrap">
          <div className="section-head">
            <div>
              <span className="eyebrow">OUR SERVICES</span>
              <h2>
                The right expertise.
                <br />
                Across your operations.
              </h2>
            </div>
            <p>
              Explore our service areas and send an enquiry to discuss your scope,
              requirements and next steps.
            </p>
          </div>
          <ServiceCards items={services} />
        </section>
        {c.description && (
          <section className="about-band">
            <div className="wrap split">
              <div>
                <span className="eyebrow">ABOUT THE COMPANY</span>
                <h2>{text(c.official_name)}</h2>
              </div>
              <div>
                <p>{text(c.description).slice(0, 600)}</p>
                <Link className="text-link" to="/about">
                  Get to know us <ArrowUpRight size={18} />
```

frontend/src/main.tsx


```
              </Link>
            </div>
          </div>
        </section>
      )}
      {projects.length > 0 && (
        <section className="section wrap">
          <div className="section-head">
            <div>
              <span className="eyebrow">OUR WORK</span>
              <h2>Projects in focus.</h2>
            </div>
            <Link to="/projects" className="text-link">
              All projects <ArrowUpRight size={18} />
            </Link>
          </div>
          <div className="project-grid">
            {projects.slice(0, 3).map((i) => (
              <ProjectCard key={i.id} item={i} />
            ))}
          </div>
        </section>
      )}
    </>
  );
}
function ArrowDown() {
  return <span aria-hidden="true">↓</span>;
}
export function ServiceCards({ items }: { items: Item[] }) {
  return (
    <div className="services-grid">
      {items.map((item, i) => {
        const Icon = icons[i % icons.length];
        return (
          <Link
            className="service-card"
            key={item.id || i}
            to={"/services/" + item.slug}
          >
            <div className="card-top">
              <Icon size={28} strokeWidth={1.5} />
              <span>{String(i + 1).padStart(2, "0")}</span>
```

frontend/src/main.tsx


```
              </div>
              <h3>{item.title}</h3>
              {item.summary && <p>{item.summary}</p>}
              <span className="card-link">
                Explore service <ArrowUpRight size={18} />
              </span>
            </Link>
          );
        })}
      </div>
    );
}
function PageHead({
  eyebrow,
  title,
  description,
}: {
  eyebrow: string;
  title: string;
  description?: string;
}) {
  return (
    <section className="page-head">
      <div className="wrap">
        <div className="crumb">
          <Link to="/">Home</Link>
          <ChevronRight size={13} />
          {eyebrow}
        </div>
        <span className="eyebrow">{eyebrow}</span>
        <h1>{title}</h1>
        {description && <p>{description}</p>}
      </div>
    </section>
  );
}
function About() {
  const { data } = useData();
  const c = data.company;
  return (
    <>
      <PageHead
        eyebrow="ABOUT US"
```

frontend/src/main.tsx


```
          title={text(c.official_name) || "About the company"}
          description={text(c.short_intro)}
        />
        <section className="section wrap prose">
          {c.description && <p>{text(c.description)}</p>}
          {["mission", "vision", "values"].map((k) =>
            c[k] ? (
              <article key={k}>
                <h2>Our {k}</h2>
                <p>{text(c[k])}</p>
              </article>
            ) : null,
          )}
          {c.year_established && <p>Established: {String(c.year_established)}</p>}
          {c.registration_number && (
            <p>Registration number: {text(c.registration_number)}</p>
          )}
          {data.documents.length > 0 && (
            <>
              <h2>Company documents</h2>
              {data.documents.map((d) => (
                <p key={d.id}>
                  <a
                    className="text-link"
                    href={`/api/documents/${d.id}/download/`}
                    target="_blank"
                    rel="noreferrer"
                  >
                    {d.title} <Download size={17} />
                  </a>
                </p>
              ))}
            </>
          )}
        </section>
      </>
    );
  }
  function Listing({ kind }: { kind: "service" | "project" }) {
    const { data } = useData();
    const [query, setQuery] = useState("");
    const items = data.content.filter(
      (i) =>
```

frontend/src/main.tsx


```
602         i.kind === kind && i.title.toLowerCase().includes(query.toLowerCase()),
603       );
604       return (
605         <>
606           <PageHead
607             eyebrow={kind === "service" ? "OUR SERVICES" : "WORK DONE"}
608             title={
609               kind === "service"
610                 ? "Engineering across disciplines."
611                 : "Our project portfolio."
612             }
613           />
614           <section className="section wrap">
615             {kind === "project" && (
616               <label className="search">
617                 Search projects
618                 <input
619                   value={query}
620                   onChange={(e) => setQuery(e.target.value)}
621                   placeholder="Search by project name"
622                 />
623               </label>
624             )}
625             {kind === "service" ? (
626               <ServiceCards items={items} />
627             ) : (
628               <div className="project-grid">
629                 {items.map((i) => (
630                   <ProjectCard key={i.id} item={i} />
631                 ))}
632               </div>
633             )}
634             {items.length === 0 && (
635               <p className="empty">
636                 {query
637                   ? "No matching projects."
638                   : "Published projects will appear here."}
639               </p>
640             )}
641           </section>
642         </>
643       );
644     }
```

frontend/src/main.tsx


```
export function ProjectCard({ item }: { item: Item }) {
  return (
    <Link className="project-card" to={"/projects/" + item.slug}>
      <MediaView
        asset={
          (item.attachments.find((a) => a.cover) || item.attachments[0])?.asset
        }
      />
      <div>
        <span className="eyebrow">PROJECT</span>
        <h3>
          {item.title} <ArrowUpRight size={19} />
        </h3>
        {item.summary && <p>{item.summary}</p>}
      </div>
    </Link>
  );
}
function Detail({ kind }: { kind: "service" | "project" }) {
  const { data } = useData();
  const path = useLocation().pathname;
  const item = data.content.find(
    (i) => i.kind === kind && path.endsWith("/" + i.slug),
  );
  if (!item) return <NotFound />;
  return (
    <>
      <PageHead
        eyebrow={kind === "service" ? "OUR SERVICES" : "OUR PROJECTS"}
        title={item.title}
        description={item.summary}
      />
      <section className="section wrap detail">
        <div className="prose">
          <p>{item.body}</p>
          <div className="gallery-grid">
            {item.attachments.map((a, i) => (
              <MediaView
                key={i}
                asset={a.asset}
                alt={a.alt}
                caption={a.caption}
              />
```

frontend/src/main.tsx


```
            ))}
          </div>
        </div>
        <aside className="quote-box">
          <span className="eyebrow">LET’S TALK</span>
          <h2>Have a project in mind?</h2>
          <p>Share your requirements with our team.</p>
          <Link className="button" to={"/contact?service=" + item.id}>
            Request a quote <ArrowUpRight size={18} />
          </Link>
        </aside>
      </section>
    </>
  );
}
function Gallery() {
  const { data } = useData();
  const [filter, setFilter] = useState("all");
  return (
    <>
      <PageHead eyebrow="MEDIA GALLERY" title="A closer look at our work." />
      <section className="section wrap">
        <div className="tabs" role="group" aria-label="Filter gallery">
          {["all", "image", "video"].map((f) => (
            <button
              key={f}
              className={filter === f ? "selected" : ""}
              onClick={() => setFilter(f)}
              aria-pressed={filter === f}
            >
              {f === "all"
                ? "All media"
                : f === "image"
                  ? "Photographs"
                  : "Videos"}
            </button>
          ))}
        </div>
        <div className="gallery-grid">
          {data.gallery
            .filter((m) => filter === "all" || m.kind === filter)
            .map((m) => (
              <MediaView key={m.id} asset={m} />
```

frontend/src/main.tsx


```
            ))}
          </div>
          {!data.gallery.some((m) => filter === "all" || m.kind === filter) && (
            <p className="empty">No published media in this category yet.</p>
          )}
        </section>
      </>
    );
}
function Leadership() {
  const { data } = useData();
  const c = data.company;
  return (
    <>
      <PageHead
        eyebrow="LEADERSHIP"
        title={text(c.ceo_name) || "Company leadership"}
        description={text(c.ceo_position)}
      />
      <section className="section wrap split">
        <MediaView
          asset={
            typeof c.ceo_photo === "object" && c.ceo_photo
              ? c.ceo_photo
              : undefined
          }
          alt={text(c.ceo_name)}
        />
        <div className="prose">
          {c.ceo_bio && <p>{text(c.ceo_bio)}</p>}
          {c.ceo_message && (
            <>
              <h2>A message from our leadership</h2>
              <p>{text(c.ceo_message)}</p>
            </>
          )}
        </div>
      </section>
    </>
  );
}
function PhoneRow({ p }: { p: Row }) {
  const [copied, setCopied] = useState(false);
```

frontend/src/main.tsx


```
  const [err, setErr] = useState("");
  return (
    <div className="phone-row">
      <a href={tel(p)}>
        {text(p.number)}
        {p.extension ? " ext. " + p.extension : ""}
      </a>
      <button
        className="icon-btn"
        aria-label={"Copy " + p.number}
        onClick={async () => {
          try {
            await navigator.clipboard.writeText(text(p.number));
            setCopied(true);
            setTimeout(() => setCopied(false), 2000);
          } catch {
            setErr("Select the displayed number to copy it.");
          }
        }}
      >
        {copied ? <Check size={15} /> : <Copy size={15} />}
      </button>
      <span className="sr-only" role="status">
        {copied ? "Number copied" : err}
      </span>
    </div>
  );
}
function Contact() {
  const { data } = useData();
  const c = data.company;
  const [busy, setBusy] = useState(false);
  const [message, setMessage] = useState("");
  const [error, setError] = useState("");
  const [token, setToken] = useState(crypto.randomUUID());
  const services = data.content.filter((i) => i.kind === "service");
  return (
    <>
      <PageHead
        eyebrow="CONTACT / REQUEST A QUOTE"
        title="Let’s move your project forward."
        description="Tell us what you need. Send a project enquiry using the form below."
      />
```

frontend/src/main.tsx


```
      <section className="section wrap contact-layout">
        <div className="contact-info">
          <h2>Get in touch.</h2>
          {c.registration_number && (
            <p className="contact-registration">
              {text(c.official_name)}
              <br />
              <span>RC {text(c.registration_number)}</span>
            </p>
          )}
          {(c.phones || []).length > 0 && (
            <div className="info-group">
              <Phone />
              <div>
                <h3>Call our team</h3>
                {c.phones?.map((p, i) => (
                  <div key={i}>
                    <small>{text(p.label)}</small>
                    <PhoneRow p={p} />
                  </div>
                ))}
              </div>
            </div>
          )}
          {(c.primary_email || (c.emails || []).length > 0) && (
            <div className="info-group">
              <Mail />
              <div>
                <h3>Email us</h3>
                {c.primary_email && (
                  <a href={"mailto:" + c.primary_email}>{c.primary_email}</a>
                )}
                {c.emails?.map((e, i) => (
                  <p key={i}>
                    <small>{text(e.label)}</small>
                    <a href={"mailto:" + e.email}>{text(e.email)}</a>
                  </p>
                ))}
              </div>
            </div>
          )}
          {c.offices?.map((o, i) => (
            <div key={i} className="info-group">
```

frontend/src/main.tsx


```
              <MapPin />
              <div>
                <h3>{text(o.label) || "Office"}</h3>
                <address>
                  {[o.address, o.city, o.region, o.postcode, o.country]
                    .filter(Boolean)
                    .join(", ")}
                </address>
                {o.map_url && (
                  <a href={text(o.map_url)} target="_blank" rel="noreferrer">
                    View map <ArrowUpRight size={14} />
                  </a>
                )}
                {o.directions_url && (
                  <a
                    href={text(o.directions_url)}
                    target="_blank"
                    rel="noreferrer"
                  >
                    Get directions <ArrowUpRight size={14} />
                  </a>
                )}
              </div>
            </div>
          ))}
          {c.whatsapp && (
            <a
              className="button secondary"
              target="_blank"
              rel="noreferrer"
              href={`https://wa.me/${text(c.whatsapp).replace("+", "")}?text=${encodeURIComponent(text(c.whatsapp_message))}`}
            >
              Chat on WhatsApp <ArrowUpRight size={17} />
            </a>
          )}
          {(c.hours || []).length > 0 && (
            <div className="hours">
              <h3>Business hours</h3>
              {c.hours?.map((h, i) => (
                <p key={i}>
                  <span>{text(h.day)}</span>
                  <span>
                    {h.closed
```

frontend/src/main.tsx


```
                      ? "Closed"
                      : `${text(h.opens).slice(0, 5)} – ${text(h.closes).slice(0, 5)}`}
                  </span>
                </p>
              ))}
              {c.timezone && <small>{text(c.timezone)}</small>}
              {c.holiday_notice && <p>{text(c.holiday_notice)}</p>}
            </div>
          )}
          {c.additional?.map((d, i) => (
            <p key={i}>
              <strong>{text(d.label)}: </strong>
              {d.url ? (
                <a href={text(d.url)} target="_blank" rel="noreferrer">
                  {text(d.text) || text(d.url)}
                </a>
              ) : (
                text(d.text)
              )}
            </p>
          ))}
        </div>
        <form
          className="enquiry-form"
          onSubmit={async (e) => {
            e.preventDefault();
            if (busy) return;
            setBusy(true);
            setMessage("");
            setError("");
            const form = e.currentTarget;
            const fd = new FormData(form);
            try {
              if(PUBLIC_PREVIEW){
                const service=services.find(s=>s.id===Number(fd.get('service')))?.title||'General enquiry';
                const body=`Name: ${fd.get('name')}\nEmail: ${fd.get('email')}\nTelephone: ${fd.get('telephone')||'Not supplied'}\nService: ${servic
e}\n\n${fd.get('message')}`;
                window.location.href=`mailto:${c.primary_email}?subject=${encodeURIComponent(String(fd.get('subject')))}&body=${encodeURIComponent(b
ody)}`;
                setMessage('Your email draft is ready to open. Send it from your email app to contact our team. No message has been sent automatical
ly.');
                return;
              }
```

frontend/src/main.tsx


```
              const payload = {
                ...Object.fromEntries(fd),
                token,
                service: fd.get("service") ? Number(fd.get("service")) : null,
              };
              const r = await api("enquire/", "POST", payload);
              setMessage(r.detail);
              form.reset();
              setToken(crypto.randomUUID());
            } catch (err) {
              setError((err as Error).message);
            } finally {
              setBusy(false);
            }
          }}
        >
          <span className="eyebrow">SEND AN ENQUIRY</span>
          <h2>Tell us about your requirements.</h2>
          {PUBLIC_PREVIEW&&<p className="muted">This form opens your email app. Send the message there to contact our team.</p>}
          <div className="form-grid">
            <label>
              Your name *
              <input name="name" required maxLength={200} autoComplete="name" />
            </label>
            <label>
              Email address *
              <input name="email" type="email" required autoComplete="email" />
            </label>
            <label>
              Telephone number
              <input
                name="telephone"
                type="tel"
                placeholder="+234…"
                autoComplete="tel"
              />
              <small>Optional. Include your country code.</small>
            </label>
            <label>
              Service
              <select
                name="service"
                defaultValue={
```

frontend/src/main.tsx


```
                  new URLSearchParams(location.search).get("service") || ""
                }
              >
                <option value="">General enquiry</option>
                {services.map((s) => (
                  <option value={s.id} key={s.id}>
                    {s.title}
                  </option>
                ))}
              </select>
            </label>
          </div>
          <label>
            Subject *<input name="subject" required maxLength={200} />
          </label>
          <label>
            Your message *
            <textarea
              name="message"
              required
              minLength={10}
              maxLength={10000}
              rows={6}
            />
          </label>
          <div className="honeypot" aria-hidden="true">
            <label>
              Website
              <input name="website" tabIndex={-1} autoComplete="off" />
            </label>
          </div>
          <p className="muted">
            Your details will be used to respond to this enquiry.{" "}
            <Link to="/privacy">Read our privacy information.</Link>
          </p>
          {error && (
            <p className="error" role="alert">
              {error}
            </p>
          )}
          {message && (
            <p className="success" role="status">
              {message}
```

frontend/src/main.tsx


```
            </p>
          )}
          <button type="submit" disabled={busy}>
            {busy ? "Preparing…" : PUBLIC_PREVIEW?"Open email draft":"Send enquiry"}{" "}
            <ArrowUpRight size={18} />
          </button>
        </form>
      </section>
    </>
  );
}
function Privacy() {
  const c = useData().data.company;
  return (
    <>
      <PageHead eyebrow="PRIVACY" title="Your information." />
      <section className="section wrap prose">
        <p>
          {text(c.privacy_text) || (PUBLIC_PREVIEW ? "This public preview opens enquiry drafts in your email app. The preview does not save form ent
+ ries in a website database or send them automatically. Send your draft through your email provider to contact ESTMAJO. The preview does not provide
+ an owner sign-in session. The full application provides server-stored enquiries and protected owner access after the company server is activated." :
+
            "When you submit an enquiry, we store your name, email address, optional telephone number and message so the company can review and resp
+ ond. An email notification may be sent to the company’s configured recipient. Essential cookies secure the owner’s sign-in and protect forms against
+  request forgery. Uploaded media and documents are delivered through ImageKit. Contact the company through the enquiry form for questions about your
+  information.")}
        </p>
      </section>
    </>
  );
}
function NotFound() {
  return (
    <section className="section wrap not-found">
      <span className="eyebrow">404 / PAGE NOT FOUND</span>
      <h1>
        Let’s get you back
        <br />
        on the right path.
      </h1>
      <p>This page may have moved or is not available.</p>
      <Link className="button" to="/">
        Back to home <ArrowRight size={18} />
```

frontend/src/main.tsx


```
        </Link>
      </section>
    );
}
createRoot(document.getElementById("root")!).render(
  <React.StrictMode>
    <App />
  </React.StrictMode>,
);
```

frontend/src/owner.tsx


```
import { useEffect, useState, ReactNode } from "react";
import { Link, useNavigate } from "react-router-dom";
import {
  ArrowLeft,
  ArrowUpRight,
  LayoutDashboard,
  Building2,
  BriefcaseBusiness,
  Images,
  UserRound,
  FileText,
  Inbox,
  Shield,
  LogOut,
  Plus,
  Trash2,
  Eye,
  Save,
  ChevronUp,
  ChevronDown,
  X,
  RefreshCw,
  Menu,
} from "lucide-react";
import { api, initAuth, upload, PUBLIC_PREVIEW, Company, Row, Asset, Item, Doc } from "./api";
import { useData, text, MediaView } from "./shared";
type SetSettings = { data: Company; enquiry_recipient: string };
function useDirty(dirty: boolean) {
  useEffect(() => {
    if (!dirty) return;
    const unload = (e: BeforeUnloadEvent) => {
      e.preventDefault();
      e.returnValue = "";
    };
    const click = (e: MouseEvent) => {
      const target = (e.target as HTMLElement).closest("a");
      if (
        target &&
        target.getAttribute("href") &&
        !target.getAttribute("href")?.startsWith("#") &&
        !confirm("You have unsaved changes. Leave without saving?")
      ) {
        e.preventDefault();
```

frontend/src/owner.tsx


```
        e.stopPropagation();
      }
    };
    window.addEventListener("beforeunload", unload);
    document.addEventListener("click", click, true);
    return () => {
      window.removeEventListener("beforeunload", unload);
      document.removeEventListener("click", click, true);
    };
  }, [dirty]);
}
const sections = [
  ["Overview", LayoutDashboard],
  ["Company Information & Contact Settings", Building2],
  ["Services", BriefcaseBusiness],
  ["Projects", BriefcaseBusiness],
  ["Media library", Images],
  ["CEO / Leadership", UserRound],
  ["Company documents", FileText],
  ["Enquiries", Inbox],
  ["Account settings", Shield],
] as const;
export function Dashboard() {
  if(PUBLIC_PREVIEW)return <div className="center"><span className="eyebrow">OWNER WORKSPACE</span><h1>Server activation pending.</h1><p>This is the
 public design preview. Owner login, content saves, uploads and enquiry tracking become available after the Django server is connected.</p><Link cla
ssName="button" to="/">Back to the website <ArrowLeft size={16}/></Link></div>;
  const { data: siteData } = useData();
  const [user, setUser] = useState<string | null>(null);
  const [loading, setLoading] = useState(true);
  const [section, setSection] = useState("Overview");
  const [nav, setNav] = useState(false);
  const [error, setError] = useState("");
  const [dirty, setDirty] = useState(false);
  const navigate = useNavigate();
  useEffect(() => {
    initAuth()
      .then((d) => setUser(d.authenticated ? d.username : null))
      .catch((e) => setError(e.message))
      .finally(() => setLoading(false));
  }, []);
  const change = (s: string) => {
    if (
      dirty &&
```

frontend/src/owner.tsx


```
      !confirm("You have unsaved edits. Discard them and switch sections?")
    )
      return;
    setDirty(false);
    setSection(s);
    setNav(false);
  };
  if (loading) return <div className="center">Checking your session…</div>;
  if (!user)
    return (
      <div className="login-page">
        <div className="login-art">
          <span className="eyebrow">OWNER WORKSPACE</span>
          <h1>
            Your company.
            <br />
            Always up to date.
          </h1>
          <p>
            Manage your company information, projects and enquiries in one
            place.
          </p>
          <Link to="/">← Back to website</Link>
        </div>
        <form
          className="login-form"
          onSubmit={async (e) => {
            e.preventDefault();
            setLoading(true);
            try {
              const d = await api(
                "auth/",
                "POST",
                Object.fromEntries(new FormData(e.currentTarget)),
              );
              setUser(d.username);
              setError("");
            } catch (err) {
              setError((err as Error).message);
            } finally {
              setLoading(false);
            }
          }}
```

frontend/src/owner.tsx


```
        >
          <span className="eyebrow">
            {text(siteData.company.official_name) || "COMPANY"} • ADMINISTRATION
          </span>
          <h2>Welcome back.</h2>
          <p className="muted">Sign in to manage your website.</p>
          <label>
            Username
            <input name="username" autoComplete="username" required />
          </label>
          <label>
            Password
            <input
              type="password"
              name="password"
              autoComplete="current-password"
              required
            />
          </label>
          {error && (
            <p role="alert" className="error">
              {error}
            </p>
          )}
          <button>
            Sign in <ArrowUpRight size={18} />
          </button>
          <p className="muted">
            Forgot your password? Ask your server administrator to follow the
            password recovery instructions in the owner’s guide.
          </p>
        </form>
      </div>
    );
  return (
    <div className="dashboard">
      <aside className={"sidebar " + (nav ? "show" : "")}>
        <Link className="owner-brand" to="/">
          {typeof siteData.company.logo === "object" &&
          siteData.company.logo ? (
            <img
              src={siteData.company.logo.url}
              width="48"
```

frontend/src/owner.tsx


```
              height="48"
              alt=""
            />
          ) : (
            "E"
          )}
          <span>
            {text(siteData.company.official_name).replace(
              /\s+Engineering Solutions\s+(Limited|Ltd)$/i,
              "",
            ) || "COMPANY"}
            <small>OWNER WORKSPACE</small>
          </span>
        </Link>
        <nav aria-label="Dashboard">
          {sections.map(([name, Icon]) => (
            <button
              className={section === name ? "selected" : ""}
              key={name}
              onClick={() => change(name)}
            >
              <Icon size={18} />
              {name}
            </button>
          ))}
        </nav>
        <div className="sidebar-bottom">
          <Link to="/" target="_blank">
            View website <ArrowUpRight size={16} />
          </Link>
          <button
            onClick={async () => {
              if (dirty && !confirm("Discard unsaved changes and sign out?"))
                return;
              try {
                await api("auth/", "DELETE");
                setUser(null);
                setDirty(false);
                navigate("/owner");
              } catch (e) {
                setError((e as Error).message);
              }
            }}
```

frontend/src/owner.tsx


```
            >
              <LogOut size={16} /> Sign out
            </button>
          </div>
        </aside>
        <div className="owner-main">
          <div className="owner-top">
            <button
              className="icon-btn mobile-only"
              onClick={() => setNav(!nav)}
              aria-label="Toggle dashboard navigation"
            >
              <Menu />
            </button>
            <span>
              Administration <span className="muted">/ {section}</span>
            </span>
            <span className="user-badge">
              <UserRound size={16} />
              {user}
            </span>
          </div>
          <div className="owner-content">
            <div className="owner-heading">
              <div>
                <span className="eyebrow">YOUR WEBSITE, YOUR CONTROL</span>
                <h1>{section}</h1>
              </div>
              {dirty && <span className="badge amber">Unsaved changes</span>}
            </div>
            {error && (
              <p className="error" role="alert">
                {error}
              </p>
            )}
            <div key={section}>
              {section === "Overview" ? (
                <Overview onChange={change} />
              ) : section === "Company Information & Contact Settings" ||
                section === "CEO / Leadership" ? (
                <SettingsEditor
                  leadership={section === "CEO / Leadership"}
                  onDirty={setDirty}
```

frontend/src/owner.tsx


```
              />
            ) : section === "Services" || section === "Projects" ? (
              <ContentManager
                kind={section === "Services" ? "service" : "project"}
                onDirty={setDirty}
              />
            ) : section === "Media library" ? (
              <MediaManager onDirty={setDirty} />
            ) : section === "Company documents" ? (
              <Documents onDirty={setDirty} />
            ) : section === "Enquiries" ? (
              <Enquiries />
            ) : (
              <Account />
            )}
          </div>
        </div>
      </div>
    </div>
  );
}
function useLoad<T>(path: string) {
  const [value, setValue] = useState<T | null>(null);
  const [error, setError] = useState("");
  const refresh = () =>
    api(path)
      .then(setValue)
      .catch((e) => setError(e.message));
  useEffect(() => {
    refresh();
  }, [path]);
  return { value, error, refresh };
}
function Notice({ error, message }: { error?: string; message?: string }) {
  return (
    <>
      {error && (
        <p className="error" role="alert">
          {error}
        </p>
      )}
      {message && (
        <p className="success" role="status">
```

frontend/src/owner.tsx


```
            {message}
          </p>
        )}
      </>
    );
  }
  function Overview({ onChange }: { onChange: (s: string) => void }) {
    const { value: v, error } =
      useLoad<Record<string, number | boolean>>("owner/overview/");
    if (!v) return <Notice error={error || "Loading overview…"} />;
    return (
      <>
        <div className="overview-banner">
          <div>
            <span className="eyebrow">WELCOME TO YOUR WORKSPACE</span>
            <h2>
              Keep your business
              <br />
              in the picture.
            </h2>
            <p>
              Add company details, publish your work and respond to enquiries.
            </p>
            <button
              onClick={() => onChange("Company Information & Contact Settings")}
            >
              Manage company information <ArrowUpRight size={17} />
            </button>
          </div>
          <Building2 size={130} strokeWidth={0.7} />
        </div>
        <div className="stat-grid">
          {[
            ["Services", v.services],
            ["Projects", v.projects],
            ["Enquiries", v.enquiries],
            ["Unread enquiries", v.unread],
          ].map(([n, c]) => (
            <button
              key={String(n)}
              className="stat"
              onClick={() =>
                onChange(n === "Unread enquiries" ? "Enquiries" : String(n))
```

frontend/src/owner.tsx


```
            }
          >
            <span>{n}</span>
            <strong>{c}</strong>
            <ArrowUpRight size={18} />
          </button>
        ))}
      </div>
      <div className="panel">
        <h2>Launch & integration status</h2>
        <p>
          <span
            className={"dot " + (v.imagekit_configured ? "green" : "orange")}
          />
          ImageKit:{" "}
          {v.imagekit_configured
            ? "Credentials configured; verify a live upload."
            : "Server configuration required."}
        </p>
        <p>
          <span
            className={"dot " + (v.email_configured ? "green" : "orange")}
          />
          Email:{" "}
          {v.email_configured
            ? "Configured; verify a live test enquiry."
            : "SMTP settings, authenticated sender and enquiry recipient required."}
        </p>
        <p>
          {String(v.notification_issues)} notification issue(s) need review.
        </p>
        <p className="muted">
          Official branding: ESTMAJO ENGINEERING SOLUTIONS LTD, RC 7810123. The
          supplied logo, Warri office, email and two confirmed telephone numbers are included.
        </p>
      </div>
    </>
  );
}
type Field = { key: string; label: string; type?: string; hint?: string };
const groups: { title: string; hint?: string; fields: Field[] }[] = [
  {
    title: "Company identity",
```

frontend/src/owner.tsx


```
      fields: [
        {
          key: "official_name",
          label: "Official company name",
          hint: "Confirmed name: ESTMAJO ENGINEERING SOLUTIONS LTD.",
        },
        { key: "trading_name", label: "Trading name" },
        { key: "tagline", label: "Tagline" },
        { key: "registration_number", label: "Registration number" },
        { key: "logo", label: "Original company logo", type: "asset" },
        { key: "favicon", label: "Favicon", type: "asset" },
        {
          key: "use_supplied_logo",
          label: "Use original supplied logo when no replacement is selected",
          type: "checkbox",
        },
      ],
    },
    {
      title: "Company profile",
      fields: [
        { key: "short_intro", label: "Short introduction", type: "textarea" },
        {
          key: "description",
          label: "Full company description",
          type: "textarea",
        },
        { key: "mission", label: "Mission", type: "textarea" },
        { key: "vision", label: "Vision", type: "textarea" },
        { key: "values", label: "Values", type: "textarea" },
        { key: "year_established", label: "Year established", type: "number" },
      ],
    },
    {
      title: "Email addresses",
      hint: "The enquiry recipient is private and is never shown on the public website.",
      fields: [
        { key: "primary_email", label: "Primary public email", type: "email" },
        {
          key: "enquiry_recipient",
          label: "Private enquiry recipient",
          type: "email",
        },
```

frontend/src/owner.tsx


```
    ],
  },
  {
    title: "WhatsApp",
    fields: [
      {
        key: "whatsapp",
        label: "Business number",
        type: "tel",
        hint: "International format, starting with + and country code.",
      },
      {
        key: "whatsapp_message",
        label: "Introductory message",
        type: "textarea",
      },
    ],
  },
  {
    title: "Business hours",
    fields: [
      {
        key: "timezone",
        label: "Timezone",
        hint: "IANA timezone, such as Africa/Lagos. Leave empty if unknown.",
      },
      { key: "holiday_notice", label: "Holiday notice", type: "textarea" },
    ],
  },
  {
    title: "Leadership",
    fields: [
      { key: "ceo_name", label: "CEO name" },
      { key: "ceo_position", label: "Position" },
      { key: "ceo_photo", label: "Photograph", type: "asset" },
      { key: "ceo_bio", label: "Biography", type: "textarea" },
      { key: "ceo_message", label: "Leadership message", type: "textarea" },
    ],
  },
  {
    title: "Footer information",
    fields: [
      {
```

frontend/src/owner.tsx


```
          key: "footer_description",
          label: "Short footer description",
          type: "textarea",
        },
        { key: "copyright_owner", label: "Copyright owner" },
      ],
    },
    {
      title: "Search and sharing information",
      fields: [
        { key: "seo_title", label: "Default page title" },
        {
          key: "seo_description",
          label: "Default description",
          type: "textarea",
        },
        { key: "sharing_image", label: "Sharing image", type: "asset" },
      ],
    },
    {
      title: "Privacy information",
      fields: [
        {
          key: "privacy_text",
          label: "Privacy information",
          type: "textarea",
          hint: "Add your approved retention period, data contact and other applicable privacy information.",
        },
      ],
    },
  ];
  const rowGroups: { key: string; title: string; fields: Field[] }[] = [
    {
      key: "emails",
      title: "Additional email addresses",
      fields: [{ key: "email", label: "Email address", type: "email" }],
    },
    {
      key: "phones",
      title: "Telephone numbers",
      fields: [
        { key: "number", label: "Number with country code", type: "tel" },
        { key: "extension", label: "Extension" },
```

frontend/src/owner.tsx


```
      { key: "primary", label: "Primary telephone number", type: "checkbox" },
    ],
  },
  {
    key: "offices",
    title: "Office addresses",
    fields: [
      { key: "address", label: "Street address", type: "textarea" },
      { key: "city", label: "City" },
      { key: "region", label: "State / region" },
      { key: "postcode", label: "Postcode" },
      { key: "country", label: "Country" },
      { key: "map_url", label: "Map location link", type: "url" },
      { key: "directions_url", label: "Directions link", type: "url" },
    ],
  },
  {
    key: "socials",
    title: "Online presence",
    fields: [
      { key: "url", label: "Social profile URL", type: "url" },
      {
        key: "verified",
        label: "I have verified that this is an official company profile",
        type: "checkbox",
      },
    ],
  },
  {
    key: "additional",
    title: "Additional Company Details",
    fields: [
      { key: "text", label: "Text", type: "textarea" },
      { key: "url", label: "Optional validated link", type: "url" },
    ],
  },
];
function FieldInput({
  field,
  value,
  onChange,
  assets = [],
}: {
```

frontend/src/owner.tsx


```
  field: Field;
  value: unknown;
  onChange: (v: unknown) => void;
  assets?: Asset[];
}) {
  return (
    <label className={field.type === "checkbox" ? "checkbox-label" : ""}>
      {field.type === "checkbox" ? (
        <>
          <input
            type="checkbox"
            checked={!!value}
            onChange={(e) => onChange(e.target.checked)}
          />
          {field.label}
        </>
      ) : (
        <>
          {field.label}
          {field.type === "textarea" ? (
            <textarea
              rows={4}
              value={text(value)}
              onChange={(e) => onChange(e.target.value)}
            />
          ) : field.type === "asset" ? (
            <select
              value={typeof value === "number" ? value : ""}
              onChange={(e) =>
                onChange(e.target.value ? Number(e.target.value) : null)
              }
            >
              <option value="">No replacement selected</option>
              {assets
                .filter((a) => a.kind === "image")
                .map((a) => (
                  <option key={a.id} value={a.id}>
                    {a.name}
                  </option>
                ))}
            </select>
          ) : (
            <input
```

frontend/src/owner.tsx


```
                type={field.type || "text"}
                value={typeof value === "number" ? value : text(value)}
                onChange={(e) =>
                  onChange(
                    field.type === "number"
                      ? e.target.value
                        ? Number(e.target.value)
                        : null
                      : e.target.value,
                  )
                }
              />
            )}
          </>
        )}
        {field.hint && <small>{field.hint}</small>}
      </label>
    );
  }
  function RepeatRows({
    rows,
    onChange,
    title,
    fields,
  }: {
    rows: Row[];
    onChange: (r: Row[]) => void;
    title: string;
    fields: Field[];
  }) {
    const update = (i: number, k: string, v: unknown) =>
      onChange(
        rows.map((r, j) => (j === i ? { ...r, [k]: v as Row[string] } : r)),
      );
    const move = (i: number, delta: number) => {
      const n = [...rows];
      [n[i], n[i + delta]] = [n[i + delta], n[i]];
      onChange(n.map((r, j) => ({ ...r, order: j })));
    };
    return (
      <section className="panel">
        <div className="panel-heading">
          <h2>{title}</h2>
```

frontend/src/owner.tsx


```
          <button
            type="button"
            className="secondary small"
            onClick={() =>
              onChange([
                ...rows,
                {
                  label: "",
                  visible: true,
                  order: rows.length,
                  ...Object.fromEntries(
                    fields.map((f) => [
                      f.key,
                      f.type === "checkbox" ? false : "",
                    ]),
                  ),
                },
              ])
            }
          >
            <Plus size={16} /> Add entry
          </button>
        </div>
        {!rows.length && (
          <p className="muted">
            No entries yet. Add only confirmed company details.
          </p>
        )}
        {rows.map((r, i) => (
          <div className="repeat-row" key={i}>
            <div className="row-tools">
              <strong>Entry {i + 1}</strong>
              <button
                type="button"
                className="icon-btn"
                aria-label="Move entry up"
                disabled={i === 0}
                onClick={() => move(i, -1)}
              >
                <ChevronUp size={16} />
              </button>
              <button
                type="button"
```

frontend/src/owner.tsx


```
              className="icon-btn"
              aria-label="Move entry down"
              disabled={i === rows.length - 1}
              onClick={() => move(i, 1)}
            >
              <ChevronDown size={16} />
            </button>
            <button
              type="button"
              className="icon-btn danger"
              aria-label="Remove entry"
              onClick={() => {
                if (confirm("Remove this entry? Save changes to apply."))
                  onChange(
                    rows
                      .filter((_, j) => j !== i)
                      .map((v, j) => ({ ...v, order: j })),
                  );
              }}
            >
              <Trash2 size={16} />
            </button>
          </div>
          <div className="form-grid">
            <FieldInput
              field={{ key: "label", label: "Display label" }}
              value={r.label}
              onChange={(v) => update(i, "label", v)}
            />
            {fields.map((f) => (
              <FieldInput
                key={f.key}
                field={f}
                value={r[f.key]}
                onChange={(v) => {
                  if (f.key === "primary" && v) {
                    onChange(
                      rows.map((row, j) => ({ ...row, primary: j === i })),
                    );
                  } else update(i, f.key, v);
                }}
              />
            ))}
```

frontend/src/owner.tsx


```
              <FieldInput
                field={{
                  key: "visible",
                  label: "Show publicly",
                  type: "checkbox",
                }}
                value={r.visible}
                onChange={(v) => update(i, "visible", v)}
              />
            </div>
          </div>
        ))}
      </section>
    );
}
function SettingsEditor({
  leadership,
  onDirty,
}: {
  leadership: boolean;
  onDirty: (d: boolean) => void;
}) {
  const { value, error: loadError } = useLoad<SetSettings>("owner/settings/");
  const { value: assets } = useLoad<Asset[]>("owner/media/");
  const [form, setForm] = useState<SetSettings | null>(null);
  const [saved, setSaved] = useState("");
  const [busy, setBusy] = useState(false);
  const [error, setError] = useState("");
  const [message, setMessage] = useState("");
  const [preview, setPreview] = useState(false);
  const { refresh } = useData();
  useEffect(() => {
    if (value) {
      setForm(value);
      setSaved(JSON.stringify(value));
    }
  }, [value]);
  const dirty = !!form && JSON.stringify(form) !== saved;
  useDirty(dirty);
  useEffect(() => {
    onDirty(dirty);
  }, [dirty, onDirty]);
  if (!form) return <Notice error={loadError || "Loading settings…"} />;
```

frontend/src/owner.tsx


```
  const change = (k: string, v: unknown) =>
    setForm(
      k === "enquiry_recipient"
        ? { ...form, enquiry_recipient: String(v) }
        : { ...form, data: { ...form.data, [k]: v } },
    );
  const cancel = () => {
    if (!dirty || confirm("Discard all unsaved edits?")) {
      setForm(JSON.parse(saved));
      setError("");
      setMessage("Unsaved changes cancelled.");
    }
  };
  return (
    <form
      onSubmit={async (e) => {
        e.preventDefault();
        setBusy(true);
        setError("");
        setMessage("");
        try {
          const r = await api("owner/settings/", "PUT", form);
          setForm(r);
          setSaved(JSON.stringify(r));
          setMessage(
            "Changes saved. The website now uses your latest company details.",
          );
          await refresh();
        } catch (e) {
          setError((e as Error).message);
        } finally {
          setBusy(false);
        }
      }}
    >
      <p className="muted">
        All fields are optional. Unknown details can stay empty. Images are
        selected from your media library.
      </p>
      <Notice error={error} message={message} />
      {groups
        .filter((g) => (leadership ? g.title === "Leadership" : true))
        .map((g) => (
```

frontend/src/owner.tsx


```
            <section className="panel" key={g.title}>
              <h2>{g.title}</h2>
              {g.hint && <p className="muted">{g.hint}</p>}
              <div className="form-grid">
                {g.fields.map((f) => (
                  <FieldInput
                    key={f.key}
                    field={f}
                    value={
                      f.key === "enquiry_recipient"
                        ? form.enquiry_recipient
                        : form.data[f.key]
                    }
                    onChange={(v) => change(f.key, v)}
                    assets={assets || []}
                  />
                ))}
              </div>
            </section>
          ))}
        {!leadership && (
          <>
            {rowGroups.map((g) => (
              <RepeatRows
                key={g.key}
                title={g.title}
                fields={g.fields}
                rows={(form.data[g.key] as Row[]) || []}
                onChange={(r) => change(g.key, r)}
              />
            ))}
            <section className="panel">
              <h2>Weekly opening hours</h2>
              <p className="muted">
                Add your schedule only when known. Closed days require no times.
              </p>
              {[
                "Monday",
                "Tuesday",
                "Wednesday",
                "Thursday",
                "Friday",
                "Saturday",
```

frontend/src/owner.tsx


```
              "Sunday",
            ].map((day) => {
              const rows = form.data.hours || [];
              const row = rows.find((h) => h.day === day);
              const edit = (key: string, v: unknown) =>
                change(
                  "hours",
                  row
                    ? rows.map((h) => (h.day === day ? { ...h, [key]: v } : h))
                    : [
                        ...rows,
                        {
                          day,
                          closed: true,
                          opens: null,
                          closes: null,
                          [key]: v,
                        },
                      ],
                );
              return (
                <div className="hours-row" key={day}>
                  <strong>{day}</strong>
                  <label className="checkbox-label">
                    <input
                      type="checkbox"
                      checked={!!row}
                      onChange={(e) =>
                        change(
                          "hours",
                          e.target.checked
                            ? [
                                ...rows,
                                {
                                  day,
                                  closed: true,
                                  opens: null,
                                  closes: null,
                                },
                              ]
                            : rows.filter((h) => h.day !== day),
                        )
                      }
```

frontend/src/owner.tsx


```
                  />
                  Set hours
                </label>
                {row && (
                  <>
                    <label className="checkbox-label">
                      <input
                        type="checkbox"
                        checked={!!row.closed}
                        onChange={(e) => edit("closed", e.target.checked)}
                      />
                      Closed
                    </label>
                    {!row.closed && (
                      <>
                        <label>
                          Opens
                          <input
                            type="time"
                            value={text(row.opens).slice(0, 5)}
                            onChange={(e) =>
                              edit("opens", e.target.value || null)
                            }
                          />
                        </label>
                        <label>
                          Closes
                          <input
                            type="time"
                            value={text(row.closes).slice(0, 5)}
                            onChange={(e) =>
                              edit("closes", e.target.value || null)
                            }
                          />
                        </label>
                      </>
                    )}
                  </>
                )}
              </div>
            );
          })}
        </section>
```

frontend/src/owner.tsx


```
          </>
        )}
        <div className="savebar">
          <button type="submit" disabled={busy || !dirty}>
            <Save size={17} />
            {busy ? "Saving…" : "Save Changes"}
          </button>
          <button
            type="button"
            className="secondary"
            onClick={() => setPreview(true)}
          >
            <Eye size={17} /> Preview
          </button>
          <button
            type="button"
            className="ghost"
            disabled={!dirty}
            onClick={cancel}
          >
            Cancel Unsaved Changes
          </button>
        </div>
        {preview && (
          <Modal
            title="Company information preview — unsaved"
            close={() => setPreview(false)}
          >
            <h2>{text(form.data.official_name)}</h2>
            <p>{text(form.data.tagline)}</p>
            {[
              "short_intro",
              "description",
              "mission",
              "vision",
              "values",
              "ceo_name",
              "ceo_position",
              "ceo_bio",
              "ceo_message",
              "footer_description",
            ].map((k) =>
              form.data[k] ? (
```

frontend/src/owner.tsx


```
              <div className="preview-section" key={k}>
                <h3>{k.replaceAll("_", " ")}</h3>
                <p>{text(form.data[k])}</p>
              </div>
            ) : null,
          )}
          {form.data.primary_email && <p>{form.data.primary_email}</p>}
          {rowGroups.map((g) => (
            <div key={g.key}>
              {((form.data[g.key] as Row[]) || [])
                .filter((r) => r.visible && (g.key !== "socials" || r.verified))
                .map((r, i) => (
                  <p key={i}>
                    <strong>{text(r.label)}</strong>{" "}
                    {Object.entries(r)
                      .filter(
                        ([k]) =>
                          ![
                            "label",
                            "order",
                            "visible",
                            "primary",
                            "verified",
                          ].includes(k),
                      )
                      .map(([, v]) => String(v || ""))
                      .filter(Boolean)
                      .join(" • ")}
                  </p>
                ))}
            </div>
          ))}
          {["logo", "ceo_photo", "sharing_image"].map((k) => (
            <MediaView
              key={k}
              asset={assets?.find((a) => a.id === form.data[k])}
            />
          ))}
          <p className="muted">
            The private enquiry recipient is excluded from this public preview.
          </p>
        </Modal>
      )}
```

frontend/src/owner.tsx


```
      </form>
    );
  }
  function Modal({
    title,
    close,
    children,
  }: {
    title: string;
    close: () => void;
    children: ReactNode;
  }) {
    useEffect(() => {
      const active = document.activeElement as HTMLElement;
      const escape = (e: KeyboardEvent) => {
        if (e.key === "Escape") close();
        if (e.key === "Tab") {
          const els = [
            ...document.querySelectorAll<HTMLElement>(
              ".modal button,.modal a,.modal input,.modal select,.modal textarea",
            ),
          ].filter((x) => !(x as HTMLButtonElement).disabled);
          const first = els[0],
            last = els.at(-1);
          if (e.shiftKey && document.activeElement === first) {
            e.preventDefault();
            last?.focus();
          } else if (!e.shiftKey && document.activeElement === last) {
            e.preventDefault();
            first?.focus();
          }
        }
      };
      document.addEventListener("keydown", escape);
      document.querySelector<HTMLButtonElement>(".modal button")?.focus();
      const old = document.body.style.overflow;
      document.body.style.overflow = "hidden";
      return () => {
        document.removeEventListener("keydown", escape);
        document.body.style.overflow = old;
        active?.focus();
      };
    }, []);
```

frontend/src/owner.tsx


```
    return (
      <div className="modal-backdrop">
        <section
          role="dialog"
          aria-modal="true"
          aria-label={title}
          className="modal"
        >
          <div className="panel-heading">
            <h2>{title}</h2>
            <button
              className="icon-btn"
              type="button"
              onClick={close}
              aria-label="Close preview"
            >
              <X />
            </button>
          </div>
          {children}
        </section>
      </div>
    );
  }
  function ContentManager({
    kind,
    onDirty,
  }: {
    kind: "service" | "project";
    onDirty: (d: boolean) => void;
  }) {
    const {
      value: items,
      refresh,
      error: loadError,
    } = useLoad<Item[]>("owner/content/");
    const { value: assets } = useLoad<Asset[]>("owner/media/");
    const [item, setItem] = useState<Item | null>(null);
    const [saved, setSaved] = useState("");
    const [error, setError] = useState("");
    const [busy, setBusy] = useState(false);
    const [preview, setPreview] = useState(false);
    const { refresh: publicRefresh } = useData();
```

frontend/src/owner.tsx


```
  const dirty = !!item && JSON.stringify(item) !== saved;
  useDirty(dirty);
  useEffect(() => {
    onDirty(dirty);
  }, [dirty, onDirty]);
  const edit = (v: Item) => {
    setItem(structuredClone(v));
    setSaved(JSON.stringify(v));
    setError("");
  };
  const done = () => {
    if (dirty && !confirm("Discard your unsaved edits?")) return;
    setItem(null);
    setError("");
  };
  const change = (k: string, v: unknown) =>
    setItem(item ? { ...item, [k]: v } : null);
  if (!items) return <Notice error={loadError || "Loading content…"} />;
  return (
    <>
      <Notice error={error} />
      {item ? (
        <form
          onSubmit={async (e) => {
            e.preventDefault();
            setBusy(true);
            setError("");
            try {
              const payload = {
                ...item,
                attachments: item.attachments.map((a) => ({
                  media: a.media || a.asset?.id,
                  alt: a.alt,
                  caption: a.caption,
                  cover: a.cover,
                  order: a.order || 0,
                })),
              };
              const r = await api(
                "owner/content/" + (item.id ? item.id + "/" : ""),
                item.id ? "PUT" : "POST",
                payload,
              );
```

frontend/src/owner.tsx


```
              setItem(r);
              setSaved(JSON.stringify(r));
              await refresh();
              await publicRefresh();
            } catch (e) {
              setError((e as Error).message);
            } finally {
              setBusy(false);
            }
          }}
        >
          <button type="button" className="ghost" onClick={done}>
            <ArrowLeft size={16} /> Back to {kind}s
          </button>
          <div className="panel">
            <div className="form-grid">
              {[
                { key: "title", label: "Title" },
                {
                  key: "slug",
                  label: "URL slug",
                  hint: "Use lowercase letters, numbers and hyphens.",
                },
                { key: "summary", label: "Short summary", type: "textarea" },
                { key: "body", label: "Full description", type: "textarea" },
                { key: "order", label: "Display order", type: "number" },
                {
                  key: "published",
                  label: "Published on the website",
                  type: "checkbox",
                },
              ].map((f) => (
                <FieldInput
                  key={f.key}
                  field={f}
                  value={item[f.key as keyof Item]}
                  onChange={(v) => change(f.key, v)}
                />
              ))}
            </div>
          </div>
          <div className="panel">
            <h2>Photographs & videos</h2>
```

frontend/src/owner.tsx


```
            <p className="muted">
              Upload files in the media library first, then attach them here.
              Images can be selected as the cover.
            </p>
            <label>
              Add media
              <select
                value=""
                onChange={(e) => {
                  const asset = assets?.find(
                    (a) => a.id === Number(e.target.value),
                  );
                  if (asset)
                    change("attachments", [
                      ...item.attachments,
                      {
                        media: asset.id,
                        asset,
                        alt: asset.alt,
                        caption: asset.caption,
                        cover: false,
                        order: item.attachments.length,
                      },
                    ]);
                }}
              >
                <option value="">Select an uploaded file</option>
                {assets
                  ?.filter(
                    (a) =>
                      a.kind !== "document" &&
                      !item.attachments.some(
                        (r) => (r.media || r.asset?.id) === a.id,
                      ),
                  )
                  .map((a) => (
                    <option key={a.id} value={a.id}>
                      {a.name}
                    </option>
                  ))}
              </select>
            </label>
            {item.attachments.map((a, i) => (
```

frontend/src/owner.tsx


```
              <div className="attachment-row" key={a.media || a.asset?.id}>
                <MediaView
                  asset={a.asset || assets?.find((m) => m.id === a.media)}
                />
                <div className="form-grid">
                  {[
                    {
                      key: "alt",
                      label: "Alternative text / video description",
                    },
                    { key: "caption", label: "Caption" },
                    { key: "order", label: "Display order", type: "number" },
                    {
                      key: "cover",
                      label: "Use as cover image",
                      type: "checkbox",
                    },
                  ].map((f) => (
                    <FieldInput
                      key={f.key}
                      field={f}
                      value={a[f.key as keyof typeof a]}
                      onChange={(v) =>
                        change(
                          "attachments",
                          item.attachments.map((r, j) =>
                            j === i
                              ? { ...r, [f.key]: v }
                              : f.key === "cover" && v
                                ? { ...r, cover: false }
                                : r,
                          ),
                        )
                      }
                    />
                  ))}
                </div>
                <button
                  type="button"
                  className="ghost danger"
                  onClick={() =>
                    change(
                      "attachments",
```

frontend/src/owner.tsx


```
                    item.attachments.filter((_, j) => i !== j),
                  )
                }
              >
                Remove attachment
              </button>
            </div>
          ))}
        </div>
        <div className="savebar">
          <button disabled={busy || !dirty}>
            <Save size={16} />
            {busy ? "Saving…" : "Save " + kind}
          </button>
          <button
            className="secondary"
            type="button"
            onClick={() => setPreview(true)}
          >
            <Eye size={16} /> Preview
          </button>
          <button
            className="ghost"
            type="button"
            onClick={() => {
              setItem(JSON.parse(saved));
              setError("");
            }}
            disabled={!dirty}
          >
            Cancel Unsaved Changes
          </button>
        </div>
        {preview && (
          <Modal
            title="Content preview — unsaved"
            close={() => setPreview(false)}
          >
            <span className="badge">
              {item.published ? "Will be published on save" : "Private draft"}
            </span>
            <h1>{item.title}</h1>
            <p>{item.summary}</p>
```

frontend/src/owner.tsx


```
              <p className="prose">{item.body}</p>
              {[...item.attachments]
                .sort((a, b) => (a.order || 0) - (b.order || 0))
                .map((a, i) => (
                  <MediaView
                    key={i}
                    asset={a.asset}
                    alt={a.alt}
                    caption={a.caption}
                  />
                ))}
            </Modal>
          )}
        </form>
      ) : (
        <>
          <div className="list-toolbar">
            <p className="muted">
              Drafts are private. Publish only approved company information.
            </p>
            <button
              onClick={() => {
                const v: Item = {
                  kind,
                  title: "",
                  slug: "",
                  summary: "",
                  body: "",
                  published: false,
                  order: items.filter((i) => i.kind === kind).length,
                  attachments: [],
                };
                edit(v);
                setSaved("");
              }}
            >
              <Plus size={16} /> Add {kind}
            </button>
          </div>
          <div className="panel content-list">
            {items
              .filter((i) => i.kind === kind)
              .map((v, i, all) => (
```

frontend/src/owner.tsx


```
                <article key={v.id}>
                  <span className="list-number">
                    {String(i + 1).padStart(2, "0")}
                  </span>
                  <div>
                    <h3>{v.title}</h3>
                    <span className={"badge " + (v.published ? "green" : "")}>
                      {v.published ? "Published" : "Draft"}
                    </span>
                  </div>
                  <div className="row-tools">
                    <button
                      className="icon-btn"
                      aria-label="Move up"
                      disabled={i === 0}
                      onClick={async () => {
                        try {
                          await api(`owner/content/${v.id}/`, "PATCH", {
                            order: all[i - 1].order - 1,
                          });
                          await refresh();
                          await publicRefresh();
                        } catch (e) {
                          setError((e as Error).message);
                        }
                      }}
                    >
                      <ChevronUp size={17} />
                    </button>
                    <button
                      className="icon-btn"
                      aria-label="Move down"
                      disabled={i === all.length - 1}
                      onClick={async () => {
                        try {
                          await api(`owner/content/${v.id}/`, "PATCH", {
                            order: all[i + 1].order + 1,
                          });
                          await refresh();
                          await publicRefresh();
                        } catch (e) {
                          setError((e as Error).message);
                        }
```

frontend/src/owner.tsx


```
                      }}
                    >
                      <ChevronDown size={17} />
                    </button>
                    <button className="secondary small" onClick={() => edit(v)}>
                      Edit
                    </button>
                    <button
                      className="icon-btn danger"
                      aria-label={"Delete " + v.title}
                      onClick={async () => {
                        if (!confirm("Permanently delete “" + v.title + "”?"))
                          return;
                        try {
                          await api(`owner/content/${v.id}/`, "DELETE");
                          await refresh();
                          await publicRefresh();
                        } catch (e) {
                          setError((e as Error).message);
                        }
                      }}
                    >
                      <Trash2 size={17} />
                    </button>
                  </div>
                </article>
              ))}
            {!items.some((v) => v.kind === kind) && (
              <p className="empty">No {kind}s yet. Create your first one.</p>
            )}
          </div>
        </>
      )}
    </>
  );
}
function MediaManager({ onDirty }: { onDirty: (d: boolean) => void }) {
  const {
    value: assets,
    refresh,
    error: loadError,
  } = useLoad<Asset[]>("owner/media/");
  const [error, setError] = useState("");
```

frontend/src/owner.tsx


```
  const [progress, setProgress] = useState<number | null>(null);
  const [filter, setFilter] = useState("all");
  const [editing, setEditing] = useState<Asset | null>(null);
  const [saved, setSaved] = useState("");
  const [busy, setBusy] = useState(false);
  const { refresh: publicRefresh } = useData();
  const dirty = !!editing && JSON.stringify(editing) !== saved;
  useDirty(dirty);
  useEffect(() => {
    onDirty(dirty || progress !== null);
  }, [dirty, progress, onDirty]);
  return (
    <>
      <Notice error={error || loadError} />
      <div className="panel upload-box">
        <Images size={30} />
        <h2>Your media library</h2>
        <p>
          JPEG, PNG, WebP, MP4, WebM and PDF. Uploads stay private until
          attached to published content or selected for public display.
        </p>
        <label className="file-picker">
          Upload file
          <input
            disabled={progress !== null}
            type="file"
            accept=".jpg,.jpeg,.png,.webp,.mp4,.webm,.pdf"
            onChange={async (e) => {
              const input = e.currentTarget;
              const file = input.files?.[0];
              if (!file) return;
              setProgress(0);
              setError("");
              try {
                await upload(file, setProgress);
                await refresh();
              } catch (e) {
                setError((e as Error).message);
              } finally {
                setProgress(null);
                input.value = "";
              }
            }}
```

frontend/src/owner.tsx


```
            />
          </label>
          {progress !== null && (
            <div role="status">
              <progress max={100} value={progress} />
              <p>
                {progress === 100
                  ? "Upload transferred. Verifying asset metadata…"
                  : `Uploading ${progress}%`}
              </p>
            </div>
          )}
        </div>
        <div className="tabs">
          {["all", "image", "video", "document", "unused"].map((f) => (
            <button
              key={f}
              className={f === filter ? "selected" : ""}
              onClick={() => setFilter(f)}
            >
              {f}
            </button>
          ))}
        </div>
        <div className="media-grid">
          {assets
            ?.filter(
              (a) =>
                filter === "all" ||
                a.kind === filter ||
                (filter === "unused" &&
                  !a.gallery &&
                  !Object.values(a.references || {}).some((v) => v.length)),
            )
            .map((a) => (
              <article className="media-card" key={a.id}>
                <MediaView asset={a} />
                <h3>{a.name}</h3>
                <p className="muted">
                  {a.kind} {a.gallery ? "• In public gallery" : ""}
                </p>
                <div className="row-tools">
                  <button
```

frontend/src/owner.tsx


```
                  className="secondary small"
                  onClick={() => {
                    if (dirty && !confirm("Discard unsaved edits?")) return;
                    setEditing(structuredClone(a));
                    setSaved(JSON.stringify(a));
                  }}
                >
                  Edit details
                </button>
                <button
                  className="icon-btn danger"
                  aria-label={"Delete " + a.name}
                  onClick={async () => {
                    if (
                      !confirm(
                        "Permanently delete this asset from ImageKit? Shared assets cannot be deleted while in use.",
                      )
                    )
                      return;
                    try {
                      await api(`owner/media/${a.id}/`, "DELETE");
                      await refresh();
                      await publicRefresh();
                    } catch (e) {
                      setError((e as Error).message);
                    }
                  }}
                >
                  <Trash2 size={17} />
                </button>
              </div>
            </article>
          ))}
        </div>
        {editing && (
          <Modal
            title="Media details"
            close={() => {
              if (!dirty || confirm("Discard unsaved edits?")) setEditing(null);
            }}
          >
            <form
              onSubmit={async (e) => {
```

frontend/src/owner.tsx


```
            e.preventDefault();
            setBusy(true);
            try {
              await api(`owner/media/${editing.id}/`, "PATCH", {
                alt: editing.alt,
                caption: editing.caption,
                gallery: editing.gallery,
                order: editing.order,
              });
              setEditing(null);
              await refresh();
              await publicRefresh();
            } catch (e) {
              setError((e as Error).message);
            } finally {
              setBusy(false);
            }
          }}
        >
          <Notice error={error} />
          <MediaView asset={editing} />
          {[
            { key: "alt", label: "Alternative text / video description" },
            { key: "caption", label: "Caption", type: "textarea" },
            { key: "order", label: "Display order", type: "number" },
            ...(editing.kind !== "document"
              ? [
                  {
                    key: "gallery",
                    label: "Show in public gallery",
                    type: "checkbox",
                  },
                ]
              : []),
          ].map((f) => (
            <FieldInput
              key={f.key}
              field={f}
              value={editing[f.key as keyof Asset]}
              onChange={(v) => setEditing({ ...editing, [f.key]: v })}
            />
          ))}
          <p className="muted">
```

frontend/src/owner.tsx


```
                References: {JSON.stringify(editing.references)}. To replace a
                file, upload its replacement, update these references, then delete
                the unused original.
              </p>
              <button disabled={busy || !dirty}>Save media details</button>
            </form>
          </Modal>
        )}
      </>
    );
}
function Documents({ onDirty }: { onDirty: (d: boolean) => void }) {
  const {
    value: docs,
    refresh,
    error: loadError,
  } = useLoad<Doc[]>("owner/documents/");
  const { value: assets } = useLoad<Asset[]>("owner/media/");
  const [doc, setDoc] = useState<Doc | null>(null);
  const [saved, setSaved] = useState("");
  const [error, setError] = useState("");
  const [busy, setBusy] = useState(false);
  const { refresh: publicRefresh } = useData();
  const dirty = !!doc && JSON.stringify(doc) !== saved;
  useDirty(dirty);
  useEffect(() => {
    onDirty(dirty);
  }, [dirty, onDirty]);
  return (
    <>
      <Notice error={error || loadError} />
      <p className="muted">
        Upload PDF documents in the media library, then select them here. Only
        approved public documents appear on the website.
      </p>
      <button
        onClick={() => {
          if (dirty && !confirm("Discard unsaved edits?")) return;
          setDoc({
            title: "",
            media: 0,
            public: false,
            profile: false,
```

frontend/src/owner.tsx


```
              order: 0,
            });
            setSaved("");
          }}
        >
          <Plus size={17} /> Add company document
        </button>
        <div className="panel content-list">
          {docs?.map((d) => (
            <article key={d.id}>
              <FileText />
              <div>
                <h3>{d.title}</h3>
                <span className="badge">
                  {d.public ? "Public" : "Private"}
                  {d.profile ? " • Company profile" : ""}
                </span>
              </div>
              <button
                className="secondary small"
                onClick={() => {
                  if (dirty && !confirm("Discard unsaved edits?")) return;
                  setDoc(d);
                  setSaved(JSON.stringify(d));
                }}
              >
                Edit
              </button>
              <button
                className="icon-btn danger"
                aria-label={"Delete " + d.title}
                onClick={async () => {
                  if (
                    !confirm(
                      "Remove this document listing? The uploaded PDF will remain in the media library.",
                    )
                  )
                    return;
                  try {
                    await api(`owner/documents/${d.id}/`, "DELETE");
                    await refresh();
                    await publicRefresh();
                  } catch (e) {
```

frontend/src/owner.tsx


```
                  setError((e as Error).message);
                }
              }}
            >
              <Trash2 size={17} />
            </button>
          </article>
        ))}
      </div>
      {doc && (
        <div className="panel">
          <form
            onSubmit={async (e) => {
              e.preventDefault();
              setBusy(true);
              try {
                await api(
                  "owner/documents/" + (doc.id ? doc.id + "/" : ""),
                  doc.id ? "PUT" : "POST",
                  doc,
                );
                setDoc(null);
                await refresh();
                await publicRefresh();
              } catch (e) {
                setError((e as Error).message);
              } finally {
                setBusy(false);
              }
            }}
          >
            <FieldInput
              field={{ key: "title", label: "Document title" }}
              value={doc.title}
              onChange={(v) => setDoc({ ...doc, title: String(v) })}
            />
            <label>
              Uploaded PDF
              <select
                required
                value={doc.media || ""}
                onChange={(e) =>
                  setDoc({ ...doc, media: Number(e.target.value) })
```

frontend/src/owner.tsx


```
            }
          >
            <option value="">Select a PDF</option>
            {assets
              ?.filter((a) => a.kind === "document")
              .map((a) => (
                <option value={a.id} key={a.id}>
                  {a.name}
                </option>
              ))}
          </select>
        </label>
        {[
          { key: "order", label: "Display order", type: "number" },
          {
            key: "public",
            label: "Approved for public download",
            type: "checkbox",
          },
          {
            key: "profile",
            label: "Company profile document",
            type: "checkbox",
          },
        ].map((f) => (
          <FieldInput
            key={f.key}
            field={f}
            value={doc[f.key as keyof Doc]}
            onChange={(v) => setDoc({ ...doc, [f.key]: v })}
          />
        ))}
        <div className="actions">
          <button disabled={busy || !dirty}>Save document</button>
          <button
            type="button"
            className="ghost"
            onClick={() => {
              if (!dirty || confirm("Discard unsaved edits?")) setDoc(null);
            }}
          >
            Cancel
          </button>
```

frontend/src/owner.tsx


```
            </div>
          </form>
        </div>
      )}
    </>
  );
}
type Enquiry = {
  id: number;
  name: string;
  email: string;
  telephone: string;
  subject: string;
  message: string;
  status: string;
  attempts: number;
  last_error: string;
  read: boolean;
  created_at: string;
};
function Enquiries() {
  const {
    value: items,
    refresh,
    error: loadError,
  } = useLoad<Enquiry[]>("owner/enquiries/");
  const [selected, setSelected] = useState<Enquiry | null>(null);
  const [filter, setFilter] = useState("all");
  const [error, setError] = useState("");
  const [busy, setBusy] = useState(false);
  return (
    <>
      <Notice error={error || loadError} />
      <p className="muted">
        Saved enquiries remain available even when notifications fail.
        “Accepted” means accepted by the email provider; it does not confirm
        inbox delivery.
      </p>
      <div className="tabs">
        {["all", "unread", "notification issues"].map((f) => (
          <button
            key={f}
            className={filter === f ? "selected" : ""}
```

frontend/src/owner.tsx


```
              onClick={() => setFilter(f)}
            >
              {f}
            </button>
          ))}
          <button className="ghost" onClick={refresh}>
            <RefreshCw size={15} /> Refresh
          </button>
        </div>
        <div className="panel content-list">
          {items
            ?.filter(
              (e) =>
                filter === "all" ||
                (filter === "unread"
                  ? !e.read
                  : ["failed", "unknown", "sending"].includes(e.status)),
            )
            .map((e) => (
              <article key={e.id}>
                <Inbox size={20} />
                <div>
                  <h3>{e.subject}</h3>
                  <p>
                    {e.name} • {new Date(e.created_at).toLocaleString()}
                  </p>
                  <span
                    className={
                      "badge " + (e.status === "accepted" ? "green" : "amber")
                    }
                  >
                    {e.status}
                  </span>
                  {!e.read && <span className="badge">Unread</span>}
                </div>
                <button
                  className="secondary small"
                  onClick={async () => {
                    setSelected(e);
                    try {
                      await api(`owner/enquiries/${e.id}/mark_read/`, "POST", {});
                      await refresh();
                    } catch (err) {
```

frontend/src/owner.tsx


```
                    setError((err as Error).message);
                  }
                }}
              >
                Open
              </button>
            </article>
          ))}
        {items?.length === 0 && (
          <p className="empty">New website enquiries will appear here.</p>
        )}
      </div>
      {selected && (
        <Modal
          title={"Enquiry #" + selected.id}
          close={() => setSelected(null)}
        >
          <Notice error={error} />
          <h2>{selected.subject}</h2>
          <p>
            From {selected.name} •{" "}
            <a href={"mailto:" + selected.email}>{selected.email}</a>
          </p>
          {selected.telephone && (
            <p>
              <a href={"tel:" + selected.telephone}>{selected.telephone}</a>
            </p>
          )}
          <p className="prose">{selected.message}</p>
          <p>
            Notification status: <strong>{selected.status}</strong> • Attempts:{" "}
            {selected.attempts}
          </p>
          {selected.last_error && (
            <p className="error">{selected.last_error}</p>
          )}
          <div className="actions">
            <a
              className="button"
              href={`mailto:${selected.email}?subject=${encodeURIComponent("Re: " + selected.subject)}`}
            >
              Reply by email <ArrowUpRight size={16} />
            </a>
```

frontend/src/owner.tsx


```
              {selected.status !== "accepted" && (
                <button
                  className="secondary"
                  disabled={busy}
                  onClick={async () => {
                    const ambiguous = ["unknown", "sending"].includes(
                      selected.status,
                    );
                    if (
                      ambiguous &&
                      !confirm(
                        "Check your email provider logs first. Retrying an uncertain send may duplicate a notification. Continue?",
                      )
                    )
                      return;
                    setBusy(true);
                    try {
                      setSelected(
                        await api(
                          `owner/enquiries/${selected.id}/retry/`,
                          "POST",
                          { confirm_possible_duplicate: ambiguous },
                        ),
                      );
                      await refresh();
                    } catch (e) {
                      setError((e as Error).message);
                    } finally {
                      setBusy(false);
                    }
                  }}
                >
                  {busy ? "Sending…" : "Retry notification"}
                </button>
              )}
            </div>
          </Modal>
        )}
      </>
    );
  }
  function Account() {
    const [error, setError] = useState("");
```

frontend/src/owner.tsx


```
  const [message, setMessage] = useState("");
  const [busy, setBusy] = useState(false);
  return (
    <div className="panel account-panel">
      <h2>Change your password</h2>
      <p className="muted">
        Use a unique, strong password. Your account must remain an active staff
        account to access this dashboard.
      </p>
      <form
        onSubmit={async (e) => {
          e.preventDefault();
          const f = e.currentTarget;
          const fd = new FormData(f);
          if (fd.get("new_password") !== fd.get("confirm_password")) {
            setError("New passwords do not match.");
            return;
          }
          setBusy(true);
          setError("");
          try {
            await api("password/", "POST", Object.fromEntries(fd));
            setMessage("Your password has been changed.");
            f.reset();
          } catch (e) {
            setError((e as Error).message);
          } finally {
            setBusy(false);
          }
        }}
      >
        <label>
          Current password
          <input
            type="password"
            name="current_password"
            required
            autoComplete="current-password"
          />
        </label>
        <label>
          New password
          <input
```

frontend/src/owner.tsx


```
              type="password"
              name="new_password"
              required
              autoComplete="new-password"
              minLength={8}
            />
          </label>
          <label>
            Confirm new password
            <input
              type="password"
              name="confirm_password"
              required
              autoComplete="new-password"
            />
          </label>
          <Notice error={error} message={message} />
          <button disabled={busy}>
            {busy ? "Updating…" : "Change password"}
          </button>
        </form>
        <h3>Account recovery</h3>
        <p>
          Contact the authorised server administrator. They can reset your
          password using Django’s interactive <code>changepassword</code> command
          after verifying your identity. Recovery instructions are included in the
          deployment and owner guides.
        </p>
      </div>
    );
}
```

frontend/src/shared.tsx


```tsx
import { createContext, useContext } from "react";
import { Download } from "lucide-react";
import { PublicData, Asset } from "./api";
export const DataContext = createContext<{
  data: PublicData;
  refresh: () => Promise<void>;
}>({
  data: { company: {}, content: [], gallery: [], documents: [] },
  refresh: async () => {},
});
export const useData = () => useContext(DataContext);
export const text = (v: unknown) => (typeof v === "string" ? v : "");
export function MediaView({
  asset,
  alt,
  caption,
}: {
  asset?: Asset;
  alt?: string;
  caption?: string;
}) {
  if (!asset?.url) return null;
  return (
    <figure>
      {asset.kind === "video" ? (
        <video
          controls
          preload="metadata"
          src={asset.url}
          aria-label={alt || asset.alt || asset.name}
        >
          Your browser cannot play this video.{" "}
          <a href={asset.url}>Download video</a>
        </video>
      ) : asset.kind === "image" ? (
        <img
          loading="lazy"
          src={asset.responsive?.["960"] || asset.url}
          srcSet={
            asset.responsive
              ? Object.entries(asset.responsive)
                  .map(([w, u]) => `${u} ${w}w`)
                  .join(",")
```

frontend/src/shared.tsx


```
                : undefined
            }
            sizes="(max-width: 700px) 100vw, 50vw"
            alt={alt || asset.alt || ""}
          />
        ) : (
          <a href={asset.url} target="_blank" rel="noreferrer">
            Open PDF <Download size={16} />
          </a>
        )}
        {(caption || asset.caption) && (
          <figcaption>{caption || asset.caption}</figcaption>
        )}
      </figure>
    );
}
```

frontend/src/styles.css


```
@import "tailwindcss";
@theme {
  --color-navy: #081e35;
  --color-cyan: #00b6d6;
  --font-sans: Arial, Helvetica, sans-serif;
}
:root {
  font-family: Arial, Helvetica, sans-serif;
  color: #142a3e;
  background: #fff;
  font-synthesis: none;
  font-size: 15px;
  line-height: 1.6;
}
* {
  box-sizing: border-box;
}
body {
  margin: 0;
}
a {
  color: inherit;
  text-decoration: none;
}
button,
input,
select,
textarea {
  font: inherit;
}
button,
a,
input,
select,
textarea {
  touch-action: manipulation;
}
button,
.button {
  display: inline-flex;
  align-items: center;
  justify-content: center;
  gap: 12px;
```

frontend/src/styles.css


```
  padding: 13px 21px;
  border: 1px solid transparent;
  background: #087fa4;
  color: #fff;
  font-size: 13px;
  font-weight: 700;
  cursor: pointer;
  border-radius: 3px;
  line-height: 1.4;
  transition:
    background 0.2s,
    transform 0.2s;
}
button:hover,
.button:hover {
  background: #056985;
}
button:disabled {
  opacity: 0.45;
  cursor: not-allowed;
}
button:focus-visible,
a:focus-visible,
input:focus-visible,
textarea:focus-visible,
select:focus-visible {
  outline: 3px solid #d79326;
  outline-offset: 4px;
}
.secondary {
  background: #edf5f7;
  color: #123e57;
  border-color: #d6e4e9;
}
.secondary:hover {
  background: #ddebf0;
}
.ghost {
  background: transparent;
  color: #173b52;
}
.ghost:hover {
  background: #eaf0f3;
```

frontend/src/styles.css


```
}
.light {
  background: #fff;
  color: #123549;
}
.light:hover {
  background: #dff5f9;
}
.small {
  padding: 10px 15px;
  font-size: 12px;
}
.icon-btn {
  padding: 8px;
  background: transparent;
  color: #486276;
  border: 1px solid #dce4e8;
}
.icon-btn:hover {
  background: #e8f2f5;
}
.danger {
  color: #ac2d32;
}
.text-link {
  display: inline-flex;
  align-items: center;
  gap: 10px;
  font-size: 13px;
  font-weight: 700;
  color: #087b9e;
}
.wrap {
  width: min(1240px, 88%);
  margin: 0 auto;
}
.topbar {
  background: #081e35;
  color: #b6ccd8;
  font-size: 10px;
  letter-spacing: 1.3px;
  padding: 9px 0;
}
```

frontend/src/styles.css


```
.topbar .wrap {
  display: flex;
  justify-content: space-between;
  align-items: center;
}
.topbar a {
  display: flex;
  gap: 8px;
  align-items: center;
  letter-spacing: 0;
}
header {
  background: white;
  border-bottom: 1px solid #e9edf0;
}
.header {
  min-height: 95px;
  display: flex;
  align-items: center;
  justify-content: space-between;
  gap: 22px;
}
.brand {
  display: flex;
  align-items: center;
  gap: 11px;
  font-size: 27px;
  line-height: 1;
  font-weight: 800;
  letter-spacing: 0.5px;
}
.brand img {
  max-width: 230px;
  max-height: 70px;
  object-fit: contain;
  width: auto;
  height: auto;
}
.brand small {
  display: block;
  font-size: 7px;
  letter-spacing: 1.8px;
  margin-top: 8px;
```

frontend/src/styles.css


```
}
.brand-mark {
  font-size: 47px;
  color: #0b97be;
  font-style: italic;
  position: relative;
  line-height: 0.9;
}
.brand-mark span {
  position: absolute;
  right: -10px;
  top: -9px;
  color: #d6a333;
  font-size: 29px;
}
.brand > span:last-child {
  margin-left: 6px;
}
.header nav {
  display: flex;
  align-items: center;
  gap: 25px;
  font-size: 12px;
  font-weight: 600;
}
.header nav a.active:not(.button) {
  color: #0782a3;
  position: relative;
}
.header nav a.active:after {
  content: "";
  position: absolute;
  bottom: -33px;
  left: 0;
  right: 0;
  height: 3px;
  background: #06a9ce;
}
.menu-btn {
  display: none;
}
.hero {
  background: #081e35;
```

frontend/src/styles.css


```
  color: #fff;
  overflow: hidden;
}
.hero-grid {
  min-height: 600px;
  display: grid;
  grid-template-columns: 1.1fr 1fr;
  align-items: center;
  gap: 30px;
}
.hero-copy {
  padding: 65px 0 50px;
  position: relative;
  z-index: 1;
}
.eyebrow {
  font-size: 10px;
  letter-spacing: 2px;
  font-weight: 700;
  display: inline-flex;
  align-items: center;
  gap: 10px;
  color: #087b9e;
}
.hero .eyebrow {
  color: #88cfdd;
}
.eyebrow i {
  width: 6px;
  height: 6px;
  background: #e3b151;
  display: inline-block;
  border-radius: 50%;
}
h1,
h2,
h3,
p {
  margin-top: 0;
}
h1 {
  font-size: clamp(36px, 4.5vw, 66px);
  line-height: 1.12;
```

frontend/src/styles.css


```
  letter-spacing: -2.2px;
  font-weight: 650;
  margin-bottom: 24px;
}
h2 {
  font-size: clamp(26px, 3vw, 39px);
  line-height: 1.2;
  letter-spacing: -1.1px;
  font-weight: 600;
  margin-bottom: 20px;
}
h3 {
  font-size: 18px;
  line-height: 1.35;
  font-weight: 600;
  margin-bottom: 12px;
}
.hero h1 {
  margin-top: 22px;
  letter-spacing: -2.8px;
  line-height: 1.06;
  font-size: clamp(40px, 4.6vw, 68px);
}
.hero h1 em {
  color: #41c7df;
  font-style: normal;
}
.hero p {
  max-width: 460px;
  color: #b2c5d3;
  font-size: 14px;
  line-height: 1.85;
  margin-bottom: 29px;
}
.actions {
  display: flex;
  align-items: center;
  gap: 22px;
  flex-wrap: wrap;
}
.hero .text-link {
  color: #e5f0f5;
}
```

frontend/src/styles.css


```
.hero-foot {
  margin-top: 50px;
  display: flex;
  gap: 17px;
  align-items: center;
  font-size: 9px;
  letter-spacing: 1.5px;
  color: #8ba6ba;
}
.hero-foot .line {
  width: 35px;
  height: 1px;
  background: #43c4de;
}
.engineering-art {
  height: 470px;
  position: relative;
  isolation: isolate;
  perspective: 600px;
  transform: translateX(10px);
  background: radial-gradient(ellipse at 60% 60%, #0c536b44, transparent 65%);
}
.art-grid {
  position: absolute;
  inset: 0;
  background-image:
    linear-gradient(#5bc7dc12 1px, transparent 1px),
    linear-gradient(90deg, #5bc7dc12 1px, transparent 1px);
  background-size: 38px 38px;
  mask-image: radial-gradient(ellipse, black, transparent 72%);
}
.tower {
  position: absolute;
  bottom: 60px;
  border: 1px solid #54b3c7;
  background:
    repeating-linear-gradient(
      0deg,
      transparent 0px,
      transparent 29px,
      #52a9ba44 30px
    ),
    linear-gradient(110deg, #0c4356aa, #10354888);
```

frontend/src/styles.css


```
    transform: skewY(-16deg);
    box-shadow:
      14px 13px 0 #12364a,
      15px 14px 0 #378096;
    z-index: 2;
  }
  .t1 {
    height: 250px;
    width: 125px;
    left: 60px;
  }
  .t2 {
    height: 330px;
    width: 120px;
    left: 225px;
    bottom: 70px;
  }
  .t3 {
    height: 175px;
    width: 92px;
    left: 384px;
  }
  .tower:before {
    content: "";
    position: absolute;
    width: 100%;
    height: 35px;
    top: -35px;
    left: 7px;
    transform: skewX(-22deg);
    background: #24536a88;
    border: 1px solid #5ec4d7;
  }
  .tower:after {
    content: "";
    position: absolute;
    inset: 0;
    background: repeating-linear-gradient(
      90deg,
      transparent 0,
      transparent 22px,
      #84d6e42f 23px
    );
```

frontend/src/styles.css


```
}
.orb {
  width: 330px;
  height: 330px;
  border: 1px solid #2b839a55;
  border-radius: 50%;
  position: absolute;
  top: 45px;
  left: 90px;
  transform: rotateX(57deg) rotateZ(-25deg);
}
.orb-two {
  transform: rotateY(55deg) rotateZ(40deg);
  border-color: #39bad133;
  left: 160px;
}
.pipe {
  position: absolute;
  width: 250px;
  height: 90px;
  border: 1px solid #d6a33366;
  border-radius: 50%;
  bottom: 35px;
  left: 50px;
  transform: rotateX(55deg);
  z-index: 3;
}
.p2 {
  left: 210px;
  bottom: 15px;
  width: 230px;
  border-color: #43bddb77;
}
.art-label {
  position: absolute;
  bottom: 0;
  right: 10px;
  letter-spacing: 3px;
  color: #538d9e;
  font-size: 8px;
}
.cross {
  position: absolute;
```

frontend/src/styles.css


```
  font-size: 24px;
  font-weight: 200;
  color: #e2a634;
}
.c1 {
  top: 90px;
  right: 15px;
}
.c2 {
  bottom: 80px;
  left: 12px;
}
.discipline-strip {
  background: #f0f5f7;
  border-bottom: 1px solid #e1e9ec;
}
.discipline-strip .wrap {
  display: flex;
  justify-content: space-between;
  padding: 21px 0;
  font-size: 12px;
  color: #4e6577;
}
.discipline-strip span:last-child {
  display: flex;
  gap: 30px;
}
.section {
  padding-top: 80px;
  padding-bottom: 80px;
}
.section-head {
  display: flex;
  justify-content: space-between;
  align-items: flex-end;
  gap: 40px;
  margin-bottom: 34px;
}
.section-head h2 {
  margin-top: 15px;
  margin-bottom: 0;
}
.section-head > p {
```

frontend/src/styles.css


```
  max-width: 350px;
  font-size: 13px;
  color: #6a7d8b;
  margin-bottom: 4px;
}
.services-grid {
  display: grid;
  grid-template-columns: repeat(3, 1fr);
  border-top: 1px solid #dee6eb;
  border-left: 1px solid #dee6eb;
}
.service-card {
  padding: 29px 27px 25px;
  border-right: 1px solid #dee6eb;
  border-bottom: 1px solid #dee6eb;
  display: flex;
  flex-direction: column;
  min-height: 245px;
  transition: background 0.2s;
}
.service-card:hover {
  background: #f1f8fa;
}
.card-top {
  display: flex;
  align-items: center;
  justify-content: space-between;
  color: #0c94b7;
  margin-bottom: 32px;
}
.card-top > span {
  font-size: 11px;
  color: #98a6af;
}
.service-card h3 {
  font-size: 18px;
  max-width: 280px;
  margin-bottom: 20px;
}
.service-card p {
  font-size: 13px;
  color: #607686;
}
```

frontend/src/styles.css


```
.card-link {
  margin-top: auto;
  display: flex;
  justify-content: space-between;
  font-size: 11px;
  font-weight: 700;
  color: #687c8b;
}
.card-link svg {
  color: #0796b9;
}
.about-band {
  background: #f2f6f8;
  padding: 65px 0;
}
.split {
  display: grid;
  grid-template-columns: 1fr 1fr;
  gap: 80px;
}
.split h2 {
  margin-top: 15px;
}
.split p {
  font-size: 14px;
  line-height: 1.9;
  color: #5c7180;
  white-space: pre-line;
}
.split figure img {
  width: 100%;
  max-height: 550px;
  object-fit: contain;
}
.contact-strip {
  background: #086e8d;
  color: #fff;
  padding: 43px 0;
}
.contact-strip > .wrap {
  display: flex;
  align-items: center;
  justify-content: space-between;
```

frontend/src/styles.css


```
  gap: 25px;
}
.contact-strip .eyebrow {
  color: #a6e2ee;
  font-size: 9px;
}
.contact-strip h2 {
  margin: 12px 0 0;
  font-size: 32px;
}
.contact-strip .button {
  padding: 15px 25px;
}
footer {
  background: #081e35;
  color: #a0b7c8;
  padding: 55px 0 20px;
}
footer .brand {
  color: white;
  font-size: 24px;
}
footer .brand small {
  font-size: 6px;
}
.footer-grid {
  display: grid;
  grid-template-columns: 1.5fr 1fr 1fr;
  gap: 80px;
}
.footer-grid p {
  max-width: 350px;
  margin-top: 24px;
  font-size: 13px;
  line-height: 1.8;
}
.footer-grid h3 {
  color: white;
  font-size: 12px;
  letter-spacing: 0.4px;
}
.footer-grid > div > a:not(.brand) {
  display: flex;
```

frontend/src/styles.css


```
  align-items: center;
  gap: 8px;
  font-size: 12px;
  margin-bottom: 12px;
}
.footer-bottom {
  border-top: 1px solid #ffffff14;
  padding-top: 20px;
  margin-top: 40px;
  display: flex;
  gap: 25px;
  font-size: 10px;
}
.footer-bottom span {
  margin-right: auto;
}
.page-head {
  background: #f1f6f8;
  padding: 25px 0 55px;
}
.crumb {
  display: flex;
  align-items: center;
  gap: 10px;
  font-size: 10px;
  color: #7a909d;
  margin-bottom: 35px;
}
.page-head h1 {
  font-size: 46px;
  margin: 16px 0 20px;
  max-width: 850px;
}
.page-head p {
  color: #667e8e;
  max-width: 650px;
  font-size: 15px;
}
.prose {
  max-width: 850px;
  white-space: pre-line;
  overflow-wrap: anywhere;
}
```

frontend/src/styles.css


```
.prose p {
  line-height: 1.9;
  color: #4f697b;
}
.prose article {
  margin: 40px 0;
}
.prose h2 {
  text-transform: capitalize;
}
.prose h3 {
  text-transform: capitalize;
}
.project-grid {
  display: grid;
  grid-template-columns: repeat(3, 1fr);
  gap: 28px;
}
.project-card {
  border: 1px solid #e0e9ee;
  background: #fff;
}
.project-card > div {
  padding: 22px;
}
.project-card h3 {
  display: flex;
  justify-content: space-between;
  gap: 15px;
  margin-top: 8px;
}
.project-card p {
  font-size: 13px;
  color: #718795;
}
.project-card figure img {
  height: 250px;
  width: 100%;
  object-fit: cover;
}
.project-card figure figcaption {
  display: none;
}
```

frontend/src/styles.css


```
.gallery-grid {
  display: grid;
  grid-template-columns: repeat(2, 1fr);
  gap: 28px;
}
.gallery-grid img,
.gallery-grid video {
  width: 100%;
  max-height: 500px;
  object-fit: contain;
  background: #edf3f6;
}
.gallery-grid figure {
  min-width: 0;
}
figure {
  margin: 0;
}
figure img,
figure video {
  display: block;
  max-width: 100%;
  border-radius: 3px;
}
figcaption {
  font-size: 12px;
  color: #657b8c;
  margin-top: 10px;
}
.detail {
  display: grid;
  grid-template-columns: minmax(0, 1fr) 300px;
  gap: 65px;
}
.detail .gallery-grid {
  grid-template-columns: 1fr;
}
.quote-box {
  background: #eef5f8;
  padding: 28px;
  height: fit-content;
  position: sticky;
  top: 30px;
```

frontend/src/styles.css


```
}
.quote-box h2 {
  font-size: 25px;
  margin-top: 15px;
}
.quote-box p {
  font-size: 13px;
  color: #718594;
}
.tabs {
  display: flex;
  gap: 10px;
  margin-bottom: 26px;
  flex-wrap: wrap;
}
.tabs button {
  background: #f0f4f7;
  color: #5e7687;
  text-transform: capitalize;
  padding: 9px 20px;
}
.tabs button.selected {
  background: #0c3750;
  color: #fff;
}
.search {
  max-width: 450px;
  margin-bottom: 35px;
}
.empty {
  text-align: center;
  padding: 40px;
  color: #718897;
  font-size: 14px;
}
.contact-layout {
  display: grid;
  grid-template-columns: 0.85fr 1.3fr;
  gap: 80px;
}
.contact-info h2 {
  font-size: 30px;
  margin-bottom: 35px;
```

frontend/src/styles.css


```
}
.info-group {
  display: flex;
  gap: 19px;
  margin-bottom: 30px;
}
.info-group > svg {
  width: 19px;
  flex-shrink: 0;
  color: #098ba9;
  margin-top: 4px;
}
.info-group h3 {
  font-size: 14px;
  margin: 0 0 8px;
}
.info-group p {
  margin: 8px 0;
}
.info-group a {
  display: flex;
  align-items: center;
  gap: 6px;
  font-size: 13px;
  overflow-wrap: anywhere;
}
.info-group address {
  font-style: normal;
  font-size: 13px;
  color: #708493;
  line-height: 1.8;
}
.info-group small {
  display: block;
  color: #718390;
  font-size: 11px;
}
.phone-row {
  display: flex;
  align-items: center;
  gap: 9px;
}
.phone-row button {
```

frontend/src/styles.css


```
  border: 0;
  padding: 7px;
}
.hours {
  margin-top: 30px;
  font-size: 12px;
  max-width: 320px;
}
.hours h3 {
  font-size: 15px;
}
.hours p {
  display: flex;
  justify-content: space-between;
  border-bottom: 1px solid #edf0f3;
  margin: 0;
  padding: 7px 0;
}
.enquiry-form {
  border: 1px solid #e0e9ef;
  padding: 35px;
  background: white;
}
.enquiry-form h2 {
  font-size: 26px;
  margin-top: 16px;
  margin-bottom: 30px;
}
.form-grid {
  display: grid;
  grid-template-columns: repeat(2, minmax(0, 1fr));
  gap: 0 22px;
}
label {
  display: flex;
  flex-direction: column;
  gap: 7px;
  font-size: 12px;
  font-weight: 600;
  margin-bottom: 19px;
  color: #344e62;
  min-width: 0;
}
```

frontend/src/styles.css


```
input:not([type="checkbox"]):not([type="file"]),
textarea,
select {
  width: 100%;
  border: 1px solid #d3dfe6;
  padding: 11px 12px;
  background: #fff;
  border-radius: 3px;
  color: #1a3548;
  min-height: 43px;
  font-weight: 400;
  font-size: 13px;
}
textarea {
  resize: vertical;
}
label small,
.muted {
  font-size: 12px;
  font-weight: 400;
  color: #6a8191;
  line-height: 1.8;
}
.enquiry-form > .muted {
  font-size: 11px;
  margin: 6px 0 23px;
}
.enquiry-form > .muted a {
  text-decoration: underline;
}
.honeypot {
  position: absolute;
  left: -9999px;
  overflow: hidden;
  height: 1px;
  width: 1px;
}
.error,
.success {
  padding: 14px 18px;
  background: #fff0ed;
  color: #9c3425;
  font-size: 13px;
```

frontend/src/styles.css


```
  white-space: pre-line;
  border-radius: 4px;
  overflow-wrap: anywhere;
}
.success {
  background: #e7f5ee;
  color: #226344;
}
.not-found {
  text-align: center;
  padding: 110px 0;
}
.not-found h1 {
  margin-top: 25px;
}
.not-found p {
  color: #718390;
}
.mobile-actions {
  display: none;
}
.skip {
  position: absolute;
  left: 10px;
  top: -100px;
  z-index: 100;
  background: #fff;
  padding: 10px;
}
.skip:focus {
  top: 10px;
}
.center {
  min-height: 100vh;
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: center;
  padding: 30px;
}
.login-page {
  display: grid;
  grid-template-columns: 1fr 1fr;
```

frontend/src/styles.css


```
  min-height: 100vh;
}
.login-art {
  background: #081e35;
  color: #fff;
  padding: 15vh 12%;
  background-image: radial-gradient(
    ellipse at bottom right,
    #00728d66,
    transparent 75%
  );
}
.login-art .eyebrow {
  color: #61ccdf;
}
.login-art h1 {
  margin-top: 40px;
}
.login-art p {
  color: #a3bfce;
  max-width: 330px;
}
.login-art a {
  display: inline-block;
  margin-top: 60px;
  font-size: 12px;
}
.login-form {
  width: min(390px, 85%);
  margin: auto;
  padding: 60px 0;
}
.login-form h2 {
  margin-top: 25px;
}
.login-form > .muted {
  margin-bottom: 28px;
}
.login-form button {
  width: 100%;
  margin-top: 12px;
  margin-bottom: 22px;
}
```

frontend/src/styles.css


```
.dashboard {
  background: #f3f6f9;
  min-height: 100vh;
  display: grid;
  grid-template-columns: 245px minmax(0, 1fr);
}
.sidebar {
  background: #0a2339;
  color: #a9c0d0;
  position: sticky;
  top: 0;
  height: 100vh;
  display: flex;
  flex-direction: column;
  padding: 30px 17px 22px;
}
.owner-brand {
  display: flex;
  align-items: center;
  gap: 14px;
  font-size: 34px;
  color: #3fc6df;
  font-weight: bold;
  margin: 0 13px 38px;
}
.owner-brand span {
  font-size: 20px;
  letter-spacing: 1px;
  color: #fff;
  line-height: 1.3;
}
.owner-brand small {
  font-size: 8px;
  display: block;
  color: #7796ac;
  letter-spacing: 1.4px;
  margin-top: 5px;
}
.sidebar nav {
  display: flex;
  flex-direction: column;
  gap: 6px;
}
```

frontend/src/styles.css


```
.sidebar nav button {
  background: transparent;
  color: #9eb6c8;
  justify-content: flex-start;
  gap: 12px;
  text-align: left;
  padding: 12px 13px;
  font-size: 12px;
  font-weight: 400;
  border-radius: 5px;
  line-height: 1.6;
}
.sidebar nav svg {
  flex-shrink: 0;
}
.sidebar nav button:hover {
  background: #16354c;
}
.sidebar nav button.selected {
  color: #fff;
  background: #14637e;
}
.sidebar-bottom {
  margin-top: auto;
  border-top: 1px solid #ffffff15;
  padding: 20px 12px 0;
}
.sidebar-bottom a,
.sidebar-bottom button {
  display: flex;
  align-items: center;
  gap: 10px;
  font-size: 12px;
  background: transparent;
  color: #b9ccd8;
  padding: 10px 0;
}
.owner-main {
  min-width: 0;
}
.owner-top {
  height: 72px;
  background: white;
```

frontend/src/styles.css


```
  border-bottom: 1px solid #e0e8ee;
  display: flex;
  align-items: center;
  justify-content: space-between;
  padding: 0 42px;
  font-size: 11px;
}
.user-badge {
  display: flex;
  align-items: center;
  gap: 8px;
  background: #f1f6f8;
  padding: 7px 12px;
  border-radius: 4px;
}
.owner-content {
  padding: 36px 42px 60px;
  max-width: 1500px;
  margin: 0 auto;
}
.owner-heading {
  display: flex;
  align-items: center;
  justify-content: space-between;
  gap: 20px;
  margin-bottom: 26px;
}
.owner-heading .eyebrow {
  font-size: 8px;
  letter-spacing: 1.5px;
  color: #6c8799;
}
.owner-heading h1 {
  font-size: 28px;
  letter-spacing: -1px;
  line-height: 1.35;
  margin: 7px 0 0;
}
.overview-banner {
  display: flex;
  align-items: center;
  justify-content: space-between;
  background: #0c344d;
```

frontend/src/styles.css


```
    color: white;
    border-radius: 7px;
    padding: 32px 40px;
    margin-bottom: 25px;
    gap: 20px;
    background-image: linear-gradient(110deg, #0b2e46, #0e5065);
  }
  .overview-banner h2 {
    font-size: 32px;
    margin: 15px 0;
  }
  .overview-banner p {
    font-size: 12px;
    color: #aacbd7;
  }
  .overview-banner .eyebrow {
    color: #66cadb;
    font-size: 8px;
  }
  .overview-banner > svg {
    color: #4da7be;
    margin-right: 25px;
  }
  .overview-banner button {
    font-size: 11px;
    padding: 12px 15px;
    background: #fff;
    color: #0d4a62;
  }
  .stat-grid {
    display: grid;
    grid-template-columns: repeat(4, minmax(0, 1fr));
    gap: 18px;
    margin-bottom: 26px;
  }
  .stat {
    display: grid;
    grid-template-columns: 1fr auto;
    background: #fff;
    border: 1px solid #e2e8ed;
    border-radius: 6px;
    color: #294b63;
    text-align: left;
```

frontend/src/styles.css


```
  padding: 20px;
  gap: 14px;
}
.stat:hover {
  background: #edf6f9;
}
.stat span {
  grid-column: 1/-1;
  font-size: 11px;
  font-weight: 400;
}
.stat strong {
  font-size: 32px;
  font-weight: 600;
}
.stat svg {
  color: #1b9fb7;
  align-self: end;
  margin-bottom: 10px;
}
.panel {
  background: #fff;
  border: 1px solid #e0e7ed;
  border-radius: 6px;
  padding: 26px;
  margin-bottom: 24px;
}
.panel h2 {
  font-size: 18px;
  letter-spacing: -0.3px;
  margin-bottom: 20px;
}
.panel p {
  font-size: 13px;
}
.panel > .muted {
  margin-top: -10px;
  margin-bottom: 22px;
}
.panel .form-grid label:nth-last-child(-n + 2) {
  margin-bottom: 12px;
}
.panel-heading {
```

frontend/src/styles.css


```
  display: flex;
  align-items: center;
  justify-content: space-between;
  gap: 15px;
  margin-bottom: 18px;
}
.panel-heading h2 {
  margin: 0;
}
.dot {
  display: inline-block;
  width: 7px;
  height: 7px;
  border-radius: 50%;
  margin-right: 10px;
}
.dot.orange {
  background: #cc8c24;
}
.dot.green {
  background: #28a068;
}
.badge {
  display: inline-block;
  font-size: 10px;
  font-weight: 500;
  padding: 3px 9px;
  border-radius: 4px;
  background: #eef2f5;
  color: #5d7385;
  margin-right: 6px;
  white-space: nowrap;
}
.badge.green {
  background: #e6f5ed;
  color: #2e7959;
}
.badge.amber {
  background: #fff1d9;
  color: #8d651e;
}
.repeat-row {
  border: 1px solid #e0e8ee;
```

frontend/src/styles.css


```
  background: #fbfcfd;
  padding: 18px;
  margin-top: 18px;
  border-radius: 4px;
}
.row-tools {
  display: flex;
  gap: 7px;
  align-items: center;
  flex-wrap: wrap;
}
.repeat-row .row-tools {
  margin-bottom: 16px;
}
.row-tools strong {
  margin-right: auto;
  font-size: 11px;
}
.checkbox-label {
  flex-direction: row;
  align-items: center;
  gap: 9px;
  align-self: center;
  padding-top: 15px;
  font-weight: 400;
  line-height: 1.6;
}
.checkbox-label input {
  width: 16px;
  height: 16px;
  accent-color: #0a829e;
  flex-shrink: 0;
}
.savebar {
  position: sticky;
  bottom: 0;
  background: #fffffff5;
  border: 1px solid #dce6ec;
  padding: 15px 20px;
  display: flex;
  align-items: center;
  gap: 10px;
  box-shadow: 0 -4px 20px #132e460a;
```

frontend/src/styles.css


```
  border-radius: 5px;
  z-index: 5;
  flex-wrap: wrap;
}
.hours-row {
  display: flex;
  align-items: center;
  gap: 18px;
  border-top: 1px solid #e7edf1;
  padding: 12px 0;
  flex-wrap: wrap;
}
.hours-row strong {
  font-size: 12px;
  min-width: 85px;
}
.hours-row label {
  margin: 0;
  padding: 0;
}
.hours-row label:has(input[type="time"]) {
  width: 130px;
}
.list-toolbar {
  display: flex;
  justify-content: space-between;
  align-items: center;
  gap: 25px;
  margin-bottom: 22px;
}
.list-toolbar p {
  margin: 0;
  max-width: 500px;
}
.content-list {
  padding: 0;
}
.content-list article {
  display: flex;
  align-items: center;
  gap: 20px;
  padding: 20px 24px;
  border-bottom: 1px solid #e5ebef;
```

frontend/src/styles.css


```
}
.content-list article:last-child {
  border: 0;
}
.content-list h3 {
  font-size: 13px;
  line-height: 1.5;
  margin-bottom: 7px;
}
.content-list p {
  font-size: 11px;
  color: #6a8394;
  margin: 0 0 7px;
}
.content-list article > div:nth-child(2) {
  flex: 1;
}
.list-number {
  color: #8fa3b1;
  font-size: 12px;
}
.attachment-row {
  border-top: 1px solid #e0e9ee;
  margin-top: 25px;
  padding-top: 25px;
}
.attachment-row figure {
  max-width: 250px;
  margin-bottom: 20px;
}
.upload-box {
  display: flex;
  align-items: center;
  flex-direction: column;
  text-align: center;
  padding: 35px;
}
.upload-box > svg {
  color: #108fac;
  margin-bottom: 16px;
}
.upload-box p {
  max-width: 600px;
```

frontend/src/styles.css


```
  color: #718596;
}
.file-picker {
  display: inline-flex;
  position: relative;
  overflow: hidden;
  background: #087fa4;
  color: #fff;
  padding: 11px 20px;
  border-radius: 4px;
  margin: 10px 0;
}
.file-picker input {
  position: absolute;
  inset: 0;
  opacity: 0;
  cursor: pointer;
  width: 100%;
}
.file-picker:focus-within {
  outline: 3px solid #d69d2e;
  outline-offset: 3px;
}
progress {
  accent-color: #087fa4;
  width: 250px;
}
.media-grid {
  display: grid;
  grid-template-columns: repeat(3, minmax(0, 1fr));
  gap: 20px;
}
.media-card {
  background: #fff;
  border: 1px solid #dce6eb;
  padding: 15px;
  border-radius: 4px;
  min-width: 0;
}
.media-card figure {
  height: 175px;
  display: flex;
  align-items: center;
```

frontend/src/styles.css


```
  justify-content: center;
  background: #eff5f7;
  margin-bottom: 15px;
}
.media-card figure img,
.media-card figure video {
  max-height: 175px;
  max-width: 100%;
  object-fit: contain;
}
.media-card figcaption {
  display: none;
}
.media-card h3 {
  font-size: 12px;
  overflow-wrap: anywhere;
}
.media-card .muted {
  font-size: 10px;
}
.modal-backdrop {
  position: fixed;
  inset: 0;
  background: #04182eaa;
  z-index: 100;
  display: flex;
  align-items: center;
  justify-content: center;
  padding: 30px;
  backdrop-filter: blur(4px);
}
.modal {
  background: #fff;
  border-radius: 7px;
  padding: 30px;
  max-width: 850px;
  width: 100%;
  max-height: 90vh;
  overflow: auto;
  box-shadow: 0 20px 60px #00162533;
}
.modal > .panel-heading {
  border-bottom: 1px solid #e2e9ed;
```

frontend/src/styles.css


```
  padding-bottom: 20px;
  margin-bottom: 25px;
}
.modal h1 {
  font-size: 38px;
  line-height: 1.3;
  letter-spacing: -1px;
  margin-top: 15px;
}
.modal h2 {
  font-size: 24px;
  letter-spacing: -0.5px;
}
.modal figure {
  margin: 20px 0;
}
.modal figure img,
.modal figure video {
  max-height: 500px;
  margin: auto;
}
.modal p {
  white-space: pre-line;
  overflow-wrap: anywhere;
}
.preview-section {
  margin: 25px 0;
}
.preview-section h3 {
  text-transform: capitalize;
}
.account-panel {
  max-width: 700px;
}
.account-panel h3 {
  font-size: 16px;
  margin-top: 35px;
}
.mobile-only {
  display: none;
}
.sr-only {
  position: absolute;
```

frontend/src/styles.css


```
    width: 1px;
    height: 1px;
    padding: 0;
    margin: -1px;
    overflow: hidden;
    clip: rect(0, 0, 0, 0);
    white-space: nowrap;
    border: 0;
  }
  @media (min-width: 1550px) {
    .hero-grid {
      min-height: 680px;
    }
    .hero h1 {
      font-size: 76px;
    }
  }
  @media (max-width: 1100px) {
    .header nav {
      gap: 15px;
      font-size: 11px;
    }
    .brand {
      font-size: 22px;
    }
    .brand small {
      font-size: 6px;
    }
    .brand img {
      max-width: 170px;
    }
    .header nav .button {
      padding: 10px;
    }
    .engineering-art {
      transform: scale(0.8);
      transform-origin: left center;
    }
    .hero-grid {
      grid-template-columns: 1.1fr 0.9fr;
      gap: 0;
    }
    .hero h1 {
```

frontend/src/styles.css


```
      font-size: 52px;
    }
    .contact-layout {
      gap: 40px;
    }
    .dashboard {
      grid-template-columns: 215px 1fr;
    }
    .sidebar {
      padding: 25px 12px;
    }
    .sidebar nav button {
      font-size: 11px;
    }
    .owner-content {
      padding: 30px 25px;
    }
    .owner-top {
      padding: 0 25px;
    }
    .stat-grid {
      gap: 12px;
    }
    .stat {
      padding: 16px;
    }
    .media-grid {
      grid-template-columns: repeat(2, minmax(0, 1fr));
    }
    .footer-grid {
      gap: 40px;
    }
  }
  @media (max-width: 800px) {
    .header {
      min-height: 80px;
    }
    .menu-btn {
      display: flex;
      padding: 8px;
      background: transparent;
      color: #12324a;
    }
```

frontend/src/styles.css


```
.header nav {
  display: none;
  position: absolute;
  left: 0;
  right: 0;
  top: 115px;
  background: white;
  z-index: 30;
  padding: 25px 6%;
  box-shadow: 0 20px 25px #08283b16;
  align-items: stretch;
  font-size: 14px;
}
.header nav.open {
  display: flex;
  flex-direction: column;
}
.header nav a {
  padding: 10px 0;
}
.header nav a.active:after {
  display: none;
}
.hero-grid {
  grid-template-columns: 1fr;
  min-height: 0;
}
.hero-copy {
  padding-top: 60px;
  padding-bottom: 45px;
}
.hero h1 {
  font-size: 60px;
}
.hero p {
  max-width: 500px;
}
.engineering-art {
  display: none;
}
.hero-foot {
  margin-top: 40px;
}
```

frontend/src/styles.css


```
.services-grid {
  grid-template-columns: repeat(2, 1fr);
}
.section {
  padding-top: 55px;
  padding-bottom: 55px;
}
.section-head {
  align-items: flex-start;
  gap: 25px;
}
.section-head > p {
  max-width: 270px;
  font-size: 12px;
}
.split {
  gap: 35px;
}
.contact-strip h2 {
  font-size: 27px;
}
.footer-grid {
  grid-template-columns: 1.4fr 1fr;
  gap: 30px;
}
.footer-grid > div:first-child {
  grid-column: 1/-1;
}
.footer-grid p {
  max-width: 600px;
}
.contact-layout {
  grid-template-columns: 1fr;
  gap: 35px;
}
.contact-info {
  display: grid;
  grid-template-columns: 1fr 1fr;
  gap: 15px 30px;
}
.contact-info h2 {
  grid-column: 1/-1;
  margin-bottom: 10px;
```

frontend/src/styles.css


```
}
.enquiry-form {
  padding: 28px;
}
.detail {
  grid-template-columns: 1fr;
}
.quote-box {
  position: static;
}
.project-grid {
  grid-template-columns: repeat(2, 1fr);
}
.page-head h1 {
  font-size: 38px;
}
.dashboard {
  display: block;
}
.sidebar {
  position: fixed;
  left: -260px;
  width: 245px;
  z-index: 30;
  transition: left 0.2s;
}
.sidebar.show {
  left: 0;
  top: 72px;
  height: calc(100dvh - 72px);
}
.owner-top {
  position: sticky;
  top: 0;
  z-index: 25;
}
.mobile-only {
  display: flex;
}
.owner-top > span:first-of-type {
  flex: 1;
  margin-left: 12px;
}
```

frontend/src/styles.css


```
.owner-content {
  padding: 25px 6%;
}
.owner-heading h1 {
  font-size: 24px;
}
.overview-banner {
  padding: 28px;
}
.overview-banner > svg {
  display: none;
}
.stat-grid {
  grid-template-columns: repeat(2, 1fr);
}
.content-list article {
  gap: 13px;
  padding: 18px;
}
.content-list article .row-tools {
  max-width: 150px;
  justify-content: flex-end;
}
.login-page {
  grid-template-columns: 1fr;
}
.login-art {
  padding: 35px 8%;
}
.login-art h1 {
  font-size: 32px;
  margin-top: 15px;
}
.login-art p {
  max-width: 100%;
  font-size: 13px;
}
.login-art a {
  margin-top: 10px;
}
.login-form {
  padding: 40px 0;
}
```

frontend/src/styles.css


```
  .list-toolbar {
    align-items: flex-start;
  }
  .list-toolbar button {
    flex-shrink: 0;
  }
}
@media (max-width: 540px) {
  .wrap {
    width: 88%;
  }
  .topbar .wrap > span {
    font-size: 8px;
    letter-spacing: 0.8px;
  }
  .topbar a {
    font-size: 9px;
  }
  .topbar .wrap {
    gap: 10px;
    min-height: 16px;
  }
  .hero-copy {
    padding-top: 43px;
  }
  .hero .eyebrow {
    font-size: 8px;
    letter-spacing: 1.2px;
  }
  .hero h1 {
    font-size: 47px;
    letter-spacing: -2px;
    margin-top: 22px;
  }
  .hero p {
    font-size: 13px;
  }
  .hero .actions {
    gap: 23px;
  }
  .hero-foot {
    font-size: 7px;
    letter-spacing: 1px;
```

frontend/src/styles.css


```
}
.discipline-strip .wrap {
  font-size: 9px;
  gap: 15px;
  padding: 17px 0;
}
.discipline-strip span:last-child {
  display: none;
}
.section-head {
  flex-direction: column;
  gap: 18px;
}
.section-head > p {
  max-width: none;
}
.section-head h2 {
  font-size: 30px;
}
.services-grid {
  grid-template-columns: 1fr;
}
.service-card {
  min-height: 200px;
  padding: 25px;
}
.card-top {
  margin-bottom: 22px;
}
.service-card h3 {
  font-size: 19px;
  max-width: none;
}
.split {
  grid-template-columns: 1fr;
  gap: 20px;
}
.contact-strip > .wrap {
  flex-direction: column;
  align-items: flex-start;
  gap: 25px;
}
.contact-strip h2 {
```

frontend/src/styles.css


```
    font-size: 29px;
  }
  .footer-grid {
    gap: 25px;
  }
  .footer-bottom {
    font-size: 9px;
    gap: 15px;
    flex-wrap: wrap;
  }
  .footer-bottom span {
    width: 100%;
    margin: 0;
  }
  footer {
    padding-bottom: 85px;
  }
  .mobile-actions {
    display: flex;
    position: fixed;
    bottom: 0;
    left: 0;
    right: 0;
    z-index: 20;
    background: #fff;
    box-shadow: 0 -4px 16px #002b4415;
    padding-bottom: env(safe-area-inset-bottom);
  }
  .mobile-actions a {
    flex: 1;
    display: flex;
    gap: 9px;
    align-items: center;
    justify-content: center;
    padding: 15px 10px;
    font-size: 12px;
    font-weight: 700;
  }
  .mobile-actions a:last-child {
    background: #087fa4;
    color: white;
  }
  .page-head {
```

frontend/src/styles.css


```
    padding-bottom: 35px;
  }
  .page-head h1 {
    font-size: 33px;
    letter-spacing: -1px;
  }
  .page-head p {
    font-size: 13px;
  }
  .crumb {
    margin-bottom: 25px;
  }
  .contact-info {
    display: block;
  }
  .contact-info .info-group {
    margin-bottom: 25px;
  }
  .enquiry-form {
    padding: 23px;
  }
  .enquiry-form h2 {
    font-size: 24px;
  }
  .form-grid {
    grid-template-columns: 1fr;
  }
  .form-grid label {
    margin-bottom: 19px !important;
  }
  .project-grid,
  .gallery-grid {
    grid-template-columns: 1fr;
  }
  .hero .button {
    padding: 13px 17px;
  }
  .tabs {
    gap: 7px;
  }
  .tabs button {
    font-size: 11px;
    padding: 9px 14px;
```

frontend/src/styles.css


```
}
.owner-top {
  padding: 0 6%;
}
.owner-top > span:first-of-type {
  font-size: 10px;
}
.owner-top .user-badge {
  font-size: 10px;
  padding: 6px;
}
.owner-top .muted {
  display: none;
}
.owner-heading {
  align-items: flex-start;
  gap: 10px;
}
.owner-heading h1 {
  font-size: 22px;
}
.owner-heading .eyebrow {
  font-size: 7px;
}
.owner-content {
  padding-top: 24px;
}
.overview-banner {
  padding: 25px;
}
.overview-banner h2 {
  font-size: 30px;
}
.overview-banner .eyebrow {
  font-size: 7px;
}
.overview-banner button {
  font-size: 10px;
}
.panel {
  padding: 20px;
}
.panel-heading {
```

frontend/src/styles.css


```
    align-items: flex-start;
  }
  .panel-heading h2 {
    font-size: 17px;
  }
  .panel-heading button.small {
    font-size: 10px;
    padding: 8px;
  }
  .repeat-row {
    padding: 14px;
  }
  .savebar {
    padding: 13px;
    gap: 7px;
  }
  .savebar button {
    font-size: 11px;
    padding: 10px 13px;
  }
  .hours-row {
    gap: 14px;
  }
  .hours-row strong {
    min-width: 74px;
  }
  .hours-row label {
    font-size: 10px;
  }
  .hours-row label:has(input[type="time"]) {
    width: 110px;
  }
  .media-grid {
    grid-template-columns: 1fr;
  }
  .content-list {
    padding: 0;
  }
  .content-list article {
    flex-wrap: wrap;
  }
  .content-list article > div:nth-child(2) {
    min-width: 150px;
```

frontend/src/styles.css


```
    flex: 1;
  }
  .content-list article .row-tools {
    width: 100%;
    max-width: none;
    padding-left: 20px;
  }
  .content-list h3 {
    font-size: 12px;
  }
  .list-toolbar {
    flex-direction: column;
    gap: 15px;
  }
  .modal-backdrop {
    padding: 12px;
  }
  .modal {
    padding: 20px;
    max-height: 94dvh;
  }
  .modal .panel-heading h2 {
    font-size: 18px;
  }
  .modal .panel-heading button {
    padding: 5px;
  }
  .modal h1 {
    font-size: 30px;
  }
  .account-panel {
    padding: 20px;
  }
  .upload-box {
    padding: 25px;
  }
  .stat strong {
    font-size: 29px;
  }
  .not-found h1 {
    font-size: 35px;
    letter-spacing: -1px;
  }
```

frontend/src/styles.css


```
  .login-art {
    padding-top: 28px;
    padding-bottom: 28px;
  }
}
@media (prefers-reduced-motion: reduce) {
  *,
  *:before,
  *:after {
    transition: none !important;
    scroll-behavior: auto !important;
  }
}
/* Original supplied brand image is always contained at its natural proportions. */
.brand {
  gap: 12px;
  letter-spacing: 1px;
  font-size: 26px;
}
.brand img {
  width: 64px;
  height: 64px;
  max-width: none;
  max-height: none;
  object-fit: contain;
  border-radius: 6px;
  flex-shrink: 0;
}
.brand small {
  font-size: 7px;
  letter-spacing: 1.3px;
  line-height: 1.5;
}
.hero {
  background:
    radial-gradient(ellipse at 85% 40%, #10516777, transparent 55%), #081e35;
}
.brand-showcase {
  padding: 35px 0 35px 16px;
  position: relative;
  min-width: 0;
}
.showcase-frame {
```

frontend/src/styles.css


```
    position: relative;
    border: 1px solid #3fc6dd44;
    border-radius: 16px;
    overflow: hidden;
    box-shadow:
      0 24px 70px #00131f66,
      0 0 50px #1dc6e011;
    background: #103344;
  }
  .showcase-frame:after {
    content: "";
    position: absolute;
    left: 24px;
    top: 0;
    width: 70px;
    height: 3px;
    background: #eab054;
  }
  .showcase-frame img {
    display: block;
    width: 100%;
    height: auto;
    aspect-ratio: 1;
    object-fit: contain;
  }
  .showcase-caption {
    display: flex;
    justify-content: space-between;
    gap: 15px;
    margin: 20px 2px 0;
    font-size: 8px;
    letter-spacing: 2px;
    color: #a5c5d5;
  }
  .showcase-caption span:last-child {
    color: #e8b669;
  }
  .hero-foot .line {
    background: #e5aa4e;
  }
  .contact-strip {
    background: linear-gradient(115deg, #0a3853, #097b96);
    border-top: 3px solid #dca341;
```

frontend/src/styles.css


```
}
.registration-badge {
  display: inline-block;
  margin-top: 23px;
  font-size: 9px;
  letter-spacing: 1px;
  color: #dfb568;
  border: 1px solid #dca34144;
  padding: 8px 11px;
  border-radius: 3px;
}
.footer-address {
  display: flex;
  align-items: flex-start;
  gap: 9px;
  font-style: normal;
  font-size: 11px;
  line-height: 1.8;
  margin: 16px 0 22px;
  max-width: 300px;
  color: #abc4d3;
}
.footer-address svg {
  flex-shrink: 0;
  margin-top: 3px;
  color: #54bdd3;
}
.contact-registration {
  font-size: 11px;
  line-height: 1.8;
  color: #688394;
  margin-top: -22px;
  margin-bottom: 26px;
  grid-column: 1/-1;
}
.contact-registration span {
  color: #9b6d25;
  letter-spacing: 1px;
  font-size: 10px;
}
.owner-brand > img {
  width: 48px;
  height: 48px;
```

frontend/src/styles.css


```
    object-fit: contain;
    border-radius: 4px;
    flex-shrink: 0;
  }
  .owner-brand {
    gap: 10px;
    margin-left: 5px;
    margin-right: 0;
  }
  .owner-brand span {
    font-size: 17px;
    letter-spacing: 0.8px;
  }
  .owner-brand small {
    font-size: 7px;
    letter-spacing: 0.8px;
  }
  footer .brand img {
    width: 65px;
    height: 65px;
  }
  footer .brand {
    font-size: 23px;
  }
  @media (max-width: 1100px) {
    .brand {
      font-size: 21px;
      gap: 8px;
    }
    .brand img {
      width: 52px;
      height: 52px;
    }
    .brand small {
      font-size: 5.8px;
      letter-spacing: 1px;
    }
    .header nav {
      gap: 16px;
    }
    .showcase-caption {
      font-size: 7px;
      letter-spacing: 1px;
```

frontend/src/styles.css


```
  }
  .hero-grid {
    grid-template-columns: 1.05fr 1fr;
    gap: 20px;
  }
  .hero h1 {
    font-size: 49px;
  }
}
@media (max-width: 800px) {
  .hero-grid {
    grid-template-columns: 1fr;
  }
  .brand-showcase {
    padding: 0 0 40px;
    max-width: 450px;
    width: 100%;
    margin: 0 auto;
  }
  .hero-copy {
    padding-bottom: 35px;
  }
  .hero h1 {
    font-size: 58px;
  }
  .hero .eyebrow {
    font-size: 9px;
  }
  .brand {
    font-size: 24px;
  }
  .brand small {
    font-size: 6px;
  }
  .brand img {
    width: 55px;
    height: 55px;
  }
}
@media (max-width: 540px) {
  .hero h1 {
    font-size: 45px;
  }
```

frontend/src/styles.css


```
  .hero .eyebrow {
    font-size: 7px;
    letter-spacing: 1.2px;
  }
  .hero-copy {
    padding-bottom: 28px;
  }
  .brand-showcase {
    max-width: 340px;
    padding-bottom: 32px;
  }
  .showcase-frame {
    border-radius: 10px;
  }
  .showcase-caption {
    margin-top: 14px;
  }
  .brand {
    font-size: 22px;
  }
  .brand small {
    font-size: 6px;
  }
  .brand img {
    width: 51px;
    height: 51px;
  }
  .header {
    min-height: 83px;
  }
  .contact-registration {
    margin-top: -18px;
    margin-bottom: 25px;
  }
  footer .brand {
    font-size: 22px;
  }
}

.public-preview-banner{padding:8px 15px;background:#e7b55a;color:#162f43;text-align:center;font-size:9px;letter-spacing:1px;font-weight:700}.public-
+ preview-banner~header .header nav.open{top:145px}
```

frontend/src/vite-env.d.ts


```
1  /// <reference types="vite/client" />
```

frontend/tsconfig.json


```
{
  "compilerOptions": {
    "target": "ES2022",
    "lib": ["ES2022", "DOM", "DOM.Iterable"],
    "module": "ESNext",
    "moduleResolution": "Bundler",
    "jsx": "react-jsx",
    "strict": true,
    "skipLibCheck": true,
    "noEmit": true,
    "allowImportingTsExtensions": true
  },
  "include": ["src"]
}
```

frontend/vite.config.ts


```
import { defineConfig } from "vite";
import react from "@vitejs/plugin-react";
import tailwindcss from "@tailwindcss/vite";
export default defineConfig({
  plugins: [react(), tailwindcss()],
  server: { proxy: { "/api": "http://127.0.0.1:8000" } },
});
```