


Grounded Editorial. Across your app.

Your current screens and components, brought together as one coherent men's health app.



16

screen studies

28

shared components

04

existing tabs

Apply the direction to what you have

The navigation for this expansion

Journal / Intake / Body / Life, in the same order as the current screenshots. Journal keeps the daily entry point. Intake keeps its dedicated tab. The labelled + Log action is a proposed visual refinement of your existing add button.

The concepts that remain familiar

Keep morning/evening check-ins; mood, energy and motivation; factor groups; recent intake; custom entries; measurements and personal ranges; life areas and reviews; Headings; and practices. "Heading" stays visible so the handoff maps directly to the present product.

How to read the screen studies

Six views redesign screens you supplied. Ten supporting views are proposals derived from visible actions and content. A "Manage measurements" link proves that the action exists; it does not reveal the exact fields in its current destination. Proposed view fields need a product/code check before implementation.

The consistent visual rules

Warm stone canvas, off-white surfaces, strong ink, deep teal selection and primary actions, restrained clay for + Log. Serif titles establish character; sans-serif controls, supporting text and measurements establish clarity. Use space and dividers to group content.

What the evidence covers

This pass uses the six original screenshots and the selected Grounded Editorial board. It is a visual and interaction specification, not a repository audit or a running prototype. Existing component names, routes and backend schemas were not supplied. The contract names in this guide are proposed design names.

What supersedes the earlier exploration


The original Today / Body / Mind / Life navigation and Focus/Goal renaming were broader possibilities. This revision applies the selected visual direction to your **current** navigation and terms. The relevant benchmark review is retained at the back; these current-screen specifications guide this pass.

The screen inventory

ID	Screen	Basis	Components covered
J01	Journal overview	Direct redesign	Calendar, AM/PM cards, grouped factors, add action.
J02	Mood check-in	Direct redesign	Existing five mood words, equal options, progress and save.
J03	Energy check-in	Proposed view	Shared selection component; scale labels need confirmation.
J04	Motivation check-in	Proposed view	Shared selection component and complete/partial save.
I01	Intake overview	Proposed view	Daily entries, timestamps and a direct logging action.
I02	Search and recents	Direct redesign	Food/drink filters, suggestions and Something else.
I03	Item amount	Proposed view	Amount, units, date/time and nutrition disclosure.
I04	Custom item	Proposed view	Name, type, amount, optional details and reuse choice.
B01	Body overview	Direct redesign	Lead measurement, personal history and measurement list.
B02	Measurement detail	Direct redesign	Source, range, readings, Heading and history.
B03	Add reading	Proposed view	Metric, numeric value, units, event time and note.
B04	Manage measurements	Proposed view	Visibility, ordering, custom metric and display units.
L01	Life overview	Direct redesign	Review date, wheel, manage areas and Headings.
L02	Review detail	Proposed view	Named life-area values and previous-review comparison.
L03	Heading detail	Proposed view	Target/intention, practice, activity and archive/remove.
L04	Edit Heading	Proposed view	Name, intent, life area, dates and optional reason.

Journal and check-ins

The existing date strip, morning/evening rhythm and factors remain central.



Make check-ins feel like one familiar flow

Calendar and check-in cards

DateStrip is shared by Journal and the proposed Intake overview. Selected dates use deep teal with white text. A separate small dot indicates a recorded entry, so "selected" and "has data" are not confused. CheckInCard supports not started, partial and complete; completed summaries use words and keep the record time visible.

Mood, energy and motivation

Use the same five-row SelectableRow layout, progress header and sticky footer for each step. Preserve the mood labels Low / Flat / Okay / Good / Very good. The illustrated Energy and Motivation labels are proposed copy because their exact existing labels were not shown; verify scale meaning before mapping saved numeric values.

Continue versus save

Selecting an option changes the draft. Continue advances to the next step; Save for now stores a partial check-in; Save check-in commits completion on the final step. No preselection in a fresh real flow. The selected options in the board show a filled example.

Factor groups

FactorChip supports selected, unselected and unavailable states. Retain the current Body, Lifestyle and Mind groupings and custom factors. A selected chip shows both a visual state and a checkmark. Add More factors rather than squeezing all possible tags onto the first screen.

Navigation and input recovery

Back preserves answers. Close with changes offers Keep draft or Discard only when needed. Keep an optional note collapsed until requested, and keep the current field and footer visible above the keyboard. Accessible selection state must be announced without reading every decoration.

Copy and imagery

The current interactions provide the character here: a clear question, considered typography and useful summaries. Use expressive art sparingly on reflective or empty states. Do not fill the check-in with photography or make every mood a facial expression.

Intake and food logging

Recent-item rows, quantity controls and optional detail form a consistent logging path.



One item row, several useful actions

Search and repeat

IntakeRow contains name, amount/unit, optional thumbnail and a trailing action. On recents, tapping the row opens amount editing; the plus repeats the visible amount. On the daily log, the row opens the recorded entry. Give row and plus distinct accessible names and non-overlapping hit areas.

Quantity is a value plus a unit

QuantityField combines an editable number, unit selector and optional stepper. The step depends on the item/unit, not a global +1 rule. Permit decimal quantities and direct keyboard entry. A unit change must use a defined conversion or ask for a new amount; never silently treat grams as millilitres.

Custom-item basis

For the proposed custom form, label nutrition as **For the amount above**. If the product supports per-100g, per-100ml or per-serving bases, expose that basis explicitly. Empty optional nutrition is unknown, not zero. Do not infer caffeine or medication dose from a generic item name.

Keep suggestions honest

"Usually around now" requires suitable time-based history. Otherwise use "Recent". The list is not a recommendation to eat or drink something. Saved items keep their own metadata and history, and the source can be disclosed in the detail view.

Save and repeat safely

Save and add creates the custom item only when the reuse toggle is enabled, and adds one consumption event. Saving again during a retry must not duplicate that event. After success, show Added to intake and Undo. Cancelling does not consume an item.


The real form states

Supply empty and populated search, no results, quantity validation, long item names, missing thumbnails, saving and offline states. Display the date as well as the time when logging to a previous day. Data shown across Journal and Intake should reference the same recorded event.

Body and measurements

Personal history, source information, headings and editing share the same visual language.

03 / BODY & MEASUREMENTS



Grounded Editorial / Fictional sample data

Preserve the meaning of every reading

MeasurementCard and SourceStamp

A card shows metric name, complete value/unit, event timestamp and an optional comparison. SourceStamp identifies the origin and recording time; sync time is separate. Weight is the illustrated selected metric, not a requirement that every user's Body screen must lead with weight.

RecentRange and TrendChart

Keep the existing middle-half personal-history definition and its calculation convention. Show the window, valid reading count and an explanation on demand. A neutral horizontal band is sufficient; the data does not require the broad wavy shape created in the PoC. Do not imply the range is clinically healthy.

Heading and history

Keep the Heading card with current target or intent, dates and a detail/edit action. If a target appears in a chart, label it independently from the personal range. ReadingsList gives the exact event values, sources and timestamps. A "No change" comparison must identify its comparison period.

New reading

FormField and QuantityField are reused from Intake, with the unit driven by metric metadata. Date and time refer to the reading itself. Source is Manual entry for a manually entered value. Editing an imported record should follow the existing provenance policy and should not silently masquerade as an original sensor reading.

Manage means display management

ManagementRow supports reordering and visibility. Hiding a metric leaves its records available; removal of a metric or its history is a separate operation. Provide move-up/down actions as alternatives to drag. The custom-metric destination is proposed and needs its existing schema checked.


The empty and sparse cases

No readings gets a short explanation and Add reading. One reading gets one point and a timestamp. A chart should show gaps when data is missing. Unit changes update display consistently across the leading value, history, targets and range labels.

Life, reviews and headings

The life wheel remains recognisable; reviews and headings receive clearer detail and editing views.

04 / LIFE, REVIEWS & HEADINGS



Grounded Editorial / Fictional sample data

Make the life wheel and headings usable together

A wheel that reflects the actual model

LifeWheel takes the user's configured area IDs, labels, scale and review values. The eight named areas and 0-10 scale in the PoC are examples. Do not replace current user settings with these examples. Keep area order stable across comparable reviews and explain missing or newly added areas.

A named-value alternative

LifeAreaRow shows the area, value and scale in text. The proposed Review detail makes the chart accessible and supports precise comparison. Both views must use the same review data. No combined life score is introduced; the filled polygon is not a measure of personal worth.

Manage life areas

The existing management entry stays visible. Its proposed sheet uses the same ManagementRow pattern as Body for label, order and visibility. Changes must preserve review history and explain how prior reviews will be displayed when the area set changes.

HeadingCard and PracticeRow

HeadingCard shows status, name, target or intention and an optional date. It links to a detail view. PracticeRow describes the actual repeat action and recent activity. A completed practice references the same event wherever it appears in the app.

Edit Heading is a proposed form

Keep the current Heading concept. The illustrated name, intent, life-area and optional date/reason fields are a proposal pending schema confirmation. A measurable Heading and a qualitative intention may need different fields; do not force all of them into a numeric target.

Archive and remove are different

Archive changes the Heading's active state while retaining history. Remove must explain the scope of deletion before committing. Preserve the current behaviour when it is known; the new interface must never silently broaden what an existing destructive action does.

Shared foundations, drawn precisely

These are rendered component specimens. Use the tokens and contracts to resolve small inconsistencies in the imagegen studies.

Navigation and dates

M
7
.

T
8

W
9

T
10

F
11

S
12

S
13

Journal

Intake

Body

Life

One active destination. Entry dots do not replace selected-date state.

Button hierarchy

Save reading

Cancel

+ Log

Saving...

Primary 52 high. Minimum hit area 48. Saving blocks repeat submission.

Factor chips

Training

✓ Outdoors

Long hours

Same optical size and padding. Labels stay visible; selection includes a check.

Selection row

Flat

Okay ✓

All options are equal height. Selection remains editable until save.

Shared fields, rows and quantity controls

Labelled field

Name

Homemade smoothie

Labels remain visible after the placeholder disappears.

Quantity and units

– 250 +

ml

Direct entry plus an optional stepper. Units follow item or metric metadata.

Validation beside the field

Amount

0

Enter an amount greater than zero.

Example for a consumption quantity, not a universal rule for every metric.

Reusable detail row

Recorded	7 Sep, 08:12
Source	Health Connect

Give dates, sources, units and disclosure controls a stable location.

Shared cards tell the user what happened

Check-in / complete

Morning · 08:12

Mood: Okay

Energy: Steady

Motivation: Some

[View or edit](#)

Check-in / partial

Morning · Draft

Mood: Okay

Energy: Not answered

Motivation: Not answered

[Resume check-in](#)

Heading / active

✓ Active

Make time to unwind
20 minutes after work

Heading / archived


Archived

Make time to unwind
History retained

Charts should be native components

The following examples are drawn from explicit sample data. They demonstrate encoding, not clinical interpretation or user measurements.

Personal history




September · Weight in kg · 7 fictional readings

Shading: 84.45-84.75 kg, the middle-half range using linear quartiles for this example. Keep the app's existing quantile convention in production.

Recorded sequence: 84.5, 84.7, 84.2, 84.8, 84.4, 84.9, 84.6 kg. A target, if shown, needs its own label and line style.

Life review with named areas



Solid teal: current. Dashed grey: previous. Sample scale: 0-10.

Current: Work 6, Money 6, Health 7, Relationships 8, Home 7, Friends 5, Growth 6, Leisure 5. Use configured area labels and scale; provide the same values as a list.

Shared component registry / foundations

These names describe reusable design responsibilities; map them to the app's actual code after inspecting the repository.

ID	Component	Used by	Responsibility
C01	AppScaffold	All primary screens	Safe areas, scroll container and stable tab/action placement.
C02	ScreenHeader	All screens	Title, optional eyebrow, back/close and contextual action.
C03	DateStrip	J01, I01	Selected date and recorded-entry indicators are independent.
C04	BottomNavigation	J01, I01, B01, L01	Journal / Intake / Body / Life; icon plus visible label.
C05	LogAction	Primary screens	Labelled + Log; destination-aware options preserve the active date.
C06	Button	All flows	Primary, secondary, text, destructive, loading and disabled states.
C07	IconButton	Add, remove, settings	Named action, minimum hit area and distinct selected/pressed state.
C08	SelectableRow	J02-J04	Equal height; no default answer; explicit selection.
C09	FactorChip	J01	Stable factor ID, readable label, group and selected state.
C10	SegmentedControl	Filters, units, ranges	One selected option; purpose and selection announced.
C11	FormField	I03-I04, B03, L04	Persistent label, input, helper, optionality and inline error.
C12	QuantityField	I03-I04, B03	Numeric value, unit metadata, direct input and optional step.
C13	DetailRow	Details and editors	Label/value pair, optional source/date and disclosure action.
C14	FeedbackBanner	Save and error states	Outcome, scope and one relevant action such as Undo or Retry.

Shared component registry / domain patterns

These names describe reusable design responsibilities; map them to the app's actual code after inspecting the repository.

ID	Component	Used by	Responsibility
C15	CheckInCard	J01	Not started, partial, complete; event time and human labels.
C16	CheckInStepper	J02-J04	Step count, draft retention and distinct continue/save actions.
C17	IntakeRow	I01-I02	Item, visible amount/unit and contextual repeat/edit action.
C18	SourceStamp	B01-B03, I03	Origin, measurement time and optional separate sync time.
C19	MeasurementCard	B01-B02	Complete value/unit, event time, range and comparison basis.
C20	RecentRange	B01-B02	Neutral interval with window, method and sufficient-data state.
C21	TrendChart	B01-B02, history	Labelled axes/units, gaps, selected reading and text alternative.
C22	LifeWheel	L01	Stable area IDs/order, configured scale, two review styles.
C23	LifeAreaRow	L02 and area editing	Named area/value, scale, previous value and missing state.
C24	HeadingCard	B02, L01-L03	Status, title, intent/target, dates and detail/edit action.
C25	PracticeRow	L03 and activity	Action, completion/event reference and optional amount/time.
C26	ReadingsList	B02	Exact recorded values, timestamps, units and sources.
C27	ManagementRow	B04, life-area settings	Visibility, reorder and labels; deletion is separate.
C28	ActionSheet	+ Log, More factors	Named options, dismiss, date context and keyboard handling.

Design the moments between screens

The + Log sheet

Use a contextual first option: Check-in in Journal, Food or drink in Intake, Measurement in Body, and Practice or Heading in Life where those actions are supported. Keep the remaining global actions in a predictable order. Carry the selected date into the form and show it before saving.

Empty, sparse and stale

Empty: "No readings yet" plus Add reading. Sparse: show the available point(s) and explain why a range is absent. Stale: keep the actual event date visible. Do not replace old data with a reassuring status or label a sync time as the reading time.

Save and sync

Local save is the user action's success boundary when the architecture supports it. Show "Saved on this device" separately from "Sync pending". A sync failure should offer retry without asking the person to re-enter a completed record. Preserve event identity during retries.

Forms and keyboard

Validate in context, keep typed values on failure, focus the first error and announce its label. Scroll the active control above the keyboard and safe area. A sticky action can move with the keyboard; it must not cover the final field or the last row of a sheet.

Destructive actions

Archive changes active status. Remove describes which item and records are affected. Show a specific confirmation where removal is consequential. Use a text label and restrained error colour; keep destructive actions away from the primary save action.

Large text and assistive input

Let titles wrap, cards grow and long unit/value pairs reflow. Horizontal controls may become vertical lists when needed. Provide accessible row actions and reorder alternatives. Charts expose a textual summary and a reading list. Test the native build; images cannot prove these behaviours.

Tokens make the four areas feel like one app

Token group	Value / decision	Use
Light colour	Canvas #F4F1EB; surface #FFFDDFA; ink #202725; secondary #626B65.	The base of all four primary areas.
Brand / action	Deep teal #174F4A; on-brand #FFFFFF; clay #A14F36.	Teal primary/selection; clay reserved for the labelled add action.
Control boundary	Interactive border #78847D; selected-soft #E0ECE7; error #A33932.	Distinguishable controls. Pale dividers remain decorative only.
Typography	Display 32/38; title 28/34; section 20/26; body 16/24; label 14/20.	Serif headlines only; sans-serif metrics, units, forms and chart labels.
Layout	Page inset 24; spacing 4 / 8 / 12 / 16 / 24 / 32 / 48.	Repeated rhythm, generous separation between tasks.
Components	Card radius 16; input radius 12; primary button 52 high; hit area at least 48.	Rows and cards grow with content; dimensions are starting points.
Feedback	State feedback 120-180 ms; sheet transitions 220-280 ms.	Optional subtle haptics; honour reduced motion.
Contrast	Ink/canvas 13.52:1; secondary/canvas 4.89:1; white/teal 9.32:1.	Previously verified pairs; interactive border/surface 3.83:1.
Dark option	Use the warm charcoal and sage mappings in the dark appearance extension.	System / Light / Dark. See the dark appearance extension at the end.

Imagegen refinement: standardise selected calendar colours, remove the subtle generated gradients, use one icon family, and render all numbers/units in the UI sans face. The specimens and tokens here take precedence over raster styling drift.

Make the first implementation concrete

1. Inventory and theme

Map the 28 design contracts onto existing code. Reuse components with the same responsibility. Introduce semantic colour, type, spacing and state tokens. Preserve routes, field names, scale versions and record IDs during the visual pass.

2. Journal and shared input

Build the header, date strip, buttons, selection rows and factor chips first. Apply them to J01-J04. Test draft retention, partial saves, the full three-step path and long labels. Confirm the unseen Energy/Motivation scale labels before shipping.

3. Intake and Body

Reuse fields and quantity controls across I03-I04 and B03. Complete repeat/add/edit, source timestamps, no-results and validation states. Use actual data rules for personal ranges, unit conversions and hiding/reordering measurements.

4. Life and management

Apply shared detail rows, status badges and management rows to Life areas, reviews and Headings. Validate that wheel and list values agree, archived records remain accessible, and remove has the intended scope.

Acceptance tasks

Complete a check-in without a note; resume after leaving mid-flow; repeat a drink and undo; change a quantity/unit; find an old reading's source; hide a metric without deleting it; compare two Life reviews; archive a Heading and find its history.

The remaining checks

Verify a narrow viewport, largest supported text sizes, long item/area names, keyboard exposure, TalkBack/VoiceOver, offline save and sync retries. Conduct the first usability round on the same current navigation. The screenshot-based work does not establish these runtime results.

A handoff that maps to your current product

The selected direction

Grounded Editorial is selected. Journal, Intake, Body and Life retain their positions. Headings, life reviews, personal ranges and custom tracking remain recognisable. The redesign adds clearer hierarchy, predictable controls and a more deliberate visual identity.

What was produced

Four imagegen boards with sixteen screen studies; four rendered component-atlas pages; a twenty-eight-component registry; exact fictional chart examples; screen-specific behaviour contracts; and updated tokens and generation prompts.

Evidence boundary

The six supplied images cover Journal, Mood, Intake search, Body, Measurement and Life. Screens reached via visible controls are design proposals until checked in the actual app. Example data, energy/motivation wording and life-area labels are illustrative. No repository changes were made.

How to use the files

Use the PDF to review the visual design and the Markdown file for searchable specifications. The JSON file contains tokens plus screen/component inventories. The prompt file records the imagegen briefs. Do not use raster text, chart geometry or icon variants as production assets.

Benchmark context follows

The five app-review spreads and source register follow this expansion; the dark appearance extension follows them. They remain supporting evidence for the direction; they do not override the current-screen contracts. The prior broader navigation experiments are no longer the implementation recommendation in this revision.

Source material

User-provided files 1000079114.png through 1000079119.png; approved Grounded Editorial board; the official sources in the retained register. The PDF component examples are vector-rendered from the documented fictitious data and token values.

Men's health has more than one visual language

Observed product patterns are separated from recommendations. Trade-offs below are design hypotheses, not usability-test results.

MEN'S TELEHEALTH

Hims

Observed

The current storefront presents broad men's care through warm brown and skin-tone imagery, personal treatment questions and a health snapshot. Care and commerce share the same product.

Apply to your app

Borrow the adult, discreet presentation and plain problem-led language. Give sensitive topics such as libido their own optional, clearly named entry points.

Watch the trade-off

A product-led care model can frame normal variation as something to fix. Your daily tracker should help people understand themselves before offering a service or purchase.

Source [1]

SEXUAL WELLBEING

Mojo

Observed

The current offering combines expert programs, guided AI conversations and medical care. Private use is prominent in its messaging. Its audience and programs now extend beyond men alone.

Apply to your app

Discuss sex, relationships and confidence clearly, without embarrassment. Explain what support is available, who created it and whether a person or AI is responding.

Watch the trade-off

Do not copy broad therapeutic promises or assume an AI conversation is equivalent to clinical care. The discretion lesson is stronger than the treatment model for your scope.

Source [2]

MENTAL HEALTH / TRAINING

Mental

Observed

The current listing foregrounds AI therapy/coaching, brief daily training and cold-training content. Storefront images use a dark interface, bright green accents and a performance vocabulary.

Apply to your app

Short, concrete sessions can give a hesitant user an obvious first step. Offer outcomes such as "switch off after work" alongside mood tracking.

Watch the trade-off

A toughness or optimisation identity is a narrower audience hypothesis. Do not make cold exposure, military references or continuous self-improvement the definition of men's mental health.

Source [3]

Make the numbers mean something

Observed product patterns are separated from recommendations. Trade-offs below are design hypotheses, not usability-test results.

DAILY INTERPRETATION

Oura

Observed

The 2025 redesign foregrounds one timely focus in Today, metrics in Vitals and longer-term context in My Health. Its current support guide explains baselines and insufficient-data states.

Apply to your app

Use a clear daily hierarchy: one useful focus, a few relevant signals and access to detail. Show the period and source behind each insight; personalise the order of metrics.

Watch the trade-off

Interpretation can sound more certain than the evidence. Keep self-reported mood distinct from sensor data and avoid inventing a universal wellbeing score.

Source [5] · Source [6]

PERFORMANCE / BEHAVIOUR

WHOOOP

Observed

Official material centres sleep, strain, recovery and health monitoring. The Journal links logged behaviours with physiological insights. This review used documentation rather than live visual inspection.

Apply to your app

Borrow the loop of recording context, reviewing patterns and choosing a small experiment. Make repeat factors quick to log and let people change which factors they track.

Watch the trade-off

Your users should not need a wearable to get value. A recovery number must not override how someone says they feel, or become a moral judgement about their day.

Source [7] · Source [8]

SUSTAINABLE ACTIVITY

Gentler Streak

Observed

Activity Path, personal progress and explicit activity statuses give rest a place in the product. Public imagery uses clear charts and a lively illustrated character.

Apply to your app

Make illness, injury, a break and returning after a gap legitimate states. Measure participation over flexible periods and let people choose a lighter day.

Watch the trade-off

Borrow the behaviour design first. Its mascot is a distinctive brand choice, not a required ingredient for a mature men's product.

Source [9]

Remove effort from the repeat action

Observed product patterns are separated from recommendations. Trade-offs below are design hypotheses, not usability-test results.

WORKOUT LOGGING

Hevy

Observed

Its product imagery shows structured set rows with previous values and completion controls. Routines, progress and friends support a repeated workout-logging loop.

Apply to your app

Adopt predictable rows, visible units, recent values and a clear saved state for intake and body measurements. A familiar item should be quicker to repeat than to find again.

Watch the trade-off

Dense workout tables work in a focused session. They are less suitable as the first screen for a tired user trying to understand his day.

Source [10]

GUIDED STRENGTH TRAINING

Ladder

Observed

The product centres coach-led plans, exercise guidance and progress. Its current site also promotes nutrition logging. Strong photography, bold typography and coaching identity lead the presentation.

Apply to your app

Make the next useful action obvious, including time and effort. A small number of curated choices is a better starting point than a large content catalogue.

Watch the trade-off

Do not equate healthy living with physique goals or an intensive training schedule. Borrow the clarity of the plan, while keeping your plan adaptable.

Source [11]

ACTIVITY / COMMUNITY

Strava

Observed

The official listing combines recording a broad range of activities, understanding progress and participating in a community. It is a general fitness app, not a men-only product.

Apply to your app

Support optional shared activities and connection goals later. Show walking and ordinary movement as meaningful alongside formal training.

Watch the trade-off

Public comparisons and feeds would change the emotional and privacy expectations of your app. Keep personal health logs private by default and sharing deliberate.

Source [12]

Help users name, notice and respond

Observed product patterns are separated from recommendations. Trade-offs below are design hypotheses, not usability-test results.

EMOTIONAL AWARENESS

How We Feel

Observed

The official product describes precise emotional vocabulary, repeated check-ins, patterns over time and strategies for the moment. Its brand uses expressive colour and characters.

Apply to your app

Keep the five-word mood check-in as the fast path, then let people add a more precise emotion or context. Turn reflection into an optional next action.

Watch the trade-off

Do not turn one mood scale into a clinical assessment. More emotional vocabulary should be available without making the first interaction complicated.

Source [13]

WHOLE-PERSON TRACKING

Bearable

Observed

The official screenshot groups mood, symptoms, factors, sleep, medications/supplements and food. The product emphasises customisation and finding patterns across these records.

Apply to your app

Preserve your broad model, but start with a few user-selected measures. Expose more detail progressively and make the recorded context easy to review or correct.

Watch the trade-off

Breadth creates logging burden. Avoid a first-run checklist of every symptom, substance and life factor; enough recorded data is more useful than an exhausting perfect log.

Source [14]

NEEDS-LED SUPPORT

Headspace

Observed

The current site groups support around needs such as stress, sleep, anxiety and processing thoughts. Product imagery uses bright colour, approachable illustration and expert-led content.

Apply to your app

Label actions around a user's immediate need: "Unwind", "Clear your head", "Get ready for sleep". Keep the duration and delivery format visible.

Watch the trade-off

A content library can distract from your tracking purpose. A few relevant exercises should complement Today rather than occupy the entire product.

Source [15]

Three references with useful boundaries

Observed product patterns are separated from recommendations. Trade-offs below are design hypotheses, not usability-test results.

SLEEP / MEDITATION

Calm

Observed

The official indexed product summary emphasises sleep and meditation. This was a limited content review; its full product page did not load, so detailed current UI claims are excluded.

Apply to your app

Provide an easy evening entry point and short low-effort audio options where content is in scope. Let the user start without browsing a long catalogue.

Watch the trade-off

A relaxation-first brand would understate your physical tracking and broader life features. Treat evening use as one mode within the app.

Source [16]

MEN'S HEALTHCARE BRAND

MANUAL

Observed

The public website uses large direct language, deep green, light backgrounds and problem-based treatment categories. It was reviewed as a web brand reference, not verified as a native tracking app.

Apply to your app

A men's health identity can be clear, restrained and credible. Use a strong ink colour, generous spacing and specific words rather than masculine decorative signals.

Watch the trade-off

The treatment-shopping structure serves a different job. Your home screen should not become a list of perceived deficiencies or things to buy.

Source [4]

CATEGORY / PRIVACY REFERENCE

Flo

Observed

Flo's Anonymous Mode page explains the privacy choice in product language and describes feature and account-recovery limitations. It is an adjacent reference, not a men's competitor.

Apply to your app

Explain a privacy option where it is chosen, including its practical limits. Borrow the principle of contextual daily relevance for a recurring personal-health habit.

Watch the trade-off

Do not imply men have an equivalent monthly prediction model, or label local-only storage as anonymous or end-to-end encrypted without the corresponding implementation.

Source [17]

Sources and evidence

Official sources reviewed 7 September 2026. Public descriptions support feature claims; visual and design judgements are identified in the review.

[01] Hims app listing

Official listing and screenshots; telehealth scope and visual positioning.

[Open official source](#)

[02] Mojo product website

Official product and program descriptions; current broader sexual-wellbeing positioning.

[Open official source](#)

[03] Mental app listing

Official listing and screenshots; AI and daily training positioning.

[Open official source](#)

[04] MANUAL website

Men's healthcare brand reference; public website visually inspected.

[Open official source](#)

[05] Oura: new app design

5 November 2025 redesign: Today, Vitals, My Health and daily prioritisation.

[Open official source](#)

[06] Oura: how to use the app

Current navigation, personal baselines, data sufficiency and feature organisation.

[Open official source](#)

[07] WHOOP: how it works

Official descriptions of sleep, strain, recovery and health monitoring; browser visuals blocked.

[Open official source](#)

[08] WHOOP Journal

Official description of behaviour logging and physiological insights.

[Open official source](#)

[09] Gentler Streak

Official screenshots and descriptions of Activity Path, rest and activity status.

[Open official source](#)

[10] Hevy

Official website and product imagery: workout logging, routines and progress.

[Open official source](#)

Sources and evidence / continued

Official sources reviewed 7 September 2026. Public descriptions support feature claims; visual and design judgements are identified in the review.

[11] Ladder

Official website: coaching, programs, rep/weight logging and nutrition.

[Open official source](#)

[12] Strava app listing

Official listing: activity recording, progress and community.

[Open official source](#)

[13] How We Feel

Official website: emotional vocabulary, check-ins, patterns and in-the-moment strategies.

[Open official source](#)

[14] Bearable

Official product descriptions and screenshot: mood, symptoms, factors and health tracking.

[Open official source](#)

[15] Headspace

Official website and product imagery: needs-led discovery, meditation, sleep and support.

[Open official source](#)

[16] Calm sleep app

Official indexed product summary; full page did not load. Limited content benchmark.

[Open official source](#)

[17] Flo: Anonymous Mode

Official feature explanation and limitations; privacy communication reference.

[Open official source](#)

[18] W3C: contrast minimum

WCAG 2.2 explanation of text contrast requirements.

[Open official source](#)

[19] Android: accessible apps

Official touch-target and accessibility guidance.

[Open official source](#)


[20] Apple: accessibility

Platform accessibility reference for implementation and QA.

[Open official source](#)

Grounded Editorial, after dark.

Warm charcoal, sage teal and softened clay. The same Journal, Intake, Body and Life.



A second appearance for the same system


Semantic roles preserve hierarchy. A component resolves its colours from the chosen appearance.

Role	Light	Dark	Application
Canvas	#F4F1EB	#171D1A	The main page background.
Surface	#FFFDDFA	#202923	Cards, list groups and navigation.
Raised surface	Surface + elevation	#29352D	Sheets and raised content. Use tonal separation.
Primary text	#202725	#F2F0E9	Warm off-white body copy, headings and values.
Secondary text	#626B65	#B3BDB5	Dates, units, sources and supporting copy.
Primary / on-primary	#174F4A / #FFFFFF	#A8CDBE / #14261D	Selected dates and primary buttons.
Accent / on-accent	#A14F36 / #FFFFFF	#D99A78 / #281B14	The labelled + Log action.
Control boundary	#78847D	#7D9183	Inputs and controls needing a visible outline.
Decorative divider	#D8DDD6	#39483F	Non-essential grouping lines only.
Selected soft	#E0ECE7	#304B3E	Selected chips with brand text and a checkmark.
History fill	#DDE5DD	#344C40	Neutral personal-history band, independent of targets.
Error	#A33932	#F2ABA0	Error text, icons and outlines; include a message.

Verified solid-colour pairs: secondary text / raised surface 6.62:1; button text / primary 9.16:1; control boundary / raised surface 3.81:1. These checks apply to the specified colours, not to pixels in the generated PoC.

Let people choose their appearance

Appearance is a preference. Build both themes into the shared components as they are implemented.




Preference behaviour

System follows device changes. Light and Dark stay selected until changed. Persist the choice on this device and restore it before the first visible app frame.

Preserve the task

Changing appearance keeps the current screen, scroll position, typed values and unfinished check-in. It does not reset a draft or create another record.



Cover the whole experience

Apply the resolved theme to sheets, menus, date pickers, charts, keyboards where supported, system bars and launch surfaces. Reuse natural-colour photos; do not invert them.

Validate both appearances

Check every component state, low brightness, large text and screen readers. Keep selected and error icons, meaningful text and chart line styles. Honour reduced motion.

Android guidance: Light, Dark and System default; theme-aware resources and launch surfaces.