

SOFTWARE TESTING ASSIGNMENT-1

TEST-1:

Project: ST assignment1*

Executing

X test1*

https://www.myntra.com/

	Command	Target	Value
1	✓ open	https://www.myntra.com/shop/men	
2	✓ set window size	1280x715	
3	✓ click	css=.desktop-navContent:nth-child(1) .desktop-main	
4	X click	linkText=T-Shirts	
5	click	css=.categories-list > li:nth-child(1) .common-checkboxIndicator	
6	click	css=.brand-list > li:nth-child(2) .common-checkboxIndicator	
7	mouse over	css=.product-base:nth-child(1) .img-responsive > .img-responsive	
8	mouse out	css=.product-sliderContainer:nth-child(2) .img-responsive > .img-responsive	
9	mouse over	css=.product-base:nth-child(2) .img-responsive > .img-responsive	
10	mouse out	css=.product-sliderContainer:nth-child(2) .img-responsive > .img-responsive	

Command

Target

Value

Description

Runs: 1 Failures: 1

Log Reference

Running 'test1'

1. open on https://www.myntra.com/shop/men OK

2. setWindowSize on 1280x715 OK

3. click on css=.desktop-navContent:nth-child(1) .desktop-main OK

4. Trying to find linkText=T-Shirts... Failed:
Implicit Wait timed out after 30000ms

'test1' ended with 1 error(s)

TEST-2:

Project: ST assignment1*

Tests	+		Search tests...																																		
https://www.youtube.com/																																					
<table border="1"> <thead> <tr> <th>Command</th> <th>Target</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>1 </td> <td>https://www.youtube.com/</td> <td></td> </tr> <tr> <td>2 </td> <td>1280x800</td> <td></td> </tr> <tr> <td>3 </td> <td>css=.style-scope:nth-child(2) > #text</td> <td></td> </tr> <tr> <td>4 </td> <td>css=.style-scope:nth-child(1) > #contents > .style-scope:nth-child(2) > #content .yt-core-image--fill-parent-height</td> <td></td> </tr> <tr> <td>5 </td> <td>css=.style-scope:nth-child(1) > #contents > .style-scope:nth-child(2) > #content .yt-core-image--fill-parent-height</td> <td></td> </tr> <tr> <td>6 </td> <td>css=.style-scope:nth-child(3) > #endpoint</td> <td></td> </tr> <tr> <td>7 </td> <td>css=.style-scope:nth-child(3) > #endpoint</td> <td></td> </tr> <tr> <td>8 </td> <td>css=.style-scope:nth-child(3) > #endpoint</td> <td></td> </tr> <tr> <td>9 </td> <td>css=.style-scope:nth-child(6) > #text</td> <td></td> </tr> <tr> <td>10 </td> <td>css=.style-scope:nth-child(3) > #endpoint</td> <td></td> </tr> </tbody> </table>					Command	Target	Value	1	https://www.youtube.com/		2	1280x800		3	css=.style-scope:nth-child(2) > #text		4	css=.style-scope:nth-child(1) > #contents > .style-scope:nth-child(2) > #content .yt-core-image--fill-parent-height		5	css=.style-scope:nth-child(1) > #contents > .style-scope:nth-child(2) > #content .yt-core-image--fill-parent-height		6	css=.style-scope:nth-child(3) > #endpoint		7	css=.style-scope:nth-child(3) > #endpoint		8	css=.style-scope:nth-child(3) > #endpoint		9	css=.style-scope:nth-child(6) > #text		10	css=.style-scope:nth-child(3) > #endpoint	
Command	Target	Value																																			
1	https://www.youtube.com/																																				
2	1280x800																																				
3	css=.style-scope:nth-child(2) > #text																																				
4	css=.style-scope:nth-child(1) > #contents > .style-scope:nth-child(2) > #content .yt-core-image--fill-parent-height																																				
5	css=.style-scope:nth-child(1) > #contents > .style-scope:nth-child(2) > #content .yt-core-image--fill-parent-height																																				
6	css=.style-scope:nth-child(3) > #endpoint																																				
7	css=.style-scope:nth-child(3) > #endpoint																																				
8	css=.style-scope:nth-child(3) > #endpoint																																				
9	css=.style-scope:nth-child(6) > #text																																				
10	css=.style-scope:nth-child(3) > #endpoint																																				
<table border="1"> <tr> <td>Command</td> <td><input type="text" value="mouse out"/></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Target</td> <td><input type="text" value="css=.style-scope:nth-child(1) > #contents > .style-scope:nth-child(2) > #content .yt-core-image--fill-parent-height"/></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Value</td> <td><input type="text"/></td> <td colspan="3"></td> </tr> <tr> <td>Description</td> <td colspan="4"><input type="text"/></td> </tr> </table>					Command	<input type="text" value="mouse out"/>				Target	<input type="text" value="css=.style-scope:nth-child(1) > #contents > .style-scope:nth-child(2) > #content .yt-core-image--fill-parent-height"/>				Value	<input type="text"/>				Description	<input type="text"/>																
Command	<input type="text" value="mouse out"/>																																				
Target	<input type="text" value="css=.style-scope:nth-child(1) > #contents > .style-scope:nth-child(2) > #content .yt-core-image--fill-parent-height"/>																																				
Value	<input type="text"/>																																				
Description	<input type="text"/>																																				

Log Reference

Project: ST assignment1*

Tests	+		Search tests...																					
https://www.youtube.com/																								
<table border="1"> <thead> <tr> <th>Command</th> <th>Target</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>1 </td> <td>https://www.youtube.com/</td> <td></td> </tr> <tr> <td>2 </td> <td>1280x800</td> <td></td> </tr> <tr> <td>3 </td> <td>css=.style-scope:nth-child(2) > #text</td> <td></td> </tr> <tr> <td>4 </td> <td>css=.style-scope:nth-child(1) > #contents > .style-scope:nth-child(2) > #content .yt-core-image--fill-parent-height</td> <td></td> </tr> </tbody> </table>					Command	Target	Value	1	https://www.youtube.com/		2	1280x800		3	css=.style-scope:nth-child(2) > #text		4	css=.style-scope:nth-child(1) > #contents > .style-scope:nth-child(2) > #content .yt-core-image--fill-parent-height						
Command	Target	Value																						
1	https://www.youtube.com/																							
2	1280x800																							
3	css=.style-scope:nth-child(2) > #text																							
4	css=.style-scope:nth-child(1) > #contents > .style-scope:nth-child(2) > #content .yt-core-image--fill-parent-height																							
<table border="1"> <tr> <td>Command</td> <td><input type="text" value="mouse out"/></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Target</td> <td><input type="text" value="css=.style-scope:nth-child(1) > #contents > .style-scope:nth-child(2) > #content .yt-core-image--fill-parent-height"/></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Value</td> <td><input type="text"/></td> <td colspan="3"></td> </tr> <tr> <td>Description</td> <td colspan="4"><input type="text"/></td> </tr> </table>					Command	<input type="text" value="mouse out"/>				Target	<input type="text" value="css=.style-scope:nth-child(1) > #contents > .style-scope:nth-child(2) > #content .yt-core-image--fill-parent-height"/>				Value	<input type="text"/>				Description	<input type="text"/>			
Command	<input type="text" value="mouse out"/>																							
Target	<input type="text" value="css=.style-scope:nth-child(1) > #contents > .style-scope:nth-child(2) > #content .yt-core-image--fill-parent-height"/>																							
Value	<input type="text"/>																							
Description	<input type="text"/>																							

Log Reference

Running 'test2'

```

1. open on https://www.youtube.com/ OK
2. setWindowSize on 1280x800 OK
3. click on css=.style-scope:nth-child(2) > #text OK
4. mouseOver on css=.style-scope:nth-child(1) > #contents > .style-scope:nth-child(2) > #content .yt-core-image--fill-parent-height OK
5. mouseOut on css=.style-scope:nth-child(1) > #contents > .style-scope:nth-child(2) > #content .yt-core-image--fill-parent-height OK
6. mouseOver on css=.style-scope:nth-child(3) > #endpoint OK
7. mouseOut on css=.style-scope:nth-child(3) > #endpoint OK
8. mouseOver on css=.style-scope:nth-child(3) > #endpoint OK
9. mouseOut on css=.style-scope:nth-child(3) > #endpoint OK
10. click on css=.style-scope:nth-child(6) > #text OK
'test2' completed successfully

```

19:42:41 19:42:43 19:42:44 19:42:45 19:42:47 19:42:48 19:42:48 19:42:48 19:42:48 19:42:48

TEST-3:

Project: ST assignment1*

Command	Target	Value
1 ✓ open	https://www.geeksforgeeks.org/learn-data-structures-and-algorithms-dsa-tutorial/?ref=shm	
2 ✓ set window size	1280x800	
3 ✓ mouse over	linkText=What is DSA?	
4 ✓ click	linkText=What is Data Structure?	
5 ✓ run script	window.scrollTo(0,1453.5)	
6 ✓ run script	window.scrollTo(0,1827.5)	
7 ✓ run script	window.scrollTo(0,1986.5)	
8 ✓ run script	window.scrollTo(0,2189.5)	
9 ✓ run script	window.scrollTo(0,2407.5)	

Command Target Value

Target Value Description

Log Reference

Project: ST assignment1*

Command	Target	Value
1 ✓ open	https://www.geeksforgeeks.org/learn-data-structures-and-algorithms-dsa-tutorial/?ref=shm	
2 ✓ set window size	1280x800	
3 ✓ mouse over	linkText=What is DSA?	
4 ✓ click	linkText=What is Data Structure?	

Command Target Value

Target Value Description

Log Reference

```
'test2' completed successfully
Running 'test3'
1. open on https://www.geeksforgeeks.org/learn-data-structures-and-algorithms-dsa-tutorial/?ref=shm OK
2. setWindowSize on 1280x800 OK
3. mouseOver on linkText=What is DSA? OK
4. click on linkText=What is Data Structure? OK
5. runScript on window.scrollTo(0,1453.5) OK
6. runScript on window.scrollTo(0,1827.5) OK
7. runScript on window.scrollTo(0,1986.5) OK
8. runScript on window.scrollTo(0,2189.5) OK
9. runScript on window.scrollTo(0,2407.5) OK
'test3' completed successfully
```

TEST-4:

Project: ST assignment1*

Executing **x test4*** https://www.codingninjas.com/

Command	Target	Value
1 ✓ open	https://www.codingninjas.com/	1280x800
2 ✓ set window size	css=.classroom_button	
3 ✓ mouse over	css=.menu-item:nth-child(3)	
4 ✓ click	root	
5 ✓ store window handle	handle=\${root}	
6 ✓ select window	css=.menu-item-tag > .passiveLink	
7 ✗ click	css=.menu-item-tag > .passiveLink	
8 mouse over	css=.menu-item-tag > .passiveLink	
9 mouse out	css=.menu-item-tag > .passiveLink	

Runs: 1 Failures: 1

Log Reference

Project: ST assignment1*

Executing **x test4*** https://www.codingninjas.com/

Command	Target	Value
5 ✓ store window handle	root	
6 ✓ select window	handle=\${root}	
7 ✗ click	css=.menu-item-tag > .passiveLink	
8 mouse over	css=.menu-item-tag > .passiveLink	
9 mouse out	css=.menu-item-tag > .passiveLink	

Runs: 1 Failures: 1

Log Reference

'test4' was aborted

Running 'test4'

```

1. open on https://www.codingninjas.com/ OK
2. setWindowSize on 1280x800 OK
3. mouseOver on css=.classroom_button OK
4. click on css=.menu-item:nth-child(3) OK
5. storeWindowHandle on root OK
6. selectWindow on handle=${root} OK
7. Trying to find css=.menu-item-tag > .passiveLink... Failed:
Implicit Wait timed out after 30000ms

```

'test4' ended with 1 error(s)

TEST-5:

Project: ST assignment1*

Executing: test5* Run current test: rip.com/

Command	Target	Value
1 ✓ open	https://www.makemytrip.com/	
2 ✓ set window size	1280x800	
3 ✓ mouse over	css=.menu_Buses .chNavText	
4 ✓ mouse out	css=.menu_Buses .chNavText	
5 ✓ click	css=.slick-slide:nth-child(3) .hpClcn__slider--itemDesc	
6 ✓ click	css=.DestinationCard__Card-sc-1czmno9-0:nth-child(2) img	

Command Target Value

Target

Value

Description

Runs: 1 Failures: 0

Log Reference

```
Running 'test5'
1. open on https://www.makemytrip.com/ OK          19:57:48
2. setWindowSize on 1280x800 OK                    19:57:50
3. mouseOver on css=.menu_Buses .chNavText OK      19:57:52
4. mouseOut on css=.menu_Buses .chNavText OK        19:57:58
5. click on css=.slick-slide:nth-child(3) .hpClcn__slider--itemDesc OK  19:58:00
6. click on css=.DestinationCard__Card-sc-1czmno9-0:nth-child(2) img OK 19:58:02
'test5' completed successfully                      19:58:03
```

TEST-6:

Project: ST assignment1*

Executing: test6* Run current test: https://www.tutorialandexample.com/software-engineering-tutorial

Command	Target	Value
1 ✓ open	https://www.tutorialandexample.com/software-engineering-tutorial	
2 ✓ set window size	1280x800	
3 ✓ mouse over	linkText=Agile Model	
4 ✓ click	linkText=Agile Model	
5 ✓ click	linkText=Incremental Model	

Command: open Target: https://www.tutorialandexample.com/software-eng Value: Description:

Runs: 1 Failures: 0

Log Reference 19:41:23

'test6' completed successfully

Running 'test6'

```

1. open on https://www.tutorialandexample.com/software-engineering-tutorial OK      19:41:12
2. setWindowSize on 1280x800 OK          19:41:14
3. mouseOver on linkText=Agile Model OK 19:41:15
4. click on linkText=Agile Model OK    19:41:16
5. click on linkText=Incremental Model OK 19:41:19
'test6' completed successfully           19:41:21

```

TEST-7:

Project: ST assignment1*

Executing

X test7*

https://www.zomato.com

	Command	Target	Value
1	✓ open	/	
2	✓ set window size	1280x800	
3	✓ click	css=.sc-hdPSEv	
4	✓ type	css=.sc-hdPSEv	cake
5	✓ send keys	css=.sc-hdPSEv	\$(KEY_ENTER)
6	✓ click	css=.sc-1FTYTi	
7	X mouse over	css=.sc-1mo3ldo-0:nth-child(8) .sc-eZXMBi:nth-child(2) .sc-kSpkgE.sc-s1isp7-3	
8	mouse out	css=.sc-1mo3ldo-0:nth-child(8) .sc-eZXMBi:nth-child(2) .sc-kSpkgE.sc-s1isp7-3	
9	run script	window.scrollTo(0,457)	
10	close		

Command

Target

Value

Description

Runs: 1 Failures: 1

Project: ST assignment1*

Executing

X test7*

https://www.zomato.com

	Command	Target	Value
1	✓ open	/	
2	✓ set window size	1280x800	
3	✓ click	css=.sc-hdPSEv	
4	✓ type	css=.sc-hdPSEv	cake
5	✓ send keys	css=.sc-hdPSEv	\$(KEY_ENTER)

Command

Target

Value

Description

Runs: 1 Failures: 1

Log Reference

4. Trying to find css=.sc-hdPSEv... Failed:
Implicit Wait timed out after 30000ms 20:00:29

'test7' ended with 1 error(s) 20:00:59

Running 'test7'

1. open on / OK 20:15:24

2. setWindowSize on 1280x800 OK 20:15:24

3. click on css=.sc-hdPSEv OK 20:15:24

4. type on css=.sc-hdPSEv with value cake OK 20:15:28

5. sendKeys on css=.sc-hdPSEv with value \$(KEY_ENTER) OK 20:15:30

6. click on css=.sc-fFTYTi OK 20:15:32

7. Trying to find css=.sc-1mo3ldo-0:nth-child(8).sc-eZXMBi:nth-child(2).sc-kSpkgE.sc-s1isp7-3... Failed:
Implicit Wait timed out after 30000ms 20:15:32

'test7' ended with 1 error(s) 20:16:05

TEST-8:

Project: ST assignment1*

Tests + D E D O O

Search tests... 🔍

<https://www.google.com> REC

	Command	Target	Value
1	✓ open	/	
2	✓ set window size	1280x800	
3	✓ type	name=q	date
4	✓ click	css=.sbhl .wM6W7d > span	
5	✓ click	css=.vk_bk	
6	✓ verify text	css=.vk_bk	Friday, 13 January 2023
7	✓ mouse over	css=.gb_e	
8	✓ mouse out	css=.gb_e	

Command // ⌂

Target 🔍

Value 🔍

Description 🔍

Log Reference

Warning Element found with secondary locator css=.vk_bk > span. To use it by default, update the test step to use it as the primary locator. 17:55:09

'test8' ended with 1 error(s) 17:55:09

Running 'test8' 17:56:08

1. open on / OK 17:56:10

2. setWindowSize on 1280x800 OK 17:56:11

3. type on name=q with value date OK 17:56:12

4. Trying to find css=.sbhl .wM6W7d > span... OK 17:56:14

5. click on css=.vk_bk OK 17:56:21

6. verifyText on css=.vk_bk with value Friday, 13 January 2023 OK 17:56:23

7. mouseOver on css=.gb_e OK 17:56:25

8. mouseOut on css=.gb_e OK 17:56:27

'test8' completed successfully 17:56:28

TEST-9:

Project: ST assignment2*

Tests + D E ⌂ ⌂ ⌂ REC

Search tests... Run current test ⌂ R en-IN/?Goto=Redirected

	Command	Target	Value
test8	1 ✓ open	https://weather.com/en-IN/?Goto=Redirected	
✓ test9*	2 ✓ set window size	1280x800	
	3 ✓ click	css=.SearchInput--searchIcon--K2p09	
	4 ✓ click	id=LocationSearch_input	
	5 ✓ type	id=LocationSearch_input	khargone
	6 ✓ send keys	id=LocationSearch_input	\$(KEY_ENTER)
	7 ✓ click	id=LocationSearch_listbox-0	
test11			
test12			
test13*			
test14			
test15			

Command Target Value

Target Value Description

Log Reference

```
Running 'test9'
1. open on https://weather.com/en-IN/?Goto=Redirected OK
2. setWindowSize on 1280x800 OK
3. click on css=.SearchInput--searchIcon--K2p09 OK
4. click on id=LocationSearch_input OK
5. type on id=LocationSearch_input with value khargone OK
6. sendKeys on id=LocationSearch_input with value $(KEY_ENTER) OK
7. Trying to find id=LocationSearch_listbox-0... OK
'test9' completed successfully
```

TEST-10:

Project: ST assignment1*

Executing | Run current test <https://ns.nic.in>

Command	Target	Value
1 ✓ open	/	
2 ✓ set window size	1280x800	
3 ✓ click	linkText=Schedule	
4 ✓ click	linkText=Home	
5 ✓ choose ok on next confirmation		
6 ✓ click	linkText=View Special Eligibilities	
7 ✓ assert confirmation	You are being redirected to an external website. Please note that CENTRALIZED COUNSELLING FOR M.TECH./M.ARCH./M.PLAN. ADMISSIONS cannot be held responsible for external websites content & privacy policies. OK	
8 ✓ store window handle	handle=\${win3259}	

Runs: 1 Failures: 0

Log Reference 18-19:00
B. storeWindowHandle on handle=\${win3259} OK

'test10' completed successfully 18:19:55

Project: ST assignment2*

Tests | https://ccmt.admissions.nic.in/

Command	Target	Value
1 ✓ open	/	
2 ✓ set window size	1280x800	
3 ✓ click	linkText=Schedule	
4 ✓ click	linkText=Home	
5 ✓ choose ok on next confirmation		

Log Reference 20:28:23
Running 'test10'
1. open on / OK 20:28:23
2. setWindowSize on 1280x800 OK 20:28:23
3. click on linkText=Schedule OK 20:28:24
4. click on linkText=Home OK 20:28:26
5. chooseOkOnNextConfirmation OK 20:28:28
6. click on linkText=View Special Eligibilities OK 20:28:31
7. assertConfirmation on You are being redirected to an external website. Please note that CENTRALIZED COUNSELLING FOR M.TECH./M.ARCH./M.PLAN. ADMISSIONS cannot be held responsible for external websites content & privacy policies. OK 20:28:31
8. storeWindowHandle on handle=\${win3259} OK 20:28:32

'test10' completed successfully 20:28:32

TEST-11:

Project: ST assignment1*

Executing: test11*

https://www.bing.com

	Command	Target	Value
1	✓ open	/	
2	✓ set window size	1280x800	
3	✓ mouse over	id=rh_meter	
4	✓ type	id=sb_form_q	what is c++
5	✓ send keys	id=sb_form_q	\$(KEY_ENTER)
6	✓ run script	window.scrollTo(0,217)	
7	✗ double click at	linkText=What is C++ programming language? - tutorialspoint.com	
8	select window	handle=\$(win4312)	
9	mouse over	css=.nav-link > span:nth-child(2)	

Command Target Value

Target

Value

Description

Runs: 1 Failures: 1

Log Reference

```

Running 'test11'
1. open on / OK                                         18:37:56
2. setWindowSize on 1280x800 OK                           18:37:57
3. Trying to find id=rh_meter... OK                      18:37:58
4. type on id=sb_form_q with value what is c++ OK      18:38:02
5. sendKeys on id=sb_form_q with value ${KEY_ENTER} OK   18:38:02
6. runScript on window.scrollTo(0,217) OK                18:38:02
7. doubleClickAt on linkText=What is C++ programming language? - tutorialspoint.com Failed:
Exceeded waiting time for new window to appear 2000ms    18:38:02
'test11' ended with 1 error(s)                            18:38:04

```

TEST-12:

Project: ST assignment2*

Tests + D E ⌂ ○ ⊞ ○ ▶

Run current test ⌘R n/in/

	Command	Target	Value
test8	1 ✓ open	https://www.apple.com/in/	
	2 ✓ set window size	1280x800	
	3 ✓ mouse over	linkText=Only on Apple	
	4 ✓ click	linkText=Mac	
✓ test12	5 ✓ click	css=.chapternav-item-macbook-air .chapternav-icon	
test13*	6 ✓ click	css=.chapternav-item-macbook-air-m1 .chapternav-icon	
test14			
test15			

Command: // []

Target: [] []

Value: []

Description: []

Log Reference

```
Running 'test12'
1. open on https://www.apple.com/in/ OK 20:32:59
2. setWindowSize on 1280x800 OK 20:32:59
3. mouseOver on linkText=Only on Apple OK 20:32:59
4. click on linkText=Mac OK 20:33:01
5. click on css=.chapternav-item-macbook-air .chapternav-icon OK 20:33:03
6. click on css=.chapternav-item-macbook-air-m1 .chapternav-icon OK 20:33:04
'test12' completed successfully 20:33:05
```

TEST-13:

Project: ST assignment1*

Executing: test13* Run current test ⌘R

Command	Target	Value
1 ✓ open	https://www.redbus.in/	
2 ✓ set window size	1280x800	
3 ✓ type	id=src	khargone
4 ✓ click	css=.selected	
5 ✓ type	id=dest	indore
6 ✓ click	css=.selected	
7 ✓ click	id=search_btn	
8 ✓ execute script	id="execute"	

Runs: 1 Failures: 0

Log Reference

'test13' completed successfully

Running 'test13'

```

1. open on https://www.redbus.in/ OK          18:44:42
2. setWindowSize on 1280x800 OK              18:45:51
3. type on id=src with value khargone OK    18:45:54
4. click on css=.selected OK                 18:45:56
5. type on id=dest with value indore OK     18:46:01
6. click on css=.selected OK                 18:46:04
7. click on id=search_btn OK                18:46:08
8. executeScript on id="execute" OK         18:46:11

```

'test13' completed successfully

TEST-14:

Project: ST assignment1*

Executing: test14*

https://paytm.com

	Command	Target	Value
1	✓ open	/	
2	✓ set window size	1280x800	
3	✓ mouse over	linkText=Paytm for Consumer	
4	✓ click	linkText=Paytm for Consumer	
5	✓ mouse out	linkText=Paytm for Consumer	
6	✗ click	css=.listitem:nth-child(1) .itemName	
7	click	linkText=Bus Tickets	
8	run script	window.scrollTo(0,129)	
9	click	id=text-box	
10	type	id=text-box	hyder
11	click	css=_2xgL:nth-child(2) b	
12	click	css=.col-xs-2:nth-child(4) #text-box	
13	click	css=_2xgL:nth-child(4) _1TxU	
14	click	css=.uOj_	
15	click	css=.button	

Command: // [] []

Target: [] []

Value: []

Description: []

Runs: 1 Failures: 1

Log Reference

```

Running 'test14'
1. open on / OK                                         18:50:57
2. setWindowSize on 1280x800 OK                           18:50:59
3. mouseOver on linkText=Paytm for Consumer OK          18:51:01
4. click on linkText=Paytm for Consumer OK              18:51:02
5. mouseOut on linkText=Paytm for Consumer OK            18:51:05
6. Trying to find css=.listitem:nth-child(1) .itemName... Failed:
   Implicit Wait timed out after 30000ms                18:51:08
'test14' ended with 1 error(s)                            18:51:11

```

TEST-15:

Project: ST assignment2*

Executing: test15*

https://www.wikipedia.org

Command	Target	Value
1 ✓ open	/	
2 ✓ set window size	1280x800	
3 ✓ type	id=searchInput	probability
4 ✓ click	css=.active .suggestion-highlight	
5 ✓ click	css=.tocsection-3 .toctext	
6 ✓ click	linkText=History of probability	
7 ✓ click	css=.tocsection-3 .toctext	
8 ✓ click	css=.hatnote > a	

Command Target Value

Target

Value

Description

Runs: 1 Failures: 0

Log Reference

```
'test15' completed successfully
Running 'test15'
1. open on / OK
2. setWindowSize on 1280x800 OK
3. type on id=searchInput with value probability OK
4. Trying to find css=.active .suggestion-highlight... OK
Warning Element found with secondary locator xpath=/div[@id='typeahead-suggestions']/div/a/div/h3/em. To use it by default, update the test step to use it as the primary locator.
5. click on css=.tocsection-3 .toctext OK
6. click on linkText=History of probability OK
7. click on css=.tocsection-3 .toctext OK
8. click on css=.hatnote > a OK
'test15' completed successfully
```