LAB 4
Submission

Name:Bisma Mazhar
Roll No:44
Class:BSCS
Section:C
Submitted To:Sir Asad Majeed
Date:18-10-2026


TASK 1

Question:
Task 1: Positive Number

Write a program to print positive number entered by the user.

If the user enters a negative number, print “Number entered is positive”; otherwise, print “Number is negative.”

Handwritten code



Code on compiler

Coding C++

Auto saved at 20:14:27

RUN MENU


```cpp
#include <iostream>
using namespace std;
int main()
{
    int number;
    cout << "Enter a number: ";
    cin >> number;
    if (number >= 0)
    {
        cout << "Number entered is positive" << endl;
    }
    else
    {
        cout << "Number is negative" << endl;
    }
    return 0;
}
```

Output

Compile Result

```
Enter a number: 5
Number entered is positive

[Process completed - press Enter]
```




TASK 2

Question:
Task 2: Positive, Negative or Zero

Write a program to check whether an integer is positive, negative or zero.

Handwritten code



Code on compiler

Coding C++

Auto saved at 20:19:26

RUN MENU


```cpp
#include <iostream>
using namespace std;
int main()
{
    int number;
    cout << "Enter an integer: ";
    cin >> number;
    if (number > 0)
    {
        cout << "Number is positive" << endl;
    }
    else if (number < 0)
    {
        cout << "Number is negative" << endl;
    }
    else
    {
        cout << "Number is zero" << endl;
    }
    return 0;
}
```


Output

Compile Result

```
Enter an integer: 10
Number is positive

[Process completed - press Enter]
```





TASK 3

Question:
Task 3: Grade Calculator

Input: Marks

Process:

- If marks are greater than or equal to 75, the grade will be A.
- If marks are less than 75 and greater than or equal to 60, the grade will be B.
- If marks are less than 60 and greater than or equal to 45, the grade will be C.
- If marks are less than 30, the grade will be D.

Output: Print the grade of your score.

Handwritten code

TASK 03:

```
#include <iostream>
using namespace std;
int main ()
{
  int mark;
  cout << "Enter your marks :";
  cin >> mark;
  if (mark >= 75 )
{
  cout << " Your grade is A" <<endl;
}
 else if (mark < 75 && mark >= 60 )
{
  cout << " Your grade is B" <<endl;
}
 else if (mark < 60 && mark >= 45)
{
  cout << " Your grade is C" <<endl;
}
 else
{
  cout << " Your grade is D" << endl;
}
  return 0 ;
}
```

OUTPUT

75 ya us se upper=>A
60 - 74 -> B
45 - 59 -> C
40 -> D

Code on compiler

```cpp
#include <iostream>
using namespace std;
int main()
{
    int mark;
    cout << "Enter your marks: ";
    cin >> mark;
    if (mark >= 75)
    {
        cout << "Your grade is A" << endl;
    }
    else if (mark < 75 && mark >= 60)
    {
        cout << "Your grade is B" << endl;
    }
    else if (mark < 60 && mark >= 45)
    {
        cout << "Your grade is C" << endl;
    }
    else
    {
        cout << "Your grade is D" << endl;
    }
    return 0;
}
```

Output

Compile Result

```
Enter your marks: 75
Your grade is A

[Process completed - press Enter]
```

Compile Result


```
Enter your marks: 60_74
Your grade is B

[Process completed - press Enter]
```

Compile Result

```
Enter your marks: 45_59
Your grade is C

[Process completed - press Enter]
```



TASK 4

Question:
Task 4: Find the Largest Number Using Nested if-else

Check whether the number entered by the user is positive or not. If it is positive, calculate how many digits the number has.

Handwritten code

TASK 04:

OUTPUT


10 (Positive) have 2 digits.

```
#include <iostream>;
using namespace std;
int main ()
{
int number;
cout << "Enter a number : ";
cin >> number ;
if (number >0 )
{
cout << "Number is Positive" <<endl;
if (number <10)
{
cout << "It has 2 digits" <<endl;
}
else
{
if (number <1000 )
{
cout << "It has 3 digits" <<endl;
}else
{
if (number <10000)
{
cout << "It has 4 digits" <<endl;
}else
{
cout << "It has 5 or more digits"
<< endl;
}
}
}
}
}
}
cout << "Number is not Positive" <<endl;
return 0;
```

Code on compiler

```cpp
#include <iostream>
using namespace std;
int main()
{
    int number;
    cout << "Enter a number: ";
    cin >> number;
    if (number > 0)
    {
        cout << "Number is positive" << endl;
        if (number < 10)
        {
            cout << "It has 1 digit" << endl;
        }
        else
        {
            if (number < 100)
            {
                cout << "It has 2 digits" << endl;
            }
            else
            {
                if (number < 1000)
                {
                    cout << "It has 3 digits" << endl;
                }
                else
                {
                    if (number < 10000)
                    {
                        cout << "It has 4 digits" << endl;
                    }
                    else
                    {
                        cout << "It has 5 or more digits" << endl;
                    }
                }
            }
        }
    }
    else
    {
        cout << "Number is not positive" << endl;
    }
    return 0;
}
```

Output



End of Assignment