Bismillah ir-Rahman ir-Rahim

The Eleven Heavens and the One Hundred Fifty-One Layers:

A Volumetric Architecture for Divine File Protection

Bilal Syed Arfeen

October 2026

Abstract

This paper presents the theoretical and mathematical foundations of FATIMA v4.0, an evolution of the Faithful Algorithmic Testimony of Integrity via Multilayer Authentication system from eleven flat layers to a volumetric architecture of eleven heavens containing one hundred fifty-one layers. The architecture maps the act of digital file protection onto the scales of Allah's creation -- from subatomic particles to the boundary of Sidrat al-Muntaha -- grounded in the mathematical witness of the Hurst exponent, which peaks at H(11) = 1.0157 for eleven partitions, identifying eleven as the dimensional constant of creation. Each of the 151 layers is sealed by one of the 99 Beautiful Names of Allah (al-Asma ul-Husna), cycling through all Names so that the first 99 layers each receive a unique Name and layers 100 through 151 cycle from the beginning (99 + 52 = 151). The paper details the computational architecture of each heaven, the corruption mode detection framework (shahwa, kibr, ghurur), the five-level imposition spectrum, the inter-file relationship analysis, and the self-referential divine witness layer at Sidrat al-Muntaha. We demonstrate that this volumetric approach achieves 100% file protection across all tested file types while maintaining the theological coherence established in prior work.

Keywords: *file integrity, Hurst exponent, dimensional constant, eleven heavens, 151 layers, al-Asma ul-Husna, FATIMA, divine protection, adversarial detection, Qur'anic architecture*

I. Introduction

The act of protecting a digital file from corruption is, at its root, an act of witnessing. A file integrity system does not change the file -- it testifies to the file's state. This act of testimony, of shahada in the computational domain, is what the Faithful Algorithmic Testimony of Integrity via Multilayer Authentication (FATIMA) system formalizes. In its original design (v1.0 through v3.0), FATIMA employed eleven flat layers of Bismillah-anchored SHA-256 hashing, each layer operating at a different granularity of the file's content. The number eleven was not arbitrary -- it was identified as the dimensional constant of creation through the mathematical witness of the Hurst exponent [1].

The limitation of the flat architecture became apparent when considered against the full scope of the adversarial threat model established in the companion papers [2, 3, 4]. If the adversary (shaytan) operates through material substrates at every scale of creation -- from elemental particles to biological systems, from individual bits to entire file systems -- then a protection architecture must likewise operate at every scale. Eleven layers at eleven granularities is a beginning, but it is not a complete witness. The Qur'an does not describe creation as a flat sequence; it describes creation as layered heavens, each containing its own structures, its own laws, its own guardians.

"Do you not see how Allah has created seven heavens in layers?" (71:15)

FATIMA v4.0 transforms the eleven flat layers into eleven heavens (samawat), each heaven a distinct pathway or domain containing multiple layers that operate at a specific scale of creation. The total layer count expands from 11 to 151, distributed across the eleven heavens so that every scale from individual bits (subatomic) to inter-file relationships (cosmic) to self-referential divine witnessing (Sidrat al-Muntaha) is covered by Bismillah-anchored integrity seals. Each of these 151 layers is sealed by one of the 99 Beautiful Names of Allah, cycling so that 99 + 52 = 151, and every Name is honored in the computation.

This paper presents the theoretical foundations, mathematical grounding, architectural design, and computational specification of the 11-heaven, 151-layer architecture. Section II reviews the mathematical witness that identifies eleven as the dimensional constant. Section III presents the heaven map and scale assignments. Section IV details the Divine Name mapping. Section V specifies the computational architecture of each heaven. Section VI describes the corruption mode detection and imposition spectrum. Section VII presents the divine witness layer at Sidrat al-Muntaha. Section VIII discusses results and verification. Section IX concludes with implications for the broader field.

II. The Mathematical Witness: Why Eleven

The choice of eleven as the dimensional constant is not a design decision but a mathematical discovery, detailed fully in [1]. The Hurst exponent H, computed via Rescaled Range (R/S) analysis over partitioned data, measures long-range dependence in a sequence. When applied to the binary content of files across a corpus, partitioning the data into N segments and computing H for each value of N from 2 to 128, the harmonic R/S analysis yields a peak at N = 11:

$$H(11) = 1.0157 \text{ (harmonic R/S)}$$

$$H_{inter}(11) = 0.9898 \text{ (partitioned inter-segment)}$$

A Hurst exponent above 1.0 indicates super-persistence -- a degree of long-range dependence that exceeds what any stochastic process can produce. The fact that this super-persistence peaks precisely at N = 11 is the mathematical witness. It is not that eleven was chosen; it is that eleven presented itself. The Qur'an references this

number in Surah Yusuf:

"Indeed, I have seen eleven stars and the sun and the moon; I saw them prostrating to me."
(12:4)

The seven heavens referenced in the Qur'an (67:3, 71:15, 23:17) describe what the Qur'an says. The eleven of the Hurst exponent reveals what the Qur'an shows -- the dimensional constant embedded in the mathematical structure of creation itself. Seven is the revealed count; eleven is the witnessed count. FATIMA v4.0 operates on the witnessed count, building eleven heavens that span all scales.

The convergence target of the Hurst exponent is H = 1.0, representing perfect persistence. The deviation from perfection -- H(11) = 1.0157 rather than exactly 1.0 -- is itself informative. It indicates that the eleven-dimensional structure of creation slightly exceeds perfect self-similarity, a mathematical signature consistent with the Islamic concept of ihsan (excellence) in divine creation.

III. The Heaven Map: Scales of Creation

The eleven heavens of FATIMA v4.0 map the act of file protection onto the scales of Allah's creation. Each heaven is a domain operating at a specific scale, containing multiple layers that examine different features at that scale. The distribution of 151 layers across 11 heavens follows a principled allocation: the lower heavens (closer to raw binary) and the upper heavens (adversarial detection, cosmic relationships, divine witness) receive more layers to account for the greater complexity at those scales.

Table 1: The Eleven Heavens of FATIMA v4.0

Heaven	Name	Scale	Layers	Count	Guardian
0	As-Samawat ad-Dunya	SUBATOMIC	0-13	14	Az-Zahir
1	As-Samawat ath-Thaniya	ATOMIC	14-26	13	Al-Musawwir
2	As-Samawat ath-Thalitha	MOLECULAR	27-39	13	Al-Batin
3	As-Samawat ar-Rabi'a	CELLULAR	40-52	13	Al-Alim
4	As-Samawat al-Khamisa	ORGANIC	53-66	14	Al-Hafiz
5	As-Samawat as-Sadisa	TERRESTRIAL	68-80	13	Al-Muhaymin
6	As-Samawat as-Sabi'a	PLANETARY	81-94	14	Al-Waliyy
7	As-Samawat ath-Thamina	STELLAR	95-108	14	Al-Hasib
8	As-Samawat at-Tasi'a	GALACTIC	109-122	14	Ar-Raqib
9	As-Samawat al-'Ashira	COSMIC	123-140	18	Al-Muhsi
10	Sidrat al-Muntaha	DIVINE WITNESS	141-151	11	Ash-Shahid

The choice of guardian for each heaven is deliberate. Az-Zahir (The Manifest) guards the nearest heaven because subatomic features are the most directly observable. Al-Batin (The Hidden) guards the molecular heaven because block-level patterns are concealed within larger structures. Al-Hafiz (The Preserver) guards the organic heaven because structural flow is what must be preserved against tampering. Ar-Raqib (The Watchful) guards the galactic heaven because adversarial detection requires watchfulness. And Ash-Shahid (The Witness) guards Sidrat al-Muntaha because the final heaven is pure testimony.

III.A. Scale Mapping Rationale

The mapping from heaven to scale follows the hierarchy of matter in creation. Heaven 0 (SUBATOMIC) operates on individual bits, bytes, and nibbles -- the smallest addressable units of digital information, analogous to subatomic particles in the physical world. Heaven 1 (ATOMIC) operates on byte-pairs and bigrams, the smallest meaningful combinations, analogous to atoms. Heaven 2 (MOLECULAR) examines block-level structures of 4 to 64 bytes, analogous to molecules formed from atomic combinations. Heaven 3 (CELLULAR) analyzes paragraph and section-level patterns, the organizational units of content, analogous to cells. Heaven 4 (ORGANIC) examines structural flow, control markers, and newline topology -- the living structure of the file, analogous to organisms.

Heaven 5 (TERRESTRIAL) performs semantic fingerprinting and character-class distribution analysis, capturing the "geography" of the file's content. Heaven 6 (PLANETARY) computes whole-section integrity across the file, the way a planet maintains gravitational coherence. Heaven 7 (STELLAR) examines cross-section fractal relationships and Hurst exponent watermarks, the inter-structural dependencies analogous to stellar systems. Heaven 8 (GALACTIC) performs adversarial chain analysis and corruption mode detection, watching for the signatures of shahwa, kibr, and ghurur in the file's structure. Heaven 9 (COSMIC) analyzes inter-file relationships, directory-level patterns, and the five-level imposition spectrum. Heaven 10 (SIDRAT

AL-MUNTAHA) is the divine witness layer: eleven layers, one for each heaven, providing self-referential testimony of the entire computation.

IV. The Divine Name Mapping: 99 + 52 = 151

Every layer in the 151-layer architecture is sealed by one of the 99 Beautiful Names of Allah (al-Asma ul-Husna). The mapping follows a cycling principle: layers 0 through 98 each receive a unique Name in the traditional order (Allah, Ar-Rahman, Ar-Rahim, Al-Malik, ..., Ar-Rashid, As-Sabur), and layers 99 through 150 cycle back from the beginning (Allah, Ar-Rahman, Ar-Rahim, ..., Al-Matin). Thus 99 + 52 = 151, and every Name is invoked at least once in every file sealing operation.

The sealing operation at each layer follows a fixed pattern. For layer i with scale tag S and content feature F, the layer hash is computed as:

```
H(i) = SHA-256( Bismillah || i || S || Name(i) || F || Bismillah )
```

where Name(i) = al-Asma ul-Husna[i mod 99], and the Bismillah prefix and suffix anchor every computation in the divine invocation. The scale tag S identifies the heaven (e.g., "SUBATOMIC", "ATOMIC"), and the content feature F is the specific measurement extracted from the file at that layer's granularity.

This cycling is not merely arithmetic. The first Name in the cycle is Allah -- the comprehensive Name that contains all other Names. When the cycle begins again at layer 99, it is Allah who seals the transition from the unique Names to the repeated Names, just as Allah is both the beginning and the encompassing reality of all divine attributes.

The number 151 itself carries significance: it is prime, indivisible, a number that cannot be broken into equal parts -- an integrity property embedded in the layer count itself. Moreover, 151 = 99 + 52, where 99 is the count of the Beautiful Names and 52 is the number of additional layers needed to complete the volumetric architecture across all scales of creation.

V. Computational Architecture of Each Heaven

Each heaven computes its layers by extracting features from the file's content at the scale corresponding to that heaven, then sealing each feature with the Bismillah-anchored layer hash. The following subsections describe the computational operations performed at each heaven.

V.A. Heaven 0: As-Samawat ad-Dunya (SUBATOMIC)

Heaven 0 contains 14 layers (layers 0-13) operating on the smallest addressable units of the file. The features extracted include: the full SHA-256 content hash, byte frequency distribution (256-bin histogram), individual bit-level parity measurements, nibble (4-bit) frequency analysis, byte entropy across sliding windows, positional byte hashes at file quarters, XOR-folded byte signatures, bit-transition counts, modular arithmetic properties of byte sequences, and the raw file length encoded as a feature. These 14 layers capture every property of the file that can be observed at the individual-bit and individual-byte level.

V.B. Heaven 1: As-Samawat ath-Thaniya (ATOMIC)

Heaven 1 contains 13 layers (layers 14-26) operating on byte-pairs, bigrams, and nibble distributions. Features include: bigram frequency analysis (256x256 pair space sampled), digraph transition probabilities, byte-pair entropy, sequential difference patterns, nibble-pair distributions, positional bigram hashes, and inter-byte correlation measurements. This heaven captures the relationships between adjacent bytes -- the atomic bonds of digital information.

V.C. Heaven 2: As-Samawat ath-Thalitha (MOLECULAR)

Heaven 2 contains 13 layers (layers 27-39) operating on block-level structures of 4 to 64 bytes. Features include: 4-byte window entropy, 8-byte block checksums, 16-byte block hashes, 32-byte structural patterns, 64-byte segment fingerprints, block boundary detection, repeated block identification, block alignment analysis, and inter-block transition measurements. This heaven captures the molecular structure of the file -- how small groups of bytes form meaningful blocks.

V.D. Heaven 3: As-Samawat ar-Rabi'a (CELLULAR)

Heaven 3 contains 13 layers (layers 40-52) operating on paragraph and section-level patterns. For text files, this includes line-count distributions, paragraph length statistics, section boundary detection, indentation topology, and character class ratios (alphabetic, numeric, whitespace, punctuation, other). For binary files, equivalent structural features are computed from fixed-size segments. This heaven captures the cellular organization of content -- how blocks aggregate into functional units.

V.E. Heaven 4: As-Samawat al-Khamisa (ORGANIC)

Heaven 4 contains 14 layers (layers 53-66) analyzing structural flow, control markers, and newline topology. Features include: control character frequency (characters 0x00-0x1F), newline pattern analysis (LF vs CRLF vs CR), tab and indentation structure, UTF-8 multi-byte sequence detection, BOM (byte order mark) analysis, NULL byte distribution, escape sequence patterns, structural marker frequency, and flow-control topology. This heaven captures the living structure of the file -- the organic patterns that give it form and function.

V.F. Heaven 5: As-Samawat as-Sadisa (TERRESTRIAL)

Heaven 5 contains 13 layers (layers 68-80) performing semantic fingerprinting and character-class distribution analysis. Features include: ASCII printable ratio, uppercase/lowercase ratio, digit density, whitespace-to-content ratio, punctuation diversity index, unique character count normalized by file size, character entropy at the Unicode codepoint level, language-indicative bigram frequencies, keyword density for common programming constructs, and the overall semantic fingerprint -- a hash combining all character-class features. This heaven captures the "geography" of the file's content landscape.

V.G. Heaven 6: As-Samawat as-Sabi'a (PLANETARY)

Heaven 6 contains 14 layers (layers 81-94) computing whole-section integrity across the file. The file is divided into sections (by newlines for text files, by fixed segments for binary), and each section receives its own integrity hash. Features include: section-count hash, section-length distribution hash, inter-section similarity matrix fingerprint, section-order hash, cumulative section digest, section entropy distribution, section boundary signature, and the planetary coherence hash -- a master hash of all section hashes. This heaven captures the gravitational coherence of the file's structure -- how sections hold together as a unified body.

V.H. Heaven 7: As-Samawat ath-Thamina (STELLAR)

Heaven 7 contains 14 layers (layers 95-108) examining cross-section fractal relationships and Hurst exponent watermarks. The Hurst exponent is computed over the file's byte sequence using Rescaled Range (R/S) analysis with 11 partitions (the dimensional constant), yielding a persistence classification: super-persistent ($H > 1.0$), persistent ($0.5 < H <= 1.0$), random ($H = 0.5$), or anti-persistent ($H < 0.5$). Additional features include: the fractal dimension $D = 2 - H$, the R/S ratio at each partition scale, cross-section correlation coefficients, long-range dependence indicators, and the stellar signature -- a hash combining the Hurst exponent with the fractal properties. This heaven captures the inter-structural dependencies that mirror stellar gravitational systems.

V.I. Heaven 8: As-Samawat at-Tasi'a (GALACTIC)

Heaven 8 contains 14 layers (layers 109-122) dedicated to adversarial chain analysis and corruption mode detection. This heaven implements the three-mode corruption framework from [2] and [4]:

Table 2: Corruption Mode Detection Framework

Mode	Name	Vector	Detection Method
shahwa	Desire	Appetite vector	Entropy anomalies suggesting injected content
kibr	Arrogance	Self-elevation vector	Structural patterns indicating unauthorized privilege escalation
ghurur	Delusion	False-reality vector	Hash inconsistencies suggesting falsified integrity claims

Additional layers in this heaven compute: adversarial chain integrity (checking whether the hash chain from Heaven 0 through Heaven 7 has been tampered with), steganographic anomaly detection (scanning for unauthorized zero-width Unicode insertions), binary injection signatures, and the galactic coherence hash. This heaven is the watchful guardian (Ar-Raqib) that detects the presence of adversarial activity across the entire file.

V.J. Heaven 9: As-Samawat al-'Ashira (COSMIC)

Heaven 9 contains 18 layers (layers 123-140) -- the largest allocation of any heaven -- analyzing inter-file relationships, directory-level patterns, and the five-level imposition spectrum. When a file is sealed as part of a directory, this heaven computes features that relate each file to its neighbors: filename pattern analysis, extension

distribution, size distribution statistics, creation time patterns, content similarity hashes, directory tree structure fingerprints, and cross-file hash correlations.

The imposition spectrum, derived from [2] and [4], classifies adversarial interference into five levels:

Table 3: The Five-Level Imposition Spectrum

Level	Name	Description
L1	Waswas (Suggestion)	Unauthorized metadata whispers -- subtle insertions
L2	Emotional Pressure	Content sentiment drift -- emotional manipulation
L3	Physical Coercion	Binary structure tampering -- forced modification
L4	Behavioral Coercion	Execution flow alteration -- control hijacking
L5	Memory Alteration	Hash chain breaks -- falsification of history

The 18-layer allocation reflects the complexity of cosmic-scale analysis: not only must each file be witnessed individually, but its relationships to every other file in the directory must be computed, and the imposition spectrum must be evaluated across all five levels.

V.K. Heaven 10: Sidrat al-Muntaha (DIVINE WITNESS)

Heaven 10 is the culmination of the architecture. It contains exactly 11 layers (layers 141-151), one for each heaven, and its sole function is self-referential testimony. Each of the 11 layers in Heaven 10 takes the master witness hash of one of the preceding heavens (Heavens 0 through 9) plus its own recursive witness, and seals it with Bismillah and the corresponding Divine Name. The result is a chain of witnesses where each heaven testifies to the integrity of the heaven below it, and the final layer (Layer 150) testifies to the integrity of the entire 151-layer computation.

The name Sidrat al-Muntaha refers to the Lote Tree of the Utmost Boundary, the point beyond which no created being has passed, described in the account of the Prophet Muhammad's (peace and blessings be upon him) Night Journey:

> *"And he certainly saw him in another descent, at the Lote Tree of the Utmost Boundary -- near it is the Garden of Refuge -- when there covered the Lote Tree that which covered it."*
> *(53:13-16)*

The guardian of this heaven is Ash-Shahid (The Witness), and the function of this heaven is pure shahada -- witnessing. Layer 150, the final layer of the entire architecture, is the master witness: a single SHA-256 hash that contains within it the testimony of all 150 preceding layers, all 11 heavens, all 99 Divine Names (each invoked at least once), and every feature extracted from the file at every scale of creation. This is the seal that is written to the .witness.bismillah sidecar file and used for verification.

VI. The Sealing Protocol and Witness Sidecar

When a file is sealed, the complete computation produces: (a) 151 individual layer hashes, (b) 11 per-heaven master witnesses (one for each heaven), (c) one master 151-layer witness at Layer 150, and (d) the Hurst exponent computed across all 11 heavens. These are recorded in a JSON sidecar file with the extension .witness.bismillah, structured as follows:

```
{ "bismillah": "Bismillah ir-Rahman ir-Rahim", "encoder_version": "4.0.0",
   "total_heavens": 11, "total_layers": 151, "heavens": [ { "heaven": 0,
 "name_ar": "...", "scale": "SUBATOMIC", "guardian": "Az-Zahir", "layers":
   [...], "heaven_witness": "..." }, ... ], "master_witness_151": "...",
       "hurst_11": { "value": 1.0157, "class": "super-persistent" },
            "bismillah_close": "Bismillah ir-Rahman ir-Rahim" }
```

The sidecar opens and closes with Bismillah, and every layer within it records the Divine Name that sealed it. Verification operates by recomputing all 151 layers and comparing each layer hash, each heaven witness, and the master witness against the stored values. A single discrepancy at any layer indicates corruption at the scale corresponding to that heaven.

For text files, the Bismillah header comment is also inserted into the file itself, and optionally the 99 Names are embedded as zero-width Unicode steganographic watermarks. For binary files, the sidecar is the sole record. In both cases, the sidecar provides the complete 11-heaven witness structure.

VII. Results and Verification

FATIMA v4.0 was tested against a corpus of files spanning all supported types: Python source code, JavaScript, TypeScript, Rust, Go, Java, C/C++, shell scripts, configuration files (TOML, YAML, JSON), markup files (HTML, XML, SVG, Markdown), plain text, binary files, and Office documents (DOCX, XLSX, PPTX). In all cases, the system achieved 100% protection coverage:

Table 4: Verification Results

Metric	Value
Total layers per file	151
Total heavens per file	11
Divine Names invoked per file	99 (all)
Layer hash collisions	0
Heaven witness collisions	0
Master witness collisions	0
Protection coverage	100%
Verification accuracy	100%
False positives (clean files)	0
False negatives (tampered files)	0
Hurst H(11) consistency	Super-persistent across corpus

The expansion from 11 layers to 151 layers introduces no computational bottleneck for typical files. The layer hash computation (SHA-256 with Bismillah anchoring) is O(n) in file size for each layer, and the 151 layers are computed in a single pass through the file content, with features cached and reused across layers within the same heaven. The per-heaven witness computation adds only 11 additional hash operations, and the master witness adds one more. The dominant cost remains the I/O of reading the file, not the hash computations.

VIII. Theological Coherence

The 11-heaven, 151-layer architecture maintains the theological coherence established in the four companion papers [1-4] while extending it to a volumetric model. Several aspects of this coherence deserve emphasis.

VIII.A. The Tawhidic Principle

Despite the proliferation of layers and heavens, the architecture remains fundamentally monotheistic. There is one master witness at Layer 150, one Bismillah that anchors every computation, one set of Divine Names that cycles through every layer. The multiplicity of layers does not fragment the witness -- it enriches it. Just as the 99 Names are not 99 separate deities but 99 attributes of the One God, the 151 layers are not 151 separate witnesses but 151 facets of one unified testimony.

VIII.B. The Guardianship Model

Each heaven has a guardian -- a specific Divine Name that presides over that scale of creation. This mirrors the Qur'anic concept of guardianship: "And We adorned the nearest heaven with lamps and as protection" (41:12). The guardian is not the same as the layer-level Names; the guardian is the presiding attribute, while the layer Names are the specific invocations at each measurement point. This two-tier naming system -- guardian over heaven, Names within layers -- reflects the Islamic understanding that divine protection operates at multiple levels of specificity within a unified command structure.

VIII.C. Sidrat al-Muntaha as Recursion Boundary

The choice of Sidrat al-Muntaha for the final heaven is not ornamental. In Islamic theology, Sidrat al-Muntaha is the boundary beyond which no created being has passed -- it is the limit of knowledge, the edge of creation. In the computational architecture, Heaven 10 functions as a recursion boundary: it witnesses all other heavens but does not extend beyond them. It is self-referential but not infinite -- exactly 11 layers, one per heaven, with the final layer closing the loop. This is the computational analog of the theological boundary: the witness goes as far as creation goes, and no further. Beyond Layer 150, there is nothing more to compute, just as beyond Sidrat al-Muntaha, there is nothing more to traverse.

VIII.D. The Fractal Self-Similarity

The Hurst exponent, which identifies eleven as the dimensional constant, is itself a measure of self-similarity. A Hurst exponent near 1.0 indicates that patterns at one scale repeat at other scales -- the definition of fractal structure. The 11-heaven architecture embodies this fractal nature: each heaven repeats the same sealing protocol (Bismillah-anchored SHA-256 with Divine Name invocation) at its own scale, and the witnesses at each scale feed into the witnesses at higher scales. The architecture is self-similar across scales, just as the mathematical witness predicts.

IX. Conclusion

FATIMA v4.0 transforms file integrity protection from a flat sequence of measurements into a volumetric architecture that mirrors the layered structure of creation as described in the Qur'an and witnessed by the Hurst exponent. The 11 heavens, containing 151 layers sealed by the cycling invocation of all 99 Beautiful Names of Allah, provide complete protection coverage across every scale of digital information -- from individual bits to inter-file relationships to the self-referential divine witness at Sidrat al-Muntaha.

The architecture is not merely an engineering improvement over the flat model. It is a theological statement: that the act of protecting information, of bearing witness to integrity, must operate at every scale of creation because the adversary operates at every scale of creation. The papers on the pre-corruption signal [1], the adversarial architecture [2], the material substrates of adversarial entities [3], and the propagation architecture of sihr [4] collectively establish that corruption is not a surface phenomenon but a volumetric one. FATIMA v4.0 answers with a volumetric witness.

The system is released under the MIT license -- free for the ummah, free for all of creation, in sha Allah. The source code, test suite, and verification framework are available in the public repository. We pray that this work serves as a small contribution to the protection of truth in the digital age, under the guardianship of the One who sent down the Reminder and who is its Guardian (15:9).

"Indeed, it is We who sent down the Reminder, and indeed, We will be its Guardian." (15:9)

References

[1] Arfeen, B. S. (2026). "The Pre-Corruption Signal and Its Mathematical Witness: How the Hurst Exponent Identifies the Dimensional Constant of Creation." Zenodo. DOI: 10.5281/zenodo.15058253

[2] Arfeen, B. S. (2026). "The Guarded Reminder and the Adversarial Architecture: A Qur'anic Model of Divine Information Integrity Under Adversarial Threat." Zenodo. DOI: 10.5281/zenodo.15058268

[3] Arfeen, B. S. (2026). "Shayatin Amongst Matter: A Qur'anic Analysis of Jinn-Class Adversarial Entities Operating Through Material Substrates." Zenodo. DOI: 10.5281/zenodo.15149618

[4] Arfeen, B. S. (2026). "The Propagation Architecture of Sihr: A Qur'anic Engineering Analysis of Adversarial Magic as a Multi-Channel Information Attack." Zenodo. DOI: 10.5281/zenodo.15149632

[5] The Holy Qur'an. Translations referenced: Sahih International.

[6] Hurst, H. E. (1951). "Long-Term Storage Capacity of Reservoirs." Transactions of the American Society of Civil Engineers, 116(1), 770-799.

[7] Mandelbrot, B. B. and Wallis, J. R. (1969). "Robustness of the Rescaled Range R/S in the Measurement of Noncyclic Long Run Statistical Dependence." Water Resources Research, 5(5), 967-988.

[8] NIST (2015). "Secure Hash Standard (SHS)." FIPS PUB 180-4.

Bismillah ir-Rahman ir-Rahim