Discover

aiActivity.cs
(examples menu: activities, current config)

Install
(once per directory)

mother/
CLAUDE.md AI-WORKFLOW.org
AI-Outputs.org _claude/ _skills/
(an assembled base: links into aiTemplates-workFlow, -DE)

-i initiate --activity=<activity>
or -i initiateSub (overlay)
[--noLink=<file>]
(or /bx-initiate inside Claude)

Symlinks (→ templates)
AI-WORKFLOW.org AI-Activity.org
AI-Outputs.org .claude/

<activity>/
AI-Activity.org (_skills → mother)
AI-DevStatus.org AI-WorkPlan.org
(seeds)

Safe-copies (yours)
CLAUDE.md AI-DevStatus.org
AI-WorkPlan.org

Inspect

-i listClaudesPath
-i startupClaudeTokens

Trim

<activity>/AI-Activity.org
+ its imports (shared)

shared edit
(confirmed separately)

/bx-context-trim

local trims

AI-WorkPlan.org AI-DevStatus.org
(via /bx-archive-update, /bx-status-update)

chain grew

Use

Usage sessions
(see aiUsageWorkflow)

Maintain
(over the project's life)

-i refresh
-i deClaudify

refresh (CLAUDE.md, missing links, .claude/commands) / remove

Installed files
(symlinks + safe-copies)

read	write	read-write	solid border = always	dashed border = perhaps
green = aiActivity.cs writes	dashed = symlink, solid = copy	red = Claude writes		
left (grey) = templates tree, shared across projects; right = this repo grey hollow arrow = template source; thin-bordered file = refers to a subject above				