
Discover
aiActivity.cs
(examples menu: activities,
current config)
Install
(once per directory)
mother/
CLAUDE.md  AI-WORKFLOW.org
AI-Outputs.org  _claude/
-i initiate --activity=<activity>
or -i initiateSub (overlay)
[--noLink=<file>]
(or /bx-initiate inside Claude)
Symlinks (→ templates)
AI-WORKFLOW.org  AI-Activity.org
AI-Outputs.org  .claude/
<activity>/
AI-Activity.org  _skills/
AI-DevStatus.org  AI-WorkPlan.org
(seeds)
Safe-copies (yours)
CLAUDE.md  AI-DevStatus.org
AI-WorkPlan.org
Inspect
-i listClaudesPath
-i startupClaudeTokens
Trim
<activity>/AI-Activity.org
+ its imports (shared)
shared edit
(confirmed separately)
/bx-context-trim
local trims
AI-WorkPlan.org  AI-DevStatus.org
(via /bx-archive-update, /bx-status-update)
chain grew
Use
Usage sessions
(see aiUsageWorkflow)
Maintain
(over the project's life)
-i refresh
-i deClaudify
refresh / suspend /
resume / remove
Installed files
(symlinks + safe-copies)
read
write
read-write
solid border = always
dashed border = perhaps
green = aiActivity.cs writes
dashed = symlink, solid = copy
red = Claude writes
left (grey) = templates tree, shared across projects;  right = this repo
grey hollow arrow = template source;  thin-bordered file = refers to a subject above