
Discover
aiActivity.cs
(examples menu: activities,
current config)
Install
(once per directory)
mother/
CLAUDE.md AI-WORKFLOW.org
AI-Outputs.org _claude/
-i initiate --activity=<activity>
or -i initiateSub (overlay)
[--noLink=<file>]
(or /bx-initiate inside Claude)
Symlinks (→ templates)
AI-WORKFLOW.org AI-Activity.org
AI-Outputs.org .claude/
<activity>/
AI-Activity.org _skills/
AI-DevStatus.org AI-WorkPlan.org
(seeds)
Safe-copies (yours)
CLAUDE.md AI-DevStatus.org
AI-WorkPlan.org
Inspect
-i listClaudesPath
-i startupClaudeTokens
Trim
<activity>/AI-Activity.org
+ its imports (shared)
shared edit
(confirmed separately)
/bx-context-trim
local trims
AI-WorkPlan.org AI-DevStatus.org
(via /bx-archive, /bx-update-status)
chain grew
Use
Usage sessions
(see aiUsageWorkflow)
Maintain
(over the project's life)
-i refresh
-i deClaudify
refresh / suspend /
resume / remove
Installed files
(symlinks + safe-copies)
read
write
read-write
solid border = always
dashed border = perhaps
green = aiActivity.cs writes
dashed = symlink, solid = copy
red = Claude writes
left (grey) = templates tree, shared across projects; right = this repo
grey hollow arrow = template source; thin-bordered file = refers to a subject above