PRACTICE DAY -3

Question:1

Write a program which will find all such numbers which are divisible by 7 but are not a multiple of 5, between 2000 and 3200 (both included). The numbers obtained should be printed in a comma-separated sequence on a single line.



Question:2

Write a program which can compute the factorial of a given numbers.

The results should be printed in a comma-separated sequence on a single line.

Suppose the following input is supplied to the program: 8

Then, the output should be: 40320



Question:3

With a given integral number n, write a program to generate a dictionary that contains (i, i*i) such that is an integral number between 1 and n (both included). and then the program should print the dictionary.

Suppose the following input is supplied to the program:8

Then, the output should be:

{1: 1, 2: 4, 3: 9, 4: 16, 5: 25, 6: 36, 7: 49, 8: 64}



Question:4

Write a program which accepts a sequence of comma-separated numbers from console and generate a list and a tuple which contains every number.

Suppose the following input is supplied to the program:
34,67,55,33,12,98

Then, the output should be:

['34', '67', '55', '33', '12', '98']

('34', '67', '55', '33', '12', '98')



Question 5:

Write a program that calculates and prints the value according to the given formula:

Q = Square root of [(2 * C * D)/H]

Following are the fixed values of C and H: C is 50. H is 30.

D is the variable whose values should be input to your program in a comma-separated sequence.

Example

Let us assume the following comma separated input sequence is given to the program: 100,150,180

The output of the program should be: 18,22,24



Question:6

Write a program which takes 2 digits, X, Y as input and generates a 2-dimensional array. The element value in the i-th row and j-th column of the array should be i*j.

Note: i=0, 1., X-1; j=0,1,¡-Y-1.

Example

Suppose the following inputs are given to the program: 3,5

Then, the output of the program should be:

[[0, 0, 0, 0, 0], [0, 1, 2, 3, 4], [0, 2, 4, 6, 8]]



Question:7

Write a program that accepts a comma separated sequence of words as input and prints the words in a comma-separated sequence after sorting them alphabetically.

Suppose the following input is supplied to the program:

without,hello,bag,world

Then, the output should be:

bag,hello,without,world



Question: 8

Write a program that accepts sequence of lines as input and prints the lines after making all characters in the sentence capitalized.

Suppose the following input is supplied to the program: Hello world

Practice makes perfect

Then, the output should be: HELLO WORLD

PRACTICE MAKES PERFECT



Question:9

Write a program that accepts a sequence of whitespace separated words as input and prints the words after removing all duplicate words and sorting them alphanumerically.

Suppose the following input is supplied to the program:

hello world and practice make perfect and hello world again

Then, the output should be:

again, and hello makes perfect practice world

Hints:In case of input data being supplied to the question, it should be assumed to be a console input.

We use set container to remove duplicated data automatically and then use sorted () to sort the data.



Question:10

Write a program which accepts a sequence of comma separated 4 digit binary numbers as its input and then check whether they are divisible by 5 or not. The numbers that are divisible by 5 are to be printed in a comma separated sequence.

Example:

0100,0011,1010,1001

Then the output should be:

1010

Notes: Assume the data is input by console.



Question:11

Write a program, which will find all such numbers between 1000 and 3000 (both included) such that each digit of the number is an even number.

The numbers obtained should be printed in a comma-separated sequence on a single line.

Hints: In case of input data being supplied to the question, it should be assumed to be a console input.



Question:12

Write a program that accepts a sentence and calculate the number of letters and digits.

Suppose the following input is supplied to the program:

hello world! 123

Then, the output should be: LETTERS 10

DIGITS 3

Hints: In case of input data being supplied to the question, it should be assumed to be a console input.



Question:13

Write a program that accepts a sentence and calculate the number of upper-case letters and lower-case letters.

Suppose the following input is supplied to the program:

Hello world!

Then, the output should be:

UPPER CASE 1

LOWER CASE 9



Question:14

Write a program that computes the value of a+aa+aaa+aaaa with a given digit as the value of a.

Suppose the following input is supplied to the program: 9

Then, the output should be:11106