

A guide to using the VL53L5CX multizone Time-of-Flight ranging sensor with wide field of view Ultra Lite Driver (ULD)

Introduction

The purpose of this user manual is to explain how to handle the VL53L5CX Time-of-Flight (ToF) sensor, using the ultra lite driver (ULD) API. It describes the main functions to program the device, the calibrations, and the output results.

The VL53L5CX is a state of the art, ToF, multizone ranging sensor enhancing the ST FlightSense product family. Housed in a miniature reflowable package, it integrates a SPAD array, physical infrared filters, and diffractive optical elements (DOE) to achieve the best ranging performance in various ambient lighting conditions with a range of cover glass materials.

Multizone distance measurements are possible up to 8x8 zones with a wide 63 ° diagonal field of view (FoV) which can be reduced by software. Each zone of the VL53L5CX measures the distance of the target up to 4 meters, at a maximum frequency of 60 Hz.

Thanks to ST Histogram patented algorithms, the VL53L5CX is able to detect different objects within the FoV. The Histogram also provides immunity to cover glass crosstalk beyond 60 cm.




Figure 1. VL53L5CX sensor module

References

1. VL53L5CX datasheet (DS13754)



1 Acronyms and abbreviations

Acronym/abbreviation	Definition
DOE	diffractive optical element
FoV	field of view
I2C	inter-integrated cirduit (serial bus)
Kcps/SPAD	Kilo-count per second per spad (unit used to quantify the number of photons into the SPAD array)
RAM	random access memory
SCL	serial clock line
SDA	serial data
SPAD	single photon avalanche diode
ToF	Time-of-Flight
ULD	ultra lite driver
VCSEL	vertical cavity surface emitting diode
Xtalk	crosstalk

UM2884 - Rev 1 page 2/19



2 Functional description

2.1 System overview

The VL53L5CX system is composed of a hardware module and the ultra lite driver software (VL53L5CX ULD) running on a host (see figure below). The hardware module contains the ToF sensor. ST delivers the software driver which is referred to in this document as "the driver". This document describes the functions of the driver which are accessible to the host. These functions control the sensor and get the ranging data.

Host

Ultra
Lite
Driver

Firmware

Figure 2. VL53L5CX system overview

ToF sensor system

2.2 Effective orientation

The module includes a lens over the RX aperture which flips (horizontally and vertically) the captured image of the target. As a consequence, the zone identified as zone 0 in the bottom left of the SPAD array is illuminated by a target located at the top right-hand side of the scene.

SPAD array zone ID

Because of the Rx lens, zone ID 0 that is at the bottom left of the SPAD array is illuminated by the Target at the top-right side 13 12 TX RX 8 9 10 4 5 6 PIN A1 0 Resolution=16 (4x4)

Figure 3. VL53L5CX effective orientation

UM2884 - Rev 1 page 3/19



2.3 Schematics and I2C configuration

The communication between driver and firmware is handled by I2C, with a capability of operating up to 1 MHz. The implementation requires pull-ups on the SCL and SDA lines. Please see VL53L5CX datasheet for more information.

The VL53L5CX device has a default I2C address of 0x52. However, it is possible to change the default address to avoid conflicts with other devices, or facilitate adding multiple VL53L5CX modules to the system for a greater system FoV. The I2C address can be changed using vl53l5cx set i2c address() function.




Figure 4. Multiple sensors on I2C bus

To allow a device to have its I2C address changed without affecting others on the I2C bus, it is important to disable the I2C communication of the devices not being changed. The procedure is the following one:

- 1. Power up the system as normal.
- 2. Pull down the LPn pin of the device that will not have its address changed.
- 3. Pull up the LPn pin of the device that has the I2C address changed.
- 4. Program the I2C address to the device using function set_i2c_address() function.
- 5. Pull up the LPn pin of the device not being reprogrammed.

All devices should now be available on the I2C bus. Repeat the above steps for all the VL53L5CX devices in the system that require a new I2C address.

UM2884 - Rev 1 page 4/19




3 Package content and data flow

3.1 Driver architecture and content

The VL53L5CX ULD package is composed of four folders. The driver is located in folder /VL53L5CX_ULD_API. The driver is composed of mandatory and optional files. Optional files are plugins used to extend ULD features. Each plugin starts with the word "vl53l5cx_plugin" (e.g vl53l5cx_plugin_xtalk.h). If the user does not want the proposed plugins, they can be removed without impacting the other driver features. The following figure represents the mandatory files and the optional plugins.

Figure 5. Driver architecture



The user also needs to implement two files located in the /Platform folder. The proposed platform is an empty shell, and must be filled with dedicated functions.

Note: Platform.h file contains mandatory macros to use the ULD. All the file content is mandatory to correctly use the ULD.

UM2884 - Rev 1 page 5/19



3.2 Calibration flow

Crosstalk (xtalk) is defined as the amount of signal received on the SPAD array which is due to VCSEL light reflection inside the protective window (cover glass) added on top of the module. The VL53L5CX module is self-calibrated, and can be used without any additional calibration.

Xtalk calibration may be required if the module is protected by a coverglass. The VL53L5CX is immune to xtalk beyond 60 cm thanks to an histogram algorithm, but at short distances below 60 cm, xtalk can be larger than the actual returned signal, giving a false target reading or making targets appear closer than they really are. All xtalk calibration functions are included in a xtalk plugin (optional). The user needs to use the file 'vl53l5cx_plugin_xtalk'.

The xtalk can be calibrated once, and data can be saved to be re-used later. A target at fixed distance, with a known reflectance is required. The minimum distance required is 600 mm, and the target must cover the whole FoV. Depending on the setup, the user can modify settings in order to adapt the Xtalk calibration, as proposed in the following table.

Setting	Min	Proposed by ST	Max
Distance [mm]	600	600	3000
Number of samples	1	4	16
Reflectance [%]	1	3	99

Table 1. Available settings for calibration

Note:

Increasing the number of samples increases the accuracy, but it also increases the time for calibration. The time relative to the number of samples is linear, and values follow the approximate timeout:

- 1 sample ≈ 1 second
- 4 samples ≈ 2.5 seconds
- 16 samples ≈ 8.5 seconds

The calibration is performed using function vI53I5cx_calibrate_xtalk(). This function can be used at any time. However, the sensor must be initialized first. The following figure represents the Xtalk calibration flow.

Start Xtalk calibration
vl53l5cx_calibrate_xtalk()

Get Xtalk data
vl53l5cx_get_caldata_xtalk()

Set Xtalk data
vl53l5cx_set_caldata_xtalk()

Set Xtalk data
vl53l5cx_set_caldata_xtalk()

Then, user can configure and use

Figure 6. Xtalk calibration flow

UM2884 - Rev 1 page 6/19

the sensor as wanted



3.3 Ranging flow

The following figure represents the ranging flow used to get measurements. Xtalk calibration and optional function calls must be used before starting the ranging session. The get/set functions cannot be used during a ranging session, and 'on-the-fly' programming is not supported.




Figure 7. Ranging flow using VL53L5CX

UM2884 - Rev 1 page 7/19



4 Available features

The VL53L5CX ULD API includes several functions which allow the user to tune the sensor, depending on the usecase. All functions available for the driver are described in the following sections.

4.1 Initialization

Initialization must be done before using the VL53L5CX sensor. This operation requires the user to:

- 1. Power on the sensor (VDDIO, AVDD, LPn pins set to High, and pin I2C_RST set to 0)
- 2. Call the function vI53I5cx_init(). The function copies the firmware (~84 kbytes) to the module by loading the code over the I2C interface and performing a boot routine to complete the initialization.

4.2 Sensor reset management

To reset the device, the following pins needs to be toggled:

- 1. Set pins VDDIO, AVDD, and LPn pins to low.
- 2. Wait 10 ms.
- 3. Set pins VDDIO, AVDD, and LPn pins to high.

Note: Toggling only I2C_RST pin resets the I2C communication.

4.3 Resolution

The resolution corresponds to the number of available zones. The VL53L5CX sensor has two possible resolutions: 4x4 (16 zones) and 8x8 (64 zones). By default the sensor is programmed in 4x4.

The function vl53l5cx_set_resolution() allows the user to change the resolution. As the ranging frequency depends on the resolution, this function must be used before updating the ranging frequency. Moreover, changing the resolution also increases the traffic size on the I2C bus when results are read.

4.4 Ranging frequency

Ranging frequency can be used to change the measurement frequency. As the maximum frequency is different between 4x4 and 8x8 resolutions, this function needs to be used after choosing a resolution. The minimum and maximum allowed values are listed in the following table.

Table 2. Minimum and maximum ranging frequencies

Resolution	Min ranging frequency [Hz]	Max ranging frequency [Hz]
4x4	1	60
8x8	1	15

Ranging frequency can be updated using function vI53I5cx_set_ranging_frequency_hz(). By default, the ranging frequency is set to 1 Hz.

UM2884 - Rev 1 page 8/19



4.5 Ranging mode

Ranging mode allows the user to choose between ranging in high performance or low power consumption. There are two modes proposed:

- Continuous: The device continuously grabs frames with a ranging frequency defined by user. The VCSEL is enabled during all ranging, so maximum ranging distance and ambient immunity are better. This mode is advised for fast ranging measurements or high performances.
- Autonomous: This is the default mode. The device continuously grabs frames with a ranging frequency
 defined by the user. The VCSEL is enabled during a period defined by the user, using function
 vl53l5cx_set_integration_time_ms(). As the VCSEL is not always enabled, the power consumption is
 reduced. The benefits are more obvious with a reduced ranging frequency. This mode is advised for low
 power applications.

The ranging mode can be changed using function vI53I5cx set ranging mode().

4.6 Integration time

Integration time is a feature only available using Autonomous ranging mode (refer to Section 4.5 Ranging mode). It allows the user to change the time while VCSEL is enabled. Changing integration time if Ranging mode is set to continuous has no effect. The default integration time is set to 5 ms.

The effect of integration time is different for 4x4 and 8x8 resolutions. Resolution 4x4 is composed of one integration time, and 8x8 resolution is composed of four integration times. The following figures represent the VCSEL emission for both resolutions.





Figure 8. Integration time for 4x4 autonomous

Figure 9. Integration time for 8x8 autonomous



The sum of all integration times + 1 ms overhead must be lower than the measurement period, otherwise the ranging period will be automatically increased.

UM2884 - Rev 1 page 9/19



4.7 Power modes

Power modes can be used to reduce the power consumption when the device is not used. The VL53L5CX can operate in one of the following power modes:

- Wake-up: The device is set in HP idle (high power), waiting for instructions.
- Sleep: The device is set in LP idle (low power), the low power state. The device cannot be used until set in Wake-up mode. This mode retains the firmware and the configuration.

The power mode can be changed using function vI53I5cx set power mode(). The default mode is Wake-up.

Note: If the user wants to change the power mode, the device must not be in a ranging state.

4.8 Sharpener

The signal returned from a target is not a clean pulse with sharp edges. The edges slope away and may affect the distances reported in adjacent zones. The sharpener is used to remove some or all of the signal caused by veiling glare.

The example shown in the following figure represents a close target at 100 mm centered in the FoV, and another target, further behind at 500 mm. Depending on the sharpener value, the close target may appear in more zones than the real one.

Figure 10. Example of scene using several sharpener values

		Re	eal s	cen	e:		
500	500	500	500	500	500	500	500
500	500	500	500	500	500	500	500
500	500	100	100	100	100	500	500
500	500	100	100	100	100	500	500
500	500	100	100	100	100	500	500
500	500	500	500	500	500	500	500
500	500	500	500	500	500	500	500
500	500	500	500	500	500	500	500

0% Sharpener :						20% Sharpener :					40% Sharpener :							99% Sharpener :													
100	100	100	100	100	100	100	100	500	500	500	500	500	500	500	500																
100	100	100	100	100	100	100	100	500	500	500	500	500	500	500	500		500	500	500	500	500	500									
100	100	100	100	100	100	100	100	500	500	100	100	100	100	500	500		500	100	100	100	100	500				100	100	100	100		
100	100	100	100	100	100	100	100	500	500	100	100	100	100	500	500		500	100	100	100	100	500				100	100	100	100		
100	100	100	100	100	100	100	100	500	500	100	100	100	100	500	500		500	100	100	100	100	500				100	100	100	100		
100	100	100	100	100	100	100	100	500	500	500	500	500	500	500	500		500	500	500	500	500	500									
100	100	100	100	100	100	100	100	500	500	500	500	500	500	500	500		500	500	500	500	500	500									
100	100	100	100	100	100	100	100	500	500	500	500	500	500	500	500																

Sharpener can be changed using function vI53I5cx_set_sharpener_percent(). The allowed values are between 0 % and 99 %. The default is 5 %.

UM2884 - Rev 1 page 10/19



4.9 Target order

The VL53L5CX can measure several targets per zone. Thanks to the histogram processing, the host is able to choose the order of reported targets. There are two options:

- · Closest: The closest target is the first reported
- Strongest: The strongest target is the first reported

The target order can be changed using function vI53I5cx_set_target_order(). The default order is Strongest.

The example in the following figure represents the detection of two targets. One at 100 mm with a low reflectance.

The example in the following figure represents the detection of two targets. One at 100 mm with a low reflectance, and one at 500 mm with a high reflectance.




Figure 11. Example of histogram with 2 targets

4.10 Multiple targets per zone

The VL53L5CX can measure up to four targets per zone. The user can configure the number of targets returned by the sensor.

The selection is not possible from the driver; it has to be done in the 'platform.h' file. The macro VL53L5CX_NB_ TARGET_PER_ZONE needs to be set to a value between 1 and 4. The target order described in Section 4.9 Target order will directly impact the order of detected target. By default, the sensor only outputs a maximum of one target per zone.

Note: An increased number of targets per zone will increase the required RAM size.

4.11 Xtalk margin

The Xtalk margin is an additional feature only available using the plugin Xtalk. The .c and .f files vl53l5cx plugin xtalk need to be used.

The margin is used to change the detection threshold when a coverglass is present on the top of the sensor. The threshold can be increased to ensure that the coverglass is never detected, after setting Xtalk calibration data. For example, the user can run a Xtalk calibration on one single device, and re-use the same calibration data for all other devices. The Xtalk margin can be used to tune the Xtalk correction. The figure below represents the Xtalk margin.




Figure 12. Xtalk margin

UM2884 - Rev 1 page 11/19



4.12 Detection thresholds

In addition to the regular ranging capabilities, the sensor can be programmed to detect an object under certain predefined criteria. This feature is available using the plugin "detection thresholds", which is an option not included by default in the API. The files called 'vI53I5cx_plugin_detection_thresholds' need to be used.

The feature can be used to trigger an interrupt to pin A3 (INT) when conditions defined by the user are met. There are three possible configurations:

- Resolution 4x4: using 1 threshold per zone (total of 16 thresholds)
- Resolution 4x4: using 2 thresholds per zone (total of 32 thresholds)
- Resolution 8x8: using 1 threshold per zone (total of 64 thresholds)

Whatever the configuration used, the procedure for creating thresholds and the RAM size are the same. For each threshold combination, several fields need to be filed:

- Zone id: id of the selected zone (refer to Section 2.2 Effective orientation)
- Measurement: measurement to catch (distance, signal, number of SPADs, ...)
- Type: windows of measurements (in windows, out of windows, below low threshold, ...)
- Low threshold: low threshold user for trigger. User does not need to set the format, it is automatically handled by the API.
- High threshold: high threshold user for trigger. User does not need to set the format, it is automatically handled by the API.
- Mathematic operation: only used for 4x4 2 threshold combinations per zone. The user can set a combination using several thresholds in one zone.

4.13 Motion indicator

The VL53L5CX sensor has an embedded Firmware feature allowing motion detection in a scene. The motion indicator is computed between sequential frames. This option is available using the plugin 'vl53l5cx plugin motion indicator'.

The motion indicator is initialized using the vI53I5cx_motion_indicator_init() function. If the user wants to change the sensor resolution, he must update the motion indicator resolution using the dedicated function: vI53I5cx_motion_indicator_set_resolution().

The user may also change the minimum and maximum distances for detecting motion. The difference between the minimum and maximum distances cannot be greater than 1500 mm. By default, distances are initialized with values between 400 mm and 1500 mm.

Results are stored in the field 'motion_indicator'. In this field, the array 'motion' gives a value containing the motion intensity per zone. A high value indicates high motion variation between frames. A typical movement gives a value between 100 and 500. This sensitivity depends on the integration time, target distance, and target reflectance.

An ideal combination for low power applications is the use of the motion indicator with Autonomous ranging mode, and detection thresholds programmed on the motion. This allows detection of movement variations in the FoV with minimum power consumption.

UM2884 - Rev 1 page 12/19



5 Ranging results

5.1 Available data

An extensive list of target and environment data may be output during ranging activities. The following table describes the parameters available to the user.

Element Nb bytes (RAM) Unit Description Ambient rate measurement performed on the Ambient per SPAD 256 Kcps/SPAD SPAD array, with no active photon emission, to measure the ambient signal rate due to noise. Number of detected targets in the current zone. Number of targets 64 None This value should be the first one to check to detected know a measurement validity. Number of SPADs enabled for the current Number of SPADs 256 None measurement. A far or low reflective target will enabled activate more SPADs. 256 x nb targets Quantity of photons measured during the VCSEL Signal per SPAD Kcps/SPAD programmed pulse. Sigma estimator for the noise in the reported 128 x nb targets Range sigma Millimeter programmed target distance. 128 x nb targets Distance Millimeter Target distance programmed 64 x nb targets Measurements validity. See Section 5.4 Results Target status None programmed interpretation for more information. 64 x number targets Reflectance Percent Estimated target reflectance in percent programmed Structure containing the motion indicator results. Motion indicator 140 None The field 'motion' contains the motion intensity.

Table 3. Available output using VL53L5CX sensor

Note:

For several elements (signal per spad, sigma, ...) access to data is different if user has programmed more than 1 target per zone (see Section 4.10 Multiple targets per zone). See example codes for more information.

5.2 Customize output selection

By default, all VL53L5CX outputs are enabled. If needed, the user can disable some sensor output. Disabling measurements is not available on the driver; it must be performed in the 'platform.h' file. The user can declare the following macros to disable outputs:

```
#define VL53L5CX_DISABLE_AMBIENT_PER_SPAD
#define VL53L5CX_DISABLE_NB_SPADS_ENABLED
#define VL53L5CX_DISABLE_NB_TARGET_DETECTED
#define VL53L5CX_DISABLE_SIGNAL_PER_SPAD
#define VL53L5CX_DISABLE_RANGE_SIGMA_MM
#define VL53L5CX_DISABLE_DISTANCE_MM
#define VL53L5CX_DISABLE_TARGET_STATUS
#define VL53L5CX_DISABLE_REFLECTANCE_PERCENT
#define VL53L5CX_DISABLE_MOTION_INDICATOR
```

Consequently, the fields will not be declared in the results structure, and the data will not be transferred to the host. The RAM size and I2C size are reduced.

To ensure data consistency, ST recommends to always keep 'number of target detected' and 'target status' enabled. It allows filtering the measurements depending of the target status (refer to Section 5.4 Results interpretation).

UM2884 - Rev 1 page 13/19



5.3 Getting ranging results

During the ranging session, there are two ways to know if new ranging data is available:

- Polling mode: Continuously uses function vl53l5cx_check_data_ready(). It will detect a new stream count returned by the sensor.
- Interrupt mode: Waits for an interrupt raised on pin A3 (GPIO1). The interrupt is automatically cleared after ~100 μs.

When new data is ready, the results can be read using function vI53I5cx_get_ranging_data(). It will return an updated structure containing all selected output. As the device is asynchronous, there is no interrupt to clear to continue the ranging session.

This feature is available for both Continuous and Autonomous ranging modes.

5.4 Results interpretation

The data returned by the VL53L5CX can be filtered in order to take into account the target status. The status indicates the measurement validity. The full status list is described in the following table.

Target status	Description
0	Ranging data are not updated
1	Signal rate too low on SPAD array
2	Target phase
3	Sigma estimator too high
4	Target consistency failed
5	Range valid
6	Wrap around not performed (Typically the first range)
7	Rate consistency failed
8	Signal rate too low for the current target
9	Range valid with large pulse (may be due to a merged target)
10	Range valid, but no target detected at previous range
11	Measurement consistency failed
12	Target blurred by another one, due to sharpener
255	No target detected (only if number of target detected is enabled)

Table 4. List of available target status

To have consistent data, the user needs to filter invalid target status. To give a confidence rating, a target with status 5 is considered as 100 % valid. A status of 6 or 9 can be considered with a confidence value of 50 %. All other statuses are below 50 % confidence level.

UM2884 - Rev 1 page 14/19



5.5 Driver errors

When an error occurs using VL53L5CX sensor, the driver returns a specific error. The following table lists the possible errors.

Table 5. List of errors available using the driver

Target status	Description
0	No error
127	User programmed an incorrect setting (unknown resolution, ranging frequency too high,)
255	Major error. Usually a timeout error, due to an I2C error.
other	Combination of multiple errors described above

Note: More error codes can be implemented by the host using the platform files.

UM2884 - Rev 1 page 15/19



Revision history

Table 6. Document revision history

Date	Version	Changes
21-Jun-2021	1	Initial release

UM2884 - Rev 1 page 16/19



Contents

1	Acro	nyms and abbreviations	2
2	Fund	ctional description	3
	2.1	System overview	3
	2.2	Effective orientation	3
	2.3	Schematics and I2C configuration	4
3	Pack	age content and data flow	5
	3.1	Driver architecture and content	5
	3.2	Calibration flow	6
	3.3	Ranging flow	7
4	Avail	lable features	8
	4.1	Initialization	8
	4.2	Sensor reset management	8
	4.3	Resolution	8
	4.4	Ranging frequency	8
	4.5	Ranging mode	9
	4.6	Integration time	9
	4.7	Power modes	. 10
	4.8	Sharpener	. 10
	4.9	Target order	. 11
	4.10	Multiple targets per zone	. 11
	4.11	Xtalk margin	. 11
	4.12	Detection thresholds	. 12
	4.13	Motion indicator	. 12
5	Rang	ging results	.13
	5.1	Available data	. 13
	5.2	Customize output selection	. 13
	5.3	Getting ranging results	. 14
	5.4	Results interpretation	. 14
	5.5	Driver errors	. 15



Revision history	 16
Contents	17



IMPORTANT NOTICE - PLEASE READ CAREFULLY

STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. For additional information about ST trademarks, please refer to www.st.com/trademarks. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2021 STMicroelectronics - All rights reserved

UM2884 - Rev 1 page 19/19