

#### **SPECIFICATIONS**

#### Apartment Layout:

- In relation to the daylight, air passage and outside view it will be maximizing advantages
- Have the feel of home in emphasized privacy of 1800+ soft floor

#### Main Door:

- Soild main entrance door shutter will be in fixed design by TRBL made of ctg teak and 11 "\*2.5' wide Chowkaat made of teak chamble as per approved by TRBL with consultation with Client
  - a) Check Viewer
  - b) Door Chain with safety lock
  - c) Acrylic Owner's Plate in each apartment
- Internal doors are of strong and durable thick chamble flush door shutters with good quality polish (Akij/ RFL equivalent)
- All internal door chowkaat are of 6"\*2.5" size
  - All the bathroom and veranda doors are made of good quality UPVC door - Akij/ RFL Equivalent

#### Window:

- 4" Wide Sliding Aluminum Silver Color (Chung Hua/Altech etc.) windows 5mm clear glass as per architectural design of the building with mosquito net
- Safety grills in all windows
- All Veranda railing as per drawing

#### Lift:

- Sigma(Former LG) or equivalent
- Adequate Lighting
- Fast, reliable and stop over in each floor
- Lift lobby with suitable hand-rail in stair made of ss pipe
- Homogenous floor tiles in all lobbies & staircases 24"\*24' or 12"\*12" (RAK/MIR/Charu or equivalent

#### Generator:

- International standard generator to run lift, water pump & emergency light in stair & parking
- 45-50 kVA with Diesel Engine

#### **Sub Station:**

Sub Station as per requirement of Palli Biddut

## Solar Energy:

Rahim afrooz or equivalent company hardwares

## Provision of Cable TV and Intercom connection.

Satellite dish line, Internet connection, Land Phone,
Intercom connection enabled facilities

#### Water Pump:

 Pedrollo / Marquies or equivalent as per requirement.



**Ground Floor Plan** 



Typical Floor Plan

## Living/Dining Family Lounge:

Floor: Homogenous floor tiles

Walls: Pop punning with acrylic emulsion paint

Door: Flush doors with ss hardware

## All Bed rooms:

Flooring: Vitrified flooring /wooden flooring in master bedroom as per client's requirement

Wall: pop pumping with acrylic emulsion paint

Door: Flush door with ss hardware

#### STRUCTURE:

Earthquake resistance with filler walls.

## **SANITARY FITTINGS:**

Jaquar / Kohler or equivalent as per clients requirement

#### SECURITY and SURVEILLANCE:

CCTV Security and Surveillance at our premises

Human guard will be provided also.

## KITCHEN:

Modulate kitchen with SS hardware Branded SS sink

## TOILET:

Floor: : Anti skid tiles

Walls: Cermamic tiles

Doors: Flush door with ss Hardware

#### DISCLAIMER:

- All measurements given in the layout are approximate, during construction the measurement may vary
- All furniture fixture and fittings shown in the layout will be considered as artist impression; optional item and standard item will be given in the contract paper
- All decorative tiles will be considered as optional item
- Perspective view shown on the brochure is considered as artist impression after construction it may differ.
- Gas/Electricity connection depends on time to time by the authorities of Government of Bangladesh.

# Our Upcoming Exclusive Project







## NIKUNJJO PALACE

**Location: JU Housing Gate** 

Block: A

Jahangirnagar Housing Society Radio Colony, Savar, Dhaka