
Bitcoin Zero Quick Start Guide


This guide will show you how to use Bitcoin Zero (BCZ) in a virtual machine with an appliance where BCZ is pre-installed. However, it is *highly recommended* to build your BCZ from the source (https://github.com/bitcoinzero/bitcoinzero) for security and long term support.


- 1. Install VirtualBox (https://www.virtualbox.org/wiki/Downloads). You may use other virtual machines you feel convenient.
- 2. Get a BCZ pre-installed appliance form http://www.bitcoinzero.io/. Which is named as BCZ-ubuntu.ova. There are two ways for you to choose, via a TORRENT or BAIDU PAN.

GET STARTED



- 3. Check your copy of BCZ-ubuntu.ova.
 - To make sure you get the right copy when you download it from a untrusted source, you may want to check its SHA256 hash value.
 - SHA256: 14b370aa043f692331e807b9121b84973c28ebeffb31365f070a1d71364f3f95
- 4. Import BCZ-ubuntu.ova and run.
 - Default account bcz's passwords is 'bcz'. Change it as you like.







5. Double click BCZ wallet. It could take two minutes for the first time.



6. Generate a Z (private) address.



7. Import your old private key and redeem BCZ from 478558 snapshot.



8. Backup your wallet.dat.

The data folder .bitcoinzero is hidden. Press shortcut Ctrl + h allows you to view it. You should see wallet.dat in that folder. Just like Bitcoin, the file wallet.dat contains all of your wallet information including private keys. Keep it safe.

