

SMPUSERS

USERID: varchar(10)
LOGINID: varchar(30)
EMPNO: varchar(30)
PWD: varchar(100)
USERNM: varchar(100)
USERNM_ETC: varchar(100)
GRADENM: varchar(50)
TEL: varchar(150)
MOBILE: varchar(150)
FAX: varchar(150)
ZIPCODE: varchar(150)
ADDRESS1: varchar(500)
ADDRESS2: varchar(500)
EMAIL: varchar(200)
ISLOGIN: integer
REMOTEIP: varchar(20)
CREATEDATE: datetime
CREATORID: varchar(10)
UPDATEDATE: datetime
UPDATERID: varchar(10)
ISUSE: integer
ENDCAUSEDESC: varchar(500)
USERNOTE: varchar(500)
LOGINCNT: int
LASTLOGINDATE: datetime
UNUSE_MAIL_DATE: date
PWD_CHG_DATE: datetime
AGENT_ID: varchar(10)
ATTACH_SIGN: int
ETC1: varchar(100)
ETC2: varchar(100)
POSITION: varchar(50)
PRODMANAGE_YN: varchar(1)
EMPLOY_YN: varchar(1)
EMPLOY_EMAIL: varchar(50)
EMPLOY_CERT_CODE: varchar(6)
EMPLOY_CERT_TIME: datetime

EMPLOY_MARKET

MARKET_SEQ: int
TITLE: varchar(100)
CONTENT: text
HIDDEN_YN: varchar(1)
VIEW_CNT: int
ATTACH_SEQ1: int
ATTACH_SEQ2: int
ATTACH_SEQ3: int
ATTACH_SEQ4: int
INSERT_USER_ID: varchar(20)
INSERT_DATE: datetime
UPDATE_USER_ID: varchar(20)
UPDATE_DATE: datetime

EMPLOY_MARKET_REPLY

REPLY_REQ: int
MARKET_SEQ: int (FK)
CONTENT: varchar(1000)
INSERT_USER_ID: varchar(20)
INSERT_DATE: datetime

SMP_SITE

SITE_ID
BANNER
BANNER
SEARCH
DISORD
BANNER
INSERT
INSERT

attachInfo

attach_seq: int
attach_file_name: varchar(200)
attach_file_path: varchar(400)
insert_date: datetime

SMP_PLAN_DISP_PROD

DISP_ID: int (FK)
VENDORID: varchar(10) (FK)
GOOD_IDEN_NUMB: bigint (FK)
INSERT_USER_ID: varchar(500)
INSERT_DATE: varchar(500)

SMP_PLAN_DISP

DISP_ID: int
DISP_NM: varchar(200)
DISP_START_YMD: varchar(10)
DISP_END_YMD: varchar(10)
BANNER_ID: varchar(10)
INSERT_USER_ID: varchar(20)
INSERT_DATE: datetime
UPDATE_USER_ID: varchar(20)
UPDATE_DATE: datetime

SMP_SITE

SITE_ID
BANNER
BANNER
SEARCH
DISORD
BANNER
INSERT
INSERT

mcgood

good_iden_num: bigint
cate_id: int (FK)
good_name: varchar(200)
vtax_clas_code: varchar(10)
sale_criterion_type: varchar(10)
stan_buying_rate: numeric(8,2)
stan_buying_money: numeric(10,0)
isdistribute: varchar(10)
isdisspassgood: varchar(10)
insert_user_id: varchar(10)
insert_date: datetime

mcgoodvendor

good_iden_num: bigint (FK)
VENDORID: varchar(10) (FK)
req_good_id: int (FK)
sale_unit_pric: decimal(15,2)
good_st_spec_desc: varchar(200)
good_spec_desc: varchar(200)
orde_clas_code: varchar(10)
deli_mini_day: decimal(2,0)
deli_mini_quan: decimal(10,0)
make_comp_name: varchar(100)
original_img_path: varchar(500)

mccategorymaster

cate_id: int
majo_code_name: varchar(10)
cate_cd: varchar(10)
mojo_code_desc: varchar(20)
ref_cate_seq: int
cate_level: varchar(2)
ord_num: varchar(2)
insert_user_id: varchar(10)
insert_date: datetime
update_user_id: varchar(10)
update_date: datetime
remoteip: varchar(50)
AGENT_ID: varchar(10)

SMPBRANCHS

BRANCHID: varchar(10) (FK)

BRANCHNM: varchar(100)
 BRANCHCD: varchar(10)
 AREATYPE: varchar(10)
 BRANCHGRAD: varchar(10)
 BUSINESSNUM: varchar(150)
 REGISTNUM: varchar(150)
 BRANCHBUSITYPE: varchar(100)
 BRANCHBUSICLAS: varchar(100)
 PRESSENTNM: varchar(50)
 PHONENUM: varchar(150)
 E_MAIL: varchar(150)
 HOMEPAGE: varchar(100)
 POSTADDRNUM: varchar(150)
 ADDRES: varchar(500)
 ADDREDESC: varchar(500)
 FAXNUM: varchar(150)
 LOGINAUTHTYPE: varchar(10)
 ORDERAUTHTYPE: varchar(10)
 REFERECEDESC: varchar(3000)
 PAYBILLTYPE: varchar(10)
 PAYBILLDAY: varchar(2)
 PREPAY: varchar(1)
 ACCOUNTMANAGENM: varchar(50)
 ACCOUNTTELNUM: varchar(150)
 BANKCD: varchar(10)
 RECIPIENT: varchar(100)
 ACCOUNTNUM: varchar(150)
 BUSINESSATTACHFILESEQ: varchar(10)
 APPRAISALATTACHFILESEQ: varchar(10)
 ETCFIRSTSEQ: varchar(10)
 ETCSECONDSEQ: varchar(10)
 ETCTHIRDSEQ: varchar(10)
 AREA_MOD_DATE: DATE
 WORKID: int (FK)
 ACCMANAGEUSERID: varchar(10)
 ISORDERLIMIT: int
 AUTORDERLIMITPERIOD: integer
 CONTRACTSPECIAL: varchar(10)
 SHARP_MAIL: varchar(150)
 EBILL_EMAIL: varchar(150)
 ISSTOCK: int
 ISBUDGET: int
 AGENT_ID: varchar(10)
 BUSINESS_TYPE: char(1)
 OPEN_DATE: datetime
 CLT_AREATYPE: varchar(10)
 WORKMANAGENM: varchar(50)
 WORKMANAGETELNUM: varchar(150)
 WORKMANAGEEMAIL: varchar(150)
 BRANCH_LEVEL: int
 PAR_BRANCHID: varchar(10)
 ACCOUNTMANAGERPOSITION: varchar(50)
 BRANCH_RECCOTAXREGNO: varchar(4)
 POINT_COMP_YN: varchar(1)
 OTHER_DIRECT_YN: varchar(1)

SMPVENDORS

VENDORID: varchar(10) (FK)

VENDORNM: varchar(100)
 VENDORCD: varchar(10)
 AREATYPE: varchar(10)
 BUSINESSNUM: varchar(150)
 REGISTNUM: varchar(150)
 VENDORBUSITYPE: varchar(100)
 VENDORBUSICLAS: varchar(100)
 PRESSENTNM: varchar(100)
 PHONENUM: varchar(150)
 E_MAIL: varchar(150)
 HOMEPAGE: varchar(100)
 POSTADDRNUM: varchar(10)
 ADDRES: varchar(500)
 ADDREDESC: varchar(500)
 FAXNUM: varchar(150)
 LOGINAUTHTYPE: varchar(10)
 REFERECEDESC: varchar(1000)
 PAYBILLTYPE: varchar(10)
 PAYBILLDAY: varchar(2)
 ACCOUNTMANAGENM: varchar(50)
 ACCOUNTTELNUM: varchar(150)
 BANKCD: varchar(10)
 RECIPIENT: varchar(100)
 ACCOUNTNUM: varchar(150)
 BUSINESSATTACHFILESEQ: varchar(10)
 APPRAISALATTACHFILESEQ: varchar(10)
 ETCFIRSTATTACHSEQ: varchar(10)
 ETCSECONDATTACHSEQ: varchar(10)
 ETCTHIRDATTACHSEQ: varchar(10)
 TrustBillUserId: varchar(12)
 TrustBillUserNm: varchar(30)
 TrustBillUserEmail: varchar(150)
 TrustBillUserTel: varchar(150)
 ETCFOURTHATTACHSEQ: varchar(10)
 SHARP_MAIL: varchar(150)
 CLASSIFY: varchar(50)
 CREDITINFO: varchar(10)
 AGENT_ID: varchar(10)
 WORKMANAGENM: varchar(50)
 WORKMANAGETELNUM: varchar(150)
 WORKMANAGEEMAIL: varchar(150)
 ACCOUNTMANAGERPOSITION: varchar(50)
 WORKMANAGERPOSITION: varchar(50)
 BUSINESS_TYPE: varchar(1)
 PANTA_YN: varchar(1)

mracpt

orde_iden_r
 orde_sequ_r
 purc_iden_r
 deli_iden_r

deli_prod_c
 rece_nrod

n_numb: varchar(13) (FK)
 u_numb: varchar(3)

mrpurt

orde_iden_numb: varchar(13) (FK)

insert_date: datetime
 product_manager: varchar(100)
~~is_add_good: int~~
 repre_good: varchar(10)
 good_reg_year: varchar(4)
 good_spec: varchar(500)
 order_unit: varchar(10)
 good_type: varchar(10)
 vendor_expose: varchar(10)
~~stock_mngt: varchar(10)~~
 add_good: varchar(10)
 add_good_desc: varchar(200)
 skts_img: varchar(10)
 skts_orignal_img_path: varchar(500)
 skts_large_img_path: varchar(500)
 skts_middle_img_path: varchar(500)
 skts_small_img_path: varchar(500)
 skts_good_desc: text
 new_busi: varchar(10)
 repre_good_iden_num: bigint (FK)
 repre_display_order: decimal(18,2)
 PIMS: decimal(18,2)
 MATERIAL: varchar(20) (FK)
 T_CODE: varchar(20)
 AGENT_ID: varchar(10)
MATERIAL_DETL_CD: varchar(30) (FK)
 STOCK_YN: varchar(1)
 STOCK_PRICE: decimal(15,2)
 STOCK_CHECK_YN: varchar(1)
 KIT_YN: varchar(1)
 PACKAGE_QUAN: int
 JOJANG_YN: varchar(1)
 SMSSEND_YN: varchar(1)
 SAF_MGMT_ITM: varchar(2)
 GOOD_TEXT_DESC: varchar(-1)
 MGMT_YN: varchar(500)
 REPRE_DISORDER: numeric()
 COMPETITION_YN: varchar(1)
 MATERIAL_YN: varchar(1)
 COMP_YN: varchar(1)
 SUB1_MAIN_IMG_PATH: varchar(500)
~~SUB1_THUMB_IMG_PATH: varchar(500)~~
 SUB2_MAIN_IMG_PATH: varchar(500)
~~SUB2_THUMB_IMG_PATH: varchar(500)~~
 SUB3_MAIN_IMG_PATH: varchar(500)
~~SUB3_THUMB_IMG_PATH: varchar(500)~~
 SUB4_MAIN_IMG_PATH: varchar(500)
~~SUB4_THUMB_IMG_PATH: varchar(500)~~

original_img_path: varchar(500)
 large_img_path: varchar(500)
 middle_img_path: varchar(500)
 small_img_path: varchar(500)
 good_same_word: varchar(500)
 good_desc: text
 issub_ontract: varchar(10)
~~good_clas_code: varchar(10)~~
 good_inventory_cnt: decimal(15,2)
 regist_date: datetime
~~order_cnt: int~~
 isUse: varchar(10)
 distri_rate: int
~~good_reg_year: varchar(4)~~
 vendor_priority: int
~~the_day_post: char(1)~~
~~mig_good_spec: varchar(500)~~
 sell_price: decimal(15,2)
 SELL_ADD: decimal(15,2)
 SALE_ADD: decimal(15,2)
 UPDATE_DATE: datetime
~~MIG_GOOD_DESC: varchar(500)~~
 BUY_RATE: decimal(8,2)
~~LOGI_YN: char(1)~~
 SAFE_STOCK_QUAN: int
~~REPRE_BARCODE: varchar(20)~~
~~package_yn: varchar(10)~~
~~package_quan: int~~
 AGENT_ID: varchar(10)
 VENDOR_STOCK_YN: char(1)
 VENDOR_STOCK_SAVE_QUAN: int
 VENDOR_STOCK_SAVE_AUTO: char(1)
 VENDOR_STOCK_SORT: int
~~LOGI_SAFE_STOCK_AUTO: char(1)~~
 KIT_SUB_YN: varchar(1)
 ORDER_BUNDLE_QUAN: int
 FILE_LIST1: varchar(50)
 FILE_LIST2: varchar(50)
 LOGI_ORDER_UNIT: varchar(10)
 FILE_LIST3: varchar(50)
 SUB1_MAIN_IMG_PATH: varchar(500)
~~SUB1_THUMB_IMG_PATH: varchar(500)~~
 SUB2_MAIN_IMG_PATH: varchar(500)
~~SUB2_THUMB_IMG_PATH: varchar(500)~~
 SUB3_MAIN_IMG_PATH: varchar(500)
~~SUB3_THUMB_IMG_PATH: varchar(500)~~
 SUB4_MAIN_IMG_PATH: varchar(500)
~~SUB4_THUMB_IMG_PATH: varchar(500)~~
 PANTA_DISP_YN: varchar(1)

MCCUST_CATE_NEW_CONN

CUST_CATE_CD: varchar(20)
 CATE_ID: int (FK)

INSERT_USER_ID: varchar
 INSERT_DATE: datetime

MCCUST_CATE_NEW

CUST_CATE_CD: varchar

CUST_CATE_MAST_CD: v
 PAR_CUST_CATE_CD: va
 CUST_CATE_NM: v
 CATE_LEVEL: int
 USE_YN: varchar(1)
 PANTA_BEST_YN:
 ORDERING: int
 CUST_CATE_DESC
 INSERT_USER_ID:
 INSERT_DATE: date
 UPDATE_USER_ID:
 UPDATE_DATE: da

MCGOODVENDOR

VENDORID: varchar
 GOOD_IDEN_NUMB: b

SALE_YN: varchar
 SELL_PRICE: de
 ORI_SELL_PRIC
 REPRE_GOOD_
 INSERT_USER_
 INSERT_DATE: c
 UPDATE_USER_
 UPDATE_DATE:

MCGOODVENDOR_PANTA_ASK

ASK_SEQ: int

VENDORID: varchar(10) (FK)
 good_iden_num: bigint (FK)
 ASK_DESC: varchar(500)
 ANSWER_DESC: varchar(500)
 ASK_STAT: varchar(1)
 HIDDEN_YN: varchar(1)
 INSERT_USER_ID: varchar(20)
 INSERT_DATE: datetime

MCGOODVENDOR_PANTA_NOTI


VENDORID: varchar(10) (FK)
 good_iden_num: bigint (FK)


GOOD_NOTI_YN: varchar(1)
 GOOD_NM: varchar(200)
 GOOD_LAW: varchar(200)
 GOOD_COUNTRY: varchar(100)
 GOOD_MAN: varchar(100)
 GOOD AS TELNUM: varchar(50)

MCGOODVENDOR


INSERT_DATE: d

VENDORID: varchar
 GOOD_IDEN_NUMB: b
 SALE_YN: varchar
 SELL_PRICE: dec
 REPRE_GOOD_ID
 ORI_SELL_PRICE





quant: decimal(7,0)
ag: varchar(10)
clas: varchar(10)
_clas: varchar(50)
den: varchar(200)
id: varchar(10)
date: datetime
_id: varchar(10)
_date: datetime
_char(1)
m: varchar(30)
num: int (FK)
_varchar(10)
e: datetime
_rld: varchar(10)
text
lid: char(1)
_char(1)
_varchar(500)
an: varchar(500)
_varchar(10)
AGE_SEQ: varchar(100)
AGE_CONFIRM_YN: varchar(10)



st
n_numb: varchar(13) (FK)
u_numb: varchar(3) (FK)
n_numb: varchar(2) (FK)
n_numb: varchar(2) (FK)
n_numb: varchar(2)

pe_clas: varchar(10)
_varchar(10) (FK)
: varchar(10) (FK)
: varchar(10) (FK)
gi_date: datetime
i_date: datetime
gi_date: datetime
a_code: varchar(10)
: varchar(10) (FK)
en_name: varchar(500)
od_id: int
s_code: varchar(10)
od_quan: decimal(7,0)
od_pris: decimal(15,4)
od_amou: decimal(15,0)
od_pris: decimal(15,4)
od_amou: decimal(15,0)
n_numb: bigint (FK)
ame: varchar(200)
r_id: varchar(10) (FK)
e_numb: varchar(10)
u_numb: varchar(10) (FK)
u_numb: varchar(10) (FK)
nchid: varchar(10)

INSERT_DATE: datetime
UPDATE_USER_ID: varchar(20)
UPDATE_DATE: datetime

GOOD_NO_FLENO: varchar(50)
META_TAG: varchar(400)
ALT_IMG_TEXT: varchar(100)
INSERT_USER_ID: varchar(20)
INSERT_DATE: datetime
UPDATE_USER_ID: varchar(20)
UPDATE_DATE: datetime

ORI_SELL_PRICE
INSERT_USER_ID
UPDATE_USER_ID
UPDATE_DATE: c


==[상품공급사_팬타온_고지정보] 테이블의 상품코드 필드 설명==


단품 : 상품코드

옵션 : 옵션 마스터 상품코드

==[팬타온 물류상품의 고지정보 정리]==

팬타온 물류상품의 경우, 각각 상품공급사_팬타온 테이블에 들어가지 않으므로 최저가 공급사의 고지정보를 출력





clos_buyi_date: datetime

buyi_requ_amou: decimal(15,2)

buyi_requ_vtax: decimal(15,2)

DELIVERY_AMOUNT: decimal(15,0)

buyi_tota_amou: decimal(15,2)

sap_jour numb: varchar(20)

expiration_date: datetime

tran_sap_jour_date: datetime

tran_user_id: varchar(10)

pay_amou numb: varchar(20)

pay_amou: decimal(15,2)

tran_stat_flag: varchar(10)

paym_cond_code: varchar(20)

buyi_over_month: varchar(10)

buyi_over_day: varchar(10)

buyi_pay_date: datetime

create_borgid: varchar(10)

ele_etc_date: varchar(18)

etc_expiration_date: datetime

sum_up: varchar(2000)

vtax_clas_code: varchar(10)

AGENT_ID: varchar(10)

FIRST_BUY_YN: char(1)

~~COST_APPLY_YN: char(1)~~

ERP_APPLY_YN: char(1)

SALE_SEQU_NUMB: varchar(10) (FK)

org_stran

GOOD.

ADD_RE

REPRE

LOGI_Y

package

package

COST_A

AGENT

IF_SUCC

IF_FAIL

MATERI

MATERI

VENDORID

NAME: varchar(10)
SPEC: varchar(300)
EPRE_SEQU_NUMB: varchar(3)
GOOD_IDEN_NUMB: bigint
N: char(1)
yn: varchar(10)
quan: int
APPLY_YN: varchar(6)
ID: varchar(10)
CESS_YN: varchar(10)
REASON: varchar(1000)
AL: varchar(20) (FK)
AL_DETL_CD: varchar(30) (FK)
: varchar(10) (FK)