

11th March 2026

Arab Exchange Web Application Penetration Testing Report





Web Application Penetration Testing Report

Confidential Material

Warning! *This document and all contents are confidential and proprietary to ISECURION and its Customer Arab Global. If you have received it by mistake, please do not read beyond this and inform ISECURION at info@isecurion.com*

Distribution of this report is restricted for use by management of ISECURION or employees that have a specific need to know the information contained herein. It is strictly forbidden to share any part of this document with any third party, without a written consent of Arab Global.



Document Management Information

Document Title : Arab Exchange Web Application Penetration Testing Report

Document Status : Final Report

Abstract : The objective of this report is to present the potential vulnerabilities that exist in the application.

Document Publication History

Version Number	Date	Author(s)	Remark
1.0	11 th March 2026	Balateja	This report is based on the discussion and the penetration testing activities executed by ISECURION in accordance with Arab Global requirements.



Document Review and Approval History

(All revisions should be approved. Review and Approval can be by internal source or by the customer)

Version Number	Date	Reviewer and Approver	Remark
1.0	11 th March 2026	Manjunath N G	Final Review

Document Distributed List

Sl. No.	Name and company	Purpose
1	Pahul Singh Bhogal (Arab Global)	Review

Team members

Sl. No.	Team Member Name
1	Sachin Paraddy
2	Balateja



Table of Contents

- 1. Objectives5
- 2. Scope.....5
- 3. Executive Summary.....6
- 4. Setup & Methodology.....7
 - 4.1 Methodology.....7
 - 4.2 Areas Covered during Penetration Testing9
 - 4.3 Weak Points.....9
 - 4.4 Strong Points9
 - 4.5 Benchmarking with OWASP TOP 10.....10
 - 4.6 Observation Summary.....12
 - 4.7 Findings Summary15
- 5. Detailed Findings & Recommendations.....16

1

I. Objectives

ISECURION security testing team performed penetration testing of Web Application belonging to Arab Global. The overall objective and goal of this engagement was to:



- Identify Vulnerabilities in Arab Exchange Web Application.
- Identify the extent to which the application under the preview of this exercise is vulnerable to external threats.
- Recommended steps that need to be in place to mitigate the risks that arise due to the existence of these vulnerabilities.
- Compliance to industry standards and security best practices.

2

2. Scope

ISECURION performed Penetration Testing on the below-listed URL provided by Arab Global:

Sl. No.	URL	Hash Value	Version
1	https://arab-dev.staging-host.com/	225f3e4cb877617c12fde37e88d3df43	v1.0.1



3

3. Executive Summary

Arab Global engaged ISECURION for performing Penetration Testing of their Arab Exchange Web Application. The testing was executed from 29th December 2025 to 10th January 2026 from ISECURION premises.

The objective was to determine the effectiveness of the security and controls implemented by Arab Global and assess the current level of security from an external attacker & user point of view and its ability to withstand an intrusion attempt.



Testing was performed on the Staging Environment. Combination of Gray Box testing methodology (authenticated testing) and Black Box testing methodology (Unauthenticated Testing) was performed with below-mentioned user roles:

- Super Admin
- Member

Due to the impact to the overall organization as uncovered by this test, appropriate resources should be allocated to ensure that remediation efforts are accomplished in a timely manner.

ISECURION recommends the following:


- Ensure that the all vulnerabilities are fixed.
- As part of an effective organizational risk management strategy, vulnerability assessments & penetration test should be conducted on regular basis.



4

4. Setup & Methodology

4.1 Methodology



Accrual Phase

The information gathering stage is about querying a range of sources to determine information that may assist an attacker in gaining access to an organization's infrastructure. This is a non-intrusive stage where in all the available data is gathered to facilitate the next phases. Apart from the various information gathering tools available on the net, the methods / tools used included:

- Spidering the application for generating the sitemap
- Information gathering about the technologies used in the application
- Scanning for the vulnerabilities in the Application



Acclimatize Phase

After completion of information gathering about the target system in the previous phase the next step is to identify the vulnerabilities present on the target system using the vulnerability scanners like Burp suite Pro. Manual review was conducted which included checking certain configuration files, checking auditing features that had been enabled or disabled, user and account policies etc.

Analysis Phase

All the identified information security gaps are then assimilated/validated by performing testing on the systems and its related applications.

Admittance Phase

During this phase the ISECURION Consultants exploit the vulnerabilities found in the previous phase and document the evidence.

Affirmation Phase

A detailed Penetration Testing report is prepared and submitted to the application owner/client.

External framework and tools used for Penetration Test

Sl. No.	Frameworks /Methodologies	References
1	OWASP Compliance Standards	https://www.owasp.org/index.php/Category:OWASP_Top_Ten_Project
Tools		References
Vulnerability Scanners		
1	Burpsuite pro	https://portswigger.net/burp/
Penetration Testing Tools		
1	Misc Tools	Kali Linux OS, sqlmap, Nikto



4.2 Areas Covered during Penetration Testing

The following tests are conducted as part of the Penetration Testing:

- Application Fingerprinting
- Passive and Active testing
- OWASP top 10 2021
- Vulnerability Identification and Analysis
- Exploitation of Vulnerabilities
- SQL Injection
- Password attacks
- Business Logic Testing
- HTTP methods
- Access Control Tests

4.3 Weak Points

- No Weak Points


4.4 Strong Points

- Application is Protected from Business Logic Flaws
- Application is Protected from CSRF Attacks



4.5 Benchmarking with OWASP TOP 10

The below chart depicts the number of discovered vulnerabilities mapped to OWASP 2021 testing category.



OWASP has rated the Top Ten Vulnerabilities found in web applications worldwide.

OWASP Top Ten Vulnerabilities details can be found at the link below:

<https://owasp.org/www-project-top-ten/>



The table below shows how web application compares with respect to the OWASP 2021 Top 10 list.

<i>Sl. No.</i>	<i>VULNERABILITIES</i>	<i>STATUS</i>
1	Broken Access Control	PROTECTED
2	Cryptographic Failures	PROTECTED
3	Injection	PROTECTED
4	Insecure Design	PROTECTED
5	Security Misconfiguration	PROTECTED
6	Vulnerable and Outdated Components	PROTECTED
7	Identification and Authentication Failures	PROTECTED
8	Software and Data Integrity Failures	PROTECTED
9	Security Logging and Monitoring Failures	PROTECTED
10	Server-Side Request Forgery (SSRF)	PROTECTED



4.6 Observation Summary

During the security testing exercise, ISECURION security testing team (hereafter referred as the 'testing team') identified Zero (0) Vulnerabilities in the Arab Exchange Web Application. The vulnerabilities are categorized as per industry framework "Common Vulnerability Scoring System v3.1" i.e., CVSS3.1 scoring. The severity rating represented below is Base Score which represents only the intrinsic characteristics of a vulnerability that are constant over time and across user environments. To enable risk-focused mitigation, these vulnerabilities are summarized in five different categories (Critical, High, Medium, Low and Information).

Note: Business units should supplement the base CVSS score with the contextual analysis of the environment, and with attributes that may change over time by leveraging CVSS Temporal and Environmental Metrics. More appropriately, a comprehensive risk assessment system should be employed that considers more factors than simply the CVSS Base Score and represent actual risk.

CVSS 3.1 MAPPING

Severity Category	CVSS Score Range
Critical	9.0 - 10
High	7.0 - 8.9
Medium	4.0 - 6.9
Low	0.1 - 3.9
Informational	0.0



The scale shown below has been used to rate the level of risk:


Rating	Severity
C (Critical)	Critical vulnerability has a high potential of impacting business operations leading to downtime or disruption and provides an attacker with privileged access, customer service or SLA breach resulting in significant outage. If exploited, it has a direct impact on confidentiality, integrity or availability of organizational information.
H (High)	High vulnerability has a high potential of impacting business operations leading to downtime or disruption. This type of vulnerability can be exploited publicly, workaround or fix/patch available by vendor.
M (Medium)	Medium vulnerability has a potential of indirectly giving access to an intruder and/or doesn't have the features enabled for collecting evidence or notifying the attacker of unauthorized use for taking the legal action in case the vulnerability gets exploited. This type of vulnerability upon exploitation might result in elevation of privileges or slowing down the operations.
L (Low)	Low vulnerability has the potential of revealing the information about the device and may lead to unauthorized access to system leading to compromise. Higher work factor would be involved for exploiting this type of vulnerability.
I (Informational)	These vulnerabilities are relatively very low risk or no risk but must be addressed in subsequent development cycle to avoid any future exposure.

Ease of Exploitation

Easy	Requires little-to-no technical/application knowledge on behalf of an attacker and can be exploited using standard operating system tools.
Moderate	Requires some technical/application knowledge for an attacker to exploit, which could be performed using standard operating system tools or tools downloaded from the Internet.
Difficult	Requires specific technical/application knowledge on behalf of an attacker. The issue could be exploited using a combination of operating system tools or publicly available tools downloaded from the Internet.

**Graphical representation of Identified Vulnerabilities to Severity Risk rating**

Sl. No.	Severity Level	Frequency
1	Critical	0
2	High	0
3	Medium	0
4	Low	0
5	Informational	0

Table: Representing Severity Level***Graphical Representation of Identified Gaps***



4.7 Findings Summary

Sl. No	Observed Vulnerability	Risk Rating	Recommendation
No vulnerabilities were identified			



5

5. Detailed Findings & Recommendations

This section of the report provides mitigation steps for the identified vulnerabilities. The tables below list the vulnerabilities identified, their rating and the remediation actions to be performed. The scale as mentioned under “Observation Summary” has been used to rate the severity.

No vulnerabilities were identified in the Arab Exchange external web application.



-END OF REPORT-

