Rebuttal Supplementary Materials

GraphQuery v. ConfidenceQuery: Simulation Results

Uniform random noise in each module's query cost q_i
$q_i \sim \text{Uniform}[(1-c)Q, (1+c)Q]$, Q = 0.32




c = 0.2
c = 0.4
c = 0.6
Total Failed Attempts
Total Correct
(0.8, 0.3)
(0.75, 0.35)
(0.7, 0.4)
(0.65, 0.45)
(0.6, 0.5)
Confidences
Graph Query
Confidence Query

GraphQuery v. ConfidenceQuery: Feeding Study Results

Subjective scores (top) and objective scores (bottom) for N=5 users without mobility limitations.

Means	Mental/Physical Demand↓	Effort ↓	Subjective Success ↑	Satisfaction ↑
GraphQuery	1.8	2	4.2	3.8
ConfidentQuery	3.4	3.6	2.2	1.6

Means	Mean Queries per Bite ↓	Mean Executions per Bite ↓	Mean Successful Bites per Trial ↑
GraphQuery	2.32	1.68	0.92
ConfidentQuery	6.28	1.12	0.44

References

[1] Jenamani, R.K., Silver, T., Dodson, B., Tong, S., Song, A., Yang, Y., Liu, Z., Howe, B., Whitneck, A. and Bhattacharjee, T., 2025. FEAST: A Flexible Mealtime-Assistance System Towards In-the-Wild Personalization. Robotics: Science and Systems (RSS), 2025.

[2] Banerjee, R., Jenamani, R.K., Vasudev, S., Nanavati, A., Dimitropoulou, K., Dean, S. and Bhattacharjee, T., 2025, May. To Ask or Not To Ask: Human-in-the-loop contextual bandits with applications in robot-assisted feeding. In 2025 IEEE International Conference on Robotics and Automation (ICRA) (pp. 1378-1384).

[3] J. Mankoff, G. R. Hayes, and D. Kasnitz, "Disability studies as a source of critical inquiry for the field of assistive technology," in Proceedings of the 12th international ACM SIGACCESS conference on Computers and accessibility, 2010, pp. 3–10.

[4] A. Nanavati, V. Ranganeni, and M. Cakmak, "Physically assistive robots: A systematic review of mobile and manipulator robots that physically assist people with disabilities," Annual Review of Control, Robotics, and Autonomous Systems, vol. 7, 2023.

[5] A. Padmanabha, J. Gupta, C. Chen, J. Yang, V. Nguyen, D. J. Weber, C. Majidi, and Z. Erickson, "Independence in the home: A wearable interface for a person with quadriplegia to teleoperate a mobile manipulator," in Proceedings of the 2024 ACM/IEEE International Conference on Human-Robot Interaction, 2024, pp. 542–551.

[6] Z. Wu, B. Ai, T. Silver, and T. Bhattacharjee. 2025. SAVOR: Skill Affordance Learning from Visuo-Haptic Perception for Robot-Assisted Bite Acquisition, in Conference on Robot Learning (CoRL), 2025.

[7] Xia, K., Jiang, H., Man, Z., Jiang, Y. and Yao, Z., 2024. LC-Dual: Coupling predictive information and redundant strategies for autonomous vehicle lane change trajectory planning. IEEE Transactions on Intelligent Vehicles.

[8] Gosala, N., Bühler, A., Prajapat, M., Ehmke, C., Gupta, M., Sivanesan, R., Gawel, A., Pfeiffer, M., Bürki, M., Sa, I. and Dubé, R., 2019, May. Redundant perception and state estimation for reliable autonomous racing. In 2019 International Conference on Robotics and Automation (ICRA) (pp. 6561-6567). IEEE.

[9] Huang, B., Wang, Y., Yang, X., Luo, Y. and Li, Y., 2024. 3d-vitac: Learning fine-grained manipulation with visuo-tactile sensing, in Conference on Robot Learning (CoRL), 2024.

[10] X. Ma, S. Patidar, I. Haughton, and S. James. 2024. Hierarchical Diffusion Policy for Kinematics-Aware Multi-Task Robotic Manipulation. CVPR (2024).

[11] Rubenstein, M., Cornejo, A. and Nagpal, R., 2014. Programmable self-assembly in a thousand-robot swarm. Science, 345(6198), pp.795-799.